

## DAFTAR PUSTAKA

- Abed, I., Paraschiv, M., Loubar, K., Zagrouba, F., dan Tazerout, M., 2012. Thermogravimetric investigation and thermal conversion kinetics of typical North-Africa and middle-east lignocellulosic wastes. *BioResources*, **7**: 1200–1220.
- Abraham, E., Deepa, B., Pothan, L.A., Jacob, M., Thomas, S., Cvelbar, U., dkk., 2011. Extraction of nanocellulose fibrils from lignocellulosic fibres: A novel approach. *Carbohydrate Polymers*, **86**: 1468–1475.
- Abu-Thabit, N.Y., Judeh, A.A., Hakeem, A.S., Ul-Hamid, A., Umar, Y., dan Ahmad, A., 2020. Isolation and characterization of microcrystalline cellulose from date seeds (*Phoenix dactylifera* L.). *International Journal of Biological Macromolecules*, **155**: 730–739.
- Adeoye, O. dan Alebiowu, G., 2014. Flow, packing and compaction properties of novel coprocessed multifunctional directly compressible excipients prepared from tapioca starch and mannitol. *Pharmaceutical Development and Technology*, **19**: 901–910.
- Adimarta, T., 2016. 'Isolasi dan Karakterisasi Selulosa Dari Tandan Kosong Kelapa Sawit Dengan Menggunakan Campuran NaOH dan NaOCl', . Universitas Gadjah Mada Yogyakarta.
- Agustin, N. dan Abdassah, M., 2021. Isolasi dan Karakterisasi Selulosa Mikrokrystal dari Nanas (*Ananas comosus* (L.) Merr). *PHARMACY: Jurnal Farmasi Indonesia (Pharmaceutical Journal of Indonesia)*, **18**: 111–121.
- Agustini, L. dan Efiyanti, L., 2015. Pengaruh Perlakuan Delignifikasi Terhadap Hidrolisis Selulosa dan Produksi Etanol dari Limbah Berlignoselulosa. *Jurnal Penelitian Hasil Hutan*, **33**: 69–80.
- Aldebron, G. dan Nyström, C., 1996. *Pharmaceutical Powder Compaction Technology*. I. Marcel Dekker, New York.
- Amdoun, R., Khelifi, L., Khelifi-Slaoui, M., Amroune, S., Asch, M., Assaf-Ducrocq, C., dkk., 2018. The Desirability Optimization Methodology; a Tool to Predict Two Antagonist Responses in Biotechnological Systems: Case of Biomass Growth and Hyoscyamine Content in Elicited *Datura stramonium* Hairy Roots. *Iranian Journal of Biotechnology*, **16**: 11–19.
- Anonim, 2020a. '95% Bahan Baku Obat RI Masih Impor, apa masalahnya?', . URL: <https://finance.detik.com/industri/d-5246155/95-bahan-baku-obat-ri-masih-impor-apa-masalahnya> (diakses tanggal 28/4/2021).

- Anonim, 2020b. 'Kemenperin: Tekan Impor Industri Farmasi, Balai Kemenperin Fokus Riset Bahan Baku Lokal', URL: <https://kemenperin.go.id/artikel/22018/Tekan-Impor-Industri-Farmasi,-Balai-Kemenperin-Fokus-Riset-Bahan-Baku-Lokal> (diakses tanggal 28/4/2021).
- Ansel, H.C., 1989. *Pengantar Bentuk Sediaan Farmasi*, 4th ed. UI-Press, Jakarta.
- AOAC, 2019. *Standard Format and Guidance for AOAC Standard Method Performance Requirement (SMPR) Document*.
- Armstrong, N., 2006. *Pharmaceutical Experimental Design and Interpretation*, 2nd ed. Taylor and Francis Ltd, New York.
- Asad, M., Saba, N., Asiri, A., Jawaid, M., Indarti, E., dan Wanrosli, W., 2018. Preparation And Characterization Of Nanocomposite Films From Oil Palm Pulp Nanocellulose/Poly (Vinyl Alcohol) By Casting Method. *Carbohydrate Polymers*, **191**: 103–111.
- Aulton, M.E., 2002. *Pharmaceutics the Science of Dosage Form Design*, 2 nd. ed. Churchill Livingstone, Edinburgh, Scotland.
- Azubuiké, C.P. dan Okhamafe, A.O., 2012. Physicochemical, spectroscopic and thermal properties of microcrystalline cellulose derived from corn cobs. *International Journal of Recycling of Organic Waste in Agriculture*, **1**: 1–7.
- Azubuiké, C.P., Silva, B.O., dan Okhamafe, A.O., 2012. Pharmacopoeial and physicochemical properties of  $\alpha$ -cellulose and microcrystalline cellulose powders derived from cornstalks. *International Journal of Green Pharmacy (IJGP)*, **6**: 193–198.
- Balai Inkubator Teknologi, 2012. *Karakterisasi PSA (Particle Size Analyzer) Dan Zeta Potensial*. Balai Inkubator Teknologi, Serpong - Tangerang.
- Bano, S. dan Negi, Y.S., 2017. Studies on cellulose nanocrystals isolated from groundnut shells. *Carbohydrate Polymers*, **157**: 1041–1049.
- Baruah, J., Deka, R.C., dan Kalita, E., 2020. Greener production of microcrystalline cellulose (MCC) from *Saccharum spontaneum* (Kans grass): Statistical optimization. *International Journal of Biological Macromolecules*, **154**: 672–682.
- Bayer, T., Selyanchyn, R., Nishihara, M., -, al, Wulandari, W.T., Rochliadi, A., dkk., 2016. Nanocellulose prepared by acid hydrolysis of isolated cellulose from sugarcane bagasse. *IOP Conference Series: Materials Science and Engineering*, **107**: 012045.

- Benabbas, R., Sanchez-Ballester, N.M., Bataille, B., Sharkawi, T., dan Soulairol, I., 2021. Development and pharmaceutical performance of a novel co-processed excipient of alginic acid and microcrystalline cellulose. *Powder Technology*, **378**: 576–584.
- Bolton, S. dan Bon, C., 2009. *Pharmaceutical Statistics : Practical and Clinical Applications*, 5th ed. CRC Press, USA.
- Bonillo Martínez, A.D., Margarit Bellver, M.V., dan Rodríguez Galán, I.C., 2017. Matrix tablets based on amino acid-derived polyesteramide containing release modifiers. *Journal of Drug Delivery Science and Technology*, **42**: 307–314.
- Capece, M., Huang, Z., dan Davé, R., 2017. Insight Into a Novel Strategy for the Design of Tablet Formulations Intended for Direct Compression. *Journal of pharmaceutical sciences*, **106**: 1608–1617.
- Carà, P.D., Pagliaro, M., Elmekawy, A., Brown, D.R., Verschuren, P., Shiju, N.R., dkk., 2013. Hemicellulose hydrolysis catalysed by solid acids. *Catalysis Science & Technology*, **3**: 2057–2061.
- Castillo Henríquez, L., Vargas Zúñiga, R., Carazo Berrocal, G., Madrigal Redondo, G., Calvo Guzmán, B., dan Baltodano Viales, E., 2019. Development of immediate release Rupaadine fumarate 10 mg tablets: A Quality by Design (QbD) approach. *Drug development and industrial pharmacy*, **45**: 1674–1681.
- Chaparala, V., Ravi Kiran Sastry, G., dan Phani Prasanthi, P., 2023. 'Thermal degradation study of cotton waste pulp-based cellulose nanocrystals', , dalam: *Materials Today: Proceedings*. Elsevier, hal. 2214–7853.
- Chen, J., Ye, J., Song, T., Lu, Z., dan Xiong, J., 2023. Flowability, binding and release property of “self-lubricating” microcrystalline cellulose. *Industrial Crops and Products*, **196**: 116501.
- Chesson, A., 1981. Effects of sodium hydroxide on cereal straws in relation to the enhanced degradation of structural polysaccharides by rumen microorganisms. *Journal of the Science of Food and Agriculture*, **32**: 745–758.
- Chowdary, K.P.R. dan Ramya, K., 2013. Recent Research On Co-Processed Excipients For Direct Compression - A REVIEW. *Pharmacie Globale (IJCP)*, **02**: 1–5.
- Chuayplod, P. dan Aht-Ong, D., 2018. A study of microcrystalline cellulose prepared from parawood (*Hevea brasiliensis*) sawdust waste using different acid types. *Journal of Metals, Materials and Minerals*, **28**: 106–114.
- Collazo-Bigliardi, S., Ortega-Toro, R., dan Chiralt Boix, A., 2018. Isolation and characterisation of microcrystalline cellulose and cellulose nanocrystals from coffee husk and comparative study with rice husk. *Carbohydrate Polymers*, **191**: 205–215.

- Debnath, B., Duarah, P., dan Purkait, M.K., 2023. Microwave-assisted quick synthesis of microcrystalline cellulose from black tea waste (*Camellia sinensis*) and characterization. *International Journal of Biological Macromolecules*, **244**: 125354.
- Dirjen POM, 2000. *Parameter Standar Umum Ekstrak Tumbuhan Obat*, 1st ed. Departemen Kesehatan Republik Indonesia, Jakarta.
- Egerton, R.R., 2005. *Physical Principle of Electron Microscopy*. Springer, New York.
- Eichhorn, S.J., Dufresne, A., Aranguren, M., Marcovich, N.E., Capadona, J.R., Rowan, S.J., dkk., 2010. Review: Current international research into cellulose nanofibres and nanocomposites. *Journal of Materials Science*, **45**: 1–33.
- Fahim, H., Motamedzadegan, A., Farahmandfar, R., dan Khaligh, N.G., 2023. Surface analysis and thermal behavior of the functionalized cellulose by glutaric anhydride through a solvent-free and catalyst-free process. *International Journal of Biological Macromolecules*, **232**: 123268.
- Fauziyah, B., Yuwono, M., Isnaeni, Nahdhia, N., dan Sholihah, F., 2022. Isolation and Characterization of Sugarcane (*Saccharum officinarum* L.) Bagasse Cellulose Hydrolyzed with Acid Variation. *Tropical Journal of Natural Product Research*, **6**: 856–862.
- Fitri, A.S. dan Fitriana, Y.A.N., 2020. Analisis Senyawa Kimia Pada Karbohidrat. *SAINTEKS*, **17**: 45–52.
- Fitrya, F., Fithri, N.A., Wijaya, D.P., dan Sembiring, E.P., 2021. Optimization of acid concentration and hydrolysis time in the isolation of microcrystalline cellulose from water hyacinth (*Eichornia crassipes* solm). *Tropical Journal of Natural Product Research*, **5**: 503–508.
- Fudholi, A. dan Bestari, A.N., 2019. *Formulasi & Teknologi Sediaan Tablet*. Istana Agency Yogyakarta.
- Gandjar, I.G. dan Rohman, A., 2007. *Kimia Farmasi Analisis*. Pustaka Pelajar, Yogyakarta.
- Gibson, M. (Editor), 2009. *Pharmaceutical Preformulation and Formulation*. Informa Healthcare, New York.
- Gong, X. dan Sun, C.C., 2015. A new tablet brittleness index. *European journal of pharmaceuticals and biopharmaceutics : official journal of Arbeitsgemeinschaft fur Pharmazeutische Verfahrenstechnik e.V*, **93**: 260–266.
- González, A.G. dan Herrador, M.A., 2007. A practical guide to analytical method validation, including measurement uncertainty and accuracy profiles. *TrAC Trends in Analytical Chemistry*, **26**: 227–238.

- Gusrianto, P., Zulharmita, Z., dan Rivai, H., 2011. Preparasi Dan Karakterisasi Mikrokrystalin Selulosa Dari Limbah Serbuk Kayu Penggergajian. *Jurnal Sains dan Teknologi Farmasi*, **16**: 180–188.
- Handoko, F., 2020. 'Fabrikasi dan Karakterisasi Selulosa Nanokrystalin dari Ampas Teh (*Camellia sinensis*) Sebagai Bahan Bioplastik', . Universitas Gadjah Mada Yogyakarta.
- Hartati, S., Sudarmonowati, E., Fatriasari, Hermiati, E., Dwianto, W., Kaida, R., dkk., 2010. Wood Characteristic of Superior Sengon Collection and Prospect of Wood Properties Improvement through Genetic Engineering. *J of Ind Wood Research Journal*, **1**: 103–107.
- Hespell, R.B., 1998. Extraction and Characterization of Hemicellulose from the Corn Fiber Produced by Corn Wet-Milling Processes. *Journal of Agricultural and Food Chemistry*, **46**: 2615–2619.
- Hii, K.L. dan Mashitah, M.D., 2014. Optimisation of pressed pericarp fibre delignification for glucose recovery using response surface methodology. *International Journal of Environmental Engineering*, **6**: 220–238.
- Hsein, H., Garrait, G., Tamani, F., Beyssac, E., dan Hoffart, V., 2017. Denatured Whey Protein Powder as a New Matrix Excipient: Design and Evaluation of Mucoadhesive Tablets for Sustained Drug Release Applications. *Pharmaceutical research*, **34**: 365–377.
- Huang, R.L., Qi, W., Su, R.X., dan He, Z.M., 2010. The optimization of fractionating lignocellulose by formic acid using response surface methodology. *Energy Sources, Part A: Recovery, Utilization and Environmental Effects*, **32**: 1282–1292.
- Hubbe, M.A., Rojas, O.J., Lucia, L.A., dan Sain, M., 2008. Cellulosic Nanocomposites: A Review. *BioResources*, **3**: 929–980.
- Ibrahim, M.M., El-Zawawy, W.K., Jüttke, Y., Koschella, A., dan Heinze, T., 2013. Cellulose and microcrystalline cellulose from rice straw and banana plant waste: Preparation and characterization. *Cellulose*, **20**: 2403–2416.
- ICH, 2022. *Validation of Analytical Procedures: Text and Methodology, International Conference on Harmonization (ICH) Guideline Q2(R2)*.
- Ioelovich, M., 2019. Study of Fractal Dimensions of Microcrystalline Cellulose Obtained by the Spray-Drying Method. *Fractal and Fractional 2019, Vol. 3, Page 3*, **3**: 3.
- Irawati, D., Sutapa, J.P., Firmansyah, A., Mardika, P., Nugroho, F., dan Marsoem, S., 2013. Produksi Etanol dari Serbuk Kayu dengan Perlakuan Kalsium Hidroksida Menggunakan Metode SSF. *Journal Ilmu dan Teknologi Kayu Tropis*, **11**: 38–45.

- Jones, D., 2008. *Fast Track Pharmaceuticals—Dosage Form and Design*. Pharmaceutical Press, London.
- Jonoobi, M., Khazaeian, A., Tahir, P.M., Azry, S.S., dan Oksman, K., 2011. Characteristics of cellulose nanofibers isolated from rubberwood and empty fruit bunches of oil palm using chemo-mechanical process. *Cellulose*, **18**: 1085–1095.
- Julfana Sutarno, R., Anita Zaharah, T., Idiawati, N., dan Hadari Nawawi, J.H., 2013. Hidrolisis Enzimatis Selulosa dari Ampas Sagu Menggunakan Campuran Selulasi dari *Trichoderma reesei* dan *Aspergillus niger*. *Jurnal Kimia Khatulistiwa*, **2**: 52–57.
- Kalita, R.D., Nath, Y., Ochubiojo, M.E., dan Buragohain, A.K., 2013. Extraction and characterization of microcrystalline cellulose from fodder grass; *Setaria glauca* (L) P. Beauv, and its potential as a drug delivery vehicle for isoniazid, a first line antituberculosis drug. *Colloids and Surfaces B: Biointerfaces*, **108**: 85–89.
- Kang, C., Lee, J.H., Kim, D.W., Lee, B.J., dan Park, J.B., 2018. Preparation of Sustained Release Tablet with Minimized Usage of Glyceryl Behenate Using Post-Heating Method. *AAPS PharmSciTech*, **19**: 3067–3075.
- Karim, M.Z., Chowdhury, Z.Z., Hamid, S.B.A., dan Ali, M.E., 2014. Statistical Optimization for Acid Hydrolysis of Microcrystalline Cellulose and Its Physicochemical Characterization by Using Metal Ion Catalyst. *Materials*, **7**: 6982–6999.
- Kementrian Kesehatan, R.I., 1979. *Farmakope Indonesia*, III. ed. Kementrian Kesehatan Republik Indonesia, Jakarta.
- Kementrian Kesehatan, R.I., 2020. *Farmakope Indonesia*, VI. ed. Kementrian Kesehatan Republik Indonesia, Jakarta.
- Kharismi, R.R.A.Y., Sutriyo, dan Suryadi, H., 2018. Preparation and characterization of microcrystalline cellulose produced from betung bamboo (*dendrocalamus asper*) through acid hydrolysis. *Journal of Young Pharmacists*, **10**: s79–s83.
- Kian, L.K., Jawaid, M., Ariffin, H., dan Alothman, O.Y., 2017. Isolation and characterization of microcrystalline cellulose from roselle fibers. *International Journal of Biological Macromolecules*, **103**: 931–940.
- Kian, L.K., Saba, N., Jawaid, M., dan Fouad, H., 2020. Characterization of microcrystalline cellulose extracted from olive fiber. *International Journal of Biological Macromolecules*, **156**: 347–353.

- Kooskurniasari, W., 2014. 'Pemanfaatan Serbuk Gergaji Kayu Sengon (*Albizia chinensis*) Sebagai Sorben Minyak Mentah Dengan Aktifasi Kombinasi Fisik', . Universitas Islam Negeri Syarif Hidayatullah, Jakarta.
- Krisnawati, H., Varis, E., Kallio, M., dan Kanninen, M., 2011. *Paraserianthes Falcataria (L.) Nielsen Ecology, Silviculture and Productivity*. CIFOR, Bogor.
- Kristanto, J., Azis, M.M., dan Purwono, S., 2021. Multi-distribution activation energy model on slow pyrolysis of cellulose and lignin in TGA/DSC. *Heliyon*, **7**: e07669.
- Krivokapić, J., Ivanović, J., Djuriš, J., Medarević, D., Potpara, Z., Maksimović, Z., dkk., 2020. Tableting properties of microcrystalline cellulose obtained from wheat straw measured with a single punch bench top tablet press. *Saudi Pharmaceutical Journal*, **28**: 710–718.
- Lachman, L., Lieberman, H.A., dan Kanig, J.L., 1989. *Teori Dan Praktek Farmasi Industri*, 3rd ed. UI-Press, Jakarta.
- Landín, M., Martínez-Pacheco, R., Gómez-Amoza, J.L., Souto, C., Concheiro, A., Rowe, R.C., dkk., 1993. Influence of microcrystalline cellulose source and batch variation on the tableting behaviour and stability of prednisone formulations. *International Journal of Pharmaceutics*, **91**: 143–149.
- Li, C. dan Zhao, Z.K., 2007. Efficient Acid-Catalyzed Hydrolysis of Cellulose in Ionic Liquid. *Advanced Synthesis & Catalysis*, **349**: 1847–1850.
- Liu, Y., Liu, A., Ibrahim, S.A., Yang, H., dan Huang, W., 2018. Isolation and characterization of microcrystalline cellulose from pomelo peel. *International Journal of Biological Macromolecules*, **111**: 717–721.
- Maghrabia, A.E., Boughdady, M.F., dan Meshali, M.M., 2019. New Perspective Enteric-Coated Tablet Dosage Form for Oral Administration of Ceftriaxone: In Vitro and In Vivo Assessments. *AAPS PharmSciTech*, **20**: .
- Maharini, I., Martien, R., Nugroho, A.K., Supanji, dan Adhyatmika, 2022. RP-HPLC-UV validation method for levofloxacin hemihydrate estimation in the nano polymeric ocular preparation. *Arabian Journal of Chemistry*, **15**: 103582.
- Malvern Instruments Limited, 2012. *A Basic Guide to Particle Characterization*. Malvern intruments limited, Worcestershire.
- Meirista, I., Mariska, R.P., Soyata, A., Fitria, Lestari, O., dan Hartesi, B., 2023. Modifikasi Pati Beras Ketan Putih Sebagai Pengisi Pada Pembuatan Tablet Kempa Langsung. *Majalah Farmasetika*, **8**: 70–94.
- Moffat, A.C., Osselton, M.D., dan Widdop, B., 2011. *Clarke's Analysis of Drugs and Poisons*, Fourth. ed. Pharmaceutical Press, London.

- Mohamad Haafiz, M.K., Eichhorn, S.J., Hassan, A., dan Jawaid, M., 2013. Isolation and characterization of microcrystalline cellulose from oil palm biomass residue. *Carbohydrate Polymers*, **93**: 628–634.
- Mohammed, H., Sadeek, S., Rehab Mahmoud, A., dan Zaky, D., 2016. Comparison of AAS, EDXRF, ICP-MS and INAA performance for determination of selected heavy metals in HFO ashes.
- Mosier, N.S., Ladisch, C.M., dan Ladisch, M.R., 2002. Characterization of acid catalytic domains for cellulose hydrolysis and glucose degradation. *Biotechnology and bioengineering*, **79**: 610–618.
- Mulyadi, I., 2019. Isolasi Dan Karakterisasi Selulosa : Review. *Jurnal Saintika Unpam : Jurnal Sains dan Matematika Unpam*, **1**: 177.
- Nakamura, S., Nakagawa, M., Tanaka, C., Yuasa, H., dan Sakamoto, T., 2019. Utility of microcrystalline cellulose to prevent drug segregation in direct powder compression. *Journal of Drug Delivery Science and Technology*, **52**: 386–392.
- Nasution, F.A., 2004. *Bahaya Timbal Dan Permasalahannya*. Departemen Teknik dan Lingkungan ITB, Bandung.
- Niazi, M.B.K., Jahan, Z., Berg, S.S., dan Gregersen, Ø.W., 2017. Mechanical, thermal and swelling properties of phosphorylated nanocellulose fibrils/PVA nanocomposite membranes. *Carbohydrate Polymers*, **177**: 258–268.
- Nofrerias, I., Nardi, A., Suñé-Pou, M., Suñé-Negre, J.M., García-Montoya, E., Pérez-Lozano, P., dkk., 2019. Comparison between Microcrystalline Celluloses of different grades made by four manufacturers using the SeDeM diagram expert system as a pharmaceutical characterization tool. *Powder Technology*, **342**: 780–788.
- Nokhodchi, A., 2005. An overview of the effect of moisture on compaction and compression. *Pharmaceutical technology*, **29**: 46–66.
- Nura'ini, E. dan Hastanu, S.S.P., 2017. 'Production of Microcrystalline Cellulose (MCC) from Sawdust of Albazi Chinesis Waste by Using Sonication and Hydrothermal Process', . Institut Teknologi Sepuluh Nopember Surabaya.
- Nuringtyas, T.R., 2010. *Karbohidrat*. Gadjah Mada University Press, Yogyakarta.
- Obi Reddy, K., Uma Maheswari, C., Shukla, M., Song, J.I., dan Varada Rajulu, A., 2013. Tensile and structural characterization of alkali treated Borassus fruit fine fibers. *Composites Part B: Engineering*, **44**: 433–438.

- Ohwoavworhua, F., Adelakun, T., dan Okhamafe, A., 2009. Processing pharmaceutical grade microcrystalline cellulose from groundnut husk: Extraction methods and characterization. *International Journal of Green Pharmacy (IJGP)*, **3**: 97–104.
- Ohwoavworhua, F.O. dan Adelakun, T.A., 2010. Non-wood Fibre Production of Microcrystalline Cellulose from *Sorghum caudatum*: Characterisation and Tableting Properties. *Indian journal of pharmaceutical sciences*, **72**: 295–301.
- Owolabi, A.F., Haafiz, M.K.M., Hossain, M.S., Hussin, M.H., dan Fazita, M.R.N., 2017. Influence of alkaline hydrogen peroxide pre-hydrolysis on the isolation of microcrystalline cellulose from oil palm fronds. *International Journal of Biological Macromolecules*, **95**: 1228–1234.
- Pachau, L., Dutta, R.S., Hauzel, L., Devi, T.B., dan Deka, D., 2019. Evaluation of novel microcrystalline cellulose from *Ensete glaucum* (Roxb.) Cheesman biomass as sustainable drug delivery biomaterial. *Carbohydrate Polymers*, **206**: 336–343.
- Patel, S., Kaushal, A.M., dan Bansal, A.K., 2006. Compression physics in the formulation development of tablets. *Critical reviews in therapeutic drug carrier systems*, **23**: 1–65.
- Paul, S. dan Sun, C.C., 2017. Dependence of Friability on Tablet Mechanical Properties and a Predictive Approach for Binary Mixtures. *Pharmaceutical research*, **34**: 2901–2909.
- Paul, S. dan Sun, C.C., 2018. Systematic evaluation of common lubricants for optimal use in tablet formulation. *European Journal of Pharmaceutical Sciences*, **117**: 118–127.
- Pérez, J., Muñoz-Dorado, J., De La Rubia, T., dan Martínez, J., 2002. Biodegradation and biological treatments of cellulose, hemicellulose and lignin: An overview. *International Microbiology*, **5**: 53–63.
- Pratama, R.A., Nida, S., Amita, S., dan Hernaningsih, A., 2021. Alternatif Proses Bleaching untuk Mewujudkan Industri Pulp & Paper yang Berkelanjutan; Review Teknologi. *Jurnal Rekayasa Lingkungan*, **14**: 164–182.
- Purwanto, 2014. 'Karakterisasi Mikro dan Nanoselulosa Hasil Ekstraksi Dari Serat Sisal dan Kenaf', . Universitas Gadjah Mada Yogyakarta.
- Qui, Y., Chen, Y., dan Zhang, G.G., 2009. *Developing Solid Oral Dosage Forms: Pharmaceutical Theory and Practice*. Academic Press, Burlington.
- Rahamathulla, M., Hani, U., Alqahtani, A., H.V, G., Yasmin Begum, M., Jafar, M., dkk., 2022. 23 Factorial Design and Optimization of Effervescent Floating Matrix Tablet of Neratinib. *Journal of Pharmaceutical Innovation*, **17**: 1451–1462.

- Rahman, N.H.A., Chieng, B.W., Ibrahim, N.A., dan Rahman, N.A., 2017. Extraction And Characterization Of Cellulose Nanocrystals From Tea Leaf Waste Fibers. *Polymers*, **9**: 1–11.
- Rahman, W.A., Ismail, A.S., dan Majid, N.A., 2022. Preparation and characterization of biocomposite film derived from microcrystalline cellulose (MCC) of jackfruit rind waste. *Materials Today: Proceedings*, **66**: 4055–4060.
- Rashid, M., Gafur, M.A., Sharafat, M.K., Minami, H., Miah, M.A.J., dan Ahmad, H., 2017. Biocompatible microcrystalline cellulose particles from cotton wool and magnetization via a simple in situ co-precipitation method. *Carbohydrate Polymers*, **170**: 72–79.
- Rashid, S. dan Dutta, H., 2020. Characterization of nanocellulose extracted from short, medium and long grain rice husks. *Industrial Crops and Products*, **154**: 112627.
- Rinaldi, R. dan Schüth, F., 2009. Acid hydrolysis of cellulose as the entry point into biorefinery schemes. *ChemSusChem*, **2**: 1096–1107.
- Rojas, J., Buckner, I., dan Kumar, V., 2012. Co-processed excipients with enhanced direct compression functionality for improved tableting performance. *Drug Development and Industrial Pharmacy*, **38**: 1159–1170.
- Rosa, S.M.L., Rehman, N., De Miranda, M.I.G., Nachtigall, S.M.B., dan Bica, C.I.D., 2012. Chlorine-free extraction of cellulose from rice husk and whisker isolation. *Carbohydrate Polymers*, **87**: 1131–1138.
- Salmenjoki, H., Alava, M.J., dan Laurson, L., 2018. Machine learning plastic deformation of crystals. *Nature Communications 2018 9:1*, **9**: 1–7.
- Sandler, N., Reiche, K., Heinämäki, J., dan Yliruusi, J., 2010. Effect of Moisture on Powder Flow Properties of Theophylline. *Pharmaceutics*, **2**: 275–290.
- Šantl, M., Ilić, I., Vrečer, F., dan Baumgartner, S., 2012. A compressibility and compactibility study of real tableting mixtures: The impact of wet and dry granulation versus a direct tableting mixture. *International Journal of Pharmaceutics*, **62**: 325–340.
- Sanusi, D., 2013. *Teknologi Kayu*. Universitas Hasanudin, Makasar.
- Sastrohamidjojo, H., 2001. *Spektroskopi*. Liberty, Yogyakarta.
- Setyawan, D., Widjaja, B., dan Ningtyas, Z.F., 2010. Pengaruh Avicel PH 102 Terhadap Karakteristik Fisik dan Laju Disolusi Orally Disintegrating Tablet Piroksikam Dengan Metode Cetak Langsung. *Majalah Ilmu Kefarmasian*, **7**: 9–16.

- Shao, X., Wang, J., Liu, Z., Hu, N., Liu, M., dan Xu, Y., 2020. Preparation and Characterization of Porous Microcrystalline Cellulose from Corncob. *Industrial Crops and Products*, **151**: 112457.
- Sheskey, P.J., Cook, W.G., dan Cable, C.G. (Editor), 2017. *Handbook of Pharmaceutical Excipients*, Eighth. ed. Pharmaceutical Press, Washington DC.
- Sinko, P. dan Singh, H. (Editor), 2011. *Martin's Physical Pharmacy and Pharmaceutical Sciences Physical Chemical and Biopharmaceutical Principles in the Pharmaceutical Sciences*, 6th ed. Lippincott Williams&Wilkins a Wolters Kluwer Business, Philadelphia.
- Siqueira, G., Bras, J., dan Dufresne, A., 2010. Cellulosic Bionanocomposites: A Review of Preparation, Properties and Applications. *Polymers*, **2**: 728–765.
- Siriwachirachai, C. dan Pongjanyakul, T., 2023. Gelatinized tapioca starch–magnesium aluminum silicate nanocomposites: Particle agglomeration for directly compressed tablets. *Journal of Drug Delivery Science and Technology*, **87**: 104853.
- Skelbæk-Pedersen, A.L., Vilhelmsen, T.K., Wallaert, V., dan Rantanen, J., 2019. Investigation of the effects of particle size on fragmentation during tableting. *International journal of pharmaceutics*, **576**: 118985.
- Smith, B., 2011. *Fundamentals of Fourier Transform Infrared Spectroscopy*. CRC Press, London.
- Smook, G., 2016. *Handbook For Pulp & Paper Technologist*, 4th ed. Angus Wilde Publications Inc.
- Sulaiman, T.N., 2007. *Teknologi Dan Formulasi Sediaan Padat*. Pustaka Laboratorium Teknologi Farmasi Fakultas Farmasi UGM, Yogyakarta.
- Sulaiman, T.N.S. dan Sulaiman, S., 2020. Review: Eksipien Untuk Pembuatan Tablet Dengan Metode Kempa Langsung. *Journal of Pharmaceutical And Sciences*, **3**: 64–76.
- Sulaiman, T.N.S., Wahyono, Bestari, A.N., dan Aziza, F.N., 2022. Preparation and Characterization of Pregelatinized Sago Starch (PSS) from Native Sago Starch (NSS) (*Metroxylon* sp.) and its Evaluation as Tablet Disintegrant and Filler-Binder on Direct Compression Tablet. *Indonesian Journal of Pharmacy*, **33**: 251–260.
- Sun, C.C., 2008. Mechanism of moisture induced variations in true density and compaction properties of microcrystalline cellulose. *International journal of pharmaceutics*, **346**: 93–101.

- Suzuki, T. dan Nakagami, H., 1999. Effect of crystallinity of microcrystalline cellulose on the compactability and dissolution of tablets. *European Journal of Pharmaceutics and Biopharmaceutics*, **47**: 225–230.
- Tarchoun, A.F., Trache, D., dan Klapötke, T.M., 2019a. Microcrystalline cellulose from *Posidonia oceanica* brown algae: Extraction and characterization. *International Journal of Biological Macromolecules*, **138**: 837–845.
- Tarchoun, A.F., Trache, D., Klapötke, T.M., Derradji, M., dan Bessa, W., 2019b. Ecofriendly isolation and characterization of microcrystalline cellulose from giant reed using various acidic media. *Cellulose*, **26**: 7635–7651.
- Thoorens, G., Krier, F., Leclercq, B., Carlin, B., dan Evrard, B., 2014. Microcrystalline cellulose, a direct compression binder in a quality by design environment - A review. *International Journal of Pharmaceutics*, **473**: 64–72.
- Torres, S., Boetzel, R., Gatimu, E., Gomes, D.Z., King, F., Kocks, G., dkk., 2022. ICH Q3D Drug Product Elemental Risk Assessment: The Use of An Elemental Impurities Excipients Database. *Journal of Pharmaceutical Sciences*, **111**: 1421–1428.
- Trache, D., Hussin, M.H., Hui Chuin, C.T., Sabar, S., Fazita, M.R.N., Taiwo, O.F.A., dkk., 2016. Microcrystalline cellulose: Isolation, characterization and bio-composites application—A review. *International Journal of Biological Macromolecules*, **93**: 789–804.
- Trisant, P.N., Gunardi, I., dan Sumarno, 2020. The Influence of Hydrolysis Time in Hydrothermal Process of Cellulose from Sengon Wood Sawdust. *Macromolecular Symposia*, **391**: 2000016.
- Trisanti, P.N., Setiawan, S.H., Nura'ini, E., dan Sumarno, S., 2018. Ekstraksi Selulosa Dari Serbuk Gergaji Kayu Sengon Melalui Proses Delignifikasi Alkali Ultrasonik. *Jurnal Sains Materi Indonesia*, **19**: 113–119.
- United States Pharmacopeial Convention, 2018. *The United States Pharmacopeia : The National Formulary*, USP41-NF36 ed. Rockville, MD 20852.
- Van der Merwe, J., Steenekamp, J., Steyn, D., dan Hamman, J., 2020. The Role of Functional Excipients in Solid Oral Dosage Forms to Overcome Poor Drug Dissolution and Bioavailability. *Pharmaceutics*, **12**: 393.
- Veeramachineni, A.K., Sathasivam, T., Muniyandy, S., Janarthanan, P., Langford, S.J., dan Yan, L.Y., 2016. Optimizing Extraction of Cellulose and Synthesizing Pharmaceutical Grade Carboxymethyl Sago Cellulose from Malaysian Sago Pulp. *Applied Sciences*, **6**: 170.

- Ventura-Cruz, S., Flores-Alamo, N., dan Tecante, A., 2020. Preparation of microcrystalline cellulose from residual Rose stems (*Rosa* spp.) by successive delignification with alkaline hydrogen peroxide. *International Journal of Biological Macromolecules*, **155**: 324–329.
- Wang, C. dan Sun, C.C., 2020. The efficient development of a sildenafil orally disintegrating tablet using a material sparing and expedited approach. *International journal of pharmaceutics*, **589**: 119816.
- Wang, Z., Yao, Z., Zhou, J., dan Zhang, Y., 2017. Reuse of waste cotton cloth for the extraction of cellulose nanocrystals. *Carbohydrate Polymers*, **157**: 945–952.
- Westermarck, S., 2000. *Use of Mercury Porosimetry and Nitrogen Adsorption in Characterisation of the Pore Structure of Mannitol and Microcrystalline Cellulose Powders, Granules and Tablets*. Departement of Pharmasi University of Helsinki, Finland.
- Widagdo, C.S., Kurniawansyah, F., Airlangga, B., dan Sumarno, 2023. Modified biodelignification method by sequential fungal treatment with sonication followed by hydrothermal processing in microcrystalline cellulose (MCC) production from sengon wood sawdust. *Biomass Conversion and Biorefinery*, **13**: 4462–4470.
- Widia, I., Abdassah, M., Yohana Chaerunisaa, A., dan Rusdiana, T., 2017. Karakterisasi Serbuk Selulosa Mikrokrystal Asal Tanaman Rami (*Boehmeria nivea* L. Gaud). *Farmaka*, **15**: 37–46.
- Xiu, H., Ma, F., Li, J., Zhao, X., Liu, L., Feng, P., dkk., 2020. Using fractal dimension and shape factors to characterize the microcrystalline cellulose (MCC) particle morphology and powder flowability. *Powder Technology*, **364**: 241–250.
- Zaini, L., Janoobi, M., Tahir, P.M., dan Karimi, S., 2013. Isolation and Characterization of Cellulose Whiskers from Kenaf (*Hibiscus cannabinus* L.) Bast Fibers. *Journal of Biomaterials and Nanobiotechnology*, **4**: 37–44.
- Zawawi, A.Z., Gaik, L.P., Sebran, N.H., Othman, J., dan Hussain, A.S., 2018. An optimisation study on biomass delignification process using alkaline wash. *Biomass Conversion and Biorefinery*, **8**: 59–68.
- Zhang, M.F., Qin, Y.H., Ma, J.Y., Yang, L., Wu, Z.K., Wang, T.L., dkk., 2016. Depolymerization of microcrystalline cellulose by the combination of ultrasound and Fenton reagent. *Ultrasonics Sonochemistry*, **31**: 404–408.
- Zhao, H., Zhao, L., Lin, X., dan Shen, L., 2022. An update on microcrystalline cellulose in direct compression: Functionality, critical material attributes, and co-processed excipients. *Carbohydrate Polymers*, **278**: 118968.

Zhao, T., Chen, Z., Lin, X., Ren, Z., Li, B., dan Zhang, Y., 2018. Preparation and characterization of microcrystalline cellulose (MCC) from tea waste. *Carbohydrate Polymers*, **184**: 164–170.