



## DAFTAR PUSTAKA

- Adell, B., Barrachina, L. G., Andrés, E. B., Graullera, G. C., Aznar, G. P., Marmaneu, M. Á. M., Selles, M. D. F., & Urendez, A. M. (2021). Factors affecting sleep quality in Intensive Care Units. *Medicina Intensiva (English Edition)*, 45(8), 470–476. <https://doi.org/10.1016/j.medicine.2021.08.011>
- Akeju, O., Hobbs, L. E., Gao, L., Burns, S. M., Pavone, K. J., Plummer, G. S., Walsh, E. C., Houle, T. T., Kim, S.-E., Bianchi, M. T., Ellenbogen, J. M., & Brown, E. N. (2018). Dexmedetomidine promotes biomimetic non-rapid eye movement stage 3 sleep in humans: A pilot study. *Clinical Neurophysiology*, 129(1), 69–78. <https://doi.org/10.1016/j.clinph.2017.10.005>
- Alligood, M. R. (2018). *Nursing Theories and Their Work* (ninth). Elsevier.
- Altun Uğras, G., Deni, S., & Özteki, Z. (2007). Patient Perception of Environmental and Nursing Factors Contributing to Sleep Disturbances in a Neurosurgical Intensive Care Unit. In *Tohoku J. Exp. Med* (Vol. 212, Issue 3).
- Aoki, H., Yamada, N., Ozeki, Y., Yamane, H., & Kato, N. (1998). Minimum light intensity required to suppress nocturnal melatonin concentration in human saliva. *Neuroscience Letters*, 252(2), 91–94. [https://doi.org/10.1016/S0304-3940\(98\)00548-5](https://doi.org/10.1016/S0304-3940(98)00548-5)
- Barr, J., Fraser, G. L., Puntillo, K., Ely, E. W., Gélinas, C., Dasta, J. F., Davidson, J. E., Devlin, J. W., Kress, J. P., Joffe, A. M., Coursin, D. B., Herr, D. L., Tung, A., Robinson, B. R. H., Fontaine, D. K., Ramsay, M. A., Riker, R. R., Sessler, C. N., Pun, B., ... Jaeschke, R. (2013). Clinical practice guidelines for the management of pain, agitation, and delirium in adult patients in the intensive care unit. *Critical Care Medicine*, 41(1), 263–306. <https://doi.org/10.1097/CCM.0b013e3182783b72>
- Basner, M., Müller, U., & Elmenhorst, E.-M. (2011). Single and Combined Effects of Air, Road, and Rail Traffic Noise on Sleep and Recuperation. *Sleep*, 34(1), 11–23. <https://doi.org/10.1093/sleep/34.1.11>
- Basner, M., Müller, U., & Griefahn, B. (2010). Practical guidance for risk assessment of traffic noise effects on sleep. *Applied Acoustics*, 71(6), 518–522. <https://doi.org/10.1016/j.apacoust.2010.01.002>



- Bazalakova, M. (2017). Sleep Disorders in Pregnancy. *Seminars in Neurology*, 37(06), 661–668. <https://doi.org/10.1055/s-0037-1608843>
- Beecroft, J. M., Ward, M., Younes, M., Crombach, S., Smith, O., & Hanly, P. J. (2008). Sleep monitoring in the intensive care unit: Comparison of nurse assessment, actigraphy and polysomnography. *Intensive Care Medicine*, 34(11), 2076–2083. <https://doi.org/10.1007/s00134-008-1180-y>
- Beltrami, F. G., Nguyen, X. L., Pichereau, C., Maury, E., Fleury, B., & Fagondes, S. (2015). Sleep in the Intensive Care Unit. *Jornal Brasileiro de Pneumologia*, 41(6), 539–546. <https://doi.org/10.1590/S1806-37562015000000056>
- Berglund, Birgitta, Lindvall, Thomas, Schwela, Dietrich H, & World Health Organization. (1999). *Guidelines for community noise*. <https://apps.who.int/iris/handle/10665/66217>
- Berridge, C. W., Schmeichel, B. E., & España, R. A. (2012). Noradrenergic modulation of wakefulness/arousal. *Sleep Medicine Reviews*, 16(2), 187–197. <https://doi.org/10.1016/j.smr.2011.12.003>
- Bihari, S., Doug McEvoy, R., Matheson, E., Kim, S., Woodman, R. J., & Bersten, A. D. (2012a). Factors affecting sleep quality of patients in intensive care unit. *Journal of Clinical Sleep Medicine*, 8(3), 301–307. <https://doi.org/10.5664/jcsm.1920>
- Bihari, S., Doug McEvoy, R., Matheson, E., Kim, S., Woodman, R. J., & Bersten, A. D. (2012b). Factors affecting sleep quality of patients in intensive care unit. *Journal of Clinical Sleep Medicine*, 8(3), 301–307. <https://doi.org/10.5664/jcsm.1920>
- Bourne, R. S., Minelli, C., Mills, G. H., & Kandler, R. (2007). Clinical review: Sleep measurement in critical care patients: Research and clinical implications. In *Critical Care* (Vol. 11, Issue 4). <https://doi.org/10.1186/cc5966>
- Boyko, Y., Ørding, H., & Jennum, P. (2012). Sleep disturbances in critically ill patients in ICU: How much do we know? *Acta Anaesthesiologica Scandinavica*, 56(8), 950–958. <https://doi.org/10.1111/j.1399-6576.2012.02672.x>
- Brainard, G. C., Hanifin, J. P., Greeson, J. M., Byrne, B., Glickman, G., Gerner, E., & Rollag, M. D. (2001). Action Spectrum for Melatonin Regulation in



- Humans: Evidence for a Novel Circadian Photoreceptor. *The Journal of Neuroscience*, 21(16), 6405–6412. <https://doi.org/10.1523/JNEUROSCI.21-16-06405.2001>
- Brinkman, J. E., Reddy, V., & Sharma, S. (2023). *Physiology of Sleep*. StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK482512/>
- Burgess, H. J., & Molina, T. A. (2014). Home Lighting Before Usual Bedtime Impacts Circadian Timing: A Field Study. *Photochemistry and Photobiology*, 90(3), 723–726. <https://doi.org/10.1111/php.12241>
- Carskadon, M. A., & Dement, W. C. (2011). Monitoring and staging human sleep. In T. R. In M.H. Kryger & W.C. Dement (Eds.), *Principles and practice of sleep medicine* (5th ed., pp. 16–26). Elsevier.
- Castillo, M. I., Cooke, M., Macfarlane, B., & Aitken, L. M. (2016). Factors associated with anxiety in critically ill patients: A prospective observational cohort study. *International Journal of Nursing Studies*, 60, 225–233. <https://doi.org/10.1016/j.ijnurstu.2016.05.007>
- Cattabriga, I., Pacini, D., Lamazza, G., Talarico, F., Di Bartolomeo, R., Grillone, G., & Bacchi-Reggiani, L. (2007). Intravenous paracetamol as adjunctive treatment for postoperative pain after cardiac surgery: a double blind randomized controlled trial. *European Journal of Cardio-Thoracic Surgery*, 32(3), 527–531. <https://doi.org/10.1016/j.ejcts.2007.05.017>
- Celik, S., Oztekin, D., Akyolcu, N., & Issever, H. (2005). Sleep disturbance: the patient care activities applied at the night shift in the intensive care unit. *Journal of Clinical Nursing*, 14, 102–106.
- Chang, A. M., Aeschbach, D., Duffy, J. F., & Czeisler, C. A. (2015). Evening use of light-emitting eReaders negatively affects sleep, circadian timing, and next-morning alertness. *Proceedings of the National Academy of Sciences of the United States of America*, 112(4), 1232–1237. <https://doi.org/10.1073/pnas.1418490112>
- Chanques, G., Viel, E., Constantin, J.-M., Jung, B., de Lattre, S., Carr, J., Cissé, M., Lefrant, J.-Y., & Jaber, S. (2010). The measurement of pain in intensive care unit: Comparison of 5 self-report intensity scales. *Pain*, 151(3), 711–721. <https://doi.org/10.1016/j.pain.2010.08.039>



- Chen, C. J., Hsu, L. N., McHugh, G., Campbell, M., & Tzeng, Y. L. (2015). Predictors of sleep quality and successful weaning from mechanical ventilation among patients in respiratory care centers. *Journal of Nursing Research*, 23(1), 65–74. <https://doi.org/10.1097/jnr.0000000000000066>
- Cho, Y. S., & Joung, S. (2023). Influencing factors for Sleep Disturbance in the Intensive Care Unit Patients: A Systematic Review. *Journal of Korean Critical Care Nursing*, 16(2), 1–14. <https://doi.org/10.34250/jkccn.2023.16.2.1>
- Chouchou, F., Khoury, S., Chauny, J. M., Denis, R., & Lavigne, G. J. (2014). Postoperative sleep disruptions: A potential catalyst of acute pain? In *Sleep Medicine Reviews* (Vol. 18, Issue 3, pp. 273–282). W.B. Saunders Ltd. <https://doi.org/10.1016/j.smr.2013.07.002>
- Christensen, M. (2007). Noise levels in a general intensive care unit: a descriptive study. *Nursing in Critical Care*, 12(4), 188–197. <https://doi.org/10.1111/j.1478-5153.2007.00229.x>
- Ciarallo, C. L. (2011). Opioids. In *Anesthesia Secrets* (Fourth, pp. 82–89). Elsevier. <https://doi.org/10.1016/B978-0-323-06524-5.00011-8>
- Cicek, H. S., Armutcu, B., Dizer, B., & Yava, A. (2014). Sleep Quality of Patients Hospitalized in the Coronary Intensive Care Unit and the Affecting Factors. *International Journal of Caring Sciences*, 7(1). [www.internationaljournalofcaringsciences.org](http://www.internationaljournalofcaringsciences.org)
- Collop, N. A., Salas, R. E., Delayo, M., & Gamaldo, C. (2008). Normal Sleep and Circadian Processes. In *Critical Care Clinics* (Vol. 24, Issue 3, pp. 449–460). <https://doi.org/10.1016/j.ccc.2008.02.002>
- Costa, A., D'Angelo, A., Ramusino, M. C., Perini, G., Bosone, D., Derosa, G., & Fogari, R. (2021). Effects of Oral Administration of Alprazolam and Lorazepam as Hypnotics on Cardiovascular Parameters in Hypertensive Patients. *Journal of Clinical Psychopharmacology*, 41(2), 191–195. <https://doi.org/10.1097/JCP.0000000000001362>
- Crawford, K. J., Barnes, L. A., Peters, T. M., Falk, J., & Gehlbach, B. K. (2018). Identifying determinants of noise in a medical intensive care unit. *Journal of Occupational and Environmental Hygiene*, 15(12), 810–817. <https://doi.org/10.1080/15459624.2018.1515491>



- Czempik, P. F., Jarosinska, A., Machlowska, K., & Pluta, M. (2020). Impact of light intensity on sleep of patients in the intensive care unit: A prospective observational study. *Indian Journal of Critical Care Medicine*, 24(1), 33–37. <https://doi.org/10.5005/jp-journals-10071-23323>
- Czempik, P. F., Jarosińska, A., Machlowska, K., & Pluta, M. (2020a). Impact of Light Intensity on Sleep of Patients in the Intensive Care Unit: A Prospective Observational Study. *Indian Journal of Critical Care Medicine*, 24(1), 33–37. <https://doi.org/10.5005/jp-journals-10071-23323>
- Czempik, P. F., Jarosińska, A., Machlowska, K., & Pluta, M. P. (2020b). Impact of sound levels and patient-related factors on sleep of patients in the intensive care unit: a cross-sectional cohort study. *Scientific Reports*, 10(1). <https://doi.org/10.1038/s41598-020-76314-9>
- Darbyshire, J. L., & Young, J. D. (2013). An investigation of sound levels on intensive care units with reference to the WHO guidelines. *Critical Care*, 17(5), R187. <https://doi.org/10.1186/cc12870>
- de Mendonça, F. M. R., de Mendonça, G. P. R. R., Souza, L. C., Galvão, L. P., Paiva, H. S., de Azevedo Marques Périco, C., Torales, J., Ventriglio, A., Maurício Castaldelli-Maia, J., & Sousa Martins Silva, A. (2023). Benzodiazepines and Sleep Architecture: A Systematic Review. *CNS & Neurological Disorders - Drug Targets*, 22(2), 172–179. <https://doi.org/10.2174/1871527320666210618103344>
- Delaney, L. J., Van Haren, F., & Lopez, V. (2015). Sleeping on a problem: the impact of sleep disturbance on intensive care patients - a clinical review. *Annals of Intensive Care*, 5(1). <https://doi.org/10.1186/s13613-015-0043-2>
- Devlin, J. W., Skrobik, Y., Gélinas, C., Needham, D. M., Slooter, A. J. C., Pandharipande, P. P., Watson, P. L., Weinhouse, G. L., Nunnally, M. E., Rochweg, B., Balas, M. C., Van Den Boogaard, M., Bosma, K. J., Brummel, N. E., Chanques, G., Denehy, L., Drouot, X., Fraser, G. L., Harris, J. E., ... Alhazzani, W. (2018). Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. *Critical Care Medicine*, 46(9), E825–E873. <https://doi.org/10.1097/CCM.0000000000003299>
- Diaz-Abad, M., Verceles, A. C., Brown, J. E., & Scharf, S. M. (2012). Sleep-disordered breathing may be under-recognized in patients who wean from



prolonged mechanical ventilation. In *Respiratory Care* (Vol. 57, Issue 2, pp. 229–237). <https://doi.org/10.4187/respcare.01260>

Dimsdale, J. E., Ball, E. D., Carrier, E., Wallace, M., Holman, P., Mulrone, C., Shaikh, F., & Natarajan, L. (2011). Effect of eszopiclone on sleep, fatigue, and pain in patients with mucositis associated with hematologic malignancies. *Supportive Care in Cancer*, 19(12), 2015–2020. <https://doi.org/10.1007/s00520-010-1052-1>

Dolan, R., Huh, J., Tiwari, N., Sproat, T., & Camilleri-Brennan, J. (2016). A prospective analysis of sleep deprivation and disturbance in surgical patients. *Annals of Medicine and Surgery*, 6, 1–5. <https://doi.org/10.1016/j.amsu.2015.12.046>

Durrington, H. J. (2017). Light Intensity on Intensive Care Units- A Short Review. *Journal of Intensive and Critical Care*, 03(02). <https://doi.org/10.21767/2471-8505.100082>

Dziegielewski, C., Skead, C., Canturk, T., Webber, C., Fernando, S. M., Thompson, L. H., Foster, M., Ristic, V., Lawlor, P. G., Chaudhuri, D., Dave, C., Herritt, B., Bush, S. H., Kanji, S., Tanuseputro, P., Thavorn, K., Rosenberg, E., & Kyeremanteng, K. (2021). Delirium and Associated Length of Stay and Costs in Critically Ill Patients. *Critical Care Research and Practice*, 2021, 1–8. <https://doi.org/10.1155/2021/6612187>

Ehlers, V. J., Watson, H., M., M. M., Ehlers, V. J., Watson, H., & Moleki, M. M. (2013). Factors contributing to sleep deprivation in a multidisciplinary intensive care unit in South Africa : original research. *Curationis*, 36(1), 1–8. <https://doi.org/10.4102/curationis.v36i1.72>

Eldridge, J. (2015). *Reliability, Validity, and Trustworthiness* (Chapter 12). Jones & Bartlett Learning. [http://samples.jbpub.com/9781284079654/9781284108958\\_CH12\\_Pass03.pdf](http://samples.jbpub.com/9781284079654/9781284108958_CH12_Pass03.pdf)

Eliash, C., Lazar, I., & Nissim, N. (2020). SEC-C-U: The Security of Intensive Care Unit Medical Devices and Their Ecosystems. *IEEE Access*, 8, 64193–64224. <https://doi.org/10.1109/ACCESS.2020.2984726>

Elliott, R., Axelin, A., Richards, K. C., Vahlberg, T., & Ritmala-Castren, M. (2022). Sensitivity and specificity of proposed Richards-Campbell Sleep



- Questionnaire cut-off scores for good quality sleep during an ICU stay. *Journal of Clinical Nursing*. <https://doi.org/10.1111/jocn.16348>
- Elliott, R., Rai, T., & McKinley, S. (2014). Factors affecting sleep in the critically ill: An observational study. *Journal of Critical Care*, 29(5), 859–863. <https://doi.org/10.1016/j.jcrc.2014.05.015>
- Essau, C. A. (2020). Comorbidity of addictive problems: Assessment and treatment implications. In *Adolescent Addiction* (pp. 291–317). Elsevier. <https://doi.org/10.1016/B978-0-12-818626-8.00011-6>
- Farshidpanah, S., Pisani, M. A., Ely, E. W., & Watson, P. (2017a). Sleep in the critically ill patient. In M. Kryger, T. Roth, & W. C. Dement (Eds.), *Principles and Practice of Sleep* (pp. 1329–1340). Elsevier.
- Farshidpanah, S., Pisani, M. A., Ely, E. W., & Watson, P. L. (2017b). Sleep in the Critically Ill Patient. In *Principles and Practice of Sleep Medicine* (pp. 1329-1340.e5). Elsevier. <https://doi.org/10.1016/B978-0-323-24288-2.00135-5>
- Figueiro, M. G., Rea, M. S., & Bullough, J. D. (2006). Circadian effectiveness of two polychromatic lights in suppressing human nocturnal melatonin. *Neuroscience Letters*, 406(3), 293–297. <https://doi.org/10.1016/j.neulet.2006.07.069>
- Fink, D. (2019). A new definition of noise: noise is unwanted and/or harmful sound. Noise is the new ‘secondhand smoke’. *178th Meeting of the Acoustical Society of America*, 050002. <https://doi.org/10.1121/2.0001186>
- Franck, L., Tourtier, J. P., Libert, N., Grasser, L., & Auroy, Y. (2011). How did you sleep in the ICU? *BioMed Central*, 15, 408. <https://doi.org/10.1186/cc10042>
- Friese, R. S., Diaz-Arrastia, R., McBride, D., Frankel, H., & Gentilello, L. M. (2007). Quantity and quality of sleep in the surgical intensive care unit: Are our patients sleeping? *Journal of Trauma*, 63(6), 1210–1214. <https://doi.org/10.1097/TA.0b013e31815b83d7>
- Fuller, P. M., Gooley, J. J., & Saper, C. B. (2006). Neurobiology of the sleep-wake cycle: Sleep architecture, circadian regulation, and regulatory feedback. In *Journal of Biological Rhythms* (Vol. 21, Issue 6, pp. 482–493). <https://doi.org/10.1177/0748730406294627>



- Gabor, J. Y., Cooper, A. B., Crombach, S. A., Lee, B., Kadikar, N., Bettger, H. E., & Hanly, P. J. (2003). Contribution of the intensive care unit environment to sleep disruption in mechanically ventilated patients and healthy subjects. *American Journal of Respiratory and Critical Care Medicine*, 167(5), 708–715. <https://doi.org/10.1164/rccm.2201090>
- Garcia-Rill, E., Kezunovic, N., Hyde, J., Simon, C., Beck, P., & Urbano, F. J. (2013). Coherence and frequency in the reticular activating system (RAS). *Sleep Medicine Reviews*, 17(3), 227–238. <https://doi.org/10.1016/j.smr.2012.06.002>
- Gauld, C., Lopez, R., Geoffroy, P. A., Morin, C. M., Guichard, K., Giroux, É., Dauvilliers, Y., Dumas, G., Philip, P., & Micoulaud-Franchi, J.-A. (2021). A systematic analysis of ICSD-3 diagnostic criteria and proposal for further structured iteration. *Sleep Medicine Reviews*, 58, 101439. <https://doi.org/10.1016/j.smr.2021.101439>
- George, T., & Tripp, J. (2024, April 24). *Alprazolam*. StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK538165/#>
- Gillette, M., & Abbott, S. (2005). Fundamentals of the circadian system. In *Basics of Sleep Guide* (pp. 131–138). Sleep Research Society.
- Giusti, G. D., Tuteri, D., & Giontella, M. (2016). Nursing interactions with intensive care unit patients affected by sleep deprivation: An observational study. *Dimensions of Critical Care Nursing*, 35(3), 154–159. <https://doi.org/10.1097/DCC.000000000000177>
- Guieu, R., Deharo, J.-C., Maille, B., Crotti, L., Torresani, E., Brignole, M., & Parati, G. (2020). Adenosine and the Cardiovascular System: The Good and the Bad. *Journal of Clinical Medicine*, 9(5), 1366. <https://doi.org/10.3390/jcm9051366>
- Guisasola-Rabes, M., Solà-Enriquez, B., Vélez-Pereira, A. M., & de Nadal, M. (2022). Noise Levels and Sleep in a Surgical ICU. *Journal of Clinical Medicine*, 11(9). <https://doi.org/10.3390/jcm11092328>
- Haack, M., Simpson, N., Sethna, N., Kaur, S., & Mullington, J. (2020). Sleep deficiency and chronic pain: potential underlying mechanisms and clinical implications. *Neuropsychopharmacology*, 45(1), 205–216. <https://doi.org/10.1038/s41386-019-0439-z>



- Hall, M. H. (2013). Encyclopedia of Behavioral Medicine. In M.D. Gellman & J.R. Turner (Eds.), *Encyclopedia of Behavioral Medicine*. Springer Science+Business Media. <https://doi.org/10.1007/978-1-4419-1005-9>
- Hardesty, D. M., & Bearden, W. O. (2004). The use of expert judges in scale development. *Journal of Business Research*, 57(2), 98–107. [https://doi.org/10.1016/S0148-2963\(01\)00295-8](https://doi.org/10.1016/S0148-2963(01)00295-8)
- Hayashino, Y., Yamazaki, S., Takegami, M., Nakayama, T., Sokejima, S., & Fukuhara, S. (2010). Association between number of comorbid conditions, depression, and sleep quality using the Pittsburgh Sleep Quality Index: Results from a population-based survey. *Sleep Medicine*, 11(4), 366–371. <https://doi.org/10.1016/j.sleep.2009.05.021>
- Herljevic, M., Middleton, B., Thapan, K., & Skene, D. (2005). Light-induced melatonin suppression: age-related reduction in response to short wavelength light. *Experimental Gerontology*, 40(3), 237–242. <https://doi.org/10.1016/j.exger.2004.12.001>
- Higuchi, S., Motohashi, Y., Ishibashi, K., & Maeda, T. (2007). Influence of eye colors of Caucasians and Asians on suppression of melatonin secretion by light. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 292(6), R2352–R2356. <https://doi.org/10.1152/ajpregu.00355.2006>
- Honarmand, K., Rafay, H., Le, J., Mohan, S., Rochweg, B., Devlin, J. W., Skrobik, Y., Weinhouse, G. L., Drouot, X., Watson, P. L., McKinley, S., & Bosma, K. J. (2020). A Systematic Review of Risk Factors for Sleep Disruption in Critically Ill Adults. In *Critical Care Medicine* (pp. 1066–1074). Lippincott Williams and Wilkins. <https://doi.org/10.1097/CCM.0000000000004405>
- Institute of Medicine (US) Committee on Sleep Medicine and Research. (2006). *Sleep Disorders and Sleep Deprivation: An Unmet Public Health Problem* (H. Colten & B. Altevogt, Eds.). National Academies Press (US). <https://doi.org/10.17226/11617>
- Jindal, R. D., Buysse, D. J., & Thase, M. E. (2004). Maintenance Treatment of Insomnia: What Can We Learn From the Depression Literature? *American Journal of Psychiatry*, 161(1), 19–24. <https://doi.org/10.1176/appi.ajp.161.1.19>



- Johansson, L., Bergbom, I., & Lindahl, B. (2012). Meanings of Being Critically Ill in a Sound-Intensive ICU Patient Room - A Phenomenological Hermeneutical Study. *The Open Nursing Journal*, 6, 108–116. <https://doi.org/10.2174/1874434601206010108>
- Jung, D. W., Hwang, S. H., Chung, G. S., Lee, Y.-J., Jeong, D.-U., & Park, K. S. (2013). Estimation of Sleep Onset Latency Based on the Blood Pressure Regulatory Reflex Mechanism. *IEEE Journal of Biomedical and Health Informatics*, 17(3), 539–544. <https://doi.org/10.1109/JBHI.2013.2257816>
- Kakar, E., Priester, M., Wessels, P., Slooter, A. J. C., Louter, M., & van der Jagt, M. (2022). Sleep assessment in critically ill adults: A systematic review and meta-analysis. In *Journal of Critical Care* (Vol. 71). W.B. Saunders. <https://doi.org/10.1016/j.jcrc.2022.154102>
- Kamdar, B. B., King, L. M., Collop, N. A., Sakamuri, S., Colantuoni, E., Neufeld, K. J., Bienvenu, O. J., Rowden, A. M., Touradji, P., Brower, R. G., & Needham, D. M. (2013). The effect of a quality improvement intervention on perceived sleep quality and cognition in a medical ICU. *Critical Care Medicine*, 41(3), 800–809. <https://doi.org/10.1097/CCM.0b013e3182746442>
- Kamdar, B. B., Needham, D., & Collop, N. A. (2012). Sleep deprivation in critical illness: Its role in physical and psychological recovery. In *Journal of Intensive Care Medicine* (Vol. 27, Issue 2, pp. 97–111). <https://doi.org/10.1177/0885066610394322>
- Kamdar, B. B., Shah, P. A., King, L. M., Kho, M. E., Zhou, X., Colantuoni, E., Collop, N. A., & Needham, D. M. (2012). Patient-nurse interrater reliability and agreement of the Richards-Campbell sleep questionnaire. *American Journal of Critical Care*, 21(4), 261–269. <https://doi.org/10.4037/ajcc2012111>
- Kaplow, R. (2016). Sleep Disturbances and Critical Illness. In *Critical Care Nursing Clinics of North America* (Vol. 28, Issue 2, pp. 169–182). W.B. Saunders. <https://doi.org/10.1016/j.cnc.2016.02.005>
- Kline, C. (2013). Sleep Quality. In M. D. Gellman & J. R. Turner (Eds.), *Encyclopedia of Behavioral Medicine* (pp. 1811–1813). Springer New York. [https://doi.org/10.1007/978-1-4419-1005-9\\_849](https://doi.org/10.1007/978-1-4419-1005-9_849)



- Knauert, M. P., Pisani, M., Redeker, N., Murphy, T., Araujo, K., Jeon, S., & Yaggi, H. (2019). Pilot study: an intensive care unit sleep promotion protocol. *BMJ Open Respiratory Research*, 6(1), e000411. <https://doi.org/10.1136/bmjresp-2019-000411>
- Kok, L., Slooter, A. J., Hillegers, M. H., van Dijk, D., & Veldhuijzen, D. S. (2018). Benzodiazepine Use and Neuropsychiatric Outcomes in the ICU: A Systematic Review\*. *Critical Care Medicine*, 46(10), 1673–1680. <https://doi.org/10.1097/CCM.00000000000003300>
- Kondili, E., Alexopoulou, C., Xirouchaki, N., & Georgopoulos, D. (2012). Effects of propofol on sleep quality in mechanically ventilated critically ill patients: a physiological study. *Intensive Care Medicine*, 38(10), 1640–1646. <https://doi.org/10.1007/s00134-012-2623-z>
- Konkani, A., & Oakley, B. (2012). Noise in hospital intensive care units—a critical review of a critical topic. *Journal of Critical Care*, 27(5), 522.e1-522.e9. <https://doi.org/10.1016/j.jcrc.2011.09.003>
- Korompeli, A., Muurlink, O., Kavrochorianou, N., Katsoulas, T., Fildissis, G., & Baltopoulos, G. (2017). Circadian disruption of ICU patients: A review of pathways, expression, and interventions. In *Journal of Critical Care* (Vol. 38, pp. 269–277). W.B. Saunders. <https://doi.org/10.1016/j.jcrc.2016.12.006>
- Kozaki, T., Kubokawa, A., Taketomi, R., & Hatae, K. (2015). Effects of day-time exposure to different light intensities on light-induced melatonin suppression at night. *Journal of Physiological Anthropology*, 34(1). <https://doi.org/10.1186/s40101-015-0067-1>
- Lewandowska, K., Mędrzycka-Dąbrowska, W., Kwiecień-Jaguś, K., & Czyż-Szypenbejl, K. (2019). Factors determining sleep in patients hospitalised in ICUs in a hospital in Northern Poland. *Sleep and Biological Rhythms*, 17(2), 243–250. <https://doi.org/10.1007/s41105-019-00207-2>
- Li, S., Wang, T., Vivienne Wu, S. F., Liang, S., & Tung, H. (2011). Efficacy of controlling night-time noise and activities to improve patients' sleep quality in a surgical intensive care unit. *Journal of Clinical Nursing*, 20(3–4), 396–407. <https://doi.org/10.1111/j.1365-2702.2010.03507.x>
- Lin, S.-C., Chang, K.-L., & Huang, M.-C. (2022). When and how do healthcare professionals introduce specialist palliative care to the families of children



- with life-threatening conditions in Taiwan? A qualitative study. *Journal of Pediatric Nursing*, 64, e136–e144. <https://doi.org/https://doi.org/10.1016/j.pedn.2021.12.004>
- Lin, T.-R., Cheng, C.-H., Wei, J., & Wang, T.-J. (2022). Factors Influencing Sleep Quality in Open-Heart Patients in the Postoperative Intensive Care Unit. *Healthcare*, 10(11), 2311. <https://doi.org/10.3390/healthcare10112311>
- Listyaningrum, D. (2024). *Uji Psikometrik: Validitas dan Reliabilitas Richard-Campbell Slepp Questionnare (RCSQ) Versi Bahasa Indonesia pada Pasien Kritis*. Universitas Gadjah Mada.
- Little, A., Ethier, C., Ayas, N., Thanachayanont, T., Jiang, D., & Mehta, S. (2012). A patient survey of sleep quality in the Intensive Care Unit. *Minerva Anestesiologica*, 78(4), 406–414.
- Lo, K., Woo, B., Wong, M., & Tam, W. (2018). Subjective sleep quality, blood pressure, and hypertension: a meta-analysis. *The Journal of Clinical Hypertension*, 20(3), 592–605. <https://doi.org/10.1111/jch.13220>
- Locihová, H., Axmann, K., & Žiaková, K. (2021). Sleep-disrupting effects of nocturnal nursing interventions in intensive care unit patients: A systematic review. *Journal of Sleep Research*, 30(4). <https://doi.org/10.1111/jsr.13223>
- Lockley, S. W., Brainard, G. C., & Czeisler, C. A. (2003). High Sensitivity of the Human Circadian Melatonin Rhythm to Resetting by Short Wavelength Light. *The Journal of Clinical Endocrinology & Metabolism*, 88(9), 4502–4505. <https://doi.org/10.1210/jc.2003-030570>
- Louis, M., Treger, K., Ashby, T., Smotherman, C., Gautum, S., Seeram, V., Cury, J., & Jones, L. (2020). Patient-related factors may influence nursing perception of sleep in the Intensive Care Unit. *PLoS ONE*, 15(1). <https://doi.org/10.1371/journal.pone.0226323>
- Lundetræ, R. S., Saxvig, I. W., Pallesen, S., Aurlien, H., Lehmann, S., & Bjorvatn, B. (2018). Prevalence of Parasomnias in Patients With Obstructive Sleep Apnea. A Registry-Based Cross-Sectional Study. *Frontiers in Psychology*, 9. <https://doi.org/10.3389/fpsyg.2018.01140>
- Lynn, M. R. (1986). Determination and quantification of content validity. *Nursing Research*, 35(6), 382–385.



- Macario, A., & Lipman, A. G. (2001). Ketorolac in the Era of Cyclo-Oxygenase-2 Selective Nonsteroidal Anti-Inflammatory Drugs: A Systematic Review of Efficacy, Side Effects, and Regulatory Issues. *Pain Medicine*, 2(4), 336–351. <https://doi.org/10.1046/j.1526-4637.2001.01043.x>
- Maggard, M. D., Sankari, A., & Cascella, M. (2024). *Upper Airway Resistance Syndrome*.
- Mahowald, M. W., Cramer Bornemann, M. A., & Schenck, C. H. (2009). Parasomnias. In *Encyclopedia of Neuroscience* (pp. 441–444). Elsevier. <https://doi.org/10.1016/B978-008045046-9.00053-X>
- Maizura, H. N., Husdin, Shabanon, Azurah, H. N., Kasman, Fauziah, & Fadhil. (2018). *Guidelines on occupational safety health for lighting at workplace*.
- Marino, P. L. (2017). Analgesia & Sedation. In *The Little ICU Book* (2nd ed.). Wolters Kluwer.
- Martinez, F. E., Poulter, A. L., Seneviratne, C., Chrimes, A., Havill, K., Balogh, Z. J., & Paech, G. M. (2022). ICU Patients' Perception of Sleep and Modifiable versus Non-Modifiable Factors That Affect It: A Prospective Observational Study. *Journal of Clinical Medicine*, 11(13). <https://doi.org/10.3390/jcm11133725>
- Matthews, E. E. (2011). Sleep disturbances and fatigue in critically ILL patients. *AACN Advanced Critical Care*, 22(3), 204–224. <https://doi.org/10.1097/NCI.0b013e31822052cb>
- Mattiussi, E., Danielis, M., Venuti, L., Vidoni, M., & Palese, A. (2019). Sleep deprivation determinants as perceived by intensive care unit patients: Findings from a systematic review, meta-summary and meta-synthesis. *Intensive and Critical Care Nursing*, 53, 43–53. <https://doi.org/10.1016/j.iccn.2019.03.006>
- McDonald, E. L., Daniel, J. N., Rogero, R. G., Shakked, R. J., Nicholson, K., Pedowitz, D. I., Raikin, S. M., Bilollikar, V., & Winters, B. S. (2020). How Does Perioperative Ketorolac Affect Opioid Consumption and Pain Management After Ankle Fracture Surgery? *Clinical Orthopaedics & Related Research*, 478(1), 144–151. <https://doi.org/10.1097/CORR.0000000000000978>
- McKenna, J. T., Tartar, J. L., Ward, C. P., Thakkar, M. M., Cordeira, J. W., McCarley, R. W., & Strecker, R. E. (2007). Sleep fragmentation elevates



behavioral, electrographic and neurochemical measures of sleepiness. *Neuroscience*, 146(4), 1462–1473. <https://doi.org/10.1016/j.neuroscience.2007.03.009>

Miranda-Ackerman, R., Lira-Trujillo, M., Gollaz-Cervantez, A. C., Cortés-Flores, A. O., Zuloaga-Fernández Del Valle, C. J., García-González, L. A., Morgan-Villela, G., Barbosa-Camacho, F. J., Pintor-Belmontes, K. J., Guzmán-Ramírez, B. G., Bernal-Hernández, A., Fuentes-Orozco, C., & González-Ojeda, A. (2020). Associations between stressors and difficulty sleeping in critically ill patients admitted to the intensive care unit: A cohort study. *BMC Health Services Research*, 20(1). <https://doi.org/10.1186/s12913-020-05497-8>

Monderer, R., Anees, S., Wu, W. P., & Thorpy, M. J. (2023). Sleep-related movement disorders. In *Encyclopedia of Sleep and Circadian Rhythms* (pp. 612–619). Elsevier. <https://doi.org/10.1016/B978-0-12-822963-7.00356-X>

Monsén, M. G., & Edéll-Gustafsson, U. M. (2005). Noise and sleep disturbance factors before and after implementation of a behavioural modification programme. *Intensive and Critical Care Nursing*, 21(4), 208–219. <https://doi.org/10.1016/j.iccn.2004.12.002>

Moore, J. T., & Kelz, M. B. (2009). Opiates, Sleep, and Pain. *Anesthesiology*, 111(6), 1175–1176. <https://doi.org/10.1097/ALN.0b013e3181bdfa2e>

Mukherjee, S., Patel, S. R., Kales, S. N., Ayas, N. T., Strohl, K. P., Gozal, D., & Malhotra, A. (2015). An official American Thoracic Society statement: The importance of healthy sleep: Recommendations and future priorities. *American Journal of Respiratory and Critical Care Medicine*, 191(12), 1450–1458. <https://doi.org/10.1164/rccm.201504-0767ST>

Naik, R. D., Gupta, K., Soneja, M., Elavarasi, A., Sreenivas, V., & Sinha, S. (2018). Sleep quality and quantity in intensive care unit patients: A cross-sectional study. *Indian Journal of Critical Care Medicine*, 22(6), 408–414. [https://doi.org/10.4103/ijccm.IJCCM\\_65\\_18](https://doi.org/10.4103/ijccm.IJCCM_65_18)

Nelson, L. E., Lu, J., Guo, T., Saper, C. B., Franks, N. P., & Maze, M. (2003). The  $\alpha$ 2-Adrenoceptor Agonist Dexmedetomidine Converges on an Endogenous Sleep-promoting Pathway to Exert Its Sedative Effects. *Anesthesiology*, 98(2), 428–436. <https://doi.org/10.1097/00000542-200302000-00024>



- NHS. (2023, November 28). *NHS Data Model and Dictionary*. NHS. [https://www.datadictionary.nhs.uk/classes/care\\_activity.html?hl=care%2Cactivities](https://www.datadictionary.nhs.uk/classes/care_activity.html?hl=care%2Cactivities)
- Nishino, S. (2011). Hypothalamus, hypocretins/orexin, and vigilance control. In *Handbook of clinical neurology* (pp. 765–782). <https://doi.org/10.1016/B978-0-444-52007-4.00006-0>
- Nugroho, E. G. Z., Nugroho, H. A., Abdurrahman, A., Faisal, T. I., Afdhal, A., & Rochana, N. (2022). Faktor lingkungan yang berkorelasi dengan kualitas tidur pasien kritis di ruang perawatan intensif (Intensive Care Unit/ICU). *Jurnal Ilmu Keperawatan Medikal Bedah*, 5(1), 72–81. <https://doi.org/10.32584/jikmb.v5i1.1532>
- Olsen, H. T., Nedergaard, H. K., Strøm, T., Oxlund, J., Wian, K.-A., Ytrebø, L. M., Kroken, B. A., Chew, M., Korkmaz, S., Lauridsen, J. T., & Toft, P. (2020). Nonsedation or Light Sedation in Critically Ill, Mechanically Ventilated Patients. *New England Journal of Medicine*, 382(12), 1103–1111. <https://doi.org/10.1056/NEJMoa1906759>
- Orwelius, L., Nordlund, A., Nordlund, P., Edéll-Gustafsson, U., & Sjöberg, F. (2008). Prevalence of sleep disturbances and long-term reduced health-related quality of life after critical care: A prospective multicenter cohort study. *Critical Care*, 12(4). <https://doi.org/10.1186/cc6973>
- Oxlund, J., Knudsen, T., Sörberg, M., Strøm, T., Toft, P., & Jennum, P. J. (2023). Sleep quality and quantity determined by polysomnography in mechanically ventilated critically ill patients randomized to dexmedetomidine or placebo. *Acta Anaesthesiologica Scandinavica*, 67(1), 66–75. <https://doi.org/10.1111/aas.14154>
- Pamuk, K., & Turan, N. (2022). The effect of light on sleep quality and physiological parameters in patients in the intensive care unit. *Applied Nursing Research*, 66. <https://doi.org/10.1016/j.apnr.2022.151607>
- Pandharipande, P. P., Girard, T. D., Jackson, J. C., Morandi, A., Thompson, J. L., Pun, B. T., Brummel, N. E., Hughes, C. G., Vasilevskis, E. E., Shintani, A. K., Moons, K. G., Geevarghese, S. K., Canonico, A., Hopkins, R. O., Bernard, G. R., Dittus, R. S., & Ely, E. W. (2013). Long-Term Cognitive Impairment after Critical Illness. *New England Journal of Medicine*, 369(14), 1306–1316. <https://doi.org/10.1056/nejmoa1301372>



- Pandharipande, P. P., Pun, B. T., Herr, D. L., Maze, M., Girard, T. D., Miller, R. R., Shintani, A. K., Thompson, J. L., Jackson, J. C., Deppen, S. A., Stiles, R. A., Dittus, R. S., Bernard, G. R., & Ely, E. W. (2007). Effect of Sedation With Dexmedetomidine vs Lorazepam on Acute Brain Dysfunction in Mechanically Ventilated Patients. *JAMA*, 298(22), 2644. <https://doi.org/10.1001/jama.298.22.2644>
- Patel, J., Baldwin, J., Bunting, P., & Laha, S. (2014). The effect of a multicomponent multidisciplinary bundle of interventions on sleep and delirium in medical and surgical intensive care patients. *Anaesthesia*, 69(6), 540–549. <https://doi.org/10.1111/anae.12638>
- Payen, J.-F., Chanques, G., Mantz, J., Hercule, C., Auriant, I., Leguillou, J.-L., Binhas, M., Genty, C., Rolland, C., & Bosson, J.-L. (2007). Current Practices in Sedation and Analgesia for Mechanically Ventilated Critically Ill Patients. *Anesthesiology*, 106(4), 687–695. <https://doi.org/10.1097/01.anes.0000264747.09017.da>
- Pedoman Penyelenggaraan Pelayanan High Care Unit (HCU) Di Rumah Sakit, Pub. L. No. 834/SK/Menkes/VII/2010, Kementerian Kesehatan (2010).
- Pedoman Penyelenggaraan Pelayanan Intensive Care Unit (ICU) Di Rumah Sakit, Pub. L. No. 1778?MENKES/SK/XII/2010, Kementerian Kesehatan (2010).
- Pisani, M. A., Friese, R. S., Gehlbach, B. K., Schwab, R. J., Weinhouse, G. L., & Jones, S. F. (2015). Sleep in the intensive care unit. In *American Journal of Respiratory and Critical Care Medicine* (Vol. 191, Issue 7, pp. 731–738). American Thoracic Society. <https://doi.org/10.1164/rccm.201411-2099CI>
- Polat, E., Çavdar, İ., & Şengör, K. (2022). The Effect of Earplugs and Eye Masks Usage in the Intensive Care Unit on Sleep Quality: Systematic Review. *Dubai Medical Journal*, 5(2), 133–140. <https://doi.org/10.1159/000522066>
- Pradian, E., & Maskoen, T. T. (2014). Reliabilitas dan Validitas Penilaian Skala Sedasi Richmond Agitation Sedation Scale (RASS) dan Ramsay pada Pasien Kritis dengan Ventilasi Mekanik di Ruang Perawatan Intensif. In *JAP* (Vol. 2, Issue 3).
- Raja, S. N., Carr, D. B., Cohen, M., Finnerup, N. B., Flor, H., Gibson, S., Keefe, F. J., Mogil, J. S., Ringkamp, M., Sluka, K. A., Song, X. J., Stevens, B., Sullivan, M. D., Tutelman, P. R., Ushida, T., & Vader, K. (2020). The revised



- International Association for the Study of Pain definition of pain: concepts, challenges, and compromises. In *Pain* (Vol. 161, Issue 9, pp. 1976–1982). NLM (Medline). <https://doi.org/10.1097/j.pain.0000000000001939>
- Rassu, A. L., Evangelista, E., Barateau, L., Chenini, S., Lopez, R., Jausset, I., & Dauvilliers, Y. (2022). Idiopathic Hypersomnia Severity Scale to better quantify symptoms severity and their consequences in idiopathic hypersomnia. *Journal of Clinical Sleep Medicine*, 18(2), 617–629. <https://doi.org/10.5664/jcsm.9682>
- Reade, M. C., & Finfer, S. (2014). Sedation and Delirium in the Intensive Care Unit. *New England Journal of Medicine*, 370(5), 444–454. <https://doi.org/10.1056/nejmra1208705>
- Richards, K. C., & Bairnsfather, L. (1988). A description of night sleep patterns in the critical care unit. *Heart & Lung : The Journal of Critical Care*, 17(1), 35–42.
- Richards, K. C., Ossullivan, P. S., & Phillips, R. L. (2000). Measurement of Sleep in Critically Ill Patients. *Journal of Nursing Measurement*, 8(2), 131–144.
- Ritmala-Castren, M., Axelin, A., Kiljunen, K., Sainio, C., & Leino-Kilpi, H. (2017). Sleep in the intensive care unit – nurses’ documentation and patients’ perspectives. *Nursing in Critical Care*, 22(4), 238–246. <https://doi.org/10.1111/nicc.12102>
- Ritmala-Castren, M., Virtanen, I., Leivo, S., Kaukonen, K.-M., & Leino-Kilpi, H. (2015). Sleep and nursing care activities in an intensive care unit. *Nursing & Health Sciences*, 17(3), 354–361. <https://doi.org/10.1111/nhs.12195>
- Romadoni, S. (2018). Faktor-faktor yang Berhubungan dengan Kualitas Tidur pada Pasien di Ruang Intensive Care Unit Rumah Sakit X Palembang. *Masker Medika*, 6(2), 332–343.
- Saba, V. K. (2007). *Clinical care classification (CCC) system manual: a guide to nursing documentation*. Springer Publishing Company.
- Saper, C. B., Cano, G., & Scammell, T. E. (2005). Homeostatic, circadian, and emotional regulation of sleep. *Journal of Comparative Neurology*, 493(1), 92–98. <https://doi.org/10.1002/cne.20770>



- Sari, I., Hafifah, I., & Choiruna, H. P. (2021). Faktor-Faktor Yang Berhubungan Dengan Kualitas Tidur Pasien Di ICCU RSUD Ulin Banjarmasin. *Jurnal Keperawatan Dan Kesehatan*. <https://doi.org/10.20527/dk.v9i1.8368>
- Sateia, M. J. (2014). International Classification of Sleep Disorders-Third Edition. *Chest*, 146(5), 1387–1394. <https://doi.org/10.1378/chest.14-0970>
- Sayılan, A. A., Kulakaç, N., & Sayılan, S. (2021). The effects of noise levels on pain, anxiety, and sleep in patients. *Nursing in Critical Care*, 26(2), 79–85. <https://doi.org/10.1111/nicc.12525>
- Schuh-Hofer, S., Wodarski, R., Pfau, D. B., Caspani, O., Magerl, W., Kennedy, J. D., & Treede, R. D. (2013). One night of total sleep deprivation promotes a state of generalized hyperalgesia: A surrogate pain model to study the relationship of insomnia and pain. *Pain*, 154(9), 1613–1621. <https://doi.org/10.1016/j.pain.2013.04.046>
- Segers, E., Ockhuijsen, H., Baarendse, P., van Eerden, I., & van den Hoogen, A. (2019). The impact of family centred care interventions in a neonatal or paediatric intensive care unit on parents' satisfaction and length of stay: A systematic review. *Intensive and Critical Care Nursing*, 50, 63–70. <https://doi.org/10.1016/j.iccn.2018.08.008>
- Seo, Y., Lee, H. J., Ha, E. J., & Ha, T. S. (2022). 2021 KSCCM clinical practice guidelines for pain, agitation, delirium, immobility, and sleep disturbance in the intensive care unit. *Acute and Critical Care*, 37(1), 1–25. <https://doi.org/10.4266/ACC.2022.00094>
- Sessler, C. N., & Varney, K. (2008). Patient-Focused Sedation and Analgesia in the ICU. *Chest*, 133(2), 552–565. <https://doi.org/10.1378/chest.07-2026>
- Shih, C. Y., Wang, A. Y., Chang, K. M., Yang, C. C., Tsai, Y. C., Fan, C. C., Chuang, H. J., Thi Phuc, N., & Chiu, H. Y. (2022). Dynamic prevalence of sleep disturbance among critically ill patients in intensive care units and after hospitalisation: A systematic review and meta-analysis. *Intensive and Critical Care Nursing*. <https://doi.org/10.1016/j.iccn.2022.103349>
- Showler, L., Ali Abdelhamid, Y., Goldin, J., & Deane, A. M. (2023). Sleep during and following critical illness: A narrative review. *World Journal of Critical Care Medicine*, 12(3), 92–115. <https://doi.org/10.5492/wjccm.v12.i3.92>



- Siegel, J. (2001). A Brief History of Hypocretin/Orexin and Narcolepsy. *Neuropsychopharmacology*, 25(5), S14–S20. [https://doi.org/10.1016/S0893-133X\(01\)00317-7](https://doi.org/10.1016/S0893-133X(01)00317-7)
- Simons, K. S., Van den Boogaard, M., & De Jager, C. (2019). The ICU environment Impact of light and noise exposure on critically ill patients. *Netherlands Journal Critical Care*, 27(4), 145–149.
- Skrobik, Y., Duprey, M. S., Hill, N. S., & Devlin, J. W. (2018). Low-Dose Nocturnal Dexmedetomidine Prevents ICU Delirium. A Randomized, Placebo-controlled Trial. *American Journal of Respiratory and Critical Care Medicine*, 197(9), 1147–1156. <https://doi.org/10.1164/rccm.201710-1995OC>
- Smith, F. G., & Yeung, J. (Eds.). (2010). *Core Topics in Critical Care Medicine*. Cambridge University Press.
- Sousa-Oliveira, A., Brandão, A., Vojtek, M., Gonçalves-Monteiro, S., Sousa, J. B., & Diniz, C. (2019). Vascular impairment of adenosinergic system in hypertension: increased adenosine bioavailability and differential distribution of adenosine receptors and nucleoside transporters. *Histochemistry and Cell Biology*, 151(5), 407–418. <https://doi.org/10.1007/s00418-018-1743-0>
- Sundstrøm, M., Sverresvold, C., & Trygg Solberg, M. (2021). Factors contributing to poor sleep in critically ill patients: A systematic review and meta-synthesis of qualitative studies. In *Intensive and Critical Care Nursing* (Vol. 67). Churchill Livingstone. <https://doi.org/10.1016/j.iccn.2021.103108>
- Szentkirályi, A., & Novák, M. (2013). Medication Effects and Sleep-Related Movement Disorders. In *Encyclopedia of Sleep* (pp. 137–140). Elsevier. <https://doi.org/10.1016/B978-0-12-378610-4.00407-1>
- Tamburri, L. M., DiBrienza, R., Zozula, R., & Redeker, N. S. (2004). Nocturnal Care Interactions with Patients in Critical Care Units. *American Journal of Critical Care*, 13(2), 102–113. <https://doi.org/10.4037/ajcc2004.13.2.102>
- Tompkins, M., Plante, M., Monchik, K., Fleming, B., & Fadale, P. (2011). The use of a non-benzodiazepine hypnotic sleep-aid (Zolpidem) in patients undergoing ACL reconstruction: A randomized controlled clinical trial. *Knee Surgery, Sports Traumatology, Arthroscopy*, 19(5), 787–791. <https://doi.org/10.1007/s00167-010-1368-x>



- Trevor, A. J., & Way, W. L. (2012). Sedative-Hypnotic Drugs. In *Basic & Clinical Pharmacology* (12th ed., pp. 373–381). <http://www.usdoj.gov/dea/pubs/scheduling.html>
- Trompeo, A. C., Vidi, Y., Locane, M. D., Braghiroli, A., Mascia, L., Bosma, K., & Ranieri, V. M. (2011). Sleep disturbances in the critically ill patients: role of delirium and sedative agents. *Minerva Anestesiologica*, 77(6), 604–612.
- Velluti, R. A. (2018). Other Sensory Modalities in Sleep. In *The Auditory System in Sleep* (Second, pp. 185–195). Elsevier. <https://doi.org/10.1016/B978-0-12-810476-7.00008-7>
- Visible Light*. (2010). National Aeronautics and Space Administration, Science Mission Directorate. [http://science.nasa.gov/ems/09\\_visiblelight](http://science.nasa.gov/ems/09_visiblelight)
- Walder, B., Haase, U., & Rundshagen, I. (2007). Schlafstörungen bei kritisch kranken patienten. In *Anaesthetist* (Vol. 56, Issue 1, pp. 7–17). <https://doi.org/10.1007/s00101-006-1086-4>
- Wassenaar, A., van den Boogaard, M., van Achterberg, T., Slooter, A. J. C., Kuiper, M. A., Hoogendoorn, M. E., Simons, K. S., Maseda, E., Pinto, N., Jones, C., Luetz, A., Schandl, A., Verbrugge, W., Aitken, L. M., van Haren, F. M. P., Donders, A. R. T., Schoonhoven, L., & Pickkers, P. (2015). Multinational development and validation of an early prediction model for delirium in ICU patients. *Intensive Care Medicine*, 41(6), 1048–1056. <https://doi.org/10.1007/s00134-015-3777-2>
- Weerink, M. A. S., Struys, M. M. R. F., Hannivoort, L. N., Barends, C. R. M., Absalom, A. R., & Colin, P. (2017). Clinical Pharmacokinetics and Pharmacodynamics of Dexmedetomidine. *Clinical Pharmacokinetics*, 56(8), 893–913. <https://doi.org/10.1007/s40262-017-0507-7>
- Weinhouse, G. L., & Schwab, R. J. (2006). Sleep in the critically ill patient. *Sleep*, 29(5), 707–716. <https://doi.org/10.1093/sleep/29.5.707>
- Weinhouse, G. L., & Watson, P. L. (2009). Sedation and Sleep Disturbances in the ICU. *Critical Care Clinics*, 25(3), 539–549. <https://doi.org/10.1016/j.ccc.2009.04.003>
- WHO. (2010). *Medical Devices: Managing the Mismatch: An outcome of the Priority Medical Devices project*.



- WHO. (2021). *Health Promotion Glossary of Terms 2021*.
- Wilhelm, W., & Kreuer, S. (2008). The place for short-acting opioids: special emphasis on remifentanyl. *Critical Care*, 12(Suppl 3), S5. <https://doi.org/10.1186/cc6152>
- Yam, M. F., Loh, Y. C., Tan, C. S., Adam, S. K., Manan, N. A., & Basir, R. (2018). General pathways of pain sensation and the major neurotransmitters involved in pain regulation. In *International Journal of Molecular Sciences* (Vol. 19, Issue 8). MDPI AG. <https://doi.org/10.3390/ijms19082164>
- Yang, Z., Heizhati, M., Wang, L., Li, M., Pan, F., Wang, Z., Abudureyimu, R., Hong, J., Yao, L., Yang, W., Liu, S., & Li, N. (2021). Subjective poor sleep quality is associated with higher blood pressure and prevalent hypertension in general population independent of sleep disordered breathing. *Nature and Science of Sleep*, 13, 1759–1770. <https://doi.org/10.2147/NSS.S329024>
- Younis, M. B., Hayajneh, F., & Alshraideh, J. A. (2019). Effect of noise and light levels on sleep of intensive care unit patients. *Nursing in Critical Care*, 26(2), 73–78. <https://doi.org/10.1111/nicc.12490>
- Zammit, G. K., Weiner, J., Damato, N., Sillup, G. P., & McMillan, C. A. (1999). Quality of life in people with insomnia. *Sleep*, 22 Suppl 2, S379-85.
- Zangmo, K., & Khwannimit, B. (2023). Validating the APACHE IV score in predicting length of stay in the intensive care unit among patients with sepsis. *Scientific Reports*, 13(1), 5899. <https://doi.org/10.1038/s41598-023-33173-4>
- Zhang, L., Sha, Y. S., Kong, Q. Q., Woo, J. A. L., Miller, A. R., Li, H. W., Zhou, L. X., Zhou, Y., & Wang, C. L. (2013). Factors that affect sleep quality: Perceptions made by patients in the intensive care unit after thoracic surgery. *Supportive Care in Cancer*, 21(8), 2091–2096. <https://doi.org/10.1007/s00520-013-1754-2>