



DAFTAR PUSTAKA

- Adjali, A., I. Clarot, Z. Chen, E. Marchioni, & A. Boudier. 2022. Physicochemical degradation of phycocyanin and means to improve its stability: A short review. *Journal of Pharmaceutical Analysis*, 12(3): 406-414.
- Ajayan, K. V., M. Selvaraju, & K. Thirugnanamoorthy. 2012. Enrichment of chlorophyll and phycobiliproteins in *Spirulina platensis* by the use of reflector light and nitrogen sources: An in-vitro study. *Biomass and bioenergy*, 47: 436-441.
- Akhtar, M. J., M. Jacquot, E. Arab-Tehrany, C. Gaïani, M. Linder, & S. Desobry. 2010. Control of salmon oil photo-oxidation during storage in hpmc packaging film: Influence of film colour. *Food Chemistry*, 120(2), 395–401.
- Anam, C., T. W. Agustini, & Romadhon. 2014. Pengaruh pelarut yang berbeda pada ekstraksi *Spirulina platensis* serbuk sebagai antioksidan dengan metode soxhletasi. *Jurnal Pengolahan dan Bioteknologi Hasil Perikanan*, 3(4): 106-112.
- AOCS. 2017. *p-Anisidin value: AOCS Official Method Cd 18-90*. AOCS Press (second printing).
- Ardi, L. 2019. Manfaat Omega-3 Parenteral di Dunia Medis. Cermin Dunia Kedokteran, 46(10): 12-15.
- Ariviani, S., S. Raharjo, S. Anggrahini, & S. Naruki. 2015. Formulasi dan stabilitas mikroemulsi O/W dengan metode emulsifikasi spontan menggunakan VCO dan minyak sawit sebagai fase minyak: pengaruh rasio surfaktan-minyak. Agritech, 35(1): 27-34.
- Aryanti, N., A. Nafiunisa, & F. M. Willis. 2016. Ekstraksi dan karakterisasi klorofil dari daun suji (*Pleomele angustifolia*) sebagai pewarna pangan alami. *Jurnal Aplikasi Teknologi Pangan*, 5(4).
- Ayu, D. F., S. Aminah, & A. Diharmi. 2021. Photo-oxidation stability of mayonnaise from striped catfish and red palm mixture oil. *IOP Conference Series: Earth and Environmental Science*, 757(1): 012052.
- Ayucitra, A. 2011. Potensi senyawa fenolik bahan alam sebagai antioksidan alami minyak goreng nabati. *WIDYA TEKNIK*, 10(1): 1-10.
- Bennett, A., & L. Bogorad. 1973. Complementary chromatic adaptation in a filamentous blue-green alga. *The Journal of cell biology*, 58(2): 419-435.
- Bharathiraja, S., H. Seo, P. Manivasagan, M. Santha Moorthy, S. Park, & J. Oh. 2016. In vitro photodynamic effect of phycocyanin against breast cancer cells. *Molecules*, 21(11): 1470.
- Bradley, D. G., & D. B. Min. 1992. Singlet oxygen oxidation of foods. *Critical Reviews in Food Science & Nutrition*, 31(3): 211-236.



Budhiyanti, S.A. 2013. Karakterisasi dan Identifikasi Antioksidan dari Rumput Laut Coklat *Sargassum* sp. sebagai Antioksidan Dalam Mikroemulsi W/O. Universitas Gadjah Mada, Disertasi Doktor.

Christwardana, M., M. M. A. Nur, & H. Hadiyanto. 2013. *Spirulina platensis*: Potensinya sebagai bahan pangan fungsional. Jurnal Aplikasi Teknologi Pangan, 2(1).

Cho, Y. H., S. Kim, E. K. Bae, C. K. Mok, & J. Park. 2008. Formulation of a cosurfactant-free o/w microemulsion using nonionic surfactant mixtures. Journal of Food Science, 73(3): E115-E121.

Daud, A., S. Suriati, & N. Nuzulyanti. 2019. Kajian penerapan faktor yang mempengaruhi akurasi penentuan kadar air metode thermogravimetri. Lutjanus, 24(2): 11-16.

Doke, J. M. 2005. An improved and efficient method for the extraction of phycocyanin from *Spirulina* sp. Journal of Food Engineering. 1(5).

Ekantari, N., Y. Marsono, Y. Pranoto, & E. Harmayani. 2017. Pengaruh media budidaya menggunakan air laut dan air tawar terhadap sifat kimia dan fungsional biomassa kering (*Spirulina platensis*). Agritech: Jurnal Fakultas Teknologi Pertanian UGM, 37(2): 173-182.

Elise, C., S. Syafrizayanti, M. Salim. 2021. Pemurnian fikosianin dari *Spirulina platensis* dengan metode Liquid Biphasic Flotation (LBF) dan penentuan aktivitas antioksidannya. Jurnal Riset Kimia, 12. 10.25077/jrk.v12i2.412

Estrada, J. P., P. B. Bescós, & A. V. Del Fresno. 2001. Antioxidant activity of different fractions of *Spirulina platensis* protean extract. IL Farmaco, 56(5-7): 497-500.

Flanagan, J. dan H. Singh. 2006. Microemulsions : A Potential Delivery System for Bioactives in Food. Crit. Rev. Food Sci., 46 : 221-237.

Fletcher, P. D. I., J.S. Morris. 1995. Turbidity of oil-in-water microemulsion droplets stabilised by nonionic surfactants. Colloids Surf A: Physicochem Eng Aspects, 98:147–54.

Golmakani, M. T., M. Moosavi-Nasab, M. Keramat, & M. A. Mohammadi. 2018. *Arthrosphaera platensis* extract as a natural antioxidant for improving oxidative stability of common killa (*Clupeonella cultriventris caspia*) oil. Turkish Journal of Fisheries and Aquatic Sciences, 18(11): 1315-1323.

Guiry, M.D. & G. M. Guiry. 2022. *Arthrosphaera platensis* Gomont, 1892. World Register of Marine Species. <<https://www.marinespecies.org/aphia.php?p=taxdetails&id=213728>> Diakses pada 16 Oktober 2023.

Guleria, S., A. K. Tiku, A. Koul, S. Gupta, G. Singh, & V. K. Razdan. 2013. Antioxidant and antimicrobial properties of the essential oil and extracts of *Zanthoxylum alatum* grown in North-Western Himalaya. The Scientific World Journal.



Josef, I. R., A. Kapahang, & D. Gumolung. 2019. Penghambatan oksidasi lipid minyak ikan cakalang (*Katsuwonus pelamis*) oleh air jahe (*Zingiber officinale var. rubrum*) selama penyimpanan dingin. Fullerene Journal of Chemistry, 4(2): 66-71.

Hadiyanto, H., G. D. Harjanto, M. L. Huzain, & R. W. Aji. 2019. Production of antioxidant C-phycocyanin using extraction process of *Spirulina platensis* in large scale industry. In IOP conference series: Materials Science and Engineering. IOP Publishing.

Hawrysh, Z.J. 1990. Stability of Canola Oil. In: Canola and Rapeseed—Production, Chemistry, Nutrition and Processing Technology. Shahidi, F. (Ed.). Van Nostrand Reinhold, New York. Chapter 7, p. 102.

Hendry, G. A. F. and J. D. Houghton. 1996. Natural Food Colorant Second Edition. Oxford University Press, New York

Hiemenz, P.C. dan R. Rejogopolan. 1997. Principles of Colloid and Surface Science. 3rd edition. Dekker, New York.

Husain, R., S. Suparmo, E. Harmayani, & C. Hidayat. 2016. Kinetika oksidasi minyak ikan tuna (*Thunus sp.*) selama penyimpanan. Agritech, 36(2): 176-181.

Karami, H., M. Rasekh, & E. Mirzaee-Ghaleh. 2020. Comparison of chemometrics and AOCS official methods for predicting the shelf life of edible oil. Chemometrics and Intelligent Laboratory Systems, 206, 104165.

Khandual, S., E. O. L. Sanchez, H. E. Andrews, & J. D. P. de la Rosa. 2021. Phycocyanin content and nutritional profile of *Arthrosphaera platensis* from Mexico: Efficient extraction process and stability evaluation of phycocyanin. BMC chemistry, 15(1): 1-13.

Kikuzaki, H., K. M. Hisamoto, K. Hirose, H. Akiyama. Taniguchi. 2002. Antioxidants properties of ferulic acid and its related compound. Journal Agric. Food Chem., 50: 2161-2168.

Lanigan, R. S. 2002. Final Report on the Safety Assessment of BHT. International Journal of Toxicology, 21(2_suppl), 19–94. <https://doi.org/10.1080/10915810290096513>

Lawrence, M. J. & G. D. Rees. 2000. Microemulsion based media as novel drug delivery systems. Advance Drug Delivery Reviews, 45: 89-121.

Lestari, R. F. 2014. “Mikroemulsi asam askorbat sebagai penghambat kerusakan minyak ikan akibat fotooksidasi”. Universitas Gadjah Mada. Skripsi.

Manirafasha, E., L. Guo, & K. Jing. 2020. Nutraceutical and Pharmaceutical Applications of Phycobiliproteins. In Pigments from Microalgae Handbook (pp. 575-584). Springer, Cham.

Manirafasha, E., T. Ndikubwimana, X. Zeng, Y. Lu, & K. Jing. 2016. Phycobiliprotein: Potential microalgae derived pharmaceutical and biological reagent. Biochemical Engineering Journal, 109: 282-296.



Margiati, D., D. Ramdani, & A. P. Wulandari. 2019. Comparative study of antioxidant phycocyanin extracts activity between *S. platensis* with *S. fusiformis* using DPPH method. Indonesian Journal of Pharmaceutical Science and Technology, 6(2): 52-58.

Martati, E., T. Utami, & P. Hastuti. 1999. Profil gliserida, dan kandungan EPA (Eicosapentaenoat) dan DHA (Docosahexaenoat) hasil hidrolisis minyak hati ikan cod oleh lipase teramobil dari *Mucor miehei*. Agritech, 19(1): 5-10.

Mauliasari, E. S., T. W. Agustini, & U. Amalia. 2019. Stabilisasi fikosiani *Spirulina platensis* dengan perlakuan mikroenkapsulasi dan pH. Jurnal Pengolahan Hasil Perikanan Indonesia, 22(3): 526-534.

Meira, M., C. M. Quintella, A. dos S. Tanajura, H. R. G. da Silva, J. D. S. Fernando, P. R. da Costa Neto, I. M. Pepe, M. A. Santos, & L. L. Nascimento. 2011. Determination of the oxidation stability of biodiesel and oils by spectrofluorimetry and multivariate calibration. Talanta, 85(1), 430–434. <https://doi.org/10.1016/j.talanta.2011.04.002>

Mogi, B. C., R. Harjanti, & R. A. Samsumaharto. 2016. Uji aktivitas antibakteri ekstrak etanol, fraksi n-heksana, etil asetat, dan air dari daun Turi (*Sesbania grandiflora Pers*) terhadap bakteri *Shigella dysenteriae* ATCC 9361. Biomedika, 9(2): 30-35.

Moussa, A. M., A. M. Emam, Y. M. Diab, M. E. Mahmoud, A.S. Mahmoud. 2011. Evaluation of antioxidant potential of 124 Egyptian Plants with emphasis on the action of *Punica Granatum* leaf extract on rats. International Food Research Journal, 18: 535-542.

Muawwanah. 1996. Ekstraksi Antioksidan dari Alga Laut *Sargassum sp.* dan Efektivitasnya dalam Menghambat Kerusakan Awal Emulsi Minyak Ikan. Institut Pertanian Bogor. Skripsi.

Mulyani, N. L., V. Larasati, & P. A. Herlina. 2018. A natural combination extract of mangosteen pericarp and phycocyanin of *Spirulina platensis* decreases plasma malonaldehyde level in acute exercise-induced oxidative stress. Majalah Ilmiah Sriwijaya, 30(17): 1-16.

Nasution, A. Y., W. Novalia, D. A. Sari. 2021. Evaluasi karakteristik minyak ikan patin (*Pangasius hypothalamus*) dengan penambahan ekstrak kunyit sebagai antioksidan alami. Jurnal Ilmiah Farmasi Farmasyifa, 4(2): 22-28.

Nathanael, A. 2023. Pengaruh Karotenoid *Arthrosipa platensis* pada Minyak Ikan terhadap Kerusakan Fotooksidasi selama Penyimpanan. Universitas Gadjah Mada. Skripsi.

Navarro-García, G., N. Gámez-Meza, L. A. Medina-Juárez, J. Ortega-García, E. Cota-Quiñones, & J. C. Ramirez-Suarez. 2016. Natural antioxidants in the stability of ray liver oil. Ciênc Rural, 47.



Ningrum, Y. P. 2020. Variasi Jenis dan Konsentrasi Surfaktan untuk Formulasi Mikroemulsi Asam Lemak *Ulva lactuca*. Fakultas Pertanian. Universitas Gadjah Mada. Skripsi.

O'Sullivan, A., A. Mayr, N. B. Shaw, S. C. Murphy, and J. P. Kerry. Use of natural antioxidants to stabilize fish oil systems. *Journal of Aquatic Food Product Technology*, 14(3): 75-94.

Patel, M.R., R.B. Patel, J.R. Parikh, K.K. Bhatt dan A.J. Kndawala. 2007. Micro emulsion : as novel drug delivery vehicle. *Lates reviews vol 5 issue 6*.

Phung, A. S., G. Bannenberg, C. Vigor, G. Reversat, C. Oger, M. Roumain, J-M Galano, T. Durand, G. G. Muccioli, A. Ismail, & S. C. Wang. 2020. Chemical compositional changes in over-oxidized fish oils. *Foods (Basel, Switzerland)*, 9(10): 1501. <https://doi.org/10.3390/foods9101501>

Pokorny, J. K. 2001. Preparation of Natural Antioxidant, in *Antioxidants in Food: Practical Applications*.1st ed. Woodhead Publishing Ltd, New York.

Prabowo, A., S. A. Budhiyanti, & A. Husni. 2013. Ekstrak *Sargassum* sp. sebagai antioksidan dalam sistem emulsi minyak ikan selama penyimpanan pada suhu kamar. *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, 8(2): 143-150.

Raharjo, S. 2018. Kerusakan Oksidatif Pada Makanan. 2nd ed. Gadjah Mada University Press, Yogyakarta.

Rahmawati, S. I., S. Hidayatullah, & M. Suprayatmi. 2017. Ekstraksi fikosianin dari *Spirulina plantesis* sebagai biopigmen dan antioksidan. *Jurnal Pertanian*, 8(1): 36-45.

Ratnasari, D., H. Noviardi, & B. A. A. A. R. 2017. Pengaruh perbandingan surfaktan dan ko-surfaktan terhadap karakteristik dan kestabilan mikroemulsi minyak zaitun (olive oil). *Jurnal Farmamedika (Pharmamedika Journal)*, 2(2): 46-54.

Ridlo, A., S. Sedjati, & E. Supriyantini. 2016. Aktivitas anti oksidan fikosianin dari *Spirulina Sp.* menggunakan metode transfer elektron dengan DPPH (1, 1-difenil-2-pikrilhidrazil). *Jurnal Kelautan Tropis*, 18(2).

Rohman, A. 2017. Physico-chemical properties, biological activities and authentication of cod liver oil. *Journal of Food and Pharmaceutical Sciences*, 5(1): 1-7.

Romay, C. H., J. Armesto, D. Remirez, R. González, N. Ledon, & I. Garcia. 1998. Antioxidant and anti-inflammatory properties of C-phycocyanin from blue-green algae. *Inflammation research*, 47: 36-41.

Rukmini, A., S. Raharjo, P. Hastuti, & S. Supriyadi. 2011. Quality deterioration in commercial virgin coconut oil due to photooxidation and autoxidation. *Agritech*, 31(4).

- Rukmini, A., S. Raharjo, P. Hastuti, & S. Supriyadi. 2012. Formulation and stability of water-in-virgin coconut oil microemulsion using ternary food grade nonionic surfactants. International Food Research Journal, 19(1): 259-264.
- Schaich, K. M. 2005. Lipid oxidation: theoretical aspects. *Bailey's industrial oil and fat products*, 1(Part 7), 269-303.
- Shahidi, F., J. Wang, & U.N. Wanasundara. 2017. Methods for measuring oxidative rancidity and oils. *Food Lipids: Chemistry, Nutrition, and Biotechnology*
- Shahidi, F., and H. Miraliakbari. 2006. Marine oils: compositional characteristics and health effects. In: F. Shahidi (Ed.) *Nutraceutical and Specialty Lipids and Their Co-Products*. Boca Raton: Taylor and Francis Group, UK, p: 227 – 250.
- Shalaby, E.A., and S. M. Shanab. 2013. Comparison of DPPH and ABTS assays for determining antioxidant potential of water and methanol extracts of *Spirulina platensis*. Indian Journal of Geo-Marine Sciences, 42(5): 556-564.
- Shantha, N. C., & E. A. Decker. 1994. Rapid, sensitif, iron-based spectrophotometric methods for determination of peroxide values of food lipids. Journal of AOAC International, 77(2): 421-424.
- Silveira, S. T., J. D. M. Burkert, J. A. V. Costa, C. A. V. Burkert, & S. J. Kalil. 2007. Optimization of phycocyanin extraction from *Spirulina platensis* using factorial design. Bioresource technology, 98(8): 1629-1634.
- Soccol, M.C.H. and M. Oetterer. 2003. Seafood as Functional Foods. Brazilian Archives of Biology and Technology. An International Journal. 46:443-454.
- Stocker, R., A. N. Glazer, & B. N. Ames. 1987. Antioxidant activity of albumin-bound bilirubin. Proceedings of the National Academy of Sciences, 84(16): 5918-5922.
- Sucitawati, P. A., L. Suhendra, & G. G. Putra. 2021. Karakteristik mikroemulsi atokoferol pada perbandingan campuran tiga surfaktan nonionik dan lama pengadukan. Jurnal Rekayasa Dan Manajemen Agroindustri, 9(1): 33-41.
- Suhendra, L. 2014. Mekanisme Singlet Oxygen Quenching oleh Fucoxanthin dan Efektivitasnya sebagai Antioksidan dalam Mikroemulsi. Universitas Gadjah Mada. Disertasi.
- Suhendra, L., S. Rahardjo, P. Hastuti, & C. Hidayat. 2012. Formulasi dan stabilitas mikroemulsi o/w sebagai pembawa fucoxanthin. Agritech, 32(3).
- Syafrida, M., S. Darmanti, & M. Izzati. 2018. Pengaruh suhu pengeringan terhadap kadar air, kadar flavonoid dan aktivitas antioksidan daun dan umbi rumput teki (*Cyperus rotundus L.*). Bioma: Berkala Ilmiah Biologi, 20(1): 44-50.
- Tengku-Rozaina, T. M., & E. J. Birch. 2013. Physicochemical characterisation and oxidative stability of refined hoki oil, unrefined hoki oil and unrefined tuna oil. International Journal of Food Science & Technology, n/a-n/a. <https://doi.org/10.1111/ijfs.12222>



UNIVERSITAS
GADJAH MADA

Pengaruh Mikroemulsi Fikosianin *Arthrospira platensis* dalam Minyak Ikan terhadap Fotooksidasi selama

Penyimpanan

MAHARANI MUTIARA KRISWOYOSARI, Dr. R.A. Siti Ari Budhiyanti, S.T.P., M.P.

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Wang, L., B. Pan, J. Sheng, J. Xu, & Q. Hu. 2007. Antioxidant activity of *Spirulina platensis* extracts by supercritical carbon dioxide extraction. *Food chemistry*, 105(1): 36-41.

Warner, K., & N. Michael Eskin. 1995. Methods to Access Quality and Stability of Oils and Fat-Containing Foods. AOCS Publishing.
<https://doi.org/10.1201/9781439831984>

Wu H. L., G. H. Wang, W. Z. Xiang, T. Li , H. He. 2016. Stability and antioxidant activity of food-grade phycocyanin isolated from *Spirulina platensis*. *International Journal of Food Properties*, 19(10): 2349-2362

Wu, X. J., H. Yang, Y. T. Chen, & P. P. Li. 2018. Biosynthesis of fluorescent β subunits of c-phycocyanin from *Spirulina subsalsa* in *Escherichia coli*, and their antioxidant properties. *Molecules*, 23(6): 1369.

Wulandari, D. A., I. Setyaningsih, D. Syafrudin, & P. B. S. Asih. 2016. Ekstraksi fikosianin dari *Spirulina platensis* dan aktivitas antimalaria secara invitro. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 19(1): 17-25.

Venugopal, V., & F. Shahidi. 1996. Structure and composition of fish muscle. *Food Reviews International*, 12(2), 175–197. doi:10.1080/87559129609541074

Voight, R. 1994. Buku Pengantar Teknologi Farmasi. Universitas Gadjah Mada Press, Yogyakarta.

Yasaei, P. M., G.C. Yang, C. R. Warner, D.H. Daniels, & Y. Ku. Singlet oxygen oxidation of lipids resulting from photochemical sensitizers in the presence of antioxidants. *Journal of the American Oil Chemists Society*, 73(9): 1177-1181

Zhou, Z.P., L. N. Liu, X. L. Chen, J. X. Wang, M. Chen, Y. Z. Zhang, & B. C. Zhou. 2005. Factors that effect antioxidant activity of C-phycocyanins from *Spirulina platensis*. *Journal of Food Biochemistry*, 29(3), 313- 322.

Zisanti, S. J. 2023. Mikroemulsi Water in Oil Fikosianin *Arthrospira platensis* dengan VCO (Virgin Coconut Oil) sebagai Fase Minyak. Universitas Gadjah Mada. Skripsi.