

Azuma, N. (2018) 'The diagnostic classification of critical limb ischemia', *Annals of Vascular Diseases*, 11(4), pp. 449–457. doi:10.3400/avd.ra.18-00122.

Ishii, M., Ogawa, H., Unoki, T., An, Y., Iguchi, M., Masunaga, N., Esato, M., Chun, Y.H., Tsuji, H., Wada, H. and Hasegawa, K., 2017. Relationship of hypertension and systolic blood pressure with the risk of stroke or bleeding in patients with atrial fibrillation: the Fushimi AF Registry. *American Journal of Hypertension*, 30(11), pp.1073-1082.

Hasanadka, R. et al. (2011) 'Predictors of wound complications following major amputation for critical limb ischemia', *Journal of Vascular Surgery*, 54(5), pp. 1374–1382.
doi:10.1016/j.jvs.2011.04.048.

Berchiolli, R., Bertagna, G., Adami, D., Canovaro, F., Torri, L. and Troisi, N., 2023. Chronic Limb-Threatening Ischemia and the Need for Revascularization. *Journal of Clinical Medicine*, 12(7), p.2682.

Harskamp, R.E., Lucassen, W.A., Lopes, R.D., Himmelreich, J.C., Parati, G. and Weert, H.C.V., 2022. Risk of stroke and bleeding in relation to hypertension in anticoagulated patients with atrial fibrillation: a meta-analysis of randomised controlled trials. *Acta Cardiologica*, 77(3), pp.191-195.

Pinxterhuis, T.H., Ploumen, E.H., Zocca, P., Doggen, C.J., Schotborgh, C.E., Anthonio, R.L., Roguin, A., Danse, P.W., Benit, E., Aminian, A. and Stoel, M.G., 2023. Risk of bleeding after percutaneous coronary intervention and its impact on further adverse events in clinical trial participants with comorbid peripheral arterial disease. *International journal of cardiology*, 374, pp.27-32.

Kim, W., 2022. Critical determinants of chronic limb threatening ischemia after endovascular treatment. *Korean Circulation Journal*, 52(6), pp.441-443.

Cha, J.J., Kim, J.Y., Kim, H., Ko, Y.G., Choi, D., Lee, J.H., Yoon, C.H., Chae, I.H., Yu, C.W., Lee, S.W. and Lee, S.R., 2022. Long-term clinical outcomes and prognostic factors after endovascular treatment in patients with chronic limb threatening ischemia. *Korean Circulation Journal*, 52(6),

Miyata, T. et al. (2021) 'Risk prediction model for early outcomes of revascularization for chronic limb-threatening ischaemia', *British Journal of Surgery*, 108(8), pp. 941–950.

doi:10.1093/bjs/znab036.

Ying, A.F. et al. (2022) 'Diabetes and other vascular risk factors in association with the risk of lower extremity amputation in chronic limb-threatening ischemia: A prospective cohort study', *Cardiovascular Diabetology*, 21(1). doi:10.1186/s12933-021-01441-0.

Defianna, S.R. et al. (2021) 'Gender differences in prevalence and risk factors for hypertension among adult populations: A cross-sectional study in Indonesia', *International Journal of Environmental Research and Public Health*, 18(12), p. 6259. doi:10.3390/ijerph18126259.

Ajibade, A., Akinniyi, O. T., & Okoye, C. S. (2013). Indications and Complications of Major Limb Amputations in Kano, Nigeria. *Ghana Medical Journal*, 47(4), 185.

Baubeta Fridh, E., Andersson, M., Thuresson, M., Sigvant, B., Kragsterman, B., Johansson, S., Hasvold, P., Nordanstig, J., & Falkenberg, M. (2018). Editor's Choice - Impact of Comorbidity, Medication, and Gender on Amputation Rate Following Revascularization for Chronic Limb Threatening Ischaemia. *European Journal of Vascular and Endovascular Surgery : The Official Journal of the European Society for Vascular Surgery*, 56(5), 681–688.

Campia, U., Gerhard-Herman, M., Piazza, G., & Goldhaber, S. Z. (2019). Peripheral Artery Disease: Past, Present, and Future. *The American Journal of Medicine*, 132(10).

<https://doi.org/10.1016/j.amjmed.2019.04.043>

Conte, M. S., Bradbury, A. W., Kohl, P., White, J. V., Dick, F., Fitridge, R., Mills, J. L., Ricco, J. B., Suresh, K. R., Murad, M. H., Forbes, T. L., AbuRahma, A., Anankwah, K., Barshes, N., Bush, R., Dalman, R. L., Davies, M., Farber, A., Hingorani, A., ... Diamant, M. (2019). Global vascular guidelines on the management of chronic limb-threatening ischemia. *Journal of Vascular Surgery*, 69(6S), 3S-125S.e40. <https://doi.org/10.1016/J.JVS.2019.02.016>

Miyata, T., Kumamaru, H., Mii, S., Kinukawa, N., Miyata, H., Shigematsu, K., Azuma, N., Ishida, A., Izumi, Y., Inoue, Y. and Uchida, H., 2022. Prediction models for two year overall survival and amputation free survival after revascularisation for chronic limb threatening ischaemia. *European*

van Reijen, N.S. et al. (2021) 'Outcomes of conservative treatment in patients with chronic limb threatening ischaemia: A systematic review and meta-analysis', *European Journal of Vascular and Endovascular Surgery*, 62(2), pp. 214–224. doi:10.1016/j.ejvs.2021.01.005.

Davies, M.G. (2012) 'Critical limb ischemia: Epidemiology', *Methodist DeBakey Cardiovascular Journal*, 8(4), p. 10. doi:10.14797/mdcj-8-4-10.

Ingrassia, J.J., Finn, M.T. and Parikh, S.A., 2019. Defining Critical Limb Ischemia. *Vascular Disease Management*, 12(16).

Xu, D. et al. (2022) 'A nomogram for predicting the risk of critical limb ischemia in adults with hypertension: A retrospective study', *International Journal of General Medicine*, Volume 15, pp. 8205–8216. doi:10.2147/ijgm.s342448.

Krishna, S., Moxon, J. and Golledge, J. (2015) 'A review of the pathophysiology and potential biomarkers for peripheral artery disease', *International Journal of Molecular Sciences*, 16(12), pp. 11294–11322. doi:10.3390/ijms160511294.

Cooke, J. P., & Wilson, A. M. (2010). Biomarkers of peripheral arterial disease. *Journal of the American College of Cardiology*, 55(19), 2017– 2023.

Darling, J. D., McCallum, J. C., Soden, P. A., Guzman, R. J., Wyers, M. C., Hamdan, A. D., Verhagen, H. J., & Schermerhorn, M. L. (2017). Predictive Ability of the SVS Wifi Classification System following First time Lower Extremity Revascularizations. *Journal of Vascular Surgery*, 65(3), 695. <https://doi.org/10.1016/J.JVS.2016.09.055>

Barnes, J.A. et al. (2020) 'Epidemiology and risk of amputation in patients with diabetes mellitus and peripheral artery disease', *Arteriosclerosis, Thrombosis, and Vascular Biology*, 40(8), pp. 1808–1817. doi:10.1161/atvbaha.120.314595.

Duff, S., Mafilios, M. S., Bhounsule, P., & Hasegawa, J. T. (2019). The burden of critical limb ischemia: a review of recent literature. *Vascular Health and Risk Management*, 15, 187. <https://doi.org/10.2147/VHRM.S209241>

Zemaitis, M.R., Boll, J.M. & Dreyer, M.A., 2021, *Peripheral arterial disease*, Treasure Island (FL):

Farber, A., 2018. Chronic limb-threatening ischemia. *New England Journal of Medicine*, 379(2), pp.171-180. DOI: 10.1056/NEJMcp1709326

Farber, A., & Eberhardt, R. T. (2016). The Current State of Critical Limb Ischemia: A Systematic Review. *JAMA Surgery*, 151(11), 1070–1077. <https://doi.org/10.1001/JAMASURG.2016.2018>

Gardner, A. W., Parker, D. E., Montgomery, P. S., Sosnowska, D., Casanegra, A. I., Ungvari, Z., Csiszar, A., & Sonntag, W. E. (2015). Gender and racial differences in endothelial oxidative stress and inflammation in patients with symptomatic peripheral artery disease. *Journal of Vascular Surgery*, 61(5), 1249–1257.

Van Haelst, S.T.W. et al. (2018) 'Prognostic value of the Society for Vascular Surgery Wound, Ischemia, and foot Infection (WIFI) classification in patients with no-option chronic limb-threatening ischemia,' *Journal of Vascular Surgery*, 68(4), pp. 1104-1113.e1. <https://doi.org/10.1016/j.jvs.2018.02.028>.

Gerhard-Herman, M. D., Gornik, H. L., Barrett, C., Barshes, N. R., Corriere, M. A., Drachman, D. E., Fleisher, L. A., Fowkes, F. G. R., Hamburg, N. M., Kinlay, S., Lookstein, R., Misra, S., Mureebe, L., Olin, J. W., Patel, R. A. G., Regensteiner, J. G., Schanzer, A., Shishehbor, M. H., Stewart, K. J., ... Walsh, M. E. (2017). 2016 AHA/ACC Guideline on the Management of Patients With Lower Extremity Peripheral Artery Disease: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *Circulation*, 135(12), e726–e779. <https://doi.org/10.1161/CIR.0000000000000471>

Hiatt, W. R., Goldstone, J., Smith, S. C., McDermott, M., Moneta, G., Oka, R., Newman, A. B., & Pearce, W. H. (2008). Atherosclerotic Peripheral Vascular Disease Symposium II. *Circulation*, 118(25). <https://doi.org/10.1161/CIRCULATIONAHA.108.191171>

Hirsch, A. T., Haskal, Z. J., Hertzner, N. R., Bakal, C. W., Creager, M. A., Halperin, J. L., Hiratzka, L. F., Murphy, W. R. C., Olin, J. W., Puschett, J. B., Rosenfield, K. A., Sacks, D., Stanley, J. C., Taylor, L. M., White, C. J., White, J., White, R. A., Antman, E. M., Smith, S. C., ... Riegel, B. (2006). ACC/AHA 2005 Practice Guidelines for the Management of Patients With Peripheral Arterial Disease (Lower Extremity, Renal, Mesenteric, and Abdominal Aortic). *Circulation*, 113(11), e463–e654. <https://doi.org/10.1161/CIRCULATIONAHA.106.174526>

Ismail, M. T., Hariawan, H., Lutfie, F. F. A., Nugroho, D. B., Susanti, V. Y., Anggraeni, V. Y., Kadafi, S. N., Ayuningtyas, R., Tarigan, T., Triatmaja, R., Artayasa, I. P. A., Ramadhan, G., & Hidayat, S. (2021). Prevalence and Risk Factors of Peripheral Arterial Disease in type 2 Diabetes Mellitus in Yogyakarta, Indonesia. *ACI (Acta Cardiologia Indonesiana)*, 7(2), 5. <https://doi.org/10.22146/jaci.v7i2.3520>

Howard, D.P.J. et al. (2015) ‘Population-based study of incidence, risk factors, outcome, and prognosis of ischemic peripheral arterial events’, *Circulation*, 132(19), pp. 1805–1815. doi:10.1161/circulationaha.115.016424.

Zhang, L.L. et al. (2020) ‘Predictors of major adverse limb events after open forefoot amputation in patients with chronic limb-threatening ischemia’, *Annals of Vascular Surgery*, 66, pp. 614–620. doi:10.1016/j.avsg.2020.01.099.

Poznyak, A.V. et al. (2022) ‘Hypertension as a risk factor for atherosclerosis: Cardiovascular risk assessment’, *Frontiers in Cardiovascular Medicine*, 9. doi:10.3389/fcvm.2022.959285.

Kim, T. I., Mena, C., & Sumpio, B. E. (2020). The Role of Lower Extremity Amputation in Chronic Limb-Threatening Ischemia. *International Journal of Angiology*.

Mills, J. L., Conte, M. S., Armstrong, D. G., Pomposelli, F. B., Schanzer, A., Sidawy, A. N., & Andros, G. (2014). The Society for Vascular Surgery Lower Extremity Threatened Limb Classification System: Risk stratification based on Wound, Ischemia, and foot Infection (WIFI). *Journal of Vascular Surgery*, 59(1). <https://doi.org/10.1016/j.jvs.2013.08.003>

Mustapha, J. A., Katzen, B. T., Neville, R. F., Lookstein, R. A., Zeller, T., Miller, L. E., & Jaff, M. R. (2018). Determinants of Long-Term Outcomes and Costs in the Management of Critical Limb Ischemia: A Population-Based Cohort Study. *Journal of the American Heart Association: Cardiovascular and Cerebrovascular Disease*, 7(16). <https://doi.org/10.1161/JAHA.118.009724>

Ortmann, J., Nüesch, E., Cajöri, G., Diehm, N., Dick, F., Traupe, T., & Baumgartner, I. (2011). Benefit of immediate revascularization in women with critical limb ischemia in an intention-to-treat analysis. *Journal of Vascular Surgery*, 54(6), 1668–1678.



angiotensin receptor blockers in chronic limb-threatening ischemia', *Journal of Vascular Surgery*, 72(6), pp. 2130–2138. doi:10.1016/j.jvs.2020.02.041.

Signorelli, S. S., Valerio, F., & Malaponte, G. (2014). Inflammation and peripheral arterial disease: the value of circulating biomarkers (Review). *International Journal of Molecular Medicine*, 33(4), 777–783. <https://doi.org/10.3892/IJMM.2014.1657>

Song, P., Rudan, D., Zhu, Y., Fowkes, F. J. I., Rahimi, K., Fowkes, F. G. R., & Rudan, I. (2019). Global, regional, and national prevalence and risk factors for peripheral artery disease in 2015: an updated systematic review and analysis. *The Lancet Global Health*, 7(8), e1020–e1030. [https://doi.org/10.1016/S2214-109X\(19\)30255-4/ATTACHMENT/E2E5C96F-6E5E-4FB7-B5CB882A9BDD2DE7/MMC1.PDF](https://doi.org/10.1016/S2214-109X(19)30255-4/ATTACHMENT/E2E5C96F-6E5E-4FB7-B5CB882A9BDD2DE7/MMC1.PDF)

Xu, D., Li, J., Zou, L., Xu, Y., Hu, D., Pagoto, S. L., & Ma, Y. (2010). Sensitivity and specificity of the ankle-brachial index to diagnose peripheral artery disease: a structured review. *Vascular Medicine (London, England)*, 15(5), 361–369. <https://doi.org/10.1177/1358863X10378376>

Ying, A. F., Tang, T. Y., Jin, A., Chong, T. T., Hausenloy, D. J., & Koh, W.-P. (2022). Diabetes and other vascular risk factors in association with the risk of lower extremity amputation in chronic limb-threatening ischemia: a prospective cohort study. *Cardiovascular Diabetology* 2022 21:1, 21(1), 1–9. <https://doi.org/10.1186/S12933-021-01441-0>

Charan, J., & Biswas, T. (2013). How to Calculate Sample Size for Different Study Designs in Medical Research? *Indian Journal of Psychological Medicine*, 35(2), 121–126. <https://doi.org/10.4103/0253-7176.116232>