UNIVERSITAS
GADJAH MADA
Association between C-reactive protein (CRP) and blood glucose plasma level in severe to critical COVID-19 patients at dr. Sardjito General Hospital, Yogyakarta
SITI AZIZA ROZA PUTRI, dr. Hemi Sinorita, SpPD-KEMD; dr. Heni Retno Wulan, M.Kes., Sp.PD-KP
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

REFERENCES

Abbas, U., Masood, K. I., Khan, A., Irfan, M., Saifullah, N., Jamil, B., et al. (2022). Tuberculosis and Diabetes Mellitus: Relating Immune Impact of Comorbidity with Challenges in Disease Management in High Burden Countries. Journal of Clinical Tuberculosis and Other Mycobacterial Diseases, 100343.

Abbate, S. L., & Brunzell, J. D. (1990). Pathophysiology of hyperlipidemia in diabetes mellitus. Journal of cardiovascular pharmacology, 16, S1-S7.

American Diabetes Association. (2010). Diagnosis and classification of diabetes mellitus. Diabetes care, 33(Supplement_1), S62-S69.

Anush, M. M., Ashok, V. K., Sarma, R. I., & Pillai, S. K. (2019). Role of C-reactive protein as a screening test for tuberculosis in people living with HIV in southern India: a cross-sectional, observational study. Journal of Clinical Medicine, 11(13), 3566.

Aronson, D., Bartha, P., Zinder, O., Kerner, A., Markiewicz, W., Avizohar, O., et al. (2004). Obesity is the major determinant of elevated C-reactive protein in subjects with the metabolic syndrome. International journal of obesity, 28(5), 674-679.

Cascella, M., Rajnik, M., Aleem, A., Dulebohn, S. C., & Di Napoli, R. (2020). Features, evaluation, and treatment of coronavirus (COVID-19).

Chen, W., Wang, J. B., Abnet, C. C., Dawsey, S. M., Fan, J. H., Yin, L. Y., et al. (2015). Association between C-reactive protein, incident liver cancer, and chronic liver disease mortality in the Linxian Nutrition Intervention Trials: a nested case–control study. Cancer Epidemiology, Biomarkers & Prevention, 24(2), 386-392.

Compean, D. G., Jaquez-Quintana, J. O., Gonzalez, J. A., & Garza, H. M. (2009). Liver cirrhosis and diabetes: risk factors, pathophysiology, clinical implications and management. World journal of gastroenterology: WJG, 15(3), 280.

Corsino, L., Dhatariya, K., & Umpierrez, G. (2000). Management of diabetes and hyperglycemia in hospitalized patients. Endotext.

Debi, H., Itu, Z. T., Amin, M. T., Hussain, F., & Hossain, M. S. (2022). Association of serum C-reactive protein (CRP) and D-dimer concentration on the severity of COVID-19 cases with or without diabetes: a systematic review and meta-analysis. Expert Review of Endocrinology & Metabolism, 17(1), 83-93.

Dongway, A. C., Faggad, A. S., Zaki, H. Y., & Abdalla, B. E. (2015). C-reactive protein is associated with low-density lipoprotein cholesterol and obesity in type 2 diabetic Sudanese. Diabetes, metabolic syndrome and obesity: targets and therapy, 427-435.

Ernst, G. D., De Jonge, L. L., Hofman, A., Lindemans, J., Russcher, H., Steegers, E. A., et al. (2011). C-reactive protein levels in early pregnancy, fetal growth

UNIVERSITAS
GADJAH MADA
Association between C-reactive protein (CRP) and blood glucose plasma level in severe to critical COVID-19 patients at dr. Sardjito General Hospital, Yogyakarta
SITI AZIZA ROZA PUTRI, dr. Hemi Sinorita, SpPD-KEMD; dr. Heni Retno Wulan, M.Kes., Sp.PD-KP
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

patterns, and the risk for neonatal complications: the Generation R Study. American journal of obstetrics and gynecology, 205(2), 132-e1.

Esteghamati, A., Morteza, A., Khalilzadeh, O., Anvari, M., Noshad, S., Zandieh, A., et al. (2012). Physical inactivity is correlated with levels of quantitative C-reactive protein in serum, independent of obesity: results of the national surveillance of risk factors of non-communicable diseases in Iran. Journal of health, population, and nutrition, 30(1), 66.

Falcone, M., Meier, J. J., Marini, M. G., Caccialanza, R., Aguado, J. M., Del Prato, S., et al. (2021). Diabetes and Acute Bacterial Skin and Skin Structure Infections. Diabetes Research and Clinical Practice, 174, 108732.

Fathallah, N., Slim, R., Larif, S., Hmouda, H., & Salem, C. B. (2015). Drug-induced hyperglycaemia and diabetes. Drug safety, 38, 1153-1168.

Ferrari, F., Moretti, A., & Villa, R. F. (2022). Hyperglycemia in acute ischemic stroke: Physiopathological and therapeutic complexity. Neural Regeneration Research, 17(2), 292.

Ferrucci, L., Corsi, A., Lauretani, F., Bandinelli, S., Bartali, B., Taub, D. D., et al. (2005). The origins of age-related proinflammatory state. Blood, 105(6), 2294-2299.

Fraenkel, P. G. (2017). Anemia of inflammation: a review. Medical Clinics, 101(2), 285-296.

Frazzei, G., van Vollenhoven, R. F., de Jong, B. A., Siegelaar, S. E., & van Schaardenburg, D. (2022). Preclinical Autoimmune Disease: A Comparison of Rheumatoid Arthritis, Systemic Lupus Erythematosus, Multiple Sclerosis, and Type 1 Diabetes. Frontiers in Immunology, 3207.

Gornik, I., Vujaklija, A., Lukić, E., Madžarac, G., & Gašparović, V. (2010). Hyperglycemia in Sepsis is a Risk Factor for Development of Type II Diabetes. Journal of Critical Care, 25(2), 263-9.

Grundy, S. M., Benjamin, I. J., Burke, G. L., Chait, A., Eckel, R. H., Howard, B. V., et al. (1999). Diabetes and cardiovascular disease: a statement for healthcare professionals from the American Heart Association. Circulation, 100(10), 1134-1146.

Hart, P. C., Rajab, I. M., Alebraheem, M., & Potempa, L. A. (2020). C-reactive protein and cancer—diagnostic and therapeutic insights. Frontiers in immunology, 11, 595835.

Healy, S. J., & Dungan, K. M. (2015). Hyperglycemia in Patients with Hematologic Malignancies." Current Diabetes Reports, 15, 1-9.

Islam, E. A., Limsuwat, C., Nantsupawat, T., Berdine, G. G., & Nugent, K. M. (2015). The association between glucose levels and hospital outcomes in patients with acute exacerbations of chronic obstructive pulmonary disease. Annals of Thoracic Medicine, 10(2), 94.

Jenkins, T. C., Haukoos, J. S., Cotton, E., Weitzenkamp, D., Frank, D. N., & Burman, W. J. (2018). Time course of C-reactive protein and procalcitonin

UNIVERSITAS
GADJAH MADA
Association between C-reactive protein (CRP) and blood glucose plasma level in severe to critical COVID-19 patients at dr. Sardjito General Hospital, Yogyakarta
SITI AZIZA ROZA PUTRI, dr. Hemi Sinorita, SpPD-KEMD; dr. Heni Retno Wulan, M.Kes., Sp.PD-KP
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

levels during the treatment of acute bacterial skin infections. In Open forum infectious diseases (Vol. 5, No. 3, p. ofy029). US: Oxford University Press.

Katwal, P. C., Jirjees, S., Htun, Z. M., Aldawudi, I., & Khan, S. (2020). The effect of anemia and the goal of optimal HbA1c control in diabetes and non-diabetes. Cureus, 12(6).

Khera, A., Vega, G. L., Das, S. R., Ayers, C., McGuire, D. K., Grundy, S. M., & de Lemos, J. A. (2009). Sex differences in the relationship between C-reactive protein and body fat. The Journal of Clinical Endocrinology & Metabolism, 94(9), 3251-3258.

Lau, B., Sharrett, A. R., Kingsley, L. A., Post, W., Palella, F. J., Visscher, B., et al. (2006). C-reactive protein is a marker for human immunodeficiency virus disease progression. Archives of internal medicine, 166(1), 64-70.

Lipsky, B. A., & Berendt, A. R. (2010). "Hyperbaric Oxygen Therapy for Diabetic Foot Wounds: Has Hope Hurdled Hype?" Diabetes Care, 33(5), 1143-5.

Luan, Y. Y., & Yao, Y. M. (2018). The clinical significance and potential role of C-reactive protein in chronic inflammatory and neurodegenerative diseases. Frontiers in Immunology, 9, 1302.

Mangge, H., Stelzer, I., Reininghaus, E. Z., Weghuber, D., Postolache, T. T., Fuchs, D., et al. (2018). Chronic Kidney Disease, Inflammation, and Cardiovascular Risk: A Complex Relationship. The Journal of Nephrology, 31(6), 797-807.

Mauvais-Jarvis, F. (2018). Gender differences in glucose homeostasis and diabetes. Physiology & behavior, 187, 20-23.

Mouri, M., & Badireddy, M. (2022). Hyperglycemia. In StatPearls [Internet]. StatPearls Publishing.

Nehring, S. M., Goyal, A., & Patel, B. C. (2022). C Reactive Protein. 2022 Jul 18. StatPearls. Treasure Island (FL): StatPearls Publishing.

Nitzan, O., Elias, M., Chazan, B., & Saliba, W. (2015). Urinary tract infections in patients with type 2 diabetes mellitus: review of prevalence, diagnosis, and management. Diabetes, metabolic syndrome and obesity: targets and therapy, 129-136.

Nussbaum, S. R., Carter, M. J., Fife, C. E., DaVanzo, J., Haught, R., Nusgart, M., & Cartwright, D. (2018). An Economic Evaluation of the Impact, Cost, and Medicare Policy Implications of Chronic Nonhealing Wounds. Value in Health, 21(1), 27-32.

Okabayashi, T., Shima, Y., Sumiyoshi, T., Kozuki, A., Ito, S., Ogawa, Y., et al. (2013). Diagnosis and Management of Insulinoma. World Journal of Gastroenterology: WJG, 19(6), 829.

Panichi, V., Migliori, M., De Pietro, S., Taccola, D., Bianchi, A. M., Norpoth, M., et al. (2001). C reactive protein in patients with chronic renal diseases. Renal failure, 23(3-4), 551-562.

UNIVERSITAS
GADJAH MADA
Association between C-reactive protein (CRP) and blood glucose plasma level in severe to critical COVID-19 patients at dr. Sardjito General Hospital, Yogyakarta
SITI AZIZA ROZA PUTRI, dr. Hemi Sinorita, SpPD-KEMD; dr. Heni Retno Wulan, M.Kes., Sp.PD-KP
Universitas Gadjah Mada, 2023 | Diunduh dari http://etd.repository.ugm.ac.id/

Pope, J. E., & Choy, E. H. (2021). C-reactive protein and implications in rheumatoid arthritis and associated comorbidities. In Seminars in arthritis and rheumatism (Vol. 51, No. 1, pp. 219-229). WB Saunders.

Pinto-Plata, V. M., Müllerova, H., Toso, J. F., Feudjo-Tepie, M., Soriano, J. B., Vessey, R. S., et al. (2006). C-reactive protein in patients with COPD, control smokers and non-smokers. Thorax, 61(1), 23-28.

Saripalli, A., & Ramapuram, J. (2022). C-reactive protein as a screening test for tuberculosis in people living with HIV in southern India: a cross-sectional, observational study. Journal of Clinical Medicine, 11(13), 3566.

Sproston, N. R., & Ashworth, J. J. (2018). Role of C-reactive protein at sites of inflammation and infection. Frontiers in immunology, 9, 754.

Tedjamartono, T. D., Mahardhika, G.S., & Zain, H. (2021). Hyperglycemia Induced by COVID-19 with and without Present Diabetes: A Systematic Review. International Journal of Medical Reviews, 10(1), 447-455.

Thorand, B., Löwel, H., Schneider, A., Kolb, H., Meisinger, C., Fröhlich, M., et al. (2003). C-reactive protein as a predictor for incident diabetes mellitus among middle-aged men: results from the MONICA Augsburg cohort study, 1984-1998. Archives of internal medicine, 163(1), 93-99.

Tonstad, S., & Cowan, J. L. (2009). C-reactive protein as a predictor of disease in smokers and former smokers: a review. International journal of clinical practice, 63(11), 1634-1641.

Vazquez, E. G., Martinez, J. A., Mensa, J., Sánchez, F., Marcos, M. A., De Roux, A., & et al. (2003). C-reactive protein levels in community-acquired pneumonia. European Respiratory Journal, 21(4), 702-705.