

DAFTAR PUSTAKA

- Abbas, M. W., Soomro, R. A., Kalwar, N. H., Zahoor, M., Avci, A., Pehlivan, E., ... Willander, M. (2019). Carbon quantum dot coated Fe₃O₄ hybrid composites for sensitive electrochemical detection of uric acid. *Microchemical Journal*, 146, 517–524. <https://doi.org/10.1016/j.microc.2019.01.034>
- Abenojar, E. C., Wickramasinghe, S., Bas-Concepcion, J., & Samia, A. C. S. (2016). Structural effects on the magnetic hyperthermia properties of iron oxide nanoparticles. *Progress in Natural Science: Materials International*, 26(5), 440–448. <https://doi.org/10.1016/j.pnsc.2016.09.004>
- Adrianto, N., Panre, A. M., Istiqomah, N. I., Riswan, M., Apriliani, F., & Suharyadi, E. (2022). Localized surface plasmon resonance properties of green synthesized silver nanoparticles. *Nano-Structures and Nano-Objects*, 31, 100895. <https://doi.org/10.1016/j.nanoso.2022.100895>
- Ahmadian-Fard-Fini, S., Ghanbari, D., & Salavati-Niasari, M. (2019). Photoluminescence carbon dot as a sensor for detecting of *Pseudomonas aeruginosa* bacteria: Hydrothermal synthesis of magnetic hollow NiFe₂O₄-carbon dots nanocomposite material. *Composites Part B: Engineering*, 161(December 2018), 564–577. <https://doi.org/10.1016/j.compositesb.2018.12.131>
- Ahmadian-Fard-Fini, S., Salavati-Niasari, M., & Ghanbari, D. (2018). Hydrothermal green synthesis of magnetic Fe₃O₄-carbon dots by lemon and grape fruit extracts and as a photoluminescence sensor for detecting of *E. coli* bacteria. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, 203, 481–493. <https://doi.org/10.1016/j.saa.2018.06.021>
- Alkhayal, A., Fathima, A., Alhasan, A. H., & Alsharaeh, E. H. (2021). Peg coated Fe₃O₄/RGO nano-cube-like structures for cancer therapy via magnetic hyperthermia. *Nanomaterials*, 11(9). <https://doi.org/10.3390/nano11092398>
- Allegretta, I., Legrand, S., Alfeld, M., Gattullo, C. E., Porfido, C., Spagnuolo, M., ... Terzano, R. (2022). SEM-EDX hyperspectral data analysis for the study of soil aggregates. *Geoderma*, 406(April 2021), 115540. <https://doi.org/10.1016/j.geoderma.2021.115540>
- Anik, M. I., Hossain, M. K., Hossain, I., Mahfuz, A. M. U. B., Rahman, M. T., & Ahmed, I. (2021). Recent progress of magnetic nanoparticles in biomedical applications: A review. *Nano Select*, 2(6), 1146–1186. <https://doi.org/10.1002/nano.202000162>
- Aslibeiki, B., Kameli, P., & Salamati, H. (2012). The effect of grinding on magnetic properties of agglomerated MnFe₂O₄ nanoparticles. *Journal of Magnetism and Magnetic Materials*, 324(2), 154–160. <https://doi.org/10.1016/j.jmmm.2011.07.057>
- Atchudan, R., Jebakumar Immanuel Edison, T. N., Shanmugam, M., Perumal, S., Somanathan, T., & Lee, Y. R. (2021). Sustainable synthesis of carbon quantum dots from banana peel waste using hydrothermal process for in vivo bioimaging. *Physica E: Low-Dimensional Systems and Nanostructures*, 126(July 2020), 114417. <https://doi.org/10.1016/j.physe.2020.114417>
- Baig, N., Kammakakam, I., Falath, W., & Kammakakam, I. (2021). Nanomaterials: A review of synthesis methods, properties, recent progress, and challenges. *Materials Advances*, 2(6), 1821–1871. <https://doi.org/10.1039/d0ma00807a>

- Balouiri, M., Sadiki, M., & Ibsouda, S. K. (2016). Methods for in vitro evaluating antimicrobial activity: A review. *Journal of Pharmaceutical Analysis*, 6(2), 71–79. <https://doi.org/10.1016/j.jpha.2015.11.005>
- Bance, S., Seebacher, B., Schrefl, T., Exl, L., Winklhofer, M., Hrkac, G., ... Manabe, A. (2014). Grain-size dependent demagnetizing factors in permanent magnets. *Journal of Applied Physics*, 116(23). <https://doi.org/10.1063/1.4904854>
- Bao, X., Qiang, Z., Chang, J. H., Ben, W., & Qu, J. (2014). Synthesis of carbon-coated magnetic nanocomposite (Fe₃O₄@C) and its application for sulfonamide antibiotics removal from water. *Journal of Environmental Sciences (China)*, 26(5), 962–969. [https://doi.org/10.1016/S1001-0742\(13\)60485-4](https://doi.org/10.1016/S1001-0742(13)60485-4)
- Bayda, S., Amadio, E., Cailotto, S., Frión-Herrera, Y., Perosa, A., & Rizzolio, F. (2021). Carbon dots for cancer nanomedicine: a bright future. *Nanoscale Advances*, 3(18), 5183–5221. <https://doi.org/10.1039/d1na00036e>
- Benos, L., Ninos, G., Polychronopoulos, N. D., Exomanidou, M. A., & Sarris, I. (2022). Natural Convection of Blood–Magnetic Iron Oxide Bio-nanofluid in the Context of Hyperthermia Treatment. *Computation*, 10(11). <https://doi.org/10.3390/computation10110190>
- Braga, M. S., Gomes, O. F., Jaimes, R. F. V. V., Braga, E. R., Borysow, W., & Salcedo, W. J. (2019). Multispectral colorimetric portable system for detecting metal ions in liquid media. *INSCIT 2019 - 4th International Symposium on Instrumentation Systems, Circuits and Transducers*, (August), 1–6. <https://doi.org/10.1109/INSCIT.2019.8868861>
- Cao, Yuhui & Li, Chen & Li, Junli & Li, Qiuye & Yang, Jianjun. (2015). Magnetically Separable Fe₃O₄/AgBr Hybrid Materials: Highly Efficient Photocatalytic Activity and Good Stability. *Nanoscale research letters*. <https://doi.org/10.952.10.1186/s11671-015-0952-x>.
- Chang, C.-J., Lee, Z., Chu, K.-W., & Wei, Y.-H. (2016). CoFe₂O₄@ZnS core-shell spheres as magnetically recyclable photocatalysts for hydrogen production. *Journal of the Taiwan Institute of Chemical Engineers*, 66, 386–393. <https://doi.org/10.1016/j.jtice.2016.06.033>
- Chudasama, B., Vala, A. K., Andhariya, N., Upadhyay, R. V., & Mehta, R. V. (2009). Enhanced antibacterial activity of bifunctional Fe₃O₄-Ag core-shell nanostructures. *Nano Research*, 2(12), 955–965. <https://doi.org/10.1007/s12274-009-9098-4>
- Cincotto, F. H., Carvalho, D. A. S., Canevari, T. C., Toma, H. E., Fatibello-Filho, O., & Moraes, F. C. (2018a). A nano-magnetic electrochemical sensor for the determination of mood disorder related substances. *RSC Advances*, 8(25), 14040–14047. <https://doi.org/10.1039/c8ra01857j>
- Cincotto, F. H., Carvalho, D. A. S., Canevari, T. C., Toma, H. E., Fatibello-Filho, O., & Moraes, F. C. (2018b). A nano-magnetic electrochemical sensor for the determination of mood disorder related substances. *RSC Advances*, 8(25), 14040–14047. <https://doi.org/10.1039/C8RA01857J>
- Correa, M. G., Martínez, F. B., Vidal, C. P., Streitt, C., Escrig, J., & de Dicastillo, C. L. (2020). Antimicrobial metal-based nanoparticles: A review on their synthesis, types and antimicrobial action. *Beilstein Journal of Nanotechnology*, 11(September), 1450–1469. <https://doi.org/10.3762/BJNANO.11.129>
- Daher, M. G., Taya, S. A., Colak, I., & Ramahi, O. M. (2022). Design of a novel optical

- sensor for the detection of waterborne bacteria based on a photonic crystal with an ultra-high sensitivity. *Optical and Quantum Electronics*, 54(2), 0–24. <https://doi.org/10.1007/s11082-021-03486-7>
- Dakal, T. C., Kumar, A., Majumdar, R. S., & Yadav, V. (2016). Mechanistic basis of antimicrobial actions of silver nanoparticles. *Frontiers in Microbiology*, 7(NOV), 1–17. <https://doi.org/10.3389/fmicb.2016.01831>
- Das, R., Bandyopadhyay, R., & Pramanik, P. (2018). Carbon quantum dots from natural resource: A review. *Materials Today Chemistry*, 8, 96–109. <https://doi.org/10.1016/j.mtchem.2018.03.003>
- Dudchenko, N., Pawar, S., Perelshtein, I., & Fixler, D. (2022). Magnetite Nanoparticles: Synthesis and Applications in Optics and Nanophotonics. *Materials*, 15(7). <https://doi.org/10.3390/ma15072601>
- El-Shafey, A. M. (2021). Carbon dots: Discovery, structure, fluorescent properties, and applications. *Green Processing and Synthesis*, 10(1), 134–156. <https://doi.org/10.1515/gps-2021-0006>
- Eldeeb, B. A., El-Raheem, W. M. A., & Elbeltagi, S. (2023). Green synthesis of biocompatible Fe₃O₄ magnetic nanoparticles using Citrus Sinensis peels extract for their biological activities and magnetic-hyperthermia applications. *Scientific Reports*, 13(1), 1–12. <https://doi.org/10.1038/s41598-023-46287-6>
- Fachrully S, A., Erna S, N., & Susilo. (2021). Analisis Citra Hasil Scanning Electron Microscopy Energy Dispersive X-Ray (SEM EDX) Komposit Resin Timbal dengan Metode Contrast to Noise Ratio (CNR). *Indonesian Journal of Mathematics and Natural Sciences*, 44(2), 81–85.
- Fan, D., Cao, Y., Cao, M., Wang, Y., Cao, Y., & Gong, T. (2023). Nanomedicine in cancer therapy, (June). <https://doi.org/10.1038/s41392-023-01536-y>
- Faramarzi, B., Moggio, M., Diano, N., Portaccio, M., & Lepore, M. (2023). A Brief Review of FT-IR Spectroscopy Studies of Sphingolipids in Human Cells. *Biophysica*, 3(1), 158–180. <https://doi.org/10.3390/biophysica3010011>
- Fotukian, S. M., Barati, A., Soleymani, M., & Alizadeh, A. M. (2020). Solvothermal synthesis of CuFe₂O₄ and Fe₃O₄ nanoparticles with high heating efficiency for magnetic hyperthermia application. *Journal of Alloys and Compounds*, 816, 152548. <https://doi.org/10.1016/j.jallcom.2019.152548>
- Gawali, S. L., Shelar, S. B., Gupta, J., Barick, K. C., & Hassan, P. A. (2021). Immobilization of protein on Fe₃O₄ nanoparticles for magnetic hyperthermia application. *International Journal of Biological Macromolecules*, 166, 851–860. <https://doi.org/10.1016/j.ijbiomac.2020.10.241>
- Gumustas, M., Sengel-Turk, C. T., Gumustas, A., Ozkan, S. A., & Uslu, B. (2017). *Effect of Polymer-Based Nanoparticles on the Assay of Antimicrobial Drug Delivery Systems. Multifunctional Systems for Combined Delivery, Biosensing and Diagnostics*. Elsevier Inc. <https://doi.org/10.1016/B978-0-323-52725-5.00005-8>
- Gupta, R., & Sharma, D. (2021). (Carboxymethyl-stevioside)-coated magnetic dots for enhanced magnetic hyperthermia and improved glioblastoma treatment. *Colloids and Surfaces B: Biointerfaces*, 205(May), 111870. <https://doi.org/10.1016/j.colsurfb.2021.111870>
- Han, S., Zhang, H., Xie, Y., Liu, L., Shan, C., Li, X., ... Tang, Y. (2015). Application of cow milk-derived carbon dots/Ag NPs composite as the antibacterial agent. *Applied*

- Surface Science*, 328, 368–373. <https://doi.org/10.1016/j.apsusc.2014.12.074>
- Hariani, P. L., Faizal, M., Ridwan, R., Marsi, M., & Setiabudidaya, D. (2013). Synthesis and Properties of Fe₃O₄ Nanoparticles by Co-precipitation Method to Removal Procion Dye. *International Journal of Environmental Science and Development*, 4(3), 336–340. <https://doi.org/10.7763/ijesd.2013.v4.366>
- Hervault, A., & Thanh, N. T. K. (2014). Magnetic nanoparticle-based therapeutic agents for thermo-chemotherapy treatment of cancer. *Nanoscale*, 6(20), 11553–11573. <https://doi.org/10.1039/c4nr03482a>
- Hillock, N. T., Merlin, T. L., Turnidge, J., & Karnon, J. (2022). Modelling the Future Clinical and Economic Burden of Antimicrobial Resistance: The Feasibility and Value of Models to Inform Policy. *Applied Health Economics and Health Policy*, 20(4), 479–486. <https://doi.org/10.1007/s40258-022-00728-x>
- Honda, Y., Ichikawa, R., Choi, Y. J., Murakami, K., Takahashi, K., Noda, T., ... Saito, M. (2022). Detection system for Legionella bacteria using photogate-type optical sensor. *Japanese Journal of Applied Physics*, 61(SD). <https://doi.org/10.35848/1347-4065/ac5a25>
- Hussein, M., & Hamed, A. (n.d.). *Heterostructures* (Vol. 231).
- Ibrahim, H. M., Zaghloul, S., Hashem, M., & El-Shafei, A. (2021). A green approach to improve the antibacterial properties of cellulose based fabrics using Moringa oleifera extract in presence of silver nanoparticles. *Cellulose*, 28(1), 549–564. <https://doi.org/10.1007/s10570-020-03518-7>
- Indrayana, I. P. T. (2020). Synthesis, Characterization, And Application Of Fe₃O₄ Nanoparticles As A Signal Amplifier Element In Surface Plasmon Resonance Biosensing. *Journal Online of Physics*, 5(2), 65–74. <https://doi.org/10.22437/jop.v5i2.8259>
- Inkson, B. J. (2016). *Scanning Electron Microscopy (SEM) and Transmission Electron Microscopy (TEM) for Materials Characterization. Materials Characterization Using Nondestructive Evaluation (NDE) Methods*. Elsevier Ltd. <https://doi.org/10.1016/B978-0-08-100040-3.00002-X>
- Jalili, H., Aslibeiki, B., Hajalilou, A., Musalu, O., Ferreira, L. P., & Cruz, M. M. (2022). Bimagnetic hard / soft and soft / hard ferrite nanocomposites : Structural , magnetic and hyperthermia properties. *Ceramics International*, 48(4), 4886–4896. <https://doi.org/10.1016/j.ceramint.2021.11.025>
- Jannah, W. N., Taufiq, A., Zulaikah, S., Hidayat, A., Suharyadi, E., Wicaksono, S. T., & Sunaryono, S. (2023). Fe₃O₄–graphene/polyethylene glycol–SiO₂ as a phase change material for thermal energy storage. *Materials Chemistry and Physics*, 310(5). <https://doi.org/10.1016/j.matchemphys.2023.128457>
- Jia, X., Li, J., & Wang, E. (2012). One-pot green synthesis of optically pH-sensitive carbon dots with upconversion luminescence. *Nanoscale*, 4(18), 5572–5575. <https://doi.org/10.1039/c2nr31319g>
- Jiang, Y., Xu, X., Lu, J., Yin, C., Li, G., Bai, L., ... Zhou, Q. (2023). Development of ε-poly(L-lysine) carbon dots-modified magnetic nanoparticles and their applications as novel antibacterial agents. *Frontiers in Chemistry*, 11(April), 1–12. <https://doi.org/10.3389/fchem.2023.1184592>
- Jiménez-Jiménez, C., Moreno, V. M., & Vallet-Regí, M. (2022). Bacteria-Assisted Transport of Nanomaterials to Improve Drug Delivery in Cancer Therapy.

- Nanomaterials*, 12(2), 1–24. <https://doi.org/10.3390/nano12020288>
- Johannes, A. Z., Pingak, R. K., & Bukit, M. (2020). Tauc Plot Software: Calculating energy gap values of organic materials based on Ultraviolet-Visible absorbance spectrum. *IOP Conference Series: Materials Science and Engineering*, 823(1). <https://doi.org/10.1088/1757-899X/823/1/012030>
- Jorns, M., & Pappas, D. (2021). and Chemical Characteristics, and Applications. *Nanomaterials*, 11(6).
- Juang, R. S., Yei, Y. C., Liao, C. S., Lin, K. S., Lu, H. C., Wang, S. F., & Sun, A. C. (2018). Synthesis of magnetic Fe₃O₄/activated carbon nanocomposites with high surface area as recoverable adsorbents. *Journal of the Taiwan Institute of Chemical Engineers*, 90, 51–60. <https://doi.org/10.1016/j.jtice.2017.12.005>
- Juwita, E., Sulistiani, F. A., Darmawan, M. Y., Istiqomah, N. I., & Suharyadi, E. (2022). Microstructural, optical, and magnetic properties and specific absorption rate of bismuth ferrite/SiO₂ nanoparticles. *Materials Research Express*, 9(7). <https://doi.org/10.1088/2053-1591/ac804e>
- Kamalaruban, K., Hamsathvanie, K., Selvalojini, S., Thiruvaran, T., & Arunan, S. (2017). Development of Electromagnetic Picking System for Weaving Loom, (October 2015).
- Khan, N., Ali, S., Latif, S., & Mehmood, A. (2022). Biological Synthesis of Nanoparticles and Their Applications in Sustainable Agriculture Production. *Natural Science*, 14(06), 226–234. <https://doi.org/10.4236/ns.2022.146022>
- Kiwumulo, H. F., Muwonge, H., Ibingira, C., Lubwama, M., Kirabira, J. B., & Ssekitoaleko, R. T. (2022). Green synthesis and characterization of iron-oxide nanoparticles using Moringa oleifera: a potential protocol for use in low and middle income countries. *BMC Research Notes*, 15(1), 1–8. <https://doi.org/10.1186/s13104-022-06039-7>
- Koo, K. N., Ismail, A. F., Othman, M. H. D., Rahman, M. A., & Sheng, T. Z. (2019). Preparation and characterization of superparamagnetic magnetite (Fe₃O₄) nanoparticles: A short review. *Malaysian Journal of Fundamental and Applied Sciences*, 15(1), 23–31. <https://doi.org/10.11113/mjfas.v15n2019.1224>
- Kritika, N., & Roy, I. (2022). Therapeutic applications of magnetic nanoparticles: recent advances. *Materials Advances*, 3(20), 7425–7444. <https://doi.org/10.1039/d2ma00444e>
- L Matthews, D. (2010). Applications of nanomedicine in antibacterial medical therapeutics and diagnostics Available from Deakin Research Online: *Deakin University*. <https://doi.org/10.2174/1874315301003010001>
- Laha, S. S., Thorat, N. D., Singh, G., Sathish, C. I., Yi, J., Dixit, A., & Vinu, A. (2022). Rare-Earth Doped Iron Oxide Nanostructures for Cancer Theranostics: Magnetic Hyperthermia and Magnetic Resonance Imaging. *Small*, 18(11). <https://doi.org/10.1002/smll.202104855>
- Lavorato, G., Lima, E., Vasquez Mansilla, M., Troiani, H., Zysler, R., & Winkler, E. (2018). Bifunctional CoFe₂O₄/ZnO Core/Shell Nanoparticles for Magnetic Fluid Hyperthermia with Controlled Optical Response. *Journal of Physical Chemistry C*, 122(5), 3047–3057. <https://doi.org/10.1021/acs.jpcc.7b11115>
- Li, B., Cao, H., Shao, J., Qu, M., & Warner, J. H. (2011). Superparamagnetic Fe₃O₄ nanocrystals@graphene composites for energy storage devices. *Journal of Materials*

- Chemistry*, 21(13), 5069–5075. <https://doi.org/10.1039/c0jm03717f>
- Li, C., & Yue, Y. (2014). Fluorescence spectroscopy of graphene quantum dots: Temperature effect at different excitation wavelengths. *Nanotechnology*, 25(43). <https://doi.org/10.1088/0957-4484/25/43/435703>
- Liu, X., Zhang, Y., Wang, Y., Zhu, W., Li, G., Ma, X., & Zhang, Y. (2020). Theranostics Comprehensive understanding of magnetic hyperthermia for improving antitumor therapeutic efficacy, 10(8). <https://doi.org/10.7150/thno.40805>
- Liu, Z., Lu, X., Liu, M., & Wang, W. (2023). Blue , Yellow , and Red Carbon Dots from Aromatic Precursors for Light-Emitting Diodes, 1–12.
- Lu, W., Yao, J., Zhu, X., & Qi, Y. (2021). Nanomedicines: Redefining traditional medicine. *Biomedicine and Pharmacotherapy*, 134(December 2020). <https://doi.org/10.1016/j.biopha.2020.111103>
- Luo, N., Yang, Z., Tang, F., Wang, D., Feng, M., Liao, X., & Yang, X. (2019). Fe₃O₄/Carbon Nanodot Hybrid Nanoparticles for the Indirect Colorimetric Detection of Glutathione. *ACS Applied Nano Materials*, 2(6), 3951–3959. research-article. <https://doi.org/10.1021/acsanm.9b00854>
- Magro, M., & Vianello, F. (2019). Bare iron oxide nanoparticles: Surface tunability for biomedical, sensing and environmental applications. *Nanomaterials*, 9(11), 1–20. <https://doi.org/10.3390/nano9111608>
- Manohar, A., Vijayakanth, V., & Kim, K. H. (2021). Influence of Ca doping on ZnFe₂O₄ nanoparticles magnetic hyperthermia and cytotoxicity study. *Journal of Alloys and Compounds*, 886, 161276. <https://doi.org/10.1016/j.jallcom.2021.161276>
- Mao, H., Xue, M., & Han, G. (2021). Synthesis, properties and applications of fluorescent carbon dots. *Gongneng Cailiao/Journal of Functional Materials*, 52(1), 01053–01063. <https://doi.org/10.3969/j.issn.1001-9731.2021.01.009>
- Martinkova, P., Brtnicky, M., Kynicky, J., & Pohanka, M. (2018). Iron Oxide Nanoparticles: Innovative Tool in Cancer Diagnosis and Therapy. *Advanced Healthcare Materials*, 7(5). <https://doi.org/10.1002/adhm.201700932>
- Mendes, E., & Duarte, N. (2021). Mid-infrared spectroscopy as a valuable tool to tackle food analysis: A literature review on coffee, dairies, honey, olive oil and wine. *Foods*, 10(2), 1–32. <https://doi.org/10.3390/foods10020477>
- Meneses-Brassea, B. P., Cyr, C. M., Martinez, I., Botez, C. E., & El-Gendy, A. A. (2020). Facile synthesis of superparamagnetic Fe₃O₄ nanoparticles at therapeutic temperature range for magnetic hyperthermia therapy. *Journal of Nanoparticle Research*, 22(11), 3–8. <https://doi.org/10.1007/s11051-020-05081-5>
- Meng, W., Bai, X., Wang, B., Liu, Z., Lu, S., & Yang, B. (2019). Biomass-Derived Carbon Dots and Their Applications. *Energy and Environmental Materials*, 2(3), 172–192. <https://doi.org/10.1002/eem2.12038>
- Mihai, A. D., Chircov, C., Grumezescu, A. M., & Holban, A. M. (2020). Magnetite nanoparticles and essential oils systems for advanced antibacterial therapies. *International Journal of Molecular Sciences*, 21(19), 1–24. <https://doi.org/10.3390/ijms21197355>
- Mohammadi, M. A., Asghari, S., & Aslibeiki, B. (2021). Surface modified Fe₃O₄ nanoparticles : A cross-linked polyethylene glycol coating using plasma treatment. *Surfaces and Interfaces*, 25(May), 101271. <https://doi.org/10.1016/j.surfin.2021.101271>

- Mondal, D. K., Phukan, G., Paul, N., & Borah, J. P. (2021). Improved self heating and optical properties of bifunctional Fe₃O₄/ZnS nanocomposites for magnetic hyperthermia application. *Journal of Magnetism and Magnetic Materials*, 528(January), 167809. <https://doi.org/10.1016/j.jmmm.2021.167809>
- Newbury, D. E., & Ritchie, N. W. M. (2014). Performing elemental microanalysis with high accuracy and high precision by scanning electron microscopy/silicon drift detector energy-dispersive X-ray spectrometry (SEM/SDD-EDS). *Journal of Materials Science*, 50(2), 493–518. <https://doi.org/10.1007/s10853-014-8685-2>
- Obaidat, I. M., Narayanaswamy, V., Alaabed, S., Sambasivam, S., & Muralee Gopi, C. V. V. (2019). Principles of magnetic hyperthermia: A focus on using multifunctional hybrid magnetic nanoparticles. *Magnetochemistry*, 5(4). <https://doi.org/10.3390/magnetochemistry5040067>
- Onyenwoke, R., & Wiegel, J. (2014). Magnetite : Structure , Properties and Applications, (June).
- Paramasivam, G., Palem, V. V., Sundaram, T., Sundaram, V., Kishore, S. C., & Bellucci, S. (2021). Nanomaterials: Synthesis and applications in theranostics. *Nanomaterials*, 11(12). <https://doi.org/10.3390/nano11123228>
- Pujol-Vila, F., Villa, R., & Alvarez, M. (2020). Nanomechanical sensors as a tool for bacteria detection and antibiotic susceptibility testing. *Frontiers in Mechanical Engineering*, 6(July). <https://doi.org/10.3389/fmech.2020.00044>
- Qureshi, W. A., Vivekanandan, B., Jayaprasath, J. A., Ali, D., Alarifi, S., & Deshmukh, K. (2021). Antimicrobial Activity and Characterization of Pomegranate Peel-Based Carbon Dots. *Journal of Nanomaterials*, 2021. <https://doi.org/10.1155/2021/9096838>
- Radoń, A., Drygała, A., Hawełek, Ł., & Łukowiec, D. (2017). Structure and optical properties of Fe₃O₄ nanoparticles synthesized by co-precipitation method with different organic modifiers. *Materials Characterization*, 131, 148–156. <https://doi.org/10.1016/j.matchar.2017.06.034>
- Rajan, A., & Sahu, N. K. (2020). Review on magnetic nanoparticle-mediated hyperthermia for cancer therapy. *Journal of Nanoparticle Research*, 22(11). <https://doi.org/10.1007/s11051-020-05045-9>
- Rani, S., & Varma, G. D. (2015). Superparamagnetism and metamagnetic transition in Fe₃O₄ nanoparticles synthesized via co-precipitation method at different pH. *Physica B: Condensed Matter*, 472, 66–77. <https://doi.org/10.1016/j.physb.2015.05.016>
- Reddy, I. N., Sreedhar, A., Reddy, C. V., Shim, J., Cho, M., & Kim, D. (2018). Enhanced visible-light photocatalytic performance of Fe₃O₄ nanopyramids for water splitting and dye degradation.
- Rehman, A., Daud, A., Warsi, M. F., Shakir, I., Agboola, P. O., Sarwar, M. I., & Zulfiqar, S. (2020). Nanostructured maghemite and magnetite and their nanocomposites with graphene oxide for photocatalytic degradation of methylene blue. *Materials Chemistry and Physics*, 256, 123752. <https://doi.org/10.1016/j.matchemphys.2020.123752>
- Rezanezhad, A., Hajalilou, A., Eslami, F., & Parvini, E. (2021). Superparamagnetic magnetite nanoparticles for cancer cells treatment via magnetic hyperthermia : effect of natural capping agent , particle size and concentration. *Journal of Materials Science: Materials in Electronics*, 32(19), 24026–24040.

- <https://doi.org/10.1007/s10854-021-06865-8>
- Rodwihok, C., Tam, T. Van, Choi, W. M., Suwannakaew, M., Woo, S. W., Wongratanaphisan, D., & Kim, H. S. (2022). Preparation and Characterization of Photoluminescent Graphene Quantum Dots from Watermelon Rind Waste for the Detection of Ferric Ions and Cellular Bio-Imaging Applications. *Nanomaterials*, 12(4). <https://doi.org/10.3390/nano12040702>
- Sahaya, P., Kumar, M., Francis, A. P., & Devasena, T. (2016). Biosynthesized and Chemically Synthesized Titania Nanoparticles: Comparative Analysis of Antibacterial Activity Biosynthesized and Chemically Synthesized Titania Nanoparticles: Comparative Analysis of Antibacterial Activity, (March). <https://doi.org/10.13074/jent.2014.09.143098>
- Salunkhe, A. B., Khot, V. M., & Pawar, S. H. (2014). Magnetic Hyperthermia with Magnetic Nanoparticles: A Status Review. *Current Topics in Medicinal Chemistry*, 14(5), 572–594. <https://doi.org/10.2174/1568026614666140118203550>
- Sari, E. K., Tumbelaka, R. M., Ardiyanti, H., Istiqomah, N. I., & Suharyadi, E. (2023). Green Synthesize of Magnetically Separable and Reusable Fe₃O₄/Cdots Nanocomposites Photocatalyst utilizing Moringa Oleifera Extract and Watermelon Peel for Rapid Dye Degradation. *Carbon Resources Conversion*. <https://doi.org/10.1016/j.crcon.2023.04.003>
- Setiabudi, A., Hardian, R., & Muzakir, A. (2012). *Karakterisasi Material: Prinsip dan Aplikasinya dalam Penelitian Kimia*. UPI Press (Vol. 1).
- Sharma, S., Umar, A., Sood, S., Mehta, S. K., & Kansal, S. K. (2018). Photoluminescent C-dots: An overview on the recent development in the synthesis, physiochemical properties and potential applications. *Journal of Alloys and Compounds*, 748, 818–853. <https://doi.org/10.1016/j.jallcom.2018.03.001>
- Shirke, Y. M., Abou-Elanwar, A. M., Kwon, S. J., Choi, W. K., Hong, S. U., Lee, H. K., & Jeon, J. D. (2022). Development of nanocomposite membranes based on sulfated β-cyclodextrin/glutaraldehyde with magnetically recoverable magnetite-carbon dot hybrid nanoparticles for water vapor dehumidification. *Journal of Environmental Chemical Engineering*, 10(1), 107042. <https://doi.org/10.1016/j.jece.2021.107042>
- Siegel, R. L., Miller, K. D., Goding Sauer, A., Fedewa, S. A., Butterly, L. F., Anderson, J. C., ... Jemal, A. (2020). Colorectal cancer statistics, 2020. *CA: A Cancer Journal for Clinicians*, 70(3), 145–164. <https://doi.org/10.3322/caac.21601>
- Stepanova, M., Dubavik, A., Efimova, A., Konovalova, M., Svirshchevskaya, E., Zakharov, V., & Orlova, A. (2022). Magneto-Luminescent Nanocomposites Based on Carbon Dots and Ferrite with Potential for Bioapplication. *Nanomaterials*, 12(9), 1–15. <https://doi.org/10.3390/nano12091396>
- Sun, A.-C. (2018). Synthesis of magnetic carbon nanodots for recyclable photocatalytic degradation of organic compounds in visible light. *Advanced Powder Technology*, 29(3), 719–725. <https://doi.org/10.1016/j.appt.2017.12.013>
- Suriyanto, Ng, E. Y. K., & Kumar, S. D. (2017). Physical mechanism and modeling of heat generation and transfer in magnetic fluid hyperthermia through Néelian and Brownian relaxation: a review. *Biomedical Engineering Online*, 16(1), 36. <https://doi.org/10.1186/s12938-017-0327-x>
- Taib, S., & Suharyadi, E. (2015). Sintesis Nanopartikel Magnetite (Fe₃O₄) dengan Template silika (SiO₂) dan Karakterisasi Sifat Kemagnetannya. *Indonesian Journal*

- of Applied Physics*, 5(01), 23. <https://doi.org/10.13057/ijap.v5i01.256>
- Tumbelaka, R. M., Imani, N., Kato, T., Oshima, D., & Suharyadi, E. (2022). High reusability of green-synthesized Fe₃O₄/ TiO₂ photocatalyst nanoparticles for efficient degradation of methylene blue dye. *Materials Today Communications*, 33(September), 104450. <https://doi.org/10.1016/j.mtcomm.2022.104450>
- Wulansari, I. D., Admadi, B., & Mulyani, S. (2020). The Effect of Temperature Storage on Antioxidant Damage Tamarind Leaves Extract (*Tamarindus indica* L.). *Jurnal Rekayasa Dan Manajemen Agroindustri*, 8(4), 544–550.
- Wysocka-Żołopa, M., Brzózka, A., Zambrzycka-Szelewa, E., Klekotka, U., Kalska-Szostko, B., & Winkler, K. (2023). Structure and electrochemical properties of magnetite and polypyrrole nanocomposites formed by pyrrole oxidation with magnetite nanoparticles. *Journal of Solid State Electrochemistry*, 27(7), 1919–1934. <https://doi.org/10.1007/s10008-023-05554-2>
- Yasemian, A. R., Almasi Kashi, M., & Ramazani, A. (2019). Surfactant-free synthesis and magnetic hyperthermia investigation of iron oxide (Fe₃O₄) nanoparticles at different reaction temperatures. *Materials Chemistry and Physics*, 230(February), 9–16. <https://doi.org/10.1016/j.matchemphys.2019.03.032>
- Yoga Darmawan, M., Imani Istiqomah, N., Adrianto, N., Marsel Tumbelaka, R., Dwi Nugraheni, A., & Suharyadi, E. (2023). Green synthesis of Fe₃O₄/Ag composite nanoparticles using *Moringa oleifera*: Exploring microstructure, optical, and magnetic properties for magnetic hyperthermia applications. *Results in Chemistry*, 6(March), 100999. <https://doi.org/10.1016/j.rechem.2023.100999>
- Yousefinejad, S., Rasti, H., Hajebi, M., Kowsari, M., Sadravi, S., & Honarasa, F. (2017). Sensors and Actuators B: Chemical Design of C-dots/Fe₃O₄ magnetic nanocomposite as an efficient new nanozyme and its application for determination of H₂ O₂ in nanomolar level. *Sensors & Actuators: B. Chemical*, 247, 691–696. <https://doi.org/10.1016/j.snb.2017.02.145>
- Yu, B. Y., & Kwak, S. Y. (2012). Carbon quantum dots embedded with mesoporous hematite nanospheres as efficient visible light-active photocatalysts. *Journal of Materials Chemistry*, 22(17), 8345–8353. <https://doi.org/10.1039/c2jm16931b>
- Yusefi, M., Shameli, K., Hedayatnasab, Z., Teow, S. Y., Ismail, U. N., Azlan, C. A., & Rasit Ali, R. (2021). Green synthesis of Fe₃O₄ nanoparticles for hyperthermia, magnetic resonance imaging and 5-fluorouracil carrier in potential colorectal cancer treatment. *Research on Chemical Intermediates*, 47(5), 1789–1808. <https://doi.org/10.1007/s11164-020-04388-1>
- Yusefi, M., Shameli, K., Yee, O. S., Teow, S. Y., Hedayatnasab, Z., Jahangirian, H., ... Kuća, K. (2021). Green synthesis of Fe₃O₄ nanoparticles stabilized by a *garcinia mangostana* fruit peel extract for hyperthermia and anticancer activities. *International Journal of Nanomedicine*, 16, 2515–2532. <https://doi.org/10.2147/IJN.S284134>
- Zhai, Y., Zhou, D., Jing, P., Li, D., Zeng, H., & Qu, S. (2017). Preparation and application of carbon-nanodot@NaCl composite phosphors with strong green emission. *Journal of Colloid and Interface Science*, 497, 165–171. <https://doi.org/10.1016/j.jcis.2017.03.007>
- Zhang, M., Bai, L., Shang, W., Xie, W., Ma, H., Fu, Y., ... Yang, S. (2012). Facile synthesis of water-soluble, highly fluorescent graphene quantum dots as a robust

- biological label for stem cells. *Journal of Materials Chemistry*, 22(15), 7461–7467. <https://doi.org/10.1039/c2jm16835a>
- Zhou, J., Sheng, Z., Han, H., Zou, M., & Li, C. (2012). Facile synthesis of fluorescent carbon dots using watermelon peel as a carbon source. *Materials Letters*, 66(1), 222–224. <https://doi.org/10.1016/j.matlet.2011.08.081>
- Zhuang, P., Li, K., Li, D., Qiao, H., Yifeng, E., Wang, M., ... Li, D. (2022). Correction: Assembly of Carbon Dots into Frameworks with Enhanced Stability and Antibacterial Activity (*Nanoscale Research Letters*, (2021), 16, 1, (121), 10.1186/s11671-021-03582-3). *Nanoscale Research Letters*, 17(1). <https://doi.org/10.1186/s11671-022-03751-y>