



THE EFFECTS OF CARRAGEENAN BIOGLUE ON THE EXPRESSION OF MMP-1 AND FIBROSIS IN
THE WOUND HEALING

PROCESS OF WISTAR RAT SKIN ANASTOMOSIS

FIRZA MUHAMMAD SALIM, dr. EkoRurhomo. Ph.D.. S.BA, Subsp.D.A. (K), dr. Dwi Aris Agung Nugrahaningsih,MSc

UNIVERSITAS
GADJAH MADA

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

REFERENCES

- Arana, I. et al. (2021) ‘Chitosan: An overview of its properties and applications’, *Polymers*, 13(19), p. 3256. doi:10.3390/polym13193256.
- Caley, M.P., Martins, V.L.C. and O’Toole, E.A. (2015) ‘Metalloproteinases and wound healing’, *Advances in Wound Care*, 4(4), pp. 225–234. doi:10.1089/wound.2014.0581.
- Feng, P. et al. (2021) ‘Chitosan-based functional materials for skin wound repair: Mechanisms and applications’, *Frontiers in Bioengineering and Biotechnology*, 9. doi:10.3389/fbioe.2021.650598.
- K, M., Kangal, O. and Regan, J.-P. (2023) *Wound healing - statpearls - NCBI bookshelf - national center for ...*, National Library of Medicine National Center for Biotechnology Information. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK535406/> (Accessed: 05 October 2023).
- Keskin, E.S. et al. (2021) ‘The effect of MMP-1 on wound healing and scar formation’, *Aesthetic Plastic Surgery*, 45(6), pp. 2973–2979. doi:10.1007/s00266-021-02369-2.
- Mokhtari, H. et al. (2021) ‘Recent advances in chemically-modified and hybrid carrageenan-based platforms for drug delivery, wound healing, and Tissue Engineering’, *Polymers*, 13(11), p. 1744. doi:10.3390/polym13111744.
- Neamtu, B. et al. (2022) ‘Carrageenan-based compounds as wound healing materials’, *International Journal of Molecular Sciences*, 23(16), p. 9117. doi:10.3390/ijms23169117.
- NIH (2023) *MMP1 matrix metallopeptidase 1 [Homo Sapiens (human)] - gene - NCBI, National Center for Biotechnology Information*. Available at: <https://www.ncbi.nlm.nih.gov/gene?Db=gene&Cmd=DetailsSearch&Term=4312#gene-expression> (Accessed: 03 October 2023).
- Puspitasari, D. et al. (2022) ‘Optimization of irgacure® 2959 concentration as photo-initiator on chitosan-alginate based hydrogel for Colon Tissue Sealant’, *International Journal of Technology*, 13(8), p. 1704. doi:10.14716/ijtech.v13i8.6164.
- Rodrigues, M. et al. (2019) ‘Wound healing: A cellular perspective’, *Physiological Reviews*, 99(1), pp. 665–706. doi:10.1152/physrev.00067.2017.
- Tomal, W. and Ortyl, J. (2020) ‘Water-soluble photoinitiators in biomedical applications’, *Polymers*, 12(5), p. 1073. doi:10.3390/polym12051073.
- Yousef, H., Alhajj, M. and Sharma, S. (2023) *Anatomy, skin (integument), epidermis - StatPearls - NCBI Bookshelf, National Library of Medicine National*



Center for Biotechnology Information. Available at:
<https://www.ncbi.nlm.nih.gov/books/NBK470464/> (Accessed: 05 October 2023).

Ousey, K., Djohan, R., Dowsett, C., Ferreira, F., Hurd, T., Romanelli, M. and Sandy-Hodgetts, K. (2018). Surgical wound dehiscence: Improving prevention and outcomes. *pure.hud.ac.uk*. [online] Available at: <https://pure.hud.ac.uk/en/publications/surgical-wound-dehiscence-improving-prevention-and-outcomes>.

Neamtu, B. et al. (2022a) ‘Carrageenan-based compounds as wound healing materials’, *International Journal of Molecular Sciences*, 23(16), p. 9117. doi:10.3390/ijms23169117.

Biranje, S.S. et al. (2020) ‘Cytotoxicity and hemostatic activity of chitosan/carrageenan composite wound healing dressing for traumatic hemorrhage’, *Carbohydrate Polymers*, 239, p. 116106. doi:10.1016/j.carbpol.2020.116106.

de Andrade, C.B.V. et al. (2017) *Radiotherapy-induced skin reactions induce fibrosis mediated by TGF- β 1 cytokine, Dose-response : a publication of International Hormesis Society*. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5415163/> (Accessed: 01 December 2023).

Irena, P. (2014) *The role of TGFB signaling in wound epithelialization*. Available at: <https://www.liebertpub.com/doi/10.1089/wound.2013.0466> (Accessed: 01 December 2023).

Passos, A.H. et al. (2008) ‘Fibrosis in tubularized skin flaps in rats, using silicon catheters with two different degrees of flexibility: Experimental model’, *Acta Cirurgica Brasileira*, 23(3), pp. 243–246. doi:10.1590/s0102-86502008000300005.

UNC (2023) *Special stains, Histology Research Core*. Available at: <https://histologyresearchcorefacility.web.unc.edu/special-stains/> (Accessed: 01 December 2023).

Dorsett-Martin, W.A. and Wysocki, A.B. (2008) ‘Rat models of skin wound healing’, *Sourcebook of Models for Biomedical Research*, pp. 631–638. doi:10.1007/978-1-59745-285-4_65.

Grambow, E. et al. (2021) ‘Experimental models to study skin wound healing with a focus on angiogenesis’, *Medical Sciences*, 9(3), p. 55. doi:10.3390/medsci9030055.



THE EFFECTS OF CARRAGEENAN BIOGLUE ON THE EXPRESSION OF MMP-1 AND FIBROSIS IN
THE WOUND HEALING

PROCESS OF WISTAR RAT SKIN ANASTOMOSIS

FIRZA MUHAMMAD SALIM, dr. EkoRurhomo. Ph.D.. S.BA, Subsp.D.A. (K), dr. Dwi Aris Agung Nugrahaningsih, MSc

UNIVERSITAS
GADJAH MADA

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Niczyporuk, M. (2018) ‘Rat skin as an experimental model in medicine’, *Progress in Health Sciences*, 8(2), pp. 223–228. doi:10.5604/01.3001.0012.8351.

Pastar, I. et al. (2014) ‘Epithelialization in wound healing: A comprehensive review’, *Advances in Wound Care*, 3(7), pp. 445–464. doi:10.1089/wound.2013.0473.

Piipponen, M., Li, D. and Landén, N.X. (2020) *The immune functions of keratinocytes in skin wound healing*, MDPI. Available at: <https://doi.org/10.3390%2Fijms21228790> (Accessed: 22 January 2024).

Xue, M. and Jackson, C.J. (2015) *Extracellular matrix reorganization during wound healing and its impact on Abnormal Scarring*. Available at: <https://www.liebertpub.com/doi/10.1089/wound.2013.0485> (Accessed: 22 January 2024).

Sim, P. et al. (2022) ‘Influence of acidic ph on wound healing in vivo: A novel perspective for wound treatment’, *International Journal of Molecular Sciences*, 23(21), p. 13655. doi:10.3390/ijms232113655.

Budi, E.H. et al. (2021) ‘TGF- β as a driver of fibrosis: Physiological roles and therapeutic opportunities’, *The Journal of Pathology*, 254(4), pp. 358–373. doi:10.1002/path.5680.