

DAFTAR PUSTAKA

- Abdul Khalil, H. P. S., Davoudpour, Y., Islam, Md. N., Mustapha, A., Sudesh, K., Dungani, R., dan Jawaaid, M. (2014). Production and modification of nanofibrillated cellulose using various mechanical processes: A review. *Carbohydrate Polymers*, 99, 649–665. <https://doi.org/10.1016/j.carbpol.2013.08.069>
- Abe, K., dan Yano, H. (2009). Comparison of the characteristics of cellulose microfibril aggregates of wood, rice straw and potato tuber. *Cellulose*, 16(6), 1017–1023. <https://doi.org/10.1007/s10570-009-9334-9>
- Ahankari, S. S., Subhedar, A. R., Bhadauria, S. S., dan Dufresne, A. (2021). Nanocellulose in food packaging: A review. *Carbohydrate Polymers*, 255, 117479. <https://doi.org/10.1016/j.carbpol.2020.117479>
- Araki, J., Wada, M., dan Kuga, S. (2001). Steric Stabilization of a Cellulose Microcrystal Suspension by Poly(ethylene glycol) Grafting. *Langmuir*, 17(1), 21–27. <https://doi.org/10.1021/la001070m>
- Aryasena, R., Kusmono, dan Umami, N. (2022). Production of cellulose nanocrystals extracted from Pennisetum purpureum fibers and its application as a lubricating additive in engine oil. *Heliyon*, 8(11). <https://doi.org/10.1016/j.heliyon.2022.e11315>
- Ashori, A., Babae, M., Jonoobi, M., dan Hamzeh, Y. (2014a). Solvent-free acetylation of cellulose nanofibers for improving compatibility and dispersion. *Carbohydrate Polymers*, 102, 369–375. <https://doi.org/10.1016/j.carbpol.2013.11.067>
- Ashori, A., Babae, M., Jonoobi, M., dan Hamzeh, Y. (2014b). Solvent-free acetylation of cellulose nanofibers for improving compatibility and dispersion. *Carbohydrate Polymers*, 102, 369–375. <https://doi.org/10.1016/j.carbpol.2013.11.067>
- Barbosa, R. F. S., Souza, A. G., Ferreira, F. F., dan Rosa, D. S. (2019). Isolation and acetylation of cellulose nanostructures with a homogeneous system. *Carbohydrate Polymers*, 218, 208–217. <https://doi.org/10.1016/j.carbpol.2019.04.072>
- Benhamou, K., Dufresne, A., Magnin, A., Mortha, G., dan Kaddami, H. (2014). Control of size and viscoelastic properties of nanofibrillated cellulose from palm tree by varying the TEMPO-mediated oxidation time. *Carbohydrate Polymers*, 99, 74–83. <https://doi.org/10.1016/j.carbpol.2013.08.032>

- Besbes, I., Vilar, M. R., dan Boufi, S. (2011). Nanofibrillated cellulose from Alfa, Eucalyptus and Pine fibres: Preparation, characteristics and reinforcing potential. *Carbohydrate Polymers*, 86(3), 1198–1206. <https://doi.org/10.1016/j.carbpol.2011.06.015>
- Bhimte, N. A., dan Tayade, P. T. (2007). Evaluation of microcrystalline cellulose prepared from sisal fibers as a tablet excipient: A technical note. *AAPS PharmSciTech*, 8(1), E56–E62. <https://doi.org/10.1208/pt0801008>
- Boufi, S., dan Chaker, A. (2016). Easy production of cellulose nanofibrils from corn stalk by a conventional high speed blender. *Industrial Crops and Products*, 93, 39–47. <https://doi.org/10.1016/j.indcrop.2016.05.030>
- Bunaciu, A. A., Hoang, V. D., dan Aboul-Enein, H. Y. (2015). Applications of FT-IR Spectrophotometry in Cancer Diagnostics. *Critical Reviews in Analytical Chemistry*, 45(2), 156–165. <https://doi.org/10.1080/10408347.2014.904733>
- Cai, J., Fei, P., Xiong, Z., Shi, Y., Yan, K., dan Xiong, H. (2013). Surface acetylation of bamboo cellulose: Preparation and rheological properties. *Carbohydrate Polymers*, 92(1), 11–18. <https://doi.org/10.1016/j.carbpol.2012.09.059>
- Capadona, J. R., Van Den Berg, O., Capadona, L. A., Schroeter, M., Rowan, S. J., Tyler, D. J., dan Weder, C. (2007). A versatile approach for the processing of polymer nanocomposites with self-assembled nanofibre templates. *Nature Nanotechnology*, 2(12), 765–769. <https://doi.org/10.1038/nnano.2007.379>
- Carrillo, C. A., Laine, J., dan Rojas, O. J. (2014). Microemulsion systems for fiber deconstruction into cellulose nanofibrils. *ACS Applied Materials and Interfaces*, 6(24), 22622–22627. <https://doi.org/10.1021/am5067332>
- Chaker, A., Mutjé, P., Vilar, M. R., dan Boufi, S. (2014). Agriculture crop residues as a source for the production of nanofibrillated cellulose with low energy demand. *Cellulose*, 21(6), 4247–4259. <https://doi.org/10.1007/s10570-014-0454-5>
- Cheng, S.-S., Wu, C.-L., Chang, H.-T., Kao, Y.-T., dan Chang, S.-T. (2004). Antitermitic And Antifungal Activities Of Essential Oil Of Calocedrus Formosana Leaf And Its Composition. Dalam *Journal of Chemical Ecology* (Vol. 30, Nomor 10).
- Chin, K., Sung Ting, S., Ong, H. L., dan Omar, M. (2018). Surface functionalized nanocellulose as a veritable inclusionary material in contemporary bioinspired applications: A review. *Journal of Applied Polymer Science*, 135(13). <https://doi.org/10.1002/app.46065>

- Davoudpour, Y., Hossain, S., Khalil, H. P. S. A., Haafiz, M. K. M., Ishak, Z. A. M., Hassan, A., dan Sarker, Z. I. (2015). Optimization of high pressure homogenization parameters for the isolation of cellulosic nanofibers using response surface methodology. *Industrial Crops and Products*, 74, 381–387. <https://doi.org/10.1016/j.indcrop.2015.05.029>
- De Souza Lima, M. M., Wong, J. T., Paillet, M., Borsali, R., dan Pecora, R. (2003). Translational and Rotational Dynamics of Rodlike Cellulose Whiskers. *Langmuir*, 19(1), 24–29. <https://doi.org/10.1021/la020475z>
- Dhuiège, B., Pecastaings, G., dan Sèbe, G. (2019). Sustainable Approach for the Direct Functionalization of Cellulose Nanocrystals Dispersed in Water by Transesterification of Vinyl Acetate. *ACS Sustainable Chemistry & Engineering*, 7(1), 187–196. <https://doi.org/10.1021/acssuschemeng.8b02833>
- Diop, C. I. K., Li, H. L., Xie, B. J., dan Shi, J. (2011). Effects of acetic acid/acetic anhydride ratios on the properties of corn starch acetates. *Food Chemistry*, 126(4), 1662–1669. <https://doi.org/10.1016/j.foodchem.2010.12.050>
- Duan, L., Liu, R., Duan, Y., Li, Z., dan Li, Q. (2022). A simultaneous strategy for the preparation of acetylation modified cellulose nanofiber/polypropylene composites. *Carbohydrate Polymers*, 277, 118744. <https://doi.org/10.1016/j.carbpol.2021.118744>
- Eichhorn, S. J., Dufresne, A., Aranguren, M., Marcovich, N. E., Capadona, J. R., Rowan, S. J., Weder, C., Thielemans, W., Roman, M., Renneckar, S., Gindl, W., Veigel, S., Keckes, J., Yano, H., Abe, K., Nogi, M., Nakagaito, A. N., Mangalam, A., Simonsen, J., ... Peijs, T. (2010). Review: current international research into cellulose nanofibres and nanocomposites. *Journal of Materials Science*, 45(1), 1–33. <https://doi.org/10.1007/s10853-009-3874-0>
- El-Sakhawy, M., Kamel, S., Salama, A., dan Tohamy, H.-A. S. (2018). Preparation And Infrared Study Of Cellulose Based Amphiphilic Materials. Dalam *Cellulose Chemistry And Technology Cellulose Chem. Technol* (Vol. 52, Nomor 4).
- Endro Suseno, J., dan Sofjan Firdausi, K. (2008). *Rancang Bangun Spektroskopi FTIR (Fourier Transform Infrared) untuk Penentuan Kualitas Susu Sapi* (Vol. 11, Nomor 1).
- Farmasi, M., Farmakologi, D., Pratiwi, Y., Lestari, I., Falya, Y., Chasanah, U., Kusumo, D. W., dan Bethasari, M. (2022). Isolasi A-Selulosa, Pembuatan & Karakterisasi Mikrokristalin Selulosa (MCC) Dari Limbah Kulit Jeruk Baby (Citrus Sinensis). *Original Article MFF*, 26(3), 119–123. <https://doi.org/10.20956/mff.v26i3.22070>

- French, A. D. (2014). Idealized powder diffraction patterns for cellulose polymorphs. *Cellulose*, 21(2), 885–896. <https://doi.org/10.1007/s10570-013-0030-4>
- Frost, B. A., Sutliff, B. P., Thayer, P., Bortner, M. J., dan Foster, E. J. (2019). Gradient Poly(ethylene glycol) Diacrylate and Cellulose Nanocrystals Tissue Engineering Composite Scaffolds via Extrusion Bioprinting. *Frontiers in Bioengineering and Biotechnology*, 7. <https://doi.org/10.3389/fbioe.2019.00280>
- Gatenholm, P., dan Klemm, D. (2010). Bacterial Nanocellulose as a Renewable Material for Biomedical Applications. *MRS Bulletin*, 35(3), 208–213. <https://doi.org/10.1557/mrs2010.653>
- Ghasemlou, M., Daver, F., Ivanova, E. P., Habibi, Y., dan Adhikari, B. (2021). Surface modifications of nanocellulose: From synthesis to high-performance nanocomposites. *Progress in Polymer Science*, 119, 101418. <https://doi.org/10.1016/j.progpolymsci.2021.101418>
- Habibi, Y., Lucia, L. A., dan Rojas, O. J. (2010). Cellulose Nanocrystals: Chemistry, Self-Assembly, and Applications. *Chemical Reviews*, 110(6), 3479–3500. <https://doi.org/10.1021/cr900339w>
- Hernández-Becerra, E., Osorio, M., Marín, D., Gañán, P., Pereira, M., Builes, D., dan Castro, C. (2023). Isolation of cellulose microfibrils and nanofibrils by mechanical fibrillation in a water-free solvent. *Cellulose*, 30(8), 4905–4923. <https://doi.org/10.1007/s10570-023-05162-3>
- Ho, T. T. T., Abe, K., Zimmermann, T., dan Yano, H. (2015). Nanofibrillation of pulp fibers by twin-screw extrusion. *Cellulose*, 22(1), 421–433. <https://doi.org/10.1007/s10570-014-0518-6>
- Hu, W., Chen, S., Xu, Q., dan Wang, H. (2011). Solvent-free acetylation of bacterial cellulose under moderate conditions. *Carbohydrate Polymers*, 83(4), 1575–1581. <https://doi.org/10.1016/j.carbpol.2010.10.016>
- Huang, X., Xie, F., dan Xiong, X. (2018). Surface-modified microcrystalline cellulose for reinforcement of chitosan film. *Carbohydrate Polymers*, 201, 367–373. <https://doi.org/10.1016/j.carbpol.2018.08.085>
- Huda, E., Rahmi, dan Khairan. (2019). Preparation and characterization of cellulose acetate from cotton. *IOP Conference Series: Earth and Environmental Science*, 364(1). <https://doi.org/10.1088/1755-1315/364/1/012021>
- Ilyas, R. A., Hamid, N. H. A., Ishak, K. A., Norrahim, M. N. F., Thiagamani, S. M. K., Rangappa, S. M., Siengchin, S., Bangar, S. P., dan Nurazzi, N. M. (2023). Advanced applications of biomass nanocellulose-reinforced polymer

- composites. Dalam *Synthetic and Natural Nanofillers in Polymer Composites* (hlm. 349–385). Elsevier. <https://doi.org/10.1016/B978-0-443-19053-7.00013-5>
- Ilyas, R. A., Sapuan, S. M., dan Ishak, M. R. (2018). Isolation and characterization of nanocrystalline cellulose from sugar palm fibres (Arenga Pinnata). *Carbohydrate Polymers*, 181, 1038–1051. <https://doi.org/10.1016/j.carbpol.2017.11.045>
- I.M. Ragab, T., A.F. Wasfy, A., Amer, H., El-Gendi, A., Abdel-Hady, M. S., dan Liebner, F. (2014). Synthesis of Cellulose Acetate Membrane from the Egyptian Rice Straws. *Journal of Applied Sciences*, 14(24), 3424–3435. <https://doi.org/10.3923/jas.2014.3424.3435>
- Ishida, K., Yokota, S., dan Kondo, T. (2021). Localized surface acetylation of aqueous counter collision cellulose nanofibrils using a Pickering emulsion as an interfacial reaction platform. *Carbohydrate Polymers*, 261, 117845. <https://doi.org/10.1016/j.carbpol.2021.117845>
- Iwamoto, S., Nakagaito, A. N., dan Yano, H. (2007). Nano-fibrillation of pulp fibers for the processing of transparent nanocomposites. *Applied Physics A*, 89(2), 461–466. <https://doi.org/10.1007/s00339-007-4175-6>
- Jonoobi, M., Harun, J., Mathew, A. P., Hussein, M. Z. B., dan Oksman, K. (2010a). Preparation of cellulose nanofibers with hydrophobic surface characteristics. *Cellulose*, 17(2), 299–307. <https://doi.org/10.1007/s10570-009-9387-9>
- Jonoobi, M., Harun, J., Mathew, A. P., Hussein, M. Z. B., dan Oksman, K. (2010b). Preparation of cellulose nanofibers with hydrophobic surface characteristics. *Cellulose*, 17(2), 299–307. <https://doi.org/10.1007/s10570-009-9387-9>
- Klemm, D., Kramer, F., Moritz, S., Lindstroem, T., Ankerfors, M., Gray, D., dan Dorris, A. (2011). ChemInform Abstract: Nanocelluloses: A New Family of Nature-Based Materials. *ChemInform*, 42(38). <https://doi.org/10.1002/chin.201138271>
- Kontturi, K. S., Biegaj, K., Mautner, A., Woodward, R. T., Wilson, B. P., Johansson, L.-S., Lee, K.-Y., Heng, J. Y. Y., Bismarck, A., dan Kontturi, E. (2017). Noncovalent Surface Modification of Cellulose Nanopapers by Adsorption of Polymers from Aprotic Solvents. *Langmuir*, 33(23), 5707–5712. <https://doi.org/10.1021/acs.langmuir.7b01236>
- Koroleva, M. Y., dan Yurtov, E. V. (2012). Nanoemulsions: the properties, methods of preparation and promising applications. *Russian Chemical Reviews*, 81(1), 21–43. <https://doi.org/10.1070/rc2012v081n01abeh004219>

- Kuhnt, T., dan Camarero-Espinosa, S. (2021). Additive manufacturing of nanocellulose based scaffolds for tissue engineering: Beyond a reinforcement filler. *Carbohydrate Polymers*, 252, 117159. <https://doi.org/10.1016/j.carbpol.2020.117159>
- Kumar Gupta, P., Sai Raghunath, S., Venkatesh Prasanna, D., Venkat, P., Shree, V., Chithananthan, C., Choudhary, S., Surender, K., dan Geetha, K. (2019). An Update on Overview of Cellulose, Its Structure and Applications. Dalam *Cellulose*. IntechOpen. <https://doi.org/10.5772/intechopen.84727>
- Kurian, J. K., Garipey, Y., Orsat, V., dan Raghavan, G. S. V. (2015). Microwave-assisted lime treatment and recovery of lignin from hydrothermally treated sweet sorghum bagasse. *Biofuels*, 6(5–6), 341–355. <https://doi.org/10.1080/17597269.2015.1110775>
- Kusmono, Listyanda, R. F., Wildan, M. W., dan Iman, M. N. (2020). Preparation and characterization of cellulose nanocrystal extracted from ramie fibers by sulfuric acid hydrolysis. *Heliyon*, 6(11), e05486. <https://doi.org/10.1016/j.heliyon.2020.e05486>
- Kusumaningrum, W. B., Aulya Syamani, F., Desiana, D., dan Suryanegara, L. (t.t.). *Characterization of acetylated cellulose from oil palm frond fiber (Elaeis guineensis Jacq.) for composites application*. <http://www.biomaterial.lipi.go.id/epub/index.php/jolt>
- Kusumaningrum, W. B., Rochmadi, R., dan Subyakto, S. (2017). Pembuatan Selulosa Terasetilasi Dari Pulp Bambu Betung (*Dendrocalamus Asper*) Serta Pengaruhnya Terhadap Sifat Mekanis Biokomposit Polipropilena. *Reaktor*, 17(1), 25. <https://doi.org/10.14710/reaktor.17.1.25-35>
- Law, K.-Y. (2014). Definitions for Hydrophilicity, Hydrophobicity, and Superhydrophobicity: Getting the Basics Right. *The Journal of Physical Chemistry Letters*, 5(4), 686–688. <https://doi.org/10.1021/jz402762h>
- Lin, N., Huang, J., Chang, P. R., Feng, J., dan Yu, J. (2011). Surface acetylation of cellulose nanocrystal and its reinforcing function in poly(lactic acid). *Carbohydrate Polymers*, 83(4), 1834–1842. <https://doi.org/10.1016/j.carbpol.2010.10.047>
- Mao, H., Gong, Y., Liu, Y., Wang, S., Du, L., dan Wei, C. (2017). Progress in Nanocellulose Preparation and Application. *Paper and Biomaterials*, 2(4), 65–76. <https://doi.org/10.26599/PBM.2017.9260028>
- Mariano, M., El Kissi, N., dan Dufresne, A. (2014). Cellulose nanocrystals and related nanocomposites: Review of some properties and challenges. *Journal of Polymer Science Part B: Polymer Physics*, 52(12), 791–806. <https://doi.org/10.1002/polb.23490>

- Masahiro Yoshimura, dan K. Byrappa. (2013). *Handbook of Hydrothermal Technology*. Elsevier. <https://doi.org/10.1016/C2009-0-20354-0>
- Mashkour, M., Kimura, T., Kimura, F., Mashkour, M., dan Tajvidi, M. (2014). Tunable self-assembly of cellulose nanowhiskers and polyvinyl alcohol chains induced by surface tension torque. *Biomacromolecules*, 15(1), 60–65. <https://doi.org/10.1021/bm401287s>
- Matsuoka, S., Kawamoto, H., dan Saka, S. (2014). What is active cellulose in pyrolysis? An approach based on reactivity of cellulose reducing end. *Journal of Analytical and Applied Pyrolysis*, 106, 138–146. <https://doi.org/10.1016/j.jaap.2014.01.011>
- Miwa, M., Nakajima, A., Fujishima, A., Hashimoto, K., dan Watanabe, T. (2000). Effects of the Surface Roughness on Sliding Angles of Water Droplets on Superhydrophobic Surfaces. *Langmuir*, 16(13), 5754–5760. <https://doi.org/10.1021/la991660o>
- Mondal, S. (2017). Preparation, properties and applications of nanocellulosic materials. *Carbohydrate Polymers*, 163, 301–316. <https://doi.org/10.1016/j.carbpol.2016.12.050>
- Muallah, S. (2020). *Cellulose Acetate Production By Acetylation Of Cellulose Derived From Date Palm Fronds Bioethanol production from biomass View project Taguchi Experimental Design View project*. <https://www.researchgate.net/publication/342693376>
- Nakagaito, A. N., Ikenaga, K., dan Takagi, H. (2015). Cellulose nanofiber extraction from grass by a modified kitchen blender. *Modern Physics Letters B*, 29(06n07), 1540039. <https://doi.org/10.1142/S0217984915400394>
- Nechyporchuk, O., Belgacem, M. N., dan Bras, J. (2016). Production of cellulose nanofibrils: A review of recent advances. Dalam *Industrial Crops and Products* (Vol. 93, hlm. 2–25). Elsevier B.V. <https://doi.org/10.1016/j.indcrop.2016.02.016>
- Nogi, M., Abe, K., Handa, K., Nakatsubo, F., Ifuku, S., dan Yano, H. (2006). Property enhancement of optically transparent bionanofiber composites by acetylation. *Applied Physics Letters*, 89(23). <https://doi.org/10.1063/1.2403901>
- Nur, E., Yunira, azmi, Suryani, A., dan Tursiloadi, S. (2021). Identifikasi Karakteristik Pengecilan Ukuran dengan Metode Sonikasi dari Formula Insektisida yang Ditambahkan Surfaktan Berbasis Sawit. *Original Article Journal of Science and Applicative Technology*, 5(1), 85–91. <https://doi.org/10.35472/v5i1.395>

- Nwadiogbu, J. O., Okoye, P. A. C., Ajiwe, V. I., dan Nnaji, N. J. N. (2014). Hydrophobic treatment of corn cob by acetylation: Kinetics and thermodynamics studies. *Journal of Environmental Chemical Engineering*, 2(3), 1699–1704. <https://doi.org/10.1016/j.jece.2014.06.003>
- Oun, A. A., dan Rhim, J. W. (2017). Characterization of carboxymethyl cellulose-based nanocomposite films reinforced with oxidized nanocellulose isolated using ammonium persulfate method. *Carbohydrate Polymers*, 174, 484–492. <https://doi.org/10.1016/j.carbpol.2017.06.121>
- Peng, Y., Gardner, D. J., Han, Y., Kiziltas, A., Cai, Z., dan Tshabalala, M. A. (2013). Influence of drying method on the material properties of nanocellulose I: thermostability and crystallinity. *Cellulose*, 20(5), 2379–2392. <https://doi.org/10.1007/s10570-013-0019-z>
- Phanthong, P., Reubroycharoen, P., Hao, X., Xu, G., Abudula, A., dan Guan, G. (2018). Nanocellulose: Extraction and application. *Carbon Resources Conversion*, 1(1), 32–43. <https://doi.org/10.1016/j.crcon.2018.05.004>
- Poletto, M., Pistor, V., Zeni, M., dan Zattera, A. J. (2011). Crystalline properties and decomposition kinetics of cellulose fibers in wood pulp obtained by two pulping processes. *Polymer Degradation and Stability*, 96(4), 679–685. <https://doi.org/10.1016/j.polymdegradstab.2010.12.007>
- Pratiwi, H., Kusmono, N., dan Wildan, M. W. (2023). Oxidized Cellulose Nanocrystals from Durian Peel Waste by Ammonium Persulfate Oxidation. *ACS Omega*, 8(33), 30262–30272. <https://doi.org/10.1021/acsomega.3c03117>
- Rahimi Kord Sofla, M., Batchelor, W., Kosinkova, J., Pepper, R., Brown, R., dan Rainey, T. (2019). Cellulose nanofibres from bagasse using a high speed blender and acetylation as a pretreatment. *Cellulose*, 26(8), 4799–4814. <https://doi.org/10.1007/s10570-019-02441-w>
- Rajinipriya, M., Nagalakshmaiah, M., Robert, M., dan Elkoun, S. (2018). Importance of Agricultural and Industrial Waste in the Field of Nanocellulose and Recent Industrial Developments of Wood Based Nanocellulose: A Review. *ACS Sustainable Chemistry & Engineering*, 6(3), 2807–2828. <https://doi.org/10.1021/acssuschemeng.7b03437>
- Rajisha, K. R., Deepa, B., Pothan, L. A., dan Thomas, S. (2011). Thermomechanical and spectroscopic characterization of natural fibre composites. Dalam *Interface Engineering of Natural Fibre Composites for Maximum Performance* (hlm. 241–274). Elsevier. <https://doi.org/10.1533/9780857092281.2.241>
- Ren, H., Shen, J., Pei, J., Wang, Z., Peng, Z., Fu, S., dan Zheng, Y. (2019). Characteristic microcrystalline cellulose extracted by combined acid and

- enzyme hydrolysis of sweet sorghum. *Cellulose*, 26(15), 8367–8381.
<https://doi.org/10.1007/s10570-019-02712-6>
- Sassi, J.-F., dan Chanzy, H. (1995). Ultrastructural aspects of the acetylation of cellulose. *Cellulose*, 2(2), 111–127. <https://doi.org/10.1007/BF00816384>
- Saurabh, C. K., Mustapha, A., Masri, M. Mohd., Owolabi, A. F., Syakir, M. I., Dungani, R., Paridah, M. T., Jawaid, M., dan Abdul Khalil, H. P. S. (2016). Isolation and Characterization of Cellulose Nanofibers from *Gigantochloa scortechinii* as a Reinforcement Material. *Journal of Nanomaterials*, 2016, 1–8. <https://doi.org/10.1155/2016/4024527>
- Schuh, V., Allard, K., Herrmann, K., Gibis, M., Kohlus, R., dan Weiss, J. (2013). Impact of carboxymethyl cellulose (CMC) and microcrystalline cellulose (MCC) on functional characteristics of emulsified sausages. *Meat Science*, 93(2), 240–247. <https://doi.org/10.1016/j.meatsci.2012.08.025>
- Segal, L., Creely, J. J., Martin, A. E., dan Conrad, C. M. (1959). An Empirical Method for Estimating the Degree of Crystallinity of Native Cellulose Using the X-Ray Diffractometer. *Textile Research Journal*, 29(10), 786–794. <https://doi.org/10.1177/004051755902901003>
- Selva, T. M. G., Selva, J. S. G., dan Prata, R. B. (2023). Sensing Materials: Diamond-Based Materials. Dalam *Encyclopedia of Sensors and Biosensors* (hlm. 45–72). Elsevier. <https://doi.org/10.1016/B978-0-12-822548-6.00081-9>
- Sethi, S., Datta, A., Gupta, B. L., dan Gupta, S. (2013). Optimization of Cellulase Production from Bacteria Isolated from Soil. *ISRN Biotechnology*, 2013, 1–7. <https://doi.org/10.5402/2013/985685>
- Souza Da Rosa, T., Trianoski, R., Michaud, F., Belloncle, C., dan Iwakiri, S. (2022). Efficiency of Different Acetylation Methods Applied to Cellulose Fibers Waste from Pulp and Paper Mill Sludge. *Journal of Natural Fibers*, 19(1), 185–198. <https://doi.org/10.1080/15440478.2020.1731909>
- Sukmawan, R., Kusmono, N., dan Wildan, M. W. (2023a). Optimizing Acetic Anhydride Amount for Improved Properties of Acetylated Cellulose Nanofibers from Sisal Fibers Using a High-Speed Blender. *ACS Omega*, 8(30), 27117–27126. <https://doi.org/10.1021/acsomega.3c02178>
- Sukmawan, R., Kusmono, dan Wildan, M. W. (2023b). Easy production of acetylated cellulose nanofibers from sisal fibers by conventional high-speed blender. *Biomass Conversion and Biorefinery*. <https://doi.org/10.1007/s13399-023-04428-x>
- Sukmawan, R., Saputri, L. H., Rochmadi, R., dan Rochardjo, H. S. B. (2019). The Effects of the Blending Condition on the Morphology, Crystallinity, and

- Thermal Stability of Cellulose Microfibers Obtained from Bagasse. *Indonesian Journal of Chemistry*, 19(1), 166. <https://doi.org/10.22146/ijc.31051>
- Tanpichai, S., Quero, F., Nogi, M., Yano, H., Young, R. J., Lindström, T., Sampson, W. W., dan Eichhorn, S. J. (2012). Effective Young's Modulus of Bacterial and Microfibrillated Cellulose Fibrils in Fibrous Networks. *Biomacromolecules*, 13(5), 1340–1349. <https://doi.org/10.1021/bm300042t>
- Trinh, B. M., dan Mekonnen, T. (2018). Hydrophobic esterification of cellulose nanocrystals for epoxy reinforcement. *Polymer*, 155, 64–74. <https://doi.org/10.1016/j.polymer.2018.08.076>
- Tserki, V., Zafeiropoulos, N. E., Simon, F., dan Panayiotou, C. (2005). A study of the effect of acetylation and propionylation surface treatments on natural fibres. *Composites Part A: Applied Science and Manufacturing*, 36(8), 1110–1118. <https://doi.org/10.1016/j.compositesa.2005.01.004>
- Uetani, K., dan Yano, H. (2011). Nanofibrillation of Wood Pulp Using a High-Speed Blender. *Biomacromolecules*, 12(2), 348–353. <https://doi.org/10.1021/bm101103p>
- Varshney, V. K., dan Naithani, S. (2011). Chemical Functionalization of Cellulose Derived from Nonconventional Sources. Dalam *Cellulose Fibers: Bio- and Nano-Polymer Composites* (hlm. 43–60). Springer Berlin Heidelberg. https://doi.org/10.1007/978-3-642-17370-7_2
- Ventura-Cruz, S., dan Tecante, A. (2021). Nanocellulose and microcrystalline cellulose from agricultural waste: Review on isolation and application as reinforcement in polymeric matrices. *Food Hydrocolloids*, 118, 106771. <https://doi.org/10.1016/j.foodhyd.2021.106771>
- Wan Daud, W. R., dan Djuned, F. M. (2015a). Cellulose acetate from oil palm empty fruit bunch via a one step heterogeneous acetylation. *Carbohydrate Polymers*, 132, 252–260. <https://doi.org/10.1016/j.carbpol.2015.06.011>
- Wan Daud, W. R., dan Djuned, F. M. (2015b). Cellulose acetate from oil palm empty fruit bunch via a one step heterogeneous acetylation. *Carbohydrate Polymers*, 132, 252–260. <https://doi.org/10.1016/j.carbpol.2015.06.011>
- Wang, J., Tavakoli, J., dan Tang, Y. (2019). Bacterial cellulose production, properties and applications with different culture methods – A review. *Carbohydrate Polymers*, 219, 63–76. <https://doi.org/10.1016/j.carbpol.2019.05.008>

- Wesly Harianja, J., dan Idiawati, N. (2015). *OPTIMASI JENIS DAN KONSENTRASI ASAM PADA HIDROLISIS SELULOSA DALAM TONGKOL JAGUNG*. 4(4), 66–71.
- Xu, J., Wu, Z., Wu, Q., dan Kuang, Y. (2020a). Acetylated cellulose nanocrystals with high-crystallinity obtained by one-step reaction from the traditional acetylation of cellulose. *Carbohydrate Polymers*, 229. <https://doi.org/10.1016/j.carbpol.2019.115553>
- Xu, J., Wu, Z., Wu, Q., dan Kuang, Y. (2020b). Acetylated cellulose nanocrystals with high-crystallinity obtained by one-step reaction from the traditional acetylation of cellulose. *Carbohydrate Polymers*, 229, 115553. <https://doi.org/10.1016/j.carbpol.2019.115553>
- Yang, Z., Xu, S., Ma, X., dan Wang, S. (2008). Characterization and acetylation behavior of bamboo pulp. *Wood Science and Technology*, 42(8), 621–632. <https://doi.org/10.1007/s00226-008-0194-5>
- Yuan, Y., Liu, H., Su, J., Qin, X., dan Qi, H. (2021a). Acetylated cellulose nanofibers fabricated through chemo-mechanical process for stabilizing pickering emulsion. *Cellulose*, 28(15), 9677–9687. <https://doi.org/10.1007/s10570-021-04141-w>
- Yuan, Y., Liu, H., Su, J., Qin, X., dan Qi, H. (2021b). Acetylated cellulose nanofibers fabricated through chemo-mechanical process for stabilizing pickering emulsion. *Cellulose*, 28(15), 9677–9687. <https://doi.org/10.1007/s10570-021-04141-w>
- Zadorecki, P., dan Flodin, P. (1986). Properties of cellulose-polyester composites. *Polymer Composites*, 7(3), 170–175. <https://doi.org/10.1002/pc.750070306>
- Zhang, S., Sun, G., He, Y., Fu, R., Gu, Y., dan Chen, S. (2017). Preparation, Characterization, and Electrochromic Properties of Nanocellulose-Based Polyaniline Nanocomposite Films. *ACS Applied Materials and Interfaces*, 9(19), 16426–16434. <https://doi.org/10.1021/acsami.7b02794>
- Zhou, X., Lin, X., White, K. L., Lin, S., Wu, H., Cao, S., Huang, L., dan Chen, L. (2016). Effect of the degree of substitution on the hydrophobicity of acetylated cellulose for production of liquid marbles. *Cellulose*, 23(1), 811–821. <https://doi.org/10.1007/s10570-015-0856-z>