

DAFTAR PUSTAKA

- Ahmad, I., Yanuar, A., Mulia, K., & Mun'im, A. (2017). Review of Angiotensin-converting Enzyme Inhibitory Assay: Rapid Method in Drug Discovery of Herbal Plants. *Pharmacognosy Reviews*, 11(21), 1–7. https://doi.org/10.4103/phrev.phrev_45_16
- Anand, P., Kunnumakkara, A. B., Newman, R. A., & Aggarwal, B. B. (2007). Bioavailability of curcumin: problems and promises. *Molecular Pharmaceutics*, 4(6), 807–818. <https://doi.org/10.1021/mp700113r>
- Borghi, C., & Rossi, F. (2015). Role of the Renin-Angiotensin-Aldosterone System and Its Pharmacological Inhibitors in Cardiovascular Diseases: Complex and Critical Issues. *High Blood Pressure & Cardiovascular Prevention: The Official Journal of the Italian Society of Hypertension*, 22(4), 429–444. <https://doi.org/10.1007/s40292-015-0120-5>
- Bose, A., Thomas, I., & Abraham, E. (2018). International Journal of Advances in Pharmaceutical Analysis Fluorescence spectroscopy and its applications: A Review QR Code *Correspondence Info. *International Journal of Advances in Pharmaceutical Analysis*, 08(01), 1–8. www.ssjournals.com
- Brown, N. J., & Vaughan, D. E. (1998). Angiotensin-converting enzyme inhibitors. *Circulation*, 97(14), 1411–1420. <https://doi.org/10.1161/01.CIR.97.14.1411>
- Da'i, M. (2015). Sintesis senyawa analog kurkumin 3,5-Bis-(4'-hidroksi-3'-metoksi benzilidin)-piperidin-4-ON (monohidrat hidroklorida) dengan katalis HCl. *Pharmacon: Jurnal Farmasi Indonesia*, 11(1), 33–38. [doi:https://doi.org/10.23917/pharmacon.v11i1.67](https://doi.org/10.23917/pharmacon.v11i1.67)
- Dar, A. (2017). Molecular Docking: Approaches, Types, Applications and Basic Challenges. *Journal of Analytical & Bioanalytical Techniques*, 08. <https://doi.org/10.4172/2155-9872.1000356>
- Din, Z. U., Trapp, M. A., Soman de Medeiros, L., Lazarin-Bidóia, D., Garcia, F. P., Peron, F., Nakamura, C. V., Rodríguez, I. C., Wadood, A., & Rodrigues-Filho, E. (2018). Symmetrical and unsymmetrical substituted 2,5-diarylidene cyclohexanones as anti-parasitic compounds. *European Journal of Medicinal Chemistry*, 155, 596–608. <https://doi.org/10.1016/j.ejmech.2018.06.031>
- Esther, C. R., Marino, E. M., Howard, T. E., Machaud, A., Corvol, P., Capecchi, M. R., & Bernstein, K. E. (1997). The critical role of tissue angiotensin-converting enzyme as revealed by gene targeting in mice. *The Journal of Clinical Investigation*, 99(10), 2375–2385. <https://doi.org/10.1172/JCI119419>
- Fang, L., Geng, M., Liu, C., Wang, J., Min, W., & Liu, J. (2019). Structural and molecular basis of angiotensin-converting enzyme by computational modeling: Insights into the mechanisms of different inhibitors. *PLOS ONE*, 14(4), 1–16. <https://doi.org/10.1371/journal.pone.0215609>
- Fessenden, R. J., & Fessenden, S. J. (1999). *Kimia Organik*, Jilid 2, Penerbit Erlangga, Jakarta.

- Folkow, B., Johansson, B., & Mellander, S. (1961). The comparative effects of angiotensin and noradrenaline on consecutive vascular sections. *Acta Physiologica Scandinavica*, 53, 99–104. <https://doi.org/10.1111/j.1748-1716.1961.tb02267.x>
- Hajare, S. T., & Kadam, G. L. (2023). *Spectrofluorimetry At A Glance : A Review*. 11(6), 337–349.
- Joshi, P., Joshi, S., Semwal, D. K., Verma, K., Dwivedi, J., & Sharma, S. (2022). Role of curcumin in ameliorating hypertension and associated conditions: a mechanistic insight. *Molecular and Cellular Biochemistry*, 477(10), 2359–2385. <https://doi.org/10.1007/s11010-022-04447-8>
- Junot, C., Gonzales, M. F., Ezan, E., Cotton, J., Vazeux, G., Michaud, A., Azizi, M., Vassiliou, S., Yiotakis, A., Corvol, P., & Dive, V. (2001). RXP 407, a selective inhibitor of the N-domain of angiotensin I-converting enzyme, blocks in vivo the degradation of hemoregulatory peptide acetyl-Ser-Asp-Lys-Pro with no effect on angiotensin I hydrolysis. *The Journal of Pharmacology and Experimental Therapeutics*, 297(2), 606–611.
- Kitchen, D. B., Decornez, H., Furr, J. R., & Bajorath, J. (2004). Docking and scoring in virtual screening for drug discovery: methods and applications. *Nature Reviews Drug Discovery*, 3(11), 935–949. <https://doi.org/10.1038/nrd1549>
- Kufareva, I., & Abagyan, R. (2012). Methods of protein structure comparison. *Methods in Molecular Biology*, 857, 231–257. https://doi.org/10.1007/978-1-61779-588-6_10
- Lekshmi, P. C., Arimboor, R., Nisha, V. M., Menon, A. N., & Raghu, K. G. (2014). In vitro antidiabetic and inhibitory potential of turmeric (*Curcuma longa* L) rhizome against cellular and LDL oxidation and angiotensin converting enzyme. *Journal of Food Science and Technology*, 51(12), 3910–3917. <https://doi.org/10.1007/s13197-013-0953-7>
- Lestari, E., & Lagiono, L. (2018). Pemanfaatan Tanaman Sebagai Obat Oleh Masyarakat Desa Karang Dukuh Kecamatan Belawang Kabupaten Barito Kuala. *Jurnal Pendidikan Hayati*, 4(3), 114–119. <https://doi.org/10.33654/jph.v4i3.309>
- Li, K. X., Wang, Z. C., Machuki, J. O., Li, M. Z., Wu, Y. J., Niu, M. K., Yu, K. Y., Lu, Q. B., & Sun, H. J. (2022). Benefits of Curcumin in the Vasculature: A Therapeutic Candidate for Vascular Remodeling in Arterial Hypertension and Pulmonary Arterial Hypertension? *Frontiers in Materials*, 13(April), 1–24. <https://doi.org/10.3389/fphys.2022.848867>
- Martha. R.D., Wahyuningsih, T.D., Anwar, C. (2020). Sintesis analog kurkumin 2,6-Bis-((E)-4-hidroksi-3-metoksi benzilidin)-sikloheksa-1-on berbahan dasar vanilin dengan katalis HCl. *Jurnal penelitian sanitek*, vol. 25, No. 2, <https://doi.org/10.21831/jps.v25i2.34106>
- Meng, X. Y., Zhang, H. X., Mezei, M., & Cui, M. (2011). Molecular docking: a powerful approach for structure-based drug discovery. *Current computer-*

- aided drug design*, 7(2), 146–157.
<https://doi.org/10.2174/15734091179567760>
- Mulyani, Y., Wulandari, G., & Sulaeman, A. (2021). Review: Peran Kunyit (Curcuma Longa) Sebagai Terapi Hipertensi Dan Mekanismenya Terhadap Ekspresi Gen. *Original Article MFF*, 25(2), 51–58.
<https://doi.org/10.20956/mff.v25i2.13287>
- Nahata, A. (2011). Spectrofluorimetry as an Analytical Tool. *Pharmaceutica Analytica Acta*, 02(08). <https://doi.org/10.4172/2153-2435.1000107e>
- Natesh, R., Schwager, S. L. U., Sturrock, E. D., & Acharya, K. R. (2003). Crystal structure of the human angiotensin-converting enzyme–lisinopril complex. *Nature*, 421(6922), 551–554. <https://doi.org/10.1038/nature01370>
- PERHI, K. (2021). Konsensus Penatalaksanaan Hipertensi 2021: Update Konsensus PERHI 2019. *I-Hefcard.Com*, 118.
http://www.inash.or.id/upload/event/event_Update_konsensus_2019123191.pdf
- Prasad, S., Gupta, S. C., Tyagi, A. K., & Aggarwal, B. B. (2014). Curcumin, a component of golden spice: From bedside to bench and back. *Biotechnology Advances*, 32(6), 1053–1064.
<https://doi.org/10.1016/j.biotechadv.2014.04.004>
- Puspita, P., Liliyani, N., & Ambarsari, L. (2022). In Silico Analysis of Active Compounds of Avocado Fruit (Persea americana Mill.) as Tyrosinase Enzyme Inhibitors. *Current Biochemistry*, 9(2), 73–87.
- Rachmawati, H., Soraya, I. S., Kurniati, N. F., & Rahma, A. (2016). In vitro study on antihypertensive and antihypercholesterolemic effects of a curcumin nanoemulsion. *Scientia Pharmaceutica*, 84(1), 131–140.
<https://doi.org/10.3797/scipharm.ISP.2015.05>
- Robinson, T. P., Ehlers, T., Hubbard IV, R. B., Bai, X., Arbiser, J. L., Goldsmith, D. J., & Bowen, J. P. (2003). Design, synthesis, and biological evaluation of angiogenesis inhibitors: Aromatic enone and dienone analogues of curcumin. *Bioorganic and Medicinal Chemistry Letters*, 13(1), 115–117.
[https://doi.org/10.1016/S0960-894X\(02\)00832-6](https://doi.org/10.1016/S0960-894X(02)00832-6)
- Rollando, R. (2018). Pendekatan Struktur Aktivitas dan Penambatan Molekul Senyawa 2-iminoethyl 2-(2-(1-hydroxypentan-2-yl) phenyl)acetate Hasil Isolasi Fungi Endofit Genus Fusarium sp pada Enzim β -ketoasil-ACP KasA Sintase dan Enzim Asam Mikolat Siklopropana Sintase. *Pharmaceutical Journal of Indonesia*, 3(2), 45–51.
<https://doi.org/10.21776/ub.pji.2017.003.02.2>
- Sasee, J.J., & MacLaughlin, E.J., (2015), *Section 2: Cardiovascular Disorders, Pharmacotherapy Handbook*, Edisi ke-9, McGraw-Hill Education Companies, Inggris.
- Selvakumar, B., & Venkataraman, R. (2010). Synthesis and biological evaluation of some curcumin analogs and their derivatives. *Rasayan Journal of Chemistry*, 3(2), 260–265.

- Tallei, T. E., Tumilaar, S. G., Niode, N. J., Fatimawali, Kepel, B. J., Idroes, R., Effendi, Y., Sakib, S. A., & Emran, T. Bin. (2020). Potential of Plant Bioactive Compounds as SARS-CoV-2 Main Protease (Mpro) and Spike (S) Glycoprotein Inhibitors: A Molecular Docking Study. *Scientifica*, 2020. <https://doi.org/10.1155/2020/6307457>
- Unger, T., Borghi, C., Charchar, F., Khan, N. A., Poulter, N. R., Prabhakaran, D., Ramirez, A., Schlaich, M., Stergiou, G. S., Tomaszewski, M., Wainford, R. D., Williams, B., & Schutte, A. E. (2020). 2020 International Society of Hypertension Global Hypertension Practice Guidelines. *Hypertension*, 75(6), 1334–1357. <https://doi.org/10.1161/HYPERTENSIONAHA.120.15026>
- Wong, M. K. S. (2015). Angiotensin Converting Enzymes. *Handbook of Hormones: Comparative Endocrinology for Basic and Clinical Research*, January, 263,e29D-1-265,e29D-4. <https://doi.org/10.1016/B978-0-12-801028-0.00254-3>
- Zamrus, S. N. H., Akhtar, M. N., Yeap, S. K., Quah, C. K., Loh, W. S., Alitheen, N. B., Zareen, S., Tajuddin, S. N., Hussin, Y., & Shah, S. A. A. (2018). Design, synthesis and cytotoxic effects of curcuminoids on HeLa, K562, MCF-7 and MDA-MB-231 cancer cell lines. *Chemistry Central Journal*, 12(1), 1–10. <https://doi.org/10.1186/s13065-018-0398-1>
- Zhuang, X. D., Liao, L. Z., Dong, X. B., Hu, X., Guo, Y., Du, Z. M., Liao, X. X., & Wang, L. C. (2016). Design, synthesis, and antihypertensive activity of curcumin-inspired compounds via ACE inhibition and vasodilation, along with a bioavailability study for possible benefit in cardiovascular diseases. *Drug Design, Development and Therapy*, 10, 129–139. <https://doi.org/10.2147/DDDT.S96315>