



DAFTAR PUSTAKA

- Adalier, K., & Elgamal, A. (2004). Mitigation of liquefaction and associated ground deformations by stone columns. *Engineering Geology*, 72(3-4), 275-291.
- Agung, P. A., Sultan, R., Idris, M., Sudjianto , A. T., Ahmad, M. A., & Hasan, M. F. (2023). Probabilistic of in Situ Seismic Soil Liquefaction Potential Based on CPT-Data in Central Jakarta, Indonesia. *International Journal of Sustainable Construction Engineering and Technology*, 14(1), 241-248.
- Allen, M. G., Jones, R., & Gularte, F. B. (1995). Bottom-feed stone columns, wet replacement construction method: Mormon Island Auxiliary Dam modifications. *Soil Improvement for Earthquake Hazard Mitigation* (pp. 82-95). ASCE.
- Andrus, R. D., & Chung, R. M. (1995). Ground improvement techniques for liquefaction remediation near existing lifelines. Gaithersburg, Maryland, USA: US National Institute of Standards and Technology.
- Askaviolita. (2023). *Analisis Potensi Likuefaksi Dan Evaluasi Pergantian Tanah Sebagai Metode Mitigasi pada Pembangunan Jalan Tol Solo - Yogyakarta - NYIA Kulon Progo*. Yogyakarta: Universitas Gadjah Mada.
- Bae, W. S., Shin, B. W., An, B. C., & Kim, J. S. (2002). Behaviors of foundation system improved with stone columns. *The Twelfth International Offshore and Polar Engineering Conference*. One Petro.
- Baez, J. I., & Martin, G. (1995). Permeability and shear wave velocity of vibro-replacement stone columns. *Soil Improvement for Earthquake Hazard Mitigation* (pp. 66-81). ASCE.
- Baez, J. I., & Martin, G. R. (1992a). Quantitative evaluation of stone column techniques for earthquake liquefaction. *10th World Conf* (pp. 1477-1483). In Earthquake Engrg.
- Baez, J. I., & Martin, G. R. (1992b). Liquefaction observations during installation of stone columns using the vibro replacement technique. *Geotechnical News*, 10(3), 41-44.
- Barlett, S. F., Gerber, T. M., & Hinckley, D. (2007). *Probabilistic liquefaction potential and liquefaction-induced ground failure maps for the urban Wasatch Front: phase IV*. Technical Report Submitted to the United States Geological Survey.
- Bhattacharya, S., Hyodo, M., Goda, K., Tazoh, T., & Taylor, C. A. (2011). Liquefaction of soil in the Tokyo Vay area from the 2011 Tohoku (Japan) earthquake. *Soil Dynamics and Earthquake Engineering*, 31(11), 1618-1628.
- Blake, T. F., & Blake , K. R. (1986). *A Computer Program for the Empirical Prediction of Earthquake-Induced Liquefaction Potential, Users Manual: Blake and Blake*. Newburry Park, California.
- Bo, M. W., & Choa, V. (2004). *Reclamation and ground improvement*. Thomson Learning Asia.
- Boulanger, R. W., & Idriss, I. M. (2014). CPT and SPT based liquefaction triggering procedures. *Report No. UCD/UGM. -14, 1*. Center for Geotechnical Modeling.



- Boulanger, R. W., Idriss, I. M., Stewart, D. P., Hashash, Y. M., & Schimidt, B. (1998). Drainage capacity of stone columns or gravel drains for mitigating liquefaction. *Geotechnical Special Publication*, 75 (1), 678-690.
- Bradley, K., Mallick, R., Andikagumi, H., Hubbard, J., Meilianda, E., Switzer, A., . . . Hill, E. M. (2019). Earthquake-triggered 2018 Palu Valley landslides enabled by wet rice cultivation. *Nature Geoscience*, 12(11), 935-939.
- Brown, R. E. (1977). Vibroflotation compaction on cohesionless soils. *Journal of the Geotechnical Engineering Division*, 103(12), 1437-1451.
- BSN. (2019). *SNI 1726-2019*. Badan Standardisasi Nasional.
- Casagrande, A. (1936). Characteristics of cohesionless soils affecting the stability of slopes and earth fills. *J. Boston Society of Civil Engineers*, 23(1), 13-32.
- Castro, J. (2017). Modeling stone columns. *Materials*, 10(7), 782.
- Chaiyaput, S., Bergado, D. T., & Kovittayanun, N. (2021). Vibro-compaction at a land reclamation site in Phuket, Thailand. *Proceedings of the Institution of Civil Engineers-Ground Improvement*, (pp. 174(3), 185-193).
- Cubrinovski, M., & Ishihara, K. (1999). Empirical correlation between SPT N-value and relative density for sandy soils. *Soils and Foundations*, 39(5), 61-71.
- d'Appolonia, E. (1954). Loose sands—Their compaction by vibroflotation. ASTM International.
- Das, B. M., & Luo, Z. (2016). *Principles of soil dynamics*. Cengage Learning.
- Day, R. W. (2012). *Geotechnical earthquake engineering handbook*. McGraw-Hill Education.
- De Silva, S. (2005). Implementation and performance of stone columns at Penny's Bay reclamation in Hong Kong. *Elsevier Geo-Engineering Book Series* (pp. 639-664). Elsevier.
- Deshpande, P. M., & Vyas, A. V. (1996). Interactive encased stone column foundation. *6th International Conference and Exhibition on Piling and Deep Foundation*, (pp. Vol. 1, 1-19).
- Dhakal , R., Cubrinovski, M., & Bray, J. D. (2022). Application of the CPT for liquefaction assessment of gravelly reclamations at the port of Wellington. *Cone Penetration Testing* (pp. 894-899). CRC Press.
- Dheerendra, M. R., Nayak, S., & Shivashankar, R. (2013). A critical review of construction, analysis and behaviour of stone columns. *Geotechnical and Geological Engineering*, 31, 1-22.
- Dickhof, H. (2016). *Design and construction of a spray pontoon and maintenance of HAM 310*. Singapore: University of Twente.
- Dinata, I. A., Darlan, Y., Sadisun, I. A., Pindratno, H., & Saryanto, A. (2018). Liquefaction hazard analysis for infrastructure development in gulf of Jakarta. *AIP Conference Proceedings* (pp. Vol. 1730, No.1). Bandung: AIP Publishing.



Dixit, J., Dewaikar, D. M., & Jangid, R. S. (2012). Assessment of liquefaction potential index for Mumbai city. *Natural Hazards and Earth System Sciences*, 12(9), 2759-2768.

Douglas, J. (2003). Earthquake ground motion estimation using strong-motion records: a review of equations for the estimation of peak ground acceleration and response spectral ordinates. *Earth-Science Reviews*, 61(1-2), 43-104.

Duan, W., Cai, G., Lui, S., Yuan , J., & Puppala, A. J. (2019). Assessment of ground improvement by vibro-compaction method for liquefiable deposits from in-situ testing data. *International Journal of Civil Engineering*, 17, 723-735.

Dwiyantoro, W. (2023). *otensi Likuefaksi Berdasarkan Tinjauan Non-Linear Site Response Analysis dan Pengaruh Fluktuasi Muka Air Tanah di Yogyakarta dan Sekitarnya*. Yogyakarta: Universitas Gadjah Mada .

Elnashai, A. S., & Di Sarno, L. (2015). *Fundamentals of earthquake engineering*. John Wiley & Sons.

Faris, F., Fathani, T. F., & Wang, F. (2019). Report on the UNESCO Chair workshop on geoenvironmental disaster reduction 28th April-1st may, 2019, Palu-Jakarta, Indonesia. *Geoenvironmental Disasters*, 6(1), 1-6.

FHWA. (1995). *Dynamic Compaction-Geotechnical Engineering Circular No.1*. Washington DC: Office of Technology Applications.

Finn, W. L., Pickering, D. J., & Bransby, P. L. (1971). Sand liquefaction in triaxial and simple shear tests. *Journal of the soil mechanics and foundation division*, 97(4), 639-659.

Gaber, M., Kasa, A., Abdul-Rahman, N., & Alsharef, J. (2018). Simulation of stone column ground improvement (comparison between axisymmetric and plane strain). *Am J Eng Appl Sci*, 11(1), 129-137.

Ghanti , R., & Kashliwal, A. (2008). *Ground Improvement Techniques—with a focussed study on stone columns*. Dura Build Care PVT LTD.

Glaser, R., Haberzettl, P., & Walsh, R. P. (1991). Land reclamation in Singapore, Hong Kong, and Macau. *Geojournal*, 24, 365-373.

Gubernur, P. (2012). Penataan ruang kawasan reklamasi pantai utara Jakarta No.12 Tahun 2012. Jakarta, DKI Jakarta, Indonesia.

Hamada, M. (2014). Soil liquefaction and countermeasures. *Engineering for Earthquake Disasters Mitigation*, 125-152.

Hardiyatmo, H. C. (2022). *Perbaikan Tanah*. Yogyakarta: Gadjah Mada University Press.

Hartono, N. (2021). *Pemetaan Potensi Likuefaksi dan Optimasi Perbaikan Tanah dengan Metode Stone Column di Kawasan Yogyakarta International Airport*. Yogyakarta: Universitas Gadjah Mada.

Hashash, Y. M., & Park, D. (2001). Non-linear one-dimensional seismic ground motion propagation in the Mississippi embayment. *Engineering Geology*, 62 (1-3), 185-206.

Hashash, Y., Phillips, C., & Groholski, D. R. (2010). Recent advances in non-linear site response analysis.



Hoeksema, R. J. (2007). Three stages in the history of land reclamation in the Netherlands.

Irrigation and Drainage: The Journal of the International Commission on Irrigation and Drainage, 56(S1), S113-S126.

Huang, J., & Han, J. (2010). Two-dimensional parametric study of geosynthetic-reinforced column-supported embankments by coupled hydraulic and mechanical modeling. *Computers and Geotechnics*, 37(5), 638-648.

Huang, M. S., Yun-min, C. H., & Shi-ming, W. U. (1992). Strengthening of saturated silty soils by vibro replacement stone columns. *Chinese Journal of Geotechnical Engineering*, 14(6), 69-73.

Huang, Y., & Wen, Z. (2015). Recent developments of soil improvement methods for seismic liquefaction mitigation. *Natural Hazards*, 76, 1927-1938.

Hughes, J. O., & Withers, N. J. (1974). Reinforcing of soft cohesive soils with stone columns. *Ground Engineering*, 7(3).

Hughes, J. O., Withers, N. J., & Greenwood, D. A. (1975). A field trial of the reinforcing effect of a stone column in soil. *Geotechnique*, 25(1), 31-44.

Iai, S., Matsunaga, Y., Morita, T., & Sakurai, H. (1994). Effects of remedial measures against liquefaction at 1991 Kushiro-Oki Earthquake. In *Proceedings from the fifth US-japan workshop on earthquake resistant design of the lifeline facilities and countermeasures against soil liquefaction*, (pp. 135-52).

Idriss, I. M., & Boulanger, R. W. (2010). *Soil liquefaction during earthquakes*. Earthquake Engineering Research Institute.

Indraratna, B., Chu, J., & Rujikiatkamjorn, C. (2015). *Ground improvement case histories: embankments with special reference to consolidation and other physical methods*. Butterworth-Heinemann.

Irsyam, M., Hutabarat, D., Asrurifak, M., Imran, I., Widiyantoro, S., Hendriyawan, . . . Pandhu, R. (2015). Development of seismic risk microzonation maps of Jakarta city. *Geotechnics for catastrophic flooding events*, 35-47.

Irsyam, M., Hutapea, B. M., Imran, I., & Asrurifak, M. (2019). Determination of Site Amplification Deep Soil Layers using 1-D Site Response Analysis (Case Study: Jakarta City, Indonesia). *Journal of Engineering & Technological Sciences*, 51(6).

Ishihara, K., & Yamazaki, F. (1980). Cyclic simple shear tests on saturated sand in multi-directional loading. *Soils and Foundation*, 20(1), 45-69.

Iwasaki, T. (1978). A practical method for assessing soil liquefaction potential based on case studies at various sites in Japan. *Proceeding of 2nd International Conference on Microzonation*, (pp. 885-896). San Fransisco.

Iwasaki, T., Tokida, K. I., Tatsuoka, F., Watanabe, S., Yasuda, S., & Sato, H. (1982). Microzonation for soil liquefaction potential using simplified methods. *Proceedings of the 3rd international conference on microzonation*, (pp. 1310-1330). Seattle.



- Jakura, K., & Abghari, A. (1994). Mitigation of liquefaction hazards at three California bridge sites. *Proceedings from the fifth US-Japan workshop on earthquake resistant design of lifeline facilities and countermeasures against soil liquefaction*, (pp. 495-513).
- Jalil, A., Fathani, T. F., Satyarno, I., & Wilopo, W. (2021). Liquefaction in Palu: the cause of massive mudflows. *Geoenvironmental Disasters*, 8(1), 21.
- Japanese Geotechnical Society, J. (1998). *Remedial measures against soil liquefaction*. Rotterdam, Netherlands: A. A. Balkema.
- Jha, S. K., & Suzuki, K. (2009). Liquefaction potential index considering parameter uncertainties. *Engineering Geology*, 107(1-2), 55-60.
- Katti, R. K., Katti, A. R., & Naik, S. (1993). *Monograph to analysis of stone columns with and without geosynthetic encasement*. New Delhi: CBIP Publications.
- Kawasumi, H. (1964). Historical Earthquake in the Disturbed Area and Vicinity. *General Report on the Niagata Earthquake of*, 71-88.
- Khan, Z., Yamin, M., Al Hai, N., & Attom, M. (2022). Correlations between SPT, CPT, and Vs for reclaimed lands near Dubai. *Geotechnical and Geological Engineering*, 40(8), 4109-4120.
- Kirsch, K., & Bell, A. (2012). *Ground Improvement*. CRC Press.
- Kirsch, K., & Kirsch, F. (2017). *Ground improvement by deep vibratory methods*. Taylor & Francis.
- Kitazume, M. (2005). *The sand compaction pile method*. CRC Press.
- Konder, R. L., & Zelasko, J. S. (1963). *Proceedings of the 2nd Pan American Conference on Soil Mechanics and Foundation Engineering*.
- Kramer, S. L. (1996). *Geotechnical Earhtquake Engineering*. Pretince-Hall, Inc.
- Kramer, S. L. (2008). *Evaluation of liquefaction hazards in Washington state (No. WA-RD 668.1)*. Washington: Dept. of Transportation. Office of Research and Library Services.
- Kumar, A., Kumari, S., & Sawant, V. A. (2020). Numerical investigation of stone column improved ground for mitigation of liquefaction. *International Journal of Geomechanics*, 20(9), 04020144.
- Kumari, S., Sawant, V. A., & Mehndiratta, S. (2018). Effectiveness of stone column in liquefaction mitigation. *Geotechnical Earthquake Engineering and Soil Dynamics V: Liquefaction Triggering, Consequences, and Mitigation* (pp. 207-216). Reston, Virginia: American Society of Civil Engineers.
- Lee, K. L., & Fitton, J. A. (1969). Factors affecting the cyclic loading strength of soil. (pp. 71-95). ASTM International.
- Li, Y., Zhang, X., Zhao, X., Ma, S., Cao, H., & Cao, J. (2016). Assessing spatial vulnerability from rapid urbanization to inform coastal urban regional planning. *Ocean & Coastal Management*, 123, 53-56.



Liao, S. S., & Whitman, R. V. (1986). *A catalog of liquefaction and non-liquefaction occurrences during earthquakes*. Massachusetts: Department of Civil Engineering, MIT.

Luna, R., & Frost , J. D. (1998). Spatial liquefaction analysis system. *Journal of Computing in Civil Engineering* , 12(1), 48-56.

Mase, L. Z. (2018). One dimensional site response analysis of liquefaction potential along coastal area of Bengkulu City, Indonesia. *Civil Engineering Dimension*, 20(8), 57-69.

Mase, L. Z., Likitlersuang, S., Tobita , T., Chaiprakaikeow, S., & Soralump, S. (2020). Local site investigation of liquefied soils caused by earthquake in Northern Thailand. *ournal of Earthquake Engineering*, 24(7), 1181-1204.

Masing, G. (1926). Eigenspannungen und verfestigung beim messing. In *Proceedings, second international congress of applied mechanics*, (pp. 332-335).

Matasovic, N. (1993). *Seismic response of composite horizontally-layered soil deposits*. Los Angeles: University of California.

Mitchell, J. K., Cooke, H. G., & Schaeffer, J. A. (1998). Design considerations in ground improvement for seismic risk mitigation. *Geotechnical earthquake engineering and soil dynamics III* (pp. 580-613). ASCE.

Mokhtari, M., & Kalantari, B. (2012). Soft Soil Stabilization using Stone Column--A Review. *Electronic journal of Geotechnical engineering*, 17, 1459-1466.

Muley , P., Maheshwari, B. K., & Paul, D. K. (2018). Assessment of liquefaction potential index for Roorkee region. *16th Symposium on earthquake engineering*.

Muralikhrisna, A., & Madhav, M. R. (2018). Engineering of Ground for Liquefaction Mitigation. *Advances in Indian Earthquake Engineering and Seismology: Contributions in Honour of Jai Krishna*.

Najjar, S. S., Sadek, S., & Maakaroun, T. (2010). Effect of sand columns on the undrained load response of soft clays. *Journal of Geotechnical and Geoenvironmental Engineering*, 136(9), 1263-1277.

Oishi, H., & Tanaka, Y. (1992). Densification of surrounding soils due to gravel drain construction. *Proceedings from the fourth Japan-US Workshop on Earthquake Resistant Design of Lifeline Facilities and Countermeasures for Soil Liquefaction*, (pp. 929-949).

Ospar Commision. (2008). *Assesment of the environmental impact of Land Reclamation*. Biological Diversity of OSPAR Commision.

Patriaman, F. (2022). *The Analysis of Liquefaction Potential and Designing Its Countermeasure by Applying Stone Column Method*. Yogyakarta: Gadjah Mada University.

Patriaman, F., & Fathani, T. F. (2022). Application of stone column method for liquefaction mitigation in Palu Bay area after the 2018 Palu earthquake. *IOP Conference Series: Earth and Environmental Science*, (pp. Vol. 1071, No.1, p. 012010).



Priebe, H. J. (1989). The prevention of liquefaction by vibro replacement. *International conference on earthquake resistant construction and design*, (pp. 211-219).

Priebe, H. J. (1989). The prevention of liquefaction by vibro replacement. *International conference on earthquake resistant construction and design*, (pp. 211-219).

Priebe, H. J. (1991). *Vibro replacement-Design criteria and quality control*. ASTM International.

Priebe, H. J. (1991). *Vibro-replacement—Design criteria and quality*. ASTM International.

Priebe, H. J. (1995). The design of vibro replacement. *Ground engineering*, 28(10), 31.

Qu, M., Xie, Q., Cao, X., Zhao, W., He, J., & Jin, J. (2016). Model test of stone columns as liquefaction countermeasure in sandy soils. *Frontiers of Structural and Civil Engineering*, 10, 481-487.

Ranjan, G. (1989). Ground treated with granular piles and its response under load. *Indian Geotechnical Journal*, 19(1), 1-86.

Rifa'i, A., & Ismanti, S. (2022). Liquefaction Potential Analysis and Mitigation at The Sediment Control Structures on Bangga River, Central Sulawesi. *IOP Conference Series: Earth and Environmental Science* (pp. Vol. 1091, No. 1, p. 012029). IOP Publishing.

Robertson, P. K., & Wride, C. E. (1997). Cyclic liquefaction and its evaluation based on SPT and CPT: Seismic Short Course on Evaluation and Mitigation of Earthquake Induced Liquefaction Hazards. *NCEER Workshop*. San Francisco, California.

Ross, G. A., Seed, H. B., & Migliaccio, R. R. (1969). Bridge foundation behavior in Alaska earthquake . *Journal of the Soil Mechanics and Foundations Division* , 95(4), 1007-1036.

Salem, Z. B., Frikha, W., & Bouassida, M. (2017). Effects of densification and stiffening on liquefaction risk of reinforced soil by stone columns. *Journal of Geotechnical and Geoenvironmental Engineering*, 143(10), 06017014.

Samadhiya, N. K., Maheswari, P., Basu, P., & Kumar, M. B. (2008). Loadsettlement characteristics of granular piles with randomly. *Indian Geotech*, 38(3), 345-354.

Sauri, S., Rifa'i, A., & Hardiyatmo, H. C. (2021). Liquefaction Vulnerability Analysis using N-SPT Value and Grain Size Analysis on Gumbasa Irrigation Canal in the Post-Disaster Petobo Area, Sulawesi. *IOP Conference Series: Earth and Environmental Science* (pp. Vol. 930, No. 1, p. 012081). IOP Publishing.

Seed, H. B. (1983). Eartquake-resistant design of earth dams. *Proceeding Symposium Seismic Des. of Earth Dams and Caverns* (pp. 41-64). New York: ASCE.

Seed, H. B., & Booker, J. R. (1977). Stabilization of potentially liquefiable sand deposits using gravel drains. *Journal of the geotechnical engineering division*, 103(7), 757-768.

Seed, H. B., & Idriss, I. B. (1967). Analysis of Soil Liquefaction: Niigata Earthquake. *Journal of the Soil Mechanics and Foundation Division*, 93(3), 83-108.

Seed, H. B., & Idriss, I. M. (1971). Simplified procedure for evaluating soil liquefaction potential. *Journal of the Soil Mechanics and Foundation division*, 97(9), 1249-1273.



- Seed, H. B., Idriss, I. M., Lee, K. L., & Makdisi, F. I. (1975). Dynamic analysis of the slide in the Lower San Fernando Dam during the earthquake of February 9, 1971. *Journal of the Geotechnical Engineering division*, 101(9), 889-911.
- Seed, H. B., Tokimatsu, K., Harder, L. F., & Chung, R. M. (1985). Influence of SPT procedures in soil liquefaction resistance evaluations. *Journal of geotechnical engineering*, 111(12), 1425-1445.
- Sengupta, D., Chen, R., & Meadows, M. E. (2018). Building beyond land: An overview of coastal land reclamation in 16 global megacities. *Applied Geography*, 90, 229-238.
- Shahu, J. T., Madhav, M. R., & Hayashi, S. (2000). Analysis of soft ground-granular pile-granular mat system. *Computers and Geotechnics*, 27(1), 45-62.
- Son, S., & Wang, M. (2009). Environmental responses to a land reclamtion project in South Korea. *Transactions American Geophysical Union*, 90(44), 398-399.
- Sonmez, H. (2003). Modification of the liquefaction potential index and liquefaction susceptibility mapping for a liquefaction-prone area (Inegol, Turkey). *Environmental Geology*, 44, 862-871.
- Sonu, C. J., Ito, K., & Oishi, H. (1993). Harry Seed, liquefaction and the gravel drain. *Civil Engineering*, 63 (12), 58.
- Standar Nasional Indonesia. (2017). *Persyaratan perancangan geoteknik*. Badan Standardisasi Nasional, 8460.
- Suzuki, T. (2003). Economic and geographic backgrounds of land reclamation in Japanese ports. *Marine Pollution Bulletin*, 47(1-6), 226-229.
- Tan, M., Li, X., Xie, H., & Lu, C. (2005). Urban land expansion and arable and Loss in China—a case study of Beijing–Tianjin–Hebei region. *Land Use Policy*, 22(3), 187-196.
- Tokimatsu, K., & Uchida, A. (1990). Correlation between liquefaction resistance and shear wave velocity. *Soils and foundations*, 30(2), 33-42.
- Tokimatsu, K., & Yoshimi, Y. (1980). Effects of vertical drains on the. (pp. 643-655). Bangkok, Thailand: International Conference on Engineering for Protection from Natural Disasters.
- Tokimatsu, K., & Yoshimi, Y. (1983). Empirical correlation of soil liquefaction based on SPT N-value and fines content. *SOILS AND FOUNDATIONS*, Vol.23, No.4, pp.56-74.
- U.S. Army. (1999). Guidelines on Ground Improvement for Structures and Facilities. *US Army Corps of Engineers, et al, 1110*, 1-185.
- Ulmer , K. J., Green, R. A., & Rodriguez-Marek, A. (2020). A consistent correlation between Vs, SPT, and CPT metrics for use in liquefaction evaluation procedures. *Geo-Congress* (pp. 132-140). Reston, VA: American Society of Civil Engineers.
- Wang, W., Liu, H., Li, Y., & Su, J. (2014). Development and management of land reclamation China. *Ocean & Coastal Management*, 102, 415-425.



- Yamamoto, M., Harada, K., & Nozu, M. (2000). New design of sand compaction pile for preventing liquefaction in loose sandy ground. *Journal of the Japanese Society of Soils Mechanics and Foundation Engineering*, Vol 48, No.11, pp.17-20.
- Youd, T. L., & Idriss, I. M. (2001). Liquefaction resistance of soils: summary report from the 1996 NCEER and 1998 NCEER/NSF workshops on evaluation of liquefaction resistance of soils. *Journal of geotechnical and geoenvironmental engineering*, 127(4), 297-313.
- Zhang, G., Robertson, P. K., & Brachman, R. W. (2002). Estimating liquefaction-induced ground settlements from CPT for level ground. *Canadian Geotechnical Journal*, 39(5), 1168-1180.
- Zhou, Y. G., Liu, K., Ling, D. S., Shen, T., & Chen, Y. M. (2018). Threshold seismic energy and liquefaction distance limit during the 2008 Wenchuan earthquake. *Bulletin of Earthquake Engineering*, 16, 5151-5170.
- Zhou, Y. G., Sun, Z. B., & Chen, Y. M. (2021). Liquefaction mitigation mechanisms of stone column-improved ground by dynamic centrifuge model test. *Soil Dynamics and Earthquake Engineering*, 150, 106946.