

## DAFTAR PUSTAKA

- Alwi, F.M., Khusaini, M., Abu Bakar, A.M.S., and Faik, A.A.M. 2022. Development of nested polymerase chain reaction for detection of rabies. *Journal of Physics: Conference Series*, 2314: 1-9. DOI: 10.1088/1742-6596/2314/1/012028
- Andersen, K., Baldwin, B.G., and Bremer, B. 1999. Phylogenetic utility of nuclear rDNA ITS region in subfamily Ixoroidae (Rubiaceae): comparison with cpDNA *rbcL* sequence data. *Plant Systematic Evolution*. (217): 119-135
- Andersson, L. 1998. Heliconiaceae. In Kubitzki K. Flowering Plants. Monocotyledons. Springer-Verlag Berlin. Pp. 226–230.
- Assis, L.C.S. 2017. Patterns of character evolution in phylogenies. *Journal of Systematics and Evolution*. 55(3): 225–230. DOI: 10.1111/jse.12241
- Astarini, I.A., Ardiana, S.A., Putra, I.N.G., Pertiwi, P.D., Sembiring, A., Yusmalinda, A., and Al Malik, D. 2021. Genetic diversity and phylogenetic of Longtail Tuna (*Thunnus tonggol*) landed in Pabean Fish Market, Surabaya. *Musamus Fisheries and Marine Journal*. 3(2): 107–115. DOI: 10.35724/mfmj.v3i2.3375
- Barrett, C.F., Specht, C.D., Leebens-Mack, J., Stevenson, D.W., Zomlefer, W.B., and Davis, J.I. 2014. Resolving ancient radiations: can complete plastid gene sets elucidate deep relationships among the tropical gingers (Zingiberales)? *Annals of Botany*, 113: 119-133. DOI: 10.1093/aob/mct264
- Barthet, M.M., Pierpont, C.L., and Tavernier, E.K. 2020. Unravelling the role of enigmatic *MatK* maturase in chloroplast group IIA intron excision. *Plant Direct*. 4(3): 1-7. DOI: 10.1002/pld3.208
- Berry, F., and Kress, W.J. 1991. *Heliconia*: An identification guide. Smithsonian Institution Press New York. Pp. 170.
- BPS Provinsi D.I. Yogyakarta. 2020. Daerah Istimewa Yogyakarta Statistik Hortikultura (Statistics of Daerah Istimewa Yogyakarta Province). Badan Pusat Statistik Provinsi D.I. Yogyakarta. Pp. 1-100.
- Candramila, W., Fajri, H., Mardiyanningsih, A.N., Firmansyah, R., and Akbar, D. 2023. Taxonomic confirmation of rare fruits in West Kalimantan using *rbcL* and *matK* sequences. *Biosaintifika*. 15(1): 20-25.  
<https://journal.unnes.ac.id/nju/index.php/biosaintifika>
- Chandrashekar, S.Y., Harishkumar, K., and Kavana, G.B. 2020. Exotic flower *Heliconia*: production technology and post harvest handling. *Floriculture Today*. Pp. 10–14. <https://www.researchgate.net/publication/355146127>
- Consortium for the Barcode of Life Plant Working Group. 2009. A DNA barcode for land plants. *PNAS*. 106(31): 12794–12797. DOI: 10.1073/pnas.0905845106
- Cronquist, A. 1981. An integrated system of classification of flowering plants. Columbia University Press. New York.

- Daniell, H., Lin, C.S., Yu, M., and Chang, W.J. 2016. Chloroplast genomes: diversity, evolution, and applications in genetic engineering. in *Genome Biology*. 17(1). DOI: 10.1186/s13059-016-1004-2
- Darriba, D., Taboada, G.L., Doallo, R., and Posada, D. 2012. jModelTest 2: more models, new heuristics and parallel computing. *Nature methods*. 9(8): 772. DOI: 10.1038/nmeth.2109
- Dong-Mei, L., Hai-Lin, L., Yan-Gu, P., Bo, Y., Dan, H., and Gen-Fa, Z. 2023. Comparative chloroplast genomic of 21 species in Zingiberales with implications for their phylogenetic relationships and molecular dating. *Int. J. Mol. Sci.* 24: 1-25.
- Drummond, A.J., Suchard, M.A., Dong Xie, and Rambaut, A. 2012. Bayesian phylogenetics with BEAUti and the BEAST 1.7. *Mol.Biol.Evol.* 29(8): 1969-1973. DOI: 10.1093/molbev/mss075
- Due, M.S., Susilowati, A., and Yunus, A. 2019. The effect of gamma rays irradiation on diversity of *Musa paradisiaca* var. *sapientum* as revealed by ISSR molecular marker. *Biodiversitas*. 20(5): 1416-1422. DOI: /10.13057/biodiv/d200534
- Feming, T. 2021. Cultural cities profile East Asia: Indonesia Yogyakarta. British Council. Pp. 1-31. <https://tanahindie.org/>
- Flores, R., Black, C., and Ibáñez, A. 2017. A new species of *Heliconia* (Heliconiaceae) with pendent inflorescence, from Chucantí Private Nature Reserve, eastern Panama. *PhytoKeys*. 77 (1): 21–32. <https://doi.org/10.3897/phytokeys.77.11190>
- Fu, N., Ji, M., Rouard, M., Yan, H.F., and Ge, X.J. 2022. Comparative plastome analysis of Musaceae and new insight into phylogenetic relationships. *BMC Genomics*. 23:223.
- Ghorbani, A., Saeedi, Y., and de Boer, H.J. 2017. Unidentifiable by morphology: DNA barcoding of plant material in local markets in Iran. *PLoS ONE*. 12(4): e0175722. DOI: 10.1371/journal.pone.0175722
- Givnish, T.J., Zuluaga, A., Splaink, D., Gomez, M.S., Lam. V.K.Y., Saarela, J.M., Sass, C., Iles, W.J.D., de Sousa, D.J.L, Leebens-Mack, J., Pires, J.C., Zomlefer, W.B., Gandolfo, M.A., Davis, J.I., Stevenson, D.W., dePamphilis, C., Specht, C.D., Graham, S.W., Barrett, C.F., and Ane, C. 2018. Monocot plastid phylogenomics, timeline, net rates of species diversification, the power of multi-gene analyses, and a functional model for the origin of monocots. *American Journal of Botany*. 105(11): 1888-1910. DOI:10.1002/ajb2.1178
- Gowda, V., Erickson, D.L., and Kress, W.J. 2012. Development and characterization of microsatellite loci for two Caribbean *Heliconia* (Heliconiaceae: *H. Bihai* and *H. Caribaea*). *American Journal of Botany*. 99(2). DOI: 10.3732/ajb.1100386
- Gronau, I., Hubisz, M. J., Gulko, B., Danko, C. G., and Siepel, A. 2011. Bayesian inference of ancient human demography from individual genome sequences. *Nature Genetics*. 43(10): 1031–1035. DOI: 10.1038/ng.937

- Guimaraes, W.N.R., Martins, L.S.S., Castro, C.E.F., Carvalho-Filho, J.L.S., and Loges, V. 2014. *Heliconia* phenotypic diversity based on qualitative descriptors. *Genetic and Molecular Research*. 13(2): 3128–3142.
- Hapsari, L., Trimanto, and Wahyudi, D. 2019. Species diversity and phylogenetic analysis of *Heliconia* spp. collections of Purwodadi Botanic Garden (East Java, Indonesia) inferred by *rbcL* gene sequences. *Biodiversitas*. 20(5): 1266–1283. DOI: 10.13057/biodiv/d200505
- Hebert, P.D.N., Cywinska, A., Ball, S.L., and De Waard, J.R. 2003. Biological identifications through DNA barcodes. *Proceedings of the Royal Society B: Biological Sciences*. 270(1512). 313–321. DOI: 10.1098/rspb.2002.2218
- Hidayat, T., and Pancoro, A. 2008. Kajian filogenetika molekuler dan peranannya dalam menyediakan informasi dasar untuk meningkatkan kualitas sumber genetik anggrek. *AgroBiogen*. 4(1): 35–40.
- Hidayati, I. 2020. Bentang lahan Jawa bagian tengah, sebuah catatan lapangan di Propinsi Daerah Istimewa Yogyakarta. *Jurnal Geografi*. 18(2): 145-164.
- Hintze, J. 2014. An identification picture book for Heliconias and Gingers for cut flower growers. Jungle Plant & Flower Service. Darwin NT, Australia.
- Huang, X., Coulibaly, D., Tan, W., Ni, Z., Shi, T., Li, H., Hayat, F., and Gao, Z. 2022. The analysis of genetic structure and characteristics of the chloroplast genome in different Japanese apricot germplasm populations. *BMC Plant Biology*. 22: 1–13. DOI: 10.1186/s12870-022-03731-5
- Huelsenbeck J.P., and Hillis, D.M. 1993. Success of phylogenetic methods in the four-taxon case. *Syst. Biol.* 42(3): 247–264.
- Iles, W.J.D., Sass, C., Lagomarsino, L., Benson-Martin, G., Driscoll, H., and Specht, C.D. 2017. The phylogeny of *Heliconia* (Heliconiaceae) and the evolution of floral presentation. *Molecular Phylogenetics and Evolution*. 117: 150-167. DOI: /10.1016/j.ympev.2016.12.001
- Irfayanti, A.D., Wibowo, A.S., Sumartini, N.P., Nurfalah, Z., Adani, A.D., Sijabat, M.S., Situmorang, N., Iman, Q., Damayanti, S.R., and Putra, Y.R. 2021. Statistik Hortikultura 2021. Badan Pusat Statistik Republik Indonesia. Pp. 1-96.
- Irfayanti, A.D., Wibowo, A.S., Stiyaningsih, H., Putri, I.M., Gitaningtyas, O.P., Areka, S.K., Suprpti, W., and Nurfalah, Z. 2022. Statistik Hortikultura 2022. Badan Pusat Statistik Republik Indonesia. Pp. 1-93
- Isaza, L., Marulanda, M.L., and López, A.M. 2012. Genetic diversity and molecular characterization of several *Heliconia* species in Colombia. *Genetics and Molecular Research:GMR*. 11(4): 4552–4563. DOI:10.4238/2012.November.12.9
- Jamil, I., Qamarunnisa, S., and Azhar, A. 2019. Effect of outgroup on phylogeny reconstruction: a case study of family Solanaceae. *Pure and Applied Biology*. 8(4): 2213–2227. DOI: 10.19045/bspab.2019.80167

- Kalangi, C., Kamu, V. S., and Kumaunang, M. 2014. Barcode DNA tanaman Leilem (*Clerodendrum minahassae* L.) berdasarkan gen *matK*. *Jurnal MIPA Unsrat Online*. 3(2): 108–112.
- Kapa Biosystems. 2014. KAPA2G Fast HotStart PCR Kit Technical Data Sheet. Kapa Biosystems Inc, Wilmington, MA.
- Kar, P., and Goyal, A. K. 2015. *Maturase K* gene in plant DNA barcoding and phylogenetics mutivariate morphometric analysis of Bamboos of Kokrajhar District of BTAD, Assam, INDIA View project. in Plant DNA Barcoding and Phylogenetics. Lambert Academic Publishing Germany. Pp. 79-90. <https://www.researchgate.net/publication/274953807>
- Kayama, K., Kanno, M., Chisaki, N., Tanaka, M., Yao, R., Hanazono, K., Camer, G.A., and Endoh, D. 2021. Prediction of PCR amplification from primer and template sequences using recurrent neural network. *ScientificReports*. 11: 7493. DOI: 10.1038/s41598-021-86357-1
- Kholqiyah, S.F., Wahyudi, D., and Hapsari, L. 2022. Kekerabatan fenetik *Heliconia* spp. koleksi Kebun Raya Purwodadi berdasarkan deskriptor kualitatif. *Bul. Plasma Nutfah*. 28(1): 45–56. DOI: 10.21082/blpn.v28n1.2022.p45-56
- Kirby, L.T. 1990. DNA fingerprinting: an introduction. M. Stockton Press, New York. DOI: 10.1007/978-1-349-12040-6
- Kress, J. 1990. The diversity and distribution of *Heliconia* (Heliconiaceae) in Brazil. *Acta Botanica Brasilica*. 4(1): 159–167.
- Kurniawan, F. 2022. Review of geographic factors support mapping in Yogyakarta related to food security conditions on the physiological quality of talented athletes. *Advance in Health Sciences Research*, 43, 289–294.
- Kuzmina, M.L., Johnson, K.L., Barron, H.R., and Hebert, P.D. 2012. Identification of the vascular plants of Churchill, Manitoba, using a DNA barcode library. *BMC Ecology*. 12(25): 1–11. <http://www.biomedcentral.com/1472-6785/12/25>
- Lestari, D.A., Azrianingsih, R., and Hendrian. 2018. Filogenetik jenis-jenis Annonaceae dari Jawa Timur Koleksi Kebun Raya Purwodadi berdasarkan *coding* dan *non-coding* sekuen DNA. *J. Trop. Biodiv. Biotech*. 3: 1-7.
- Librado, P., and Rozas, J. 2009. DnaSP v5: A software for comprehensive analysis of DNA polymorphism data. *Bioinformatics* 25: 1451-1452.
- Maddison, W.P., and Maddison, D.R. 2018. Mesquite: a modular system for evolutionary analysis. *Evolution*. 62: 1103-1118.
- Malakar, M., Acharyya, P., and Biswas, S. 2015. Evaluation of *Heliconia* species based on agro-morphological traits. *International Journal of Agriculture, Environment and Biotechnology*. 8(4), 957–964.
- Malakar, M., and Biswas, S. 2022. Heliconias: daramatic flowers of the tropics and subtropics. In Datta, S.K. and Gupta, Y.C. (eds). Floriculture and ornamental

- plants, handbooks of crop diversity: conservation and use of plant genetic resources. Pp. 729-776.
- Marouelli, L.P., Inglis, P.W., Ferreira, M.A., and Buso, G.S.C. 2010. Genetic relationships among *Heliconia* (Heliconiaceae) species based on RAPD markers. *Genetics and Molecular Research: GMR*. 9(3): 1377–1387. DOI: 10.4238/vol9-3gmr847
- Meiklejohn, K.A., Jackson, M.L., Stern, L.A., and Robertson, J.M. 2018. A protocol for obtaining DNA barcodes from plant and insect fragments isolated from forensic-type soils. *International Journal of Legal Medicine*. 44. DOI: 10.1007/s00414-018-1772-1
- Meléndez-Ackerman, E.J., Speranza, P., Kress, W.J., Rohena, L., Toledo, E., Cortés, C., Treece, D., Gitzendanner, M., Soltis, P., and Soltis, D. 2005. Microevolutionary processes inferred from AFLP and morphological variation in *Heliconia bihai* (Heliconiaceae). *International Journal of Plant Sciences*. 166(5): 781–794. DOI: 10.1086/431231
- Mubarak, S.M.H., Al-Koofee, D.A.F., Radhi, O.A., Ismael, J.M., and Al-Zubaidi, Z.F. 2020. An optimization and common troubleshooting solving in polymerase chain reaction technique. *Sys. Rev. Pharm*. 11(2): 427-436.
- Muliani, D.R., Yulianda, F., and Butet, N.A. 2020. Karakteristik gen *Chytochrome Oxidase* Subunit I (COI) tiram daging dari Genus *Crassostrea* sebagai identitas jenis di Delta Cimanuk, Jawa Barat. *Jurnal Moluska Indonesia*. 4(1): 8-16.
- Narita, V., Arum, A.L., M. Isnaeni, S., and Fawzya, N.Y. 2012. Analisis bioinformatika berbasis WEB untuk eksplorasi enzim kitosanase berdasarkan kemiripan sekuens. *Jurnal Al-Azhar Indonesia Seri Sains dan Teknologi*. 1(4): 197-203.
- Nuryadin, D., Saleh, S., Hardi, A.S., and Pangaribowo, E.H. 2019. Developing a dynamic model for sustainable development in Yogyakarta City. *The Indonesia Journal of Planning and Development*. 4(2): 57-68. DOI: 10.14710/ijpd.4.2.57-68
- Oktafia, R.E., and Badruzsaufari, D. 2021. Analisis filogenetik *Garcinia* spp. berdasarkan sekuens gen rRNA. *Ziraa'ah*. 46(2), 259–264.
- Olvera, S., Cortez, C.M., Contreras, T.A., Ortiz, S., Avendano, A.C., Olivera, A., Canul, J., Grajales, M. 2018. Comparison of four DNA extraction methods in *Heliconia* (*Heliconia* L.). *African Journal of Biotechnology*. 17(45): 1331-1338. DOI: 10.5897/AJB2018.16481
- Probojati, R.T., Listyorini, D., Sulisetijono, S., and Wahyudi, D. 2021. Phylogeny and estimated genetic divergence times of banana cultivars (*Musa* spp.) from Java Island by *maturase K (matK)* genes. *Bulletin of the National Research Centre*. 45(1):1-13. DOI: 10.1186/s42269-021-00492-3
- Probojati, R.T., Wahyudi, D., and Hapsari, L. 2019. Clustering Analysis and Genome Inference of Pisang Raja Local Cultivars (*Musa* spp.) from Java Island by



- Random Amplified Polymorphic DNA (RAPD) Marker. *Journal of Tropical Biodiversity and Biotechnology*. 04(02): 42-53. DOI: 10.22146/jtbb.44047
- Psifidi, A., Dovas, C.I., and Banos, G. 2010. A comparison of six methods for genomic DNA extraction suitable for PCR-based genotyping applications using ovine milk samples. *Molecular and Cellular Probes*. 24(2): 93–98. DOI: 10.1016/j.mcp.2009.11.001
- Rajarajan, K., Vishnu, R., Priyadarshini, E., Arunachalam, P., and Ramanan, S. S. 2022. Phylogenetics in the context of tree diversity and conservation. in *Molecular Genetics and Genomics Tools in Biodiversity Conservation*. Springer Nature Singapore. Pp. 17–30. DOI: 10.1007/978-981-16-6005-4\_2
- Rangkuti, A.B., Mawarni, A., and Rangkuti, R.R. 2022. Phylogenetic reconstruction of tree species on the University of North Sumatra Campus, based on the *rbcL* gene. *4<sup>th</sup> Internasional Conference of Natural Resources and Technology*. 1-6.
- Roy, S.S., Dasgupta, R., and Bachi, A. 2014. A review on phylogenetic analysis: a journey through modern era. *Computational Molecular Biscoence*. 4(3): 39-45.
- Russo, C.A. de M., and Selvatti, A.P. 2018. Bootstrap and Rogue identification tests for phylogenetic analyses. *Mol. Biol. Evol.*, 35(9): 2327-2333.
- Ryadi, A., Siregar, I., Moura, C. de M., Gailing, O., and Amandita, F. Y. 2023. An early reference to DNA barcode for the Anacardiaceae Family. *HAYATI Journal of Biosciences*. 30(3): 543–550. DOI: 10.4308/hjb.30.3.543-550
- Sambrook, J., Fritsch, F., and Miniatis, T. 1989. *Molecular Cloning Laboratory Manual*. 3<sup>rd</sup> edition. Cold Spring Harbor Laboratory Pr, New York (US).
- Schluter, D. and Rieseberg, L.H. 2022. Three problems in the genetics of speciation by selection. *Proc. Natl. Acad. Sci. USA*. 119(30): 1-10. DOI: 10.1073/pnas.2122153119
- Seong, D., and Offer, S. 2013. A phylogenetic study of conifers describes their evolutionary relationships and reveals potential explanations for current distribution patterns. *Journal of Engineering Investigators*. 1-9.
- Sevindik, E., and Okan, K. 2020. Genetic diversity and phylogenetic analyses of *Laurus nobilis* L. (Lauraceae) populations revealed chloroplast (cpDNA) *trnL* intron and *trnL-F* region. *International Journal of Fruit Science*. 20(S2): S82–S93. DOI: /15538362.2019.1707745
- Shetty, S.M., Shah, M.U.M., Makale, K., Mohd-Yusuf, Y., Khalid, N., and Othman, R.Y. 2016. Complete chloroplast genome sequence of *Musa balbisiana* corroborates structural heterogeneity of inverted repeats in wild progenitors of cultivated bananas and plantains. *Plant Genome*, 9(2): 1-14. DOI: 10.3835/plantgenome2015.09.0089
- Silalahi, D., Wirawan, I.G.P., and Sasadara, M.M.V. 2021. Optimization of annealing temperature for amplification of *Ehosc01a* locus in pranajiwa (*Euchresta horsfieldii*) plant collected from mountains, urban and coastal areas in Bali. *IOP*

- Conf. Series: Earth and Environmental Science*. 913: 1-8. DOI:10.1088/1755-1315/913/1/012059
- Silalahi, M. 2016. Keanekaragaman dan distribusi tumbuhan bermanfaat di pekarangan kampus Universitas Kristen Indonesia (UKI) Cawang, Jakarta Timur. *Jurnal Biologi*. 20(2): 75–82. [http://repository.uki.ac.id/494/1/Jurnal Biologi volume 20 no 2.pdf](http://repository.uki.ac.id/494/1/Jurnal%20Biologi%20volume%20no%202.pdf)
- Simpson, M. G. 2006. *Plant Systematics*. Elsevier Academic Press.
- Sjodin, P., McKenna, J., and Jakobsson, M. 2021. Estimating divergence times from DNA sequences. *Genetics*, 217(4): 1-15. doi:10.1093/genetics/iyab008
- Subari, A., Razak, A., and Sumarmin, R. 2021. Phylogenetic analysis of *Rasbora* spp. based on the mitochondrial DNA COI gene in Harapan forest. *Jurnal Biologi Tropis*. 21(1): 89-94.
- Suchard, M.A., Lemey, P., Baele, G., Ayres, D.L., Drummond, A.J., and Rambaut, A. 2018. Bayesian phylogenetics and phylodynamics data integration using BEAST 1.10. *Virus Evolution*. 4(1).
- Sugita, M., Shinozaki, K., and Sugiuraf, M. 1985. Tobacco chloroplast tRNA<sup>LYS</sup>(UUU) gene contains a 2.5-kilobase-pair intron: An open reading frame and a conserved boundary sequence in the intron. *Proc. Natl. Acad. Sci. USA*. 82, 3557–3561.
- Suriati, N., Dewi, R., and Djelantik, A. 2015. Pola kemitraan antara petani *Heliconia* dengan Sekar Bumi Farm di Desa Kerta Kecamatan Payangan Kabupaten Gianyar. *E-Journal Agribisnis dan Agrowisata (Journal of Agribusiness and Agritourism)*. 4(4): 241–249.
- Tallei, T.E., and Kolondam, B.J. 2015. DNA barcoding of Sangihe Nutmeg (*M. fragrans*) using *matK* gene. *Hayati Journal of Biosciences*. 22(1): 41-47. DOI: 10.4308/hjb.22.1.41
- Tamura, K., Stecher, G., and Kumar, S. 2021. MEGA11: molecular evolutionary genetics analysis version 11. *Mo. Biol. Evol.* 38(7): 3022-3027.
- The Angiosperm Phylogeny Group. 2016. An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG IV. *Botanical Journal of the Linnean Society*. 181: 1-20.
- Udensi, O.U., Ita, E.E., Ikpeme, E.V., Ubi, G., and Emeagi, L.I. 2017. Sequence analysis of *maturase K (matK)*: A chloroplast-encoding gene in some selected pulses. *Global Journal of Pure and Applied Sciences*. 23(2): 213. DOI: 10.4314/gjpas.v23i2.2
- Yang, Z., and Rannala, B. 2012. Molecular phylogenetics: principles and practice. *Nature Reviews Genetics*. 13(5): 303.
- Yang, Z., Le, J.T., Hutter, D., Bradley, K.M., Overton, B.R., McLendon, C., and Benner, S.A. 2020. Eliminating primer dimers and improving SNP detection using

- self-avoiding molecular recognition. *Biology Methods and Protocols*, 1-13. DOI: 10.1093/biomethods/bpaa004
- Zoschke, R., Nakamura, M., Liere, K., Sugiura, M., Börner, T., and Schmitz-Linneweber, C. 2010. An organellar maturase associates with multiple group II introns. *Proceedings of the National Academy of Sciences of the United States of America*. 107(7): 3245–3250. DOI: 10.1073/pnas.0909400107
- Zou, Y., Zhang, Z., Zeng, Y., Hu, H., Hao, Y., Huang, S., and Li, B. 2024. Common methods for phylogenetic tree construction and their implementation in R. *Bioengineering*, 11(480): 1-22.
- Zuniga, J.D., Gostel, M.R., Mulcahy, D.G., Barker, K., Hill, A., Sedaghatpour, M., Vo, S.Q., Funk, V.A., and Coddington, J.A. 2017. Data release: DNA barcodes of plant species collected for the Global Genome Initiative for Gardens Program National Museum of Natural History, Smithsonian Institution. *PhytoKeys*. 88: 119-122.
- Zuraida, A., Dalem, A.A.G.R., and Joni, M. 2018. Inventarisasi jenis-jenis tanaman hias introduksi di Desa Penglipuran, Kabupaten Bangli, Bali. *Jurnal Simbiosis*. 6(1): 25–29. <http://ojs.unud.ac.id/index.php/simbiosis>