

## DAFTAR PUSTAKA

1. Hennessey MH, Rayburn WF, Stewart DC, Liles EC. Pre-eclampsia and induction of labor: A randomized comparison of prostaglandin E<sub>2</sub> as an intracervical gel, with oxitocin immediately, or as a sustained-release vaginal insert. *Am J Obstet Gynecol* 1998;179:1204-9.
2. Witlin AG, Friedman SA, Sibai BM. The effect of magnesium sulfate therapy on the duration of labor in women with mild preeclampsia at term: A randomized, double-blind, placebo-controlled trial. *Am J Obstet Gynecol* 1997;176:623-7.
3. Salha O, Walker JJ. Modern management of eclampsia. *Postgrad Med J* 1999;75:78-82.
4. Cunningham FG, MacDonald PC, Gan NF, Leveno KJ, Clark SL. Hypertensive disorders in pregnancy. In: Williams Obstetric 21<sup>st</sup> edition, New York. The McGraw-Hill Co, 2001;567-618.
5. National High Blood Pressure Education Program Working Group on High Blood Pressure in Pregnancy. Report of the National High Blood Pressure Education Program Working Group on High Blood Pressure in Pregnancy. *Am J Obstet Gynecol* 2000;183:S1-S22.
6. Sibai BM, Mercer BM, Schiff E, Friedman SA. Aggressive versus expectant management of severe preeclampsia at 28 to 32 weeks' gestation: A randomized controlled trial. *Am J Obstet Gynecol* 1994;171:818-22.
7. Coppage KH, Polzin WJ. Severe preeclampsia and delivery outcome: Is immediate cesarean delivery beneficial? *Am J Obstet Gynecol* 2002;186:921-3.
8. Xenakis EM, Piper JM, Field N, Conway D, Langer O. Preeclampsia: is induction of labor more successful? (abstract) *Obstet Gynecol* 1997;89:600-3.
9. Field NT, Grant M, Piper JM, Samueloff A, Xenakis E, Langer O. The likelihood of successful of labor induction in preeclampsia. *Am J Obstet Gynecol* 1993;168:391.
10. Coonrod DV, Bay RC, Kishi GY. The epidemiology of labor induction: Arizona, 1997. *Am J Obstet Gynecol* 2000;182:1355-62.
11. Yawn BP, Wollan P, McKeon K, Field CS. Temporal changes in rates and reasons for medical induction of term labor, 1980-1996. *Am J Obstet Gynecol* 2001;184:611-9.
12. Fisher SA, Mackenzie VP, Davies GAL. Oral versus vaginal misoprostol for induction of labor: A double-blind randomized controlled trial. *Am J Obstet Gynecol* 2001;185:906-10.
13. Chamberlain G, Zander L. Induction, ABC of labour care. *BMJ* 1999;318:995-8.
14. Harman JH, Kim A. Current trends in cervical ripening and labor induction. *Am Fam physician* 1999;60:447-84.
15. Wing DA, Tran S, Paul RH. Factors affecting the likelihood of successful induction after intravaginal misoprostol application for cervical ripening and labor induction. *Am J Obstet Gynecol* 2002;186:1237-43.

16. Abramovici D, Goldwasser S, Mabie BC, Mercer BM, Goldwasser R, Sibai BM. A randomized comparison of oral misoprostol versus foley catheter and oxytocin for induction of labor at term. *Am J Obstet Gynecol* 1999;181:1108-12.
17. Cammu HC, Martens G, Ruysinck G, Amy JJ. Outcome after elective induction in nulliparous women: A matched cohort study. *Am J Obstet Gynecol* 2002;186:240-4.
18. Wing DA, Rahall A, Jones MM, Goodwin TM, Paul RH. Misoprostol: An effective agent for cervical ripening and labor induction. *Am J Obstet Gynecol* 1995;172:1811-6.
19. Wing DA, Ham D, Paul RH. A comparison of orally administered misoprostol with vaginally administered misoprostol for cervical ripening and labor induction. *Am J Obstet Gynecol* 1999;180:1155-60.
20. Goldberg AB, Wing DA. Induction of labor. The misoprostol controversy. *Journal of Midwifery & Women's health* 2003;48:
21. Wing DA. Labor induction with misoprostol. *Am J Obstet Gynecol* 1999;181:339-45.
22. Nasution BJ. Perbandingan efektifitas misoprostol peroral dengan pervaginam untuk induksi persalinan (tesis). Bagian Obstetri dan Ginekologi Fakultas Kedokteran Universitas Gadjah Mada. Yogyakarta 2000.
23. Hariadi, Alkaff Z, Siswosudarmo HR. Perbandingan keefektifan misoprostol vaginal dan oral untuk induksi persalinan pada kehamilan a term dengan ketuban pecah dini (tesis). Bagian Obstetri dan Ginekologi Fakultas Kedokteran Universitas Gadjah Mada. Yogyakarta 2002
24. Tenriangka M, Sofoewan S. Faktor risiko kegagalan induksi persalinan dengan misoprostol. Bagian/SMF obstetric dan ginekologi Fakultas Kedokteran Universitas Gadjah Mada/RS Dr Sardjito Yogyakarta. PIT XII POGI 2002.
25. Nassar AH, Adra AM, Chakhtoura N, Gomez-Martin O, Beydoun S. Severe preeclampsia remote from term: Labor induction or elective cesarean delivery? *Am J Obstet Gynecol* 1998;179:1210-3.
26. Szal SE, Croughan-Minihane MS, Kilpatrick SJ. Effect of magnesium prophylaxis and preeclampsia on the duration labor. *Am J Obstet Gynecol* 1999;180:1475-9.
27. Hendrix NW, Chauhan SP, Morrison JH, Magann EF, Martin Jr JN, Devoe LD. Bishop score: A poor diagnostic test to predict failed induction versus vaginal delivery. *Southern Medical Journal* 1998;91(3):248-52.
28. Royal College of Obstetricians and Gynaecologists (RCOG) Guidelines No 9: Induction of Labor. London: RCOG, 2001.
29. Cunningham FG, MacDonald PC, Gan NF, Leveno KJ, Clark SL. Hypertensive disorders in pregnancy. In: Williams Obstetric 21<sup>st</sup> edition, New York. The McGraw-Hill Co, 2001;251-90
30. Calder AA. Review of prostaglandin use in labour induction. *Br J Obstet Gynecol* 1997;104 (S15):2-7.

31. Samil RS. Prostaglandin dalam reproduksi manusia dengan perhatian khusus terhadap wanita. Dalam: Tjokronegoro A, Setiawan B (Ed). Prostaglandin dan Implikasi Klinis. Fakultas Kedokteran Universitas Indonesia; 1983:59-74.
32. Fleeger CA (ed.). USAN and the USP dictionary of drug names. United States Pharmacopeial Convention, Inc., Rockville; 1993: 431-91.
33. Goldberg AB, Greenberg MB, Darney PD. Misoprostol and pregnancy. N Engl J Med 2001;344:38-47.
34. Katz VL, Farmer RM, Dean CA, Carpenter ME. Use misoprostol for cervical ripening. South Med J 2000;93:881-4.
35. Sifton DW (ed). Physicians' desk reference. Medical Economics Company, Inc., Montvale; 1997: 2576-8.
36. Cook JL, Olson DM. The role of uterine prostaglandins in the initiation and maintenance of labour. Fetal and Maternal Medicine Review 1999; 11: 69-78.
37. Lye SJ, Ou CW, Teoh TG, Erb G, Stevens Y, Casper R, Patel FA, Challis JRG. The molecular basis of labour and toxicolysis. Fetal and Maternal Medicine Review 1998; 10: 121-136.
38. Johnson DP, Davis NR, Brown AJ. Risk of cesarean delivery after induction at term in nulliparous women with an unfavorable cervix. Am J Obstet Gynecol 2003;188:1565-72.
39. Dublin S, Rochelle ML, Kaplan RC, Watts DH, Critchlow CW. Maternal and neonatal outcomes after induction of labor without an identified indication. Am J Obstet Gynecol 2000;183:986-94.
40. Main DM, Main EK, Moore II HM. The relationship between maternal age and uterine dysfunction: A continuous effect throughout reproductive life. Am J Obstet Gynecol 2000;182:1312-20.
41. Ecker JL, Chen KT, Cohen AP, Riley LE, Lieberman ES. Increased risk of cesarean delivery with advancing maternal age: Indication and associated factors in nulliparous women. Am J Obstet Gynecol 2001;185:883-7.
42. Mashiloane CD, Moodley J. induction or caesarean section for preterm pre-eclampsia? Obstet Gynecol 2002;22:353-6.
43. PATH. Misoprostol for Obstetric and gynecologic uses: A literature review. EngenderHealth New York, 2001
44. Magann EF, Roberts WE, Perry KG, Chauhan SP, Blake PG, Martin Jr, JN. Factors relevant to mode of preterm delivery with syndrome of HELLP (hemolysis, elevated liver enzymes, and low platelets). Am J Obstet Gynecol 1994;170:1828-34.
45. Myerscough PR. Munro Kerr's Operative Obstetrics. 9<sup>th</sup> Edition. Bailliere Tindall London 1977:41-60.