

## DAFTAR PUSTAKA

- Abrol, D. P. (2012). *Pollination Biology*. Springer Science Business Media. New York. 37 p.
- Alemu, M. M. (2015). Effect of Tree Shade on Coffee Crop Production. *Journal of Sustainable Development*, 8(9): 66-70.
- Ali, A., Riaz, S., & Iqbal, S. (2014). Deforestation on and ITS Impacts on Climate Change an Overview of Pakistan. *Papers on Global Change*, 21: 51-60.
- Amarasinghe, U. A., Hoanh, C. T., D'haeze, D., & Hung, T. Q. (2015). Toward sustainable coffee production in Vietnam: More coffee with less water. *Agricultural Systems*, 136 (2): 96-105.
- Andini, R., Melinda, V., Pardede, E., Yanti, L. A., Hmon, K., Moulana, R., & Indrioko, S. (2022). Morphological variation of Aceh Pinus (*Pinus merkusii*). *IOP Conference Series: Earth and Environmental Science*, 951(1): 1-11.
- Asante, P. E., & Starr, C. K. (2024). Daily activity rhythm of the African stingless bee *Hypotrigena gribodoi* (Hymenoptera: Meliponini) in the dry season, with notes on nest structure and colony composition. *Journal of Melittology*, 115(28): 1–6.
- Balfour, N. J., Fensome, K. A., Samuelson, E. E. W., & Ratnieks, F. L. W. (2015). Following the dance: Ground survey of flowers and flower-visiting insects in a summer foraging hotspot identified via honey bee waggle dance decoding. *Agriculture, Ecosystems and Environment*, 213:265-271.
- Benoit, A. D., & Kalisz, S. (2020). Predator Effects on Plant-Pollinator Interactions, Plant Reproduction, Mating Systems, and Evolution. *Annual Review of Ecology, Evolution, and Systematics*, 51: 319-340.
- Bisrat, D., & Jung, C. (2022). Roles of flower scent in bee–flower mediations: a review. *Journal of Ecology and Environment*, 46(3): 1-13.
- Bliss, S. (2017). Coffee Biomes. In *Geography Bulletin*, 49(4): 1-10. <http://www.coffeearea.org/wp-content/uploads/2014/02/worldwide-coffee-varieties-overview.jpg>
- Bodlah, M. A., Iqbal, J., Ashiq, A., Bodlah, I., Jiang, S., Mudassir, M. A., Rasheed, M. T., & Fareen, A. G. E. (2023). Insect behavioral restraint and adaptation strategies under heat stress: An inclusive review. *Journal of the Saudi Society of Agricultural Sciences*, 22(6): 327-350.
- Brown, M. J. F., & Paxton, R. J. (2009). The conservation of bees: A global perspective. In *Apidologie*, 40(3): 410-416.
- Budagovskyi, A. I., & Novák, V. (2011). Theory of evapotranspiration: 1.

- Transpiration and its quantitative description. *Journal of Hydrology and Hydromechanics*, 59(1): 3-23.
- Calderón-Arroyo, C., Togni, P. H. B., Pantoja, G. M., Saenz, A. S., & Venzon, M. (2023). Plants for Fitness Enhancement of a Coffee Leaf Miner Parasitoid. *Agriculture (Switzerland)*, 13(2): 1-10.
- Campuzano-Duque, L. F., Herrera, J. C., Ged, C., & Blair, M. W. (2021). Bases for the establishment of robusta coffee (*Coffea canephora*) as a new crop for Colombia. In *Agronomy*, 11(12): 1-15.
- Caudill, S. A., Brokaw, J. N., Doublet, D., & Rice, R. A. (2017). Forest and trees: Shade management, forest proximity and pollinator communities in southern Costa Rica coffee agriculture. *Renewable Agriculture and Food Systems*, 32(5): 417-427.
- Colombo, M. C. (2023). Coffee agroforestry system has effects on microclimate and soil chemical and microbial characteristics. *Research Square*, 1–22. <https://doi.org/https://doi.org/10.21203/rs.3.rs-3398325/v1> License.
- Correia, M., Diabaté, M., Beavogui, P., Guilavogui, K., Lamanda, N., & de Foresta, H. (2010). Conserving forest tree diversity in Guinée forestière (Guinea, West Africa): The role of coffee-based agroforests. *Biodiversity and Conservation*, 19(6): 1725-1747.
- DaMatta, F. M., Ronchi, C. P., Maestri, M., & Barros, R. S. (2007). Ecophysiology of coffee growth and production. *Brazilian Journal of Plant Physiology*, 19(4): 485-510.
- Descamps, C., Jambrek, A., Quinet, M., & Jacquemart, A. L. (2021). Warm temperatures reduce flower attractiveness and bumblebee foraging. *Insects*, 12(6): 1-13.
- Donald, P. F. (2004). Society for Conservation Biology Biodiversity Impacts of Some Agricultural Commodity Production Systems. *Source: Conservation Biology*, 18(1): 17-37.
- Donko, K. K., Mamadou, C., Kossi, A., Kossi, B. A., Badabate, D., Kodjovi, M. L. A., & Atsu, K. G. (2019). Typology of coffee-based agroforestry systems in the semi-deciduous forest zone of Togo (West Africa). *International Journal of Biodiversity and Conservation*, 11(7): 199-211.
- Farah, A., & Santos, T. F. D. (2015). The Coffee Plant and Beans: An Introduction. *Bulletin*, 1(2): 1-10
- Ferdian, Istiaji, B., & Buchori, D. (2023). A Systematic review of flower-visiting insect community research on agricultural crops in Indonesia. *IOP Conference Series: Earth and Environmental Science*, 1220(1): 012017 <https://doi.org/10.1088/1755-1315/1220/1/012017>.

- Ferreira, T., J. Shuler, R. Guimaraes, and A. Farah. (2019). Introduction to Coffee Plant and Genetics. The Royal Society of Chemistry. Brazil.
- Gomez, C., Despinoy, M., Hamon, S., Hamon, P., Salmon, D., Akaffou, D. S., Legnate, H., de Kochko, A., Mangeas, M., & Poncet, V. (2016). Shift in precipitation regime promotes interspecific hybridization of introduced *Coffea* species. *Ecology and Evolution*, 6(10): 3240-3255.
- Hadisoesilo, S. (2001). REVIEW: The Diversity of Indigenous Honey Bee Species of Indonesia. *Biodiversitas Journal of Biological Diversity*, 2(1): 123-128.
- Hikmah, N., Budiarsa, I. M., Dhafir, F., Bialangi, M. S., Masrianih, & Trianto, M. (2023). Characteristics Morphology and Morphometry *Lepidotrigona terminata* (Hymenoptera: Meliponini) in Central Sulawesi. *Jurnal Biologi Tropis*, 23(3): 515-520.
- Irizarry, A. D., Collazo, J. A., Pacifici, K., Reich, B. J., & Battle, K. E. (2018). Avian response to shade-layer restoration in coffee plantations in Puerto Rico. *Restoration Ecology*, 26(6): 1212-1220.
- IUCN. (2015). *Hylobates moloch*, *Silvery Javan Gibbon* THE IUCN RED LIST OF THREATENED SPECIES™.
- Kath, J., Byrareddy, V. M., Craparo, A., Nguyen-Huy, T., Mushtaq, S., Cao, L., & Bossolasco, L. (2020). Not so robust: Robusta coffee production is highly sensitive to temperature. *Global Change Biology*, 26(6): 3677-3688.
- Klein, A. M., Steffan-Dewenter, I., Buchori, D., & Tschardtke, T. (2002). Effects of Land-Use Intensity in Tropical Agroforestry Systems on Coffee Flower-Visiting and Trap-Nesting Bees and Wasps. In *Biology*, 16(4): 1-15.
- Klein, A. M., Vaissière, B. E., Cane, J. H., Steffan-Dewenter, I., Cunningham, S. A., Kremen, C., & Tschardtke, T. (2007). Importance of pollinators in changing landscapes for world crops. *Proceedings of the Royal Society B: Biological Sciences*, 274(1608): 303-313.
- Klein, A. M., Steffan-Dewenter, I., & Tschardtke, T., (2003). Pollination of *Coffea canephora* in relation to local and regional agroforestry management. In *Journal of Applied Ecology* 40(1): 837-845.
- Knauer, A. C., & Schiestl, F. P. (2015). Bees use honest floral signals as indicators of reward when visiting flowers. *Ecology Letters*, 18(2): 135-143.
- KPH Pekalongan Timur, 2003. <https://www.perhutani.co.id/tentang-kami/struktur-organisasi/divisi-regional/jateng/kph-pekalongan-timur/>.
- Krebs, C. J. (2014). *Ecology: the experimental analysis of distribution and abundance*. Pearson Education Limited. Edinburgh.
- Krishnan, S., Kushalappa, C. G., Shaanker, R. U., & Ghazoul, J. (2012). Status of pollinators and their efficiency in coffee fruit set in a fragmented landscape mosaic in South India. *Basic and Applied Ecology*, 13(3): 277-285.

- Le, V. H., Truong, C. T., Le, A. H., & Nguyen, B. T. (2023). A Combination of Shade Trees and Soil Characteristics May Determine Robusta Coffee (*Coffea canephora*) Yield in a Tropical Monsoon Environment. *Agronomy*, *13*(65): 1-15.
- Lin, B. B. (2007). Agroforestry management as an adaptive strategy against potential microclimate extremes in coffee agriculture. *Agricultural and Forest Meteorology*, *144*(1): 85-94.
- Lin, B. B. (2010). The role of agroforestry in reducing water loss through soil evaporation and crop transpiration in coffee agroecosystems. *Agricultural and Forest Meteorology*, *150*(4): 510-518.
- Millard, J., Outhwaite, C. L., Kinnersley, R., Freeman, R., Gregory, R. D., Adedjoja, O., Gavini, S., Kioko, E., Kuhlmann, M., Ollerton, J., Ren, Z. X., & Newbold, T. (2021). Global effects of land-use intensity on local pollinator biodiversity. *Nature Communications*, *12*(1): 1-11.
- Morin, P. J. (2011). *Community ecology* 2<sup>nd</sup> Edition. Wiley-Blackwell. USA.
- Muñoz, A. E., Amouroux, P., & Zaviezo, T. (2021). Native flowering shrubs promote beneficial insects in avocado orchards. *Agricultural and Forest Entomology*, *23*(4): 463-472.
- Muschler, R. G. (2001). Shade improves coffee quality in a sub-optimal coffee-zone of Costa Rica Shade improves coffee quality in a sub-optimal coffee-zone of. *Agroforestry Systems*, *85*(5): 131-139.
- Nicholls, C. I., & Altieri, M. A. (2013). Plant biodiversity enhances bees and other insect pollinators in agroecosystems. A review. *Agronomy for Sustainable Development*, *33*(2): 257-274.
- Njora, B., & Yilmaz, H. (2022). *Int. Journal of Water Management and Diplomacy Analysis of the Effects of Deforestation on the Environment and Agriculture In Kenya*. e-ISSN:2717-8277.
- Nuraini, N., & Purwanto, H. (2021). Morphology, morphometrics, and molecular characteristics of *Apis cerana* and *Apis nigrocincta* from Central Sulawesi, Indonesia. *Jurnal Biologi Tropis*, *21*(2): 368-382.
- Pattikawa, R. H., Lamerkabel, J. S. A., & Hasinu, J. V. (2023). Sebaran dan Karakter Morfologi Lebah Madu Hutan *Apis dorsata* (F.) di Pulau Sermata Kabupaten Maluku Barat Daya. *Jurnal Agrosilvopasture-Tech*, *2*(2): 394-402.
- Puteri, G., Herwina, H., Mairawita, & Janra, M. N. (2022). Foraging Activity of *Tetragonula laeviceps* Workers for Natural Resources and Nest Materials at a Polyculture Cropland in Batusangkar, Tanah Datar Regency, West Sumatra. *IOP Conference Series: Earth and Environmental Science*, *1059*(1): 012086.
- Raza, A., Hu, Y., Acharki, S., Buttar, N. A., Ray, R. L., Khaliq, A., Zubair, N., Zubair, M., Syed, N. R., & Elbeltagi, A. (2023). Evapotranspiration

- Importance in Water Resources Management Through Cutting-Edge Approaches of Remote Sensing and Machine Learning Algorithms. *Springer International Publishing*, 1(5): 1-20.
- Rohila, A., Duhan, A., & Kumar, A. (2017). Impact of agricultural practices on environment. *Article in Asian Journal of Microbiology Biotechnology and Environmental Sciences*, 19(2): 145-148.
- Roubik, D. W. (2002). The value of bees to the coffee harvest. *Brief communication*, 417(1): 1-2.
- Salazar, B. M., DanulyN M M. G., Lagrimas A. J. M., Santos, P. J. A & Rosario E. E. D. (2019). Profiling and Analysis of Reproductive Phenology of Four Coffee (*Coffea* spp.) Species in the Philippines using the BBCH Scale. *Philippine Journal of Crop Science*, 44(3): 10-1.
- Schowalter, T. D. (2006). *INSECT ECOLOGY An Ecosystem Approach*. USA: Elsevier Inc.
- Shanahan, M., & Spivak, M. (2021). Resin use by stingless bees: A review. *Insects*, 12(8): 1-20.
- Siles, P., Harmand, J. M., & Vaast, P. (2010). Effects of *Inga densiflora* on the microclimate of coffee (*Coffea arabica* L.) and overall biomass under optimal growing conditions in Costa Rica. *Agroforestry Systems*, 78(3): 269-286.
- Smith, J. P., Heard, T. A., Beekman, M., & Gloag, R. (2017). Flight range of the Australian stingless bee *Tetragonula carbonaria* (Hymenoptera: Apidae). *Austral Entomology*, 56(1): 50-53.
- Supeno, B., Erwan, & Agussalim. (2021). Enhances production of coffee (*Coffea robusta*): The role of pollinator, forages potency, and honey production from *Tetragonula* sp. (meliponinae) in central Lombok, Indonesia. *Biodiversitas*, 22(10): 4687-4693.
- Supriyadi, S., Dzikrillah, F. D., Arniputri, R. B., & Wijayanti, R. (2020). The effect of shade trees in the coffee ecosystem to the population and diurnal activity of insect pollinators. *International Journal on Advanced Science, Engineering and Information Technology*, 10(4): 1743-1749.
- Supriyadi, S., Wijayanti, R., Arniputri, R. B., & Ayudya, R. (2021). Enhancing flower-visiting insects by planting of Sunn hemp (*Crotalaria juncea* l.) in the ecosystem of coffee. *Agriculturae Conspectus Scientificus*, 86(2): 125-130.
- Trianto, M., & Purwanto, H. (2020). Morphological characteristics and morphometrics of stingless bees (Hymenoptera: Meliponini) in Yogyakarta, Indonesia. *Biodiversitas*, 21(6): 2619-2628.
- Trianto, M., & Purwanto, H. (2022). Diversity, abundance, and distribution patterns of stingless bees (Hymenoptera: Meliponini) in Yogyakarta, Indonesia. *Biodiversitas*, 23(2): 695-702.

- Utaipanon, P., Holmes, M. J., Chapman, N. C., & Oldroyd, B. P. (2019). Estimating the density of honey bee (*Apis mellifera*) colonies using trapped drones: area sampled and drone mating flight distance. *Apidologie*, 50(4): 578-592.
- Uhl, P., & Brühl, C. A. (2019). The Impact of Pesticides on Flower-Visiting Insects: A Review with Regard to European Risk Assessment. *Environmental Toxicology and Chemistry*, 38(11): 2355-2370.
- Waktola, T. U., & Fekadu, K. (2021). Adoption of Coffee Shade Agroforestry Technology and Shade Tree Management in Gobu Seyo District, East Wollega, Oromia. *Advances in Agriculture*, 2021: 1-13.
- van Oijen, M., Dauzat, J., Harmand, J. M., Lawson, G., & Vaast, P. (2010). Coffee agroforestry systems in Central America: I. A review of quantitative information on physiological and ecological processes. *Agroforestry Systems*, 80(3): 341-359.