

## DAFTAR PUSTAKA

- Abinawanto, Hamidah, H., Bowolaksono, A., & Eprilurahman, R. (2018a). Short communication : biometric of freshwater crayfish (*Cherax spp.*) from Papua and West Papua, Indonesia. *Biodiversitas*, 19(2), 489–495. <https://doi.org/10.13057/biodiv/d190216>
- Abinawanto, Sriyani, E. D., & Bowolaksono, A. (2018b). Characterization of sentani gudgeon, *Oxyeleotris heterodon* (Weber, 1907) at Sentani Lake, Papua, Indonesia based on truss morphometric. *Biodiversitas*, 19(3), 1013–1020. <https://doi.org/10.13057/biodiv/d190333>
- Acar, E., & Kaymak, N. (2023). Morphological and functional trait divergence in endemic fish populations along the small-scale karstic stream. *BMC Zoology*, 8(1), 1–12. <https://doi.org/10.1186/s40850-023-00191-8>
- Anam, K., Cahyadi, W., Azmi, I., Senjarini, K., & Oktarianti, R. (2021). Analisis hasil elektroforesis DNA dengan *image processing* menggunakan metode *gaussian filter*. *IJEIS (Indonesian Journal of Electronics and Instrumentation Systems)*, 11(1), 37. <https://doi.org/10.22146/ijeis.58268>
- Andriyono, S., & Suciyo, S. (2020). Molecular identification and phylogenetic tree reconstruction of marine fish from the essential wetland area of Banyuwangi, Indonesia. *Egyptian Journal of Aquatic Biology and Fisheries*, 24(2), 427–439. <https://doi.org/10.21608/ejabf.2020.87032>
- Asiah, N., Junianto, Yustiati, A., & Sukendi. (2018). Morfometrik dan meristik ikan kelabau (*Osteochilus melanopleurus*) dari Sungai Kampar, Provinsi Riau. *Jurnal Perikanan Dan Kelautan*, 23(1), 47–56.
- Asriyana and Syafei, L. (2012). Perubahan ontogenetik makanan ikan kurisi, *Nemipterus hexodon* (Famili: Nemipteridae) di Teluk Kendari. *Jurnal Iktiologi Indonesia*, 12(1), 49–57.
- Ay, İ., Çiftçi, N., & Ayas, D. (2022). Morphometric comparison of different populations of *Nemipterus randalli* Russell 1986 distributed in the Mediterranean coasts of Turkey. *Advanced Underwater Sciences*, 2(1), 1–8.
- Bergstad, O. A. (2019). Fish: Demersal Fish (Life Histories, Behavior, Adaptations). In *Encyclopedia of Ocean Sciences, Third Edition: Volume 1-5* (3rd ed., Vols. 1–5). Elsevier Ltd. <https://doi.org/10.1016/B978-0-12-813081-0.00673-X>
- Briski, E., Cristescu, M. E., Bailey, S. A., & MacIsaac, H. J. (2011). Use of DNA barcoding to detect invertebrate invasive species from diapausing eggs. *Biological Invasions*, 13(6), 1325–1340. <https://doi.org/10.1007/s10530-010-9892-7>
- Desiani, A., Firdaus, F., & Maiyanti, S. I. (2016). A reasoning technique for taxonomy expert system of living organisms. *Annual Research Seminar 2016*, 2(1), 272–276.
- Dharmayanti, N. L. P. I. (2011). Filogenetika molekuler: metode taksonomi organisme berdasarkan sejarah evolusi. *WARTAZOA*, 21(1), 1–10.

- Dubois, A. (2003). The relationships between taxonomy and conservation biology in the century of extinctions. *Comptes Rendus - Biologies*, 326(SUPPL. 1), 9–21. [https://doi.org/10.1016/s1631-0691\(03\)00022-2](https://doi.org/10.1016/s1631-0691(03)00022-2)
- En, L., Abdullah, S., Pau, T., Ghaffar, M., Man, A., & Jaafar, T. (2019). Cytochrome oxidase I (COI) divergence assessment of Family Nemipteridae from Malaysian Waters. *Journal of Undergraduate Research*, 1(1), 41–48.
- Fatmarischa, N., Sutopo, & Johari, S. (2014). Jarak genetik dan faktor peubah pembeda entok jantan dan betina melalui pendekatan analisis morfometrik. *Jurnal Peternakan Indonesia*, 16(1), 33–39.
- Fishbase. (2024). *Scientific names where genus equals Nemipterus*. <https://www.fishbase.se/Nomenclature/ValidNameList.php?syng=nemipterus&syms=&vtitle=Scientific+Names+where+Genus+Equals+%3Ci%3ENemipterus%3C%2Fi%3E&crit2=CONTAINS&crit1=EQUAL>
- Giamurti, A., Bambang, A., & Fitri, A. (2015). Analisis pemasaran hasil tangkapan kakap merah (*Lutjanus* sp.) di Pelabuhan Perikanan Nusantara Brondong, Lamongan, Jawa Timur. *Journal of Fisheries Resources Utilization Management and Technology*, 4(4), 8–17.
- Global Biodiversity Information Facility. (2023). *Nemipterus Swainson*, 1839. <https://www.gbif.org/species/2379945>
- Global Biodiversity Information Facility. (2024). *Nemipterus Swainson*, 1839. <https://www.gbif.org/species/2379945>
- González, M. A., Rodriguez, J. M., Angón, E., Martínez, A., Garcia, A., & Peña, F. (2016). Characterization of morphological and meristic traits and their variations between two different populations (wild and cultured) of *Cichlasoma festae*, a species native to tropical Ecuadorian rivers. *Archives Animal Breeding*, 59(4), 435–444. <https://doi.org/10.5194/aab-59-435-2016>
- Goodwin, K. D., Thompson, L. R., Duarte, B., Kahlke, T., Thompson, A. R., Marques, J. C., & Caçador, I. (2017). DNA sequencing as a tool to monitor marine ecological status. *Frontiers in Marine Science*, 4(MAY), 1–14. <https://doi.org/10.3389/fmars.2017.00107>
- Gustomi, A., & Putri, S. D. D. (2019). Studi morfometrik dan meristik ikan kurisi (*Nemipterus* sp.) yang didaratkan di Pelabuhan Perikanan Nusantara (PPN) Sungailiat Kabupaten Bangka. *Journal of Tropical Marine Science*, 2(1), 37–42. <https://doi.org/10.33019/jour.trop.mar.sci.v2i1.1092>
- Hung, K. W., Russell, B. C., & Chen, W. J. (2017). Molecular systematics of threadfin breams and relatives (Teleostei, Nemipteridae). *Zoologica Scripta*, 46(5), 536–551. <https://doi.org/10.1111/zsc.12237>
- Imtiaz, A., Duong, T. Y., Nor, S. A. M., & Naim, D. M. (2016). Molecular identification of commercially important species of *Nemipterus* (Perciformes: Nemipteridae) in surrounding seas of Malaysia. *Biodiversitas*, 17(2), 571–577. <https://doi.org/10.13057/biodiv/d170226>

- Imtiaz, A., & Naim, D. (2018). Geometric morphometrics species discrimination within the Genus *Nemipterus* from Malaysia and its surrounding seas. *Biodiversitas*, 19(6), 2316–2322. <https://doi.org/10.13057/biodiv/d190640>
- Intarapanich, A., Kaewkamnerd, S., Shaw, P. J., Ukosakit, K., Tragoonrung, S., & Tongsima, S. (2015). Automatic DNA diagnosis for 1D gel electrophoresis images using bio-image processing technique. *BMC Genomics*, 16(12), 1–11. <https://doi.org/10.1186/1471-2164-16-S12-S15>
- Jaafar, T. N. A. M., Shariffuddin, N., Abdullah, S., Habib, A., & Pau, T. M. (2020). Cytochrome oxidase I gene reveals potential cryptic diversity of doublewhip threadfin bream, *Nemipterus nematophorus* (Bleeker, 1854) in Peninsular Malaysia. *Journal of Sustainability Science and Management*, 15(4), 34–44. <https://doi.org/10.46754/jssm.2020.06.004>
- Juandi, Utami, E., & Adi, W. (2016). Potensi lestari dan musim penangkapan ikan kurisi (*Nemipterus* sp.) yang didaratkan pada Pelabuhan Perikanan Nusantara Sungailiat. *Jurnal Sumberdaya Perairan*, 10(1), 49–56.
- Junaedi, A.S., Riana, F., Sari, H.C.P., Witria, & Zainuri, M. (2020). Kualitas daging ikan kurisi (*Nemipterus japonicus*) hasil tangkapan nelayan di Pelabuhan Perikanan Branta, Pamekasan. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 23(2), 303–319.
- Jurniati, J., Arfiati, D., Hertika, A. M. S., & Kurniawan, A. (2021). Morphometric-meristic characters and length-weight relationships of *Macrobrachium mammillodactylus* (Thallwitz, 1892) inhabiting downstream of rongkong watershed, South Sulawesi, Indonesia. *Egyptian Journal of Aquatic Biology and Fisheries*, 25(1), 91–110. <https://doi.org/10.21608/ejabf.2021.138346>
- Kchouk, M., Gibrat, J. F., & Elloumi, M. (2017). Generations of sequencing technologies: from first to next generation. *Biology and Medicine*, 09(03). <https://doi.org/10.4172/0974-8369.1000395>
- Kementerian Kelautan dan Perikanan. (2016). *Pasal 2 Permen KP NO 18 Tahun 2014*. 2009, 1–23.
- Kementerian Kelautan dan Perikanan. (2024). *Fisheries Production*. <https://Statistik.Kkp.Go.Id/Home.Php?M=total&i=2#panel-Footer>.
- Kershner, J., Samhour, J. F., James, C. A., & Levin, P. S. (2011). Selecting indicator portfolios for marine species and food webs: a puget sound case study. *PLoS ONE*, 6(10), e25248. <https://doi.org/10.1371/journal.pone.0025248>
- Kumar, S., & Mohite, S. (2011). Study of relationships between the morphometric characters of the threadfin bream, *Nemipterus japonicas*. *Biosciences Biotechnology Research Asia*, 8(2), 685–691. <https://doi.org/10.13005/bbra/920>
- Larasati, M. C. P., & Budijastuti, W. (2022). Morfometri dan meristik ikan bandeng di pertambakan sekitar Mangrove Wonorejo Surabaya. *LenteraBio: Berkala Ilmiah Biologi*, 11(2010), 473–492.

- Lim, S. G., Jeong, M. H., Kim, B. S., Lee, T. H., Gil, H. W., & Park, I.-S. (2016). Landmark-based morphometric and meristic analysis of Serranidae. *Development & Reproduction*, 20(2), 73–85. <https://doi.org/10.12717/dr.2016.20.2.073>
- Lisamy, S. E. A., Simanjuntak, C. P. H., Ervinia, A., Romdoni, T. A., Munandar, A., Nurfaiah, S., & Guarte, D. M. (2023). Reproductive aspects of the japanese threadfin bream, *Nemipterus japonicus* (Bloch, 1791) in the Southern Java waters (FMA-RI 573). *E3S Web of Conferences*, 442, 1–13. <https://doi.org/10.1051/e3sconf/202344201025>
- Lutz, Í., Martins, T., Araújo, F., Ferreira, C., Santana, P., Miranda, J., Matos, S., Sousa, J., Pereira, L., Bentes, B., Silva, R. da, Veneza, I., Sampaio, I., Vallinoto, M., & Gomes, G. E. (2023). Molecular characterization of juvenile fish from the Amazon estuary using DNA barcoding approach. *PLoS ONE*, 18(9 September), 1–19. <https://doi.org/10.1371/journal.pone.0292232>
- Mashar, A., Wahyuni, Y. S., Hakim, A. A., & Wardiatno, Y. (2019). Pendekatan *truss morphometric* dalam menganalisis kekerabatan populasi *Cherax quadricarinatus* (Von Martens, 1868) di Perairan Jawa Barat. *Jurnal Pengelolaan Perikanan Tropis*, 3(2), 20–27.
- Masood, Z., Hawa, N., Hassan, H. U., Mahboob, S., Chatta, A. M., Mushtaq, S., Ahmed, A. E., Swelum, A. A., Zulfiqar, T., Khan, T., & Al-Misned, F. (2024). Study of some morphometric and meristic characteristics of *Alepes vari* (Cuvier, 1833) collected from the Arabian coast. *Brazilian Journal of Biology*, 84, 1–11. <https://doi.org/10.1590/1519-6984.257023>
- Masood, Z., Rafique, N., Saddozai, S., Achakzai, W. M., Farooq, R. Y., Jamil, N., Razzaq, W., Khawar, M., Din, N., & Bano, N. (2015). Comparative Survey of some morphometric and meristic differentiation among the male and female fishes of the four Mullet species of Family Mugilidae from Karachi Coast, Pakistan. *J. Appl. Environ. Biol. Sci*, 5(11), 140–150.
- Mayapada, R., Tinungki, G., & Sunusi, N. (2018). Penerapan *sparse principal component analysis* dalam menghasilkan matriks loading yang *sparse*. *Jurnal Matematika Statistika Dan Komputasi*, 15(2), 44. <https://doi.org/10.20956/jmsk.v15i2.5713>
- Mishra, S., Sarkar, U., Taraphder, S., Datta, S., Swain, D., Saikhom, R., Panda, S., & Laishram, M. (2017). Principal component analysis. *International Journal of Livestock Research*, 7(5), 60-78. <https://doi.org/10.5455/ijlr.20170415115235>
- Mojekwu, T., & Anumudu, C. (2015). Advanced techniques for morphometric analysis in fish. *Journal of Aquaculture Research & Development*, 06(08). <https://doi.org/10.4172/2155-9546.1000354>
- Mokodompit, M., Baderan, D., & Kumaji, S. (2022). Keanekaragaman tumbuhan suku Piperaceae di kawasan Air Terjun Lombongo Provinsi Gorontalo. *Bioma: Jurnal Biologi Makassar*, 7(1), 95–102. <https://doi.org/10.20956/bioma.v7i1.19494>

- Muhotimah, Triyatmo, B., Priyono, S., & Kuswoyo, T. (2013). Analisis morfometrik dan meristik nila (*Oreochromis sp.*) strain larasati f5 dan tetuanya. *Jurnal Perikanan Universitas Gadjah Mada*, 15(1), 42–53.
- Muliani, D. R., Yulianda, F., & Butet, N. A. (2020). Karakteristik gen cytochrome oxidase subunit I (COI) tiram daging dari Genus *Crassostrea* sebagai identitas jenis di Delta Cimanuk, Jawa Barat. *Jurnal Moluska Indonesia*, 4(1), 8–16.
- Musfiani, M. (2019). Analisis *cluster* dengan menggunakan metode partisi pada pengguna alat kontrasepsi di Kalimantan Barat. *Bimaster: Buletin Ilmiah Matematika, Statistika Dan Terapannya*, 8(4), 893–902. <https://doi.org/10.26418/bbimst.v8i4.36584>
- Nur'aini, S., Mukaromah, A. S., & Muhliso, S. (2019). Pengenalan deoxyribonucleic acid (DNA) dengan *marker-based augmented reality*. *Walisongo Journal of Information Technology*, 1(2), 91. <https://doi.org/10.21580/wjit.2019.1.2.4531>
- Ogwang, J., Bariche, M., & Bos, A. R. (2021). Genetic diversity and phylogenetic relationships of threadfin breams (*Nemipterus spp.*) from the Red Sea and Eastern Mediterranean Sea. *Genome*, 64(3), 207–216. <https://doi.org/10.1139/gen-2019-0163>
- Oktaviyani, S., Boer, M., & Yonvitner, Y. (2016). Biological aspects of kurisi fish (*Nemipterus japonicus*) in Banten Bay Waters. *BAWAL Widya Riset Perikanan Tangkap*, 8(1), 21. <https://doi.org/10.15578/bawal.8.1.2016.21-28>
- Ou, L., Liu, B., Chen, X., He, Q., Qian, W., & Zou, L. (2023). Automated Identification of morphological characteristics of three *Thunnus* species based on different machine learning algorithms. *Fishes*, 8(182), 1–19. <https://doi.org/10.3390/fishes8040182>
- Pangestika, Y., Budiharjo, A., Pancasakti, H., & Kusumaningrum. (2015). Analisis filogenetik *Curcuma zedoaria* (temu putih) berdasarkan gen *internal transcribed spacer* (ITS). *Jurnal Biologi*, 4(4), 8–13.
- Pawar, H. B., Shirdhankar, M. M., Barve, S. K., & Patange, S. B. (2011). Discrimination of *Nemipterus japonicus* (Bloch, 1791) stock from Maharashtra and Goa states of India. *Indian Journal of Marine Sciences*, 40(3), 471–475.
- Prabakaran, T. E., Thompson, R. J., & Samuel, V. D. (2011). A study on the morphometric and meristic characters of the threadfin bream (*Nemipterus japonicus*, Bloch 1791) off Chennai Coast. *Indian Journal of Applied Research*, 4(1), 521–524. <https://doi.org/10.15373/2249555X/JAN2014/158>
- Rahman, M. M., & Samat, A. F. (2021). Reproductive cycle, sexual maturity and fecundity of *Nemipterus furcosus* (Valenciennes, 1830). *Aquaculture and Fisheries*, 6(4), 424–431. <https://doi.org/10.1016/j.aaf.2020.07.006>
- Rajan, P. T. (2018). Marine fishery resources and species diversity of tropical waters. In *Biodiversity and Climate Change Adaptation in Tropical Islands*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-813064-3.00011-9>



- Rocamontes-Morales, J. A., Gutiérrez-Rodríguez, C., Rios-Cardenas, O., & Hernandez-Romero, P. C. (2021). Genetic and morphological differentiation in the green swordtail fish, *Xiphophorus hellerii*: the influence of geographic and environmental factors. *Hydrobiologia*, 848(19), 4599–4622. <https://doi.org/10.1007/s10750-021-04664-0>
- Russell, B. C. (1990). *FAO species catalogue. Vol. 12. Nemipterid Fishes of the World. (Threadfin breams, Whiptail breams, Monocle breams, Dwarf monocle breams, and Coral breams). Family Nemipteridae. An Annotated and Illustrated Catalogue of Nemipterid Species known to Date.* (Vol. 12). FAO.
- Russell, B. C. (1991). Description of a new species of *Nemipterus* (Pisces: Perciformes; nemipteridae) from the western pacific, with re-descriptions of *Nemipterus marginatus* (valenciennes), *N. mesoprion* (bleeker) and *N. nematopus* (bleeker). *Journal of Natural History*, 25(5), 1379–1389. <https://doi.org/10.1080/00222939100770861>
- Russell, B. C. (1993). A review of the threadfin breams of the Genus *Nemipterus* (Nemipteridae) from Japan and Taiwan, with description of a new species. *Japanese Journal of Ichthyology*, 39(4), 295–310. <https://doi.org/10.1007/BF02905130>
- Russell, B. C., & Ho, H.-C. (2017). A new species of *Nemipterus* (Perciformes: Nemipteridae) and first record of *N. nematophorus* (Bleeker) from Taiwan. *Zootaxa*, 4231(2). <https://doi.org/10.11646/zootaxa.4231.2.10>
- Rustandi, Y., Manginsela, F., Bataragoa, N., Lumingas, L., Mandagi, S., & Lohoo, A. V. (2023). Morphometrics and meristics of lemur fish *Sardinella lemuru* Bleeker, 1853 landed at TPI Aertembaga Bitung City. *Jurnal Ilmiah PLATAX*, 11(2), 662–676. <https://doi.org/10.35800/jip.v11i2.49318>
- Sajina, M., Chakraborty, S. K., Jaiswar, A. K., & Sudheesan, D. (2013). Morphometric and meristic analyses of horse mackerel, *Megalaspis cordyla* (Linnaeus, 1758) populations along the Indian coast. *Indian Journal of Fisheries*, 60(4), 27–34.
- Saraswati, E., & Perdhana, G. O. (2019). Analysis of stomach content of *Nemipterus japonicus* from the Blimbingsari waters, Banyuwangi, East Java. *IOP Conference Series: Earth and Environmental Science*, 404(1). <https://doi.org/10.1088/1755-1315/404/1/012019>
- Scott, S., Rojas, P., & Vila, I. (2020). Meristic and morphological differentiation of *Orestias* species (Teleostei; Cyprinodontiformes) from the southern Altiplano. *Environmental Biology of Fishes*, 103(8), 939–951. <https://doi.org/10.1007/s10641-020-00995-4>
- Seah, Y. G., Nabilsyafiq, M., & Mazlan, A. G. (2016). Preliminary study on the morphology and biology of coexist *Nemipterus furcosus* and *Nemipterus tambuloides* from Terengganu waters, Peninsular Malaysia. *Journal of Fisheries and Aquatic Science*, 11(6), 418–424. <https://doi.org/10.3923/jfas.2016.418.424>

- Sen, S., Dash, G. R., Mohammed Koya, K., Sreenath, K. R., Mojjada, S. K., Fofandi, M. K., Zala, M. S., & Kumari, S. (2014). Stock assessment of Japanese threadfin bream, *Nemipterus japonicus* (Bloch, 1791) from Veraval water. *Indian Journal of Geo-Marine Sciences*, 43(4), 519–527.
- Setiati, N., Partaya, Hidayah, N., & Widiyaningrum, P. (2023). Polymerase chain reaction-amplification of COI gene of stingray and shark using four primer pairs. *Tropical Journal of Natural Product Reasearch*, 7(7), 3285–3291.
- Setyawati, R., & Zubaidah, S. (2021). Optimasi konsentrasi primer dan suhu *annealing* dalam mendeteksi gen leptin pada sapi peranakan ongole (PO) menggunakan *polymerase chain reaction* (PCR). *Indonesian Journal of Laboratory*, 4(1), 36. <https://doi.org/10.22146/ijl.v4i1.65550>
- Sihono, Purnomo, A. H., Wibowo, S., & Dewi, F. R. (2021). Current (2021) status of surimi industry in Indonesia and possible solutions: A review. *IOP Conference Series: Earth and Environmental Science*, 919(1). <https://doi.org/10.1088/1755-1315/919/1/012036>
- Sinaga, R. N., Wijayanto, D., & Sardiyatmo. (2014). Analysis the Influence of production factor to revenue and production volume of denish seine fisherman in Brondong Fishing Port Lamongan East Java. *Journal of Fisheries Resources Utilization Management and Technolog*, 3(2), 85–93.
- Solichin, A., Sari, I. P., Saputra, S. W., & Widyorini, N. (2022). Dinamika populasi ikan kurisi (*Nemipterus japonicus* Bloch, 1791) di Perairan Teluk Semarang. *Pena Akuatika: Jurnal Ilmiah Perikanan Dan Kelautan*, 21(2), 1. <https://doi.org/10.31941/penaakuatika.v21i2.2223>
- Sreekanth, G. B., Chakraborty, S. K., & Jaiswar, A. K. (2017). Stock structure analysis of Japanese threadfin bream, *Nemipterus japonicus* (Bloch, 1791) along the Indian coast based on truss network analysis. *Indian Journal of Geo-Marine Sciences*, 46(9), 1836–1841.
- Sreekanth, G. B., Chakraborty, S. K., Jaiswar, A. K., Renjith, R. K., Kumar, R., Sandeep, K. P., Vaisakh, G., Ail, S. S., Manju Lekshmi, N., & Pazhayamadom, D. G. (2015). Can the *Nemipterus japonicus* stocks along Indian coast be differentiated using morphometric analysis? *Indian Journal of Geo-Marine Sciences*, 44(4), 480–486.
- Srihari, M., Bhushan, S., Nayak, B. B., Pavan-Kumar, A., & Abidi, Z. J. (2021). spatial variations in the stocks of randall's threadfin bream, *Nemipterus randalli* Russell 1986 along the Indian Coast inferred using body and otolith shape analysis. *Thalassas*, 37(2), 883–890. <https://doi.org/10.1007/s41208-021-00309-0>
- Srihari, M., Pavan-Kumar, A., Russell, B. C., Golani, D., Abidi, Z. J., & Edward, L. (2022). Deep genetic divergence in randall's threadfin bream *Nemipterus randalli* Russell, 1986 population from northern Bay of Bengal inferred by mtDNA sequences. *Marine Biology Research*, 18(3–4), 278–282. <https://doi.org/10.1080/17451000.2022.2096902>

- Srihari, M., Pradhan, S. K., Pavan-Kumar, A., Bhushan, S., Nayak, B. B., Sreekanth, G. B., & Abidi, Z. J. (2020). Morphometric and meristic analyses of randall's threadfin bream *Nemipterus randalli* Russell, 1986 along the Indian coast. *Indian Journal of Fisheries*, 67(4), 143–148. <https://doi.org/10.21077/ijf.2020.67.4.100806-17>
- Subari, A., Razak, A., & Sumarmin, R. (2021). Phylogenetic analysis of *Rasbora* spp. based on the mitochondrial DNA COI gene in Harapan Forest. *Jurnal Biologi Tropis*, 21(1), 89–94. <https://doi.org/10.29303/jbt.v21i1.2351>
- Suharyanto, Febrianti, R., & Sularto. (2016). Karakterisasi empat populasi ikan gurami (*Osphronemus goramy* Lac.) dan persilangannya berdasarkan metode truss morfometriks. *Jurnal Riset Akuakultur*, 11(2), 125–135. <https://doi.org/10.15578/jra.11.2.2016.125-135>
- Suprastini, S., Ardli, E. R., & Nuryanto, A. (2014). Diversitas dan distribusi ikan di Segara Anakan Cilacap. *Scripta Biologica*, 1(2), 147. <https://doi.org/10.20884/1.sb.2014.1.2.441>
- Suresh, E., Rathipriya, A., Shanmugam, S. A., Hamsavalli, R., & Kathirvelpandian, A. (2023). Character-based diagnostic keys, molecular identification and phylogenetic relationships of threadfin breams (family: Nemipteridae) based on mitochondrial genes from the Southern Coromandel Coast, India. *Animal Biotechnology*, 34(4), 1553–1565. <https://doi.org/10.1080/10495398.2022.2040522>
- Tahir, N. I., Alwi, W., & Nurfadilah, K. (2021). Aplikasi metode analisis komponen utama dalam mengidentifikasi faktor yang memengaruhi kemiskinan di Kabupaten/Kota Provinsi Sulawesi Selatan. *Journal of Mathematics: Theory and Applications*, 3(2), 38–44. <https://doi.org/10.31605/jomta.v3i2.1222>
- Teletchea, F. (2009). Molecular identification methods of fish species: reassessment and possible applications. *Rev Fish Biol Fisheries*, 19, 265–293. <https://doi.org/10.1007/s11160-009-9107-4>
- Tindi, M., Mamangkey, N. G. F., & Wullur, S. (2017). DNA barcode dan analisis filogenetik molekuler beberapa jenis bivalvia asal perairan Sulawesi Utara berdasarkan gen COI. *Jurnal Pesisir Dan Laut Tropis*, 5(2), 32–38. <https://doi.org/10.35800/jplt.5.2.2017.15050>
- Umar, H. B. (2009). Principal component analysis (PCA) dan aplikasinya dengan SPSS. *Jurnal Kesehatan Masyarakat Andalas*, 3(2), 97–101. <https://doi.org/10.24893/jkma.v3i2.68>
- Vatandoust, S., Abdoli, A., Anvarifar, H., & Mousavi-sabet, H. (2014). Morphometric and meristic characteristics and morphological differentiation among five populations of Brown Trout *Salmo trutta* fario (Pisces: Salmonidae) along the southern Caspian Sea basin. *European Journal of Zoological Research*, 3(2), 56–65.



- Ward, R. D., Zemlak, T. S., Innes, B. H., Last, P. R., & Hebert, P. D. N. (2005). DNA barcoding Australia's fish species. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 360(1462), 1847–1857. <https://doi.org/10.1098/rstb.2005.1716>
- Wibowo, S. E., Djaelani, M. A., & Kusumaningrum, H. P. (2013). Pelacakan gen sitokrom oksidase sub unit I (COI) DNA mitokondria itik tegal (*Anas domesticus*) Menggunakan Primer Universal. *Bioma : Berkala Ilmiah Biologi*, 15(1), 20. <https://doi.org/10.14710/bioma.15.1.20-26>
- Yasa, P. A., Suciptawati, N. L. P., & Susilawati, M. (2017). Implementasi analisis faktor dalam menganalisis kepuasan nasabah terhadap kualitas layanan (Studi Kasus : Lpd Sidakarya). *E-Journal Matematika*, 6(2), 152–160.
- Yi, M.-R., Hsu, K.-C., Wang, J.-X., Feng, B., Lin, H.-D., & Yan, Y.-R. (2021). Genetic Structure and diversity of the yellowbelly threadfin bream *Nemipterus bathybius* in the Northern South China Sea. *Diversity*, 13(7), 324. <https://doi.org/10.3390/d13070324>
- Yuhibba, A. F., Rachmadi, M., & Carsono, N. (2019). *Principal component analysis* (PCA) karakter-karakter umbi wortel (*Daucus carota* L.) varietas lokal asal Sibayak. *Zuriat*, 29(2), 67. <https://doi.org/10.24198/zuriat.v29i2.19803>
- Yuwandana, D. P., Agustina, S., Hartati, I. D., Retnoningtyas, H., Simeon, B. M., Darmono, O. P., Warmia, A., & Yulianto, I. (2023). Sustainability of treadfin bream resources (*Nemipterus japonicus*) in Banten Bay Waters. *ALBACORE*, 5(3), 303–312. <https://doi.org/10.29244/core.5.3.303-312>
- Zhao, P. H., Liu, B. S., Liu, B., Zhu, K. C., Guo, H. Y., Xian, L., Zhang, N., & Zhang, D. C. (2023). Analysis of morphological differences among different populations of golden pompano (*Trachinotus ovatus*). *Israeli Journal of Aquaculture - Bamidgeh*, 75(1), 1–11. <https://doi.org/10.46989/001c.75267>