



## DAFTAR PUSTAKA

- Ali, S.K. and Azeez, Z.N., Modify K-Medoids Algorithm With New Efficiency Method For Biometric Database Classification, *International Journal of Computer Science and Mobile Computing*, Vol. 4, Issu.10, October 2015, pp. 364-376
- Ankhali, S.E., and Hennig, C., (2020), Comparing clusterings and numbers of clusters by aggregation of calibrated clustering validity indexes, June 23, 2020, [https://discovery.ucl.ac.uk/id/eprint/10118927/1/akhanli-hennig-arxiv\\_revision3.pdf](https://discovery.ucl.ac.uk/id/eprint/10118927/1/akhanli-hennig-arxiv_revision3.pdf)
- Anuar N., Baharian, N.K.K., Nizam, N.H.M., Fadzilah, A.N., Nazri, S.E.M., and Lip, N.M., Determination of Typical Electricity Load Profile by Using Double Clustering of Fuzzy C-Means and Hierarchical Method, *IEEE*, 2021.
- Arora, P., Deepali, D., and Varshney, S., Analysis Of K-Means And K-Medoids Algorithm For Big Data, *Procedia Computer Sciences*, 78, 2016, pp. 507-512.
- Bartle, R.G., and Sherbert, D.R., (2000), *Introduction to Real Analysis*, Third Edition, A John Wiley & Sons, Inc., New York, NY, ISBN: 0-471-32148-6.
- Behzadi, S., Muller, N.S., Plant, C., and Bohm, C., Clustering Of Mixed-Type Data Considering Concept Hierarchies: Problem Specification And Algorithm, *International Journal of Data Science and Analytics*, 10, 2020, pp. 233-248
- Boone Sr, D.S., Determination Of The Number Of Clusters In A Data Set: A Stopping Rule X Clustering Algorithm Comparison, *International Journal of Strategic Decision Sciences*, 2(4) (2011), 1-13, DOI: 10.418/jsds.2011100101
- Budiaji, W., Leisch, F., (2019), Simple K-Medoids Partitioning Algorithm For Mixed Variable Data, *Algorithms*, 12(177): 1-15. <https://doi.org/10.3390/a12090177>
- Calinski, T., and Harabasz, J., A Dendrite Method For Cluster Analysis, *Communications in Statistics-theory and Methods*, vol. 3, no. 1, 1974, pp. 1– 27, <http://dx.doi.org/10.1080/03610927408827101>
- Calmon, W., and Albi, M., (2021), Estimating The Number of Clusters In A Ranking Data Context, *Information Sciences* 546 (2021) 977-995, Elsevier. <https://doi.org/10.1016/j.ins.2020.09.056>
- Chen, Y., Li, H., Lin, H., et al., (2023), Critical Slip Line Recognition and Extraction Method Of Slope Based On Modified K-Medoid Clustering Algorithm, *Computers and Geotechnics* 154 (2023) 105125, <https://doi.org/10.1016/j.compgeo.2022.105125>



Congressional Voting Records. (1987). UCI Machine Learning Repository.

<https://doi.org/10.24432/C5C01P>

Dangl, R., and Leisch, F., (2020), Effect of Resampling in Determining the Number of Clusters in a Data Set, *Journal of Classification*, (2020) 37:558-583.

Davies, D.L., and Bouldin, D.W., (1979), A Cluster Separation Measure, *IEEE Transactions on Pattern Analysis and Machine Intelligence*, DOI: 10.1109/tpami.1979.4766909. pp. 224-227.

Dhanalakshmi, B., Ramesh, R., Raguraman, R., and Menaka, R., (2020), Automated Vehicle Number Plate Recognition System using Stability Score and K-Means Clustering Algorithm, *IEEE XPlorē* Part Number: CFP20J88-ART; ISBN: 978-1-7281-6387-1, pp: 1078-1082.

Dharmarajan, A., and Velmurugan, T., Efficiency of K-Means And K-Medoids Clustering Algorithms Using Lung Cancer Dataset, *International Journal of Data Mining Techniques and Applications*, vol. 05, issue 02, 2016, pp. 150-156, ISSN: 2278-2419.

Dinata, R.K., Retno, S., and Hasdyna, N. (2021), Minimization of the Numer of Iterations in K-Medoids Clustering with Purity Algorithm. *Revue d'Intelligence Artificielle*, 35(3): 193-199. <https://doi.org/10.18280/ria.350302>

Divya, V., and K.N. Devi, An Efficient Approach To Determine The Number Of Clusters Using Principal Component Analysis, *Proceeding of 2018 IEEE International Conference on Current Trends toward Converging Technologies*, Coimbatore, India. 978-1-5386-3702-9/18/\$31.00, (2018) 1-6, <https://ieeexplore.ieee.org/document/8551182>

Dudek, A., and M. Walesiak, The Choice Of Variable Normalization Method In Cluster Analysis, *Proceeding of the 35th International Business Information Management Association Conference (IBIMA)*, (2020), pp: 325-340, <https://www.researchgate.net/publication/342216732>

Everitt, B.S., Landau, S. Leese, M., and Stahl, D. (2011). *Cluster analysis*, 5<sup>th</sup> ed., John Wiley & Sons., Ltd., Publication. ISBN: 978-0-470-97844-3. pp. 49-50.

Forsyth, Richard. (1990). Zoo. UCI Machine Learning Repository. <https://doi.org/10.24432/C5R59V>.

Fu, W., and Perry, P.O, Estimating the number of clusters using cross-validation, 2017, <https://arxiv.org/abs/1702.02658>.

Ganguli, D., Mukherjee, S., Naskar, S., and Mukherjee, P., (2009), A Novel Approach Fo Determination Of Optimal Number Of Cluster, *International Conference On Computer*



Gower, J.C., (1971), A General Coefficient Of Similarity And Some Of Its Properties.  
*Biometrics*, 27(4): 857-871, <https://doi.org/10.2307/2528823>

H.S. Park and C.H. Jun, A Simple and Fast Algorithm for K-Medoids Clustering. *Expert System with Applications*, 36(2) (2009), 3336–3341.  
<https://doi.org/10.1016/j.eswa.2008.01.039>

Harikumar, S., and Surya, P.V., K-Medoid Clustering For Heterogeneous Datasets, *Procedia Computer Sciences*, 70, 2015, pp. 226-237

Hartigan, J, (1975). *Clustering Algorithms*. Wiley-Interscience, New York. ISBN: 0-471-35645-X. pp. 85-86.

He, Y., Xu, Z. and Liu, N., (2021), Research On K-Medoids Algorithm With Probabilistic-Based Expressions And Its Application, *Applied Intelligence* (2021) 52:12016–12033, <https://doi.org/10.1007/s10489-021-02937-8>.

He, X., He, F., Fan, Y., Jiang, L., Liu, R., and Maalla,A., (2023), An effective clustering scheme for high-dimensional data, *Multimedia Tools and Applications*, <https://link.springer.com/article/10.1007/s11042-023-17129-4>.

Immanuel, J., Thomas, A.K, dkk, (2022), Minimization Of Energy Consumption In Mannet Using Optimized K-Medoid PSO Clustering Model, *Third International Conference On Smart Technology In Computing, Electrical and Electronics (ICSTCEE)*, 78-1-6654-5664-7/22/\$31.00.

Ismail M., dan Dauda U., (2013), Standardization and Its Effects on K-Means Clustering ALgorithm, *Research Journal of Applied Sciences, Engineering and Technology*, 6(17): 3299-3303.

J. Wu, *Advances in K-means clustering: A data mining thinking*, Springer Theses Recognizing Outstanding Ph.D Research, Springer (2012), pp: 101-103.  
<https://link.springer.com/book/10.1007/978-3-642-29807-3>

Jajuga, K. (2000). Standardization of Data Set under Different Measurement Scales.  
[https://link.springer.com/chapter/10.1007/978-3-642-57280-7\\_11](https://link.springer.com/chapter/10.1007/978-3-642-57280-7_11)

Ji., J., Li, R., Pang, W., He, F., Feng, G., Zhao, X. (2021). A Multi-View Clustering Algorithm for Mixed Numeric and Categorical Data. *IEEE Access*, 10: 24913-24924.  
<https://doi.org/10.1109/ACCESS.2021.3057113>

Ji., J., Pang, W., Li, Z., He, F., Feng, G., and Zhao, X., Clustering mixed numeric and categorical data with cuckoo search, *IEEE Access*, vol. 8, 2020., pp 30988-31003.



Johnson, R.A., Wichern, D.W. (2009). *Applied Multivariate Statistical Analysis*, John Wiley & Sons. ISBN: 0-13-187715-1. pp. 680-695.

Kariyam, Abdurakhman, Subanar, and Herni, U., (2022a).=, The Initialization of Flexible K-Medoids Partitioning Methods Using a Combination of Deviation and Sum of Variable Values, *Mathematics and Statistics*, 10(5): 895-908.  
<https://doi.org/10.13189/ms.2022.100501>

Kariyam, Abdurakhman, Subanar, Utami, H., Effendie, A.R, (2022b), Block-based K-medoids partitioning method with standardized data to improve clustering accuracy, *Mathematical Modelling of Engineering Problems*, Vol. 9, No. 6, pp. 1613-1621.  
<https://doi.org/10.18280/mmep.090622>

Kariyam, Abdurakman, and A.R. Effendie, (2022c), The Use of Distance Blocks Representative to Avoid Empty Groups Due to non-Unique Medoids, *Eduvest - Journal of Universal Studies*, Vol. 2, No. 10, 2022, 2218-2228.  
<https://doi.org/10.59188/eduvest.v2i10.625>

Kariyam, Abdurakman, and A.R. Effendie, (2023a), Application of Block-Based K-Medoids and Ward's Method To Classify Province in Indonesia Based On Environmental Quality Index, *Eduvest - Journal of Universal Studies*, Vol. 3, No. 2, 2023, 374-384.

Kariyam, Abdurakman, and A.R. Effendie, (2023b), A Medoid-based deviation ratio index to determine the number of clusters in a datasets, *MethodsX*, Vol. 10, 2023, 102084.  
<https://doi.org/10.1016/j.mex.2023.102084>

Kariyam, Abdurakman, and A.R. Effendie, (2023c), book chapter entitled "*DRIM: Deviation Ratio Index based on Medoids*" in book with title "*Advances and Challenges in Science and Techonology Vol. 5*" First Edition, edited by Rafatullah, M. and Santoso, L.W., B P International, ISBN: ISBN 978-81-966449-2-5 (Print), ISBN 978-81-966449-4-9 (eBook), DOI: 10.9734/bpi/acst/v5.

Kariyam, Abdurakman, and A.R. Effendie, (2023d), Modified Fast K-Medoids To Guarantee No Empty Group, *accepted to publish in AIP (Indexed Scopus Proceeding)* from International Conference of Mathematics and Its Application (SEAMS) at Gadjah Mada University, Juli 2023.

Kariyam, Abdurakman, and A.R. Effendie, (2023e), Comparison of Several Clustering Methods in Classifying Countries Based on the Environmental Performance Index, *accepted to publish in AIP (Indexed Scopus Proceeding)* from International Seminar of Scince and Technology at Islamic University of Indonesia, September 2023.



Kaufman, L., and Rousseeuw, P.J., Clustering by Means of Medoids, 1987,  
[https://www.researchgate.net/publication/243777819\\_Clustering\\_by\\_Means\\_of\\_Medoids](https://www.researchgate.net/publication/243777819_Clustering_by_Means_of_Medoids).

Kaufman, L., Rousseeuw, P.J. (1990). Finding groups in data: An introduction to cluster analysis, John Wiley & Sons, Inc., New York ISBN: 0-471-73578-7. pp. 28-38, 68-71, 102-104.

Krzanowski, W.J., and Lai, Y.T., A criterion for determining the number of groups in a data set using sum-of-squares clustering, Journal of Biometric, 44 (1988) 23-34.  
<https://www.jstor.org/stable/2531893>

Lezhnina, O., and G. Kismihok, Latent Class Cluster Analysis: Selecting The Number Of Clusters, *MethodsX*, 9 (2022) 101747, 1-10. <https://doi.org/10.1016/j.mex.2022.101747>

Li, M., Liang, W., and Liu, X., (2021), Multi-View Clustering With Learned Bipartite Graph, *IEEE Access*, Vol. 9, 87952-87961

MacQueen, J., (1967), Some Methods For Classification and Analysis of Multivariate Observations, *Fifth Berkeley Symposium*, 281-297 University of California, Los Angeles.

Malay K.P., A Modified k-means Algorithm to Avoid Empty Clusters, *International Journal Recent Trends Engineering*, 1, 221-226, 2009.

Marc, W., Domenique, Z., Jonas H., and Jurgen, F., (2021), A review of systematic selection of clustering algorithms and their evaluation. <https://arxiv.org/abs/2106.12792>.

Milligan, G.W., dan Cooper, M.C., (1988), A Study of Standardization of Variables in Cluster Analysis, *Journal of Classification*, 5:181-204.

Modak, S., (2023), Validity Index for Clustered Data in Non-negative Space, *Calcutta Statistical Association Bulletin*, 75(1) 60-71.

Munir, R., 2010, *Matematika Diskrit*, Penerbit INFORMATIKA Bandung.

Nogueira, A.L., dan Munita, C.S., (2021), The efect of data standardization in cluster analysis, *Brazilian Journal of Radiation Sciences*, 09-01A (2021) 01-15.

Pan, D., Han, Y., Jin, Q., Wu, H., and Huang, H., (2021), Study of Typical Electric Two-Wheelers Pre-Crash Scenarios Using K-Medoids Clustering Methodology Based on Video Recording In China, *Accident Analysis and Prevention* 160 (2021) 106320, Elsevier, <https://doi.org/10.1016/j.aap.2021.106320>

Perez, D.G., and Montana, J.L, Clobal Optimally In K-Means Clustering, *Information Sciences*, 2017.



Pinheiro, D.N., Aloise, D., and Blanchard, S.J., (2020), Convex Fuzzy K-Medoids Clustering, *Fuzzy Sets and System* 389 (2020) 66-92, Sciencedirect, <https://doi.org/10.1016/j.fss.2020.01.001>

Rand, W.M., Objective Criteria for the Evaluation of Clustering Methods, *The Journal of the American Statistical Association (JASA)*, vol. 66, no. 336., 1971, pp. 846-850.

Rosen, K.H., 1991, *Discrete Mathematics and Its Applications*, 2<sup>nd</sup> edn., McGraw-Hill, Inc.

Rousseeuw, P.J., Silhouettes: A Graphical Aid To The Interpretation And Validation Of Cluster Analysis, *Journal of Computational and Applied Mathematics*, 20 (1987) 53-65.  
[DOI: 10.1016/0377-0427\(87\)90125-7](https://doi.org/10.1016/0377-0427(87)90125-7)

Samann, F.E.F., and Askar, S., (2022), Estimating The Optimal Cluster Number For Vehicular Network Using Scott's Formula, *Fourth International Conference on Advanced Science and Engineering (4<sup>th</sup> ICOASE)*, 978-1-6654-7222-7/22/\$31.00, IEEE, pp. 136-141.

Sari, A.S dan Kariyam, Pengelompokan Perguruan Tinggi Negeri di Indonesia Berbasis Indikator Kinerja Utama Menggunakan Block-Based K-Medoids Partitioning Method, *Proceeding of National Seminar on Mathematics, Statistics, and Its Applications*, Vol. 3, No, 1, pp: 90-105, August 27, 2023, Available at <http://jurnal.fmipa.unmul.cloud/index.php/SNMSA/article/view/1173>.

Schubert, E. and P.J. Rousseeuw, Fast And Eager K-Medoids Clustering: O(k) Runtime Improvement of The PAM, CLARA, And CLARANS Algorithms. *Information Systems*, Elsevier, 101 (2021): 101804. <https://doi.org/10.1016/j.is.2021.101804>

Schubert, E., and Lenssen, L., Medoid Silhouette Clustering with automatic cluster number selection, *Information System*, 120 (2024) 102290.

Shang, Q., Yu, Y., and Xie, T., (2022), A Hybrid Method for Traffic State Classification Using K-Medoids Clustering and Self-Tuning Spectral Clustering, *Sustainability* 2022, 14, 11068, <https://doi.org/10.3390/su141711068>.

Sharma, S., 1996., *Multivariate Techniques*, Prentice Hall, John Wiley & Sons, Inc., Canada.

Song, H., Lee, J.G, and Han, W.S., (2017), PAMAE: Parallel K-Medoids Clustering with High Accuracy and Efficiency, Research Paper, Halifax NS. Canada, DOI: <http://dx.doi.org/10.1145/3097983.3098098>

Steinly, D., and Brusco, M.J., Initializing K-means Batch Clustering: A Critical Evaluation of Several Techniques, *Journal of Classification*, 24, 99-121, 2007. DOI: 10.1007/s00357-007-0003-0.



Sureja, N., Chawda, B., Vasant, A. (2022). An improved K-medoids clustering approach based on the crow search algorithm. *Journal of Computational Mathematics and Data Science*. 3: 100034.. <https://doi.org/10.016/j.jcmds.2022.100034>

Tibshirani, R., and Walther, G., Cluster Validation by Prediction Strength, *Journal of Computational and Graphical Statistics*, vol. 14, no. 3, 511-528.

Tibshirani, R., Walther, G., and Hastie, T., Estimating the number of clusters in a data set via the gap statistic, *Journal of Royal Statistics Society, Series B (Statistical Methodology)*, vol. 63, no. 2, 2001, pp. 411-423, <http://www.jstor.org/stable/2680607>.

Ushakov, A.V., and Vasilyev, I., Near-Optimal Large-Scale K-Medoids Clustering, *Information Sciences*, 545, 2021, pp. 344-362.

Vandanov, S., Plyasunov, A., and Ushakov, A., (2023), Parallel Clustering Algorithm For The K-Medoids Problem In High-Dimensional Space For Large-Scale Datasets., *International Asian School Seminar On Optimization Problems Of Complex System (OPCS)*, 979-8-3503-3113-4/23, IEEE. pp. 119-124.

Wang, C., Zhao, S., Ren, Z., and Long, Q., (2023), Place-Centered Bus Accessibility Time Series with Floating Car Data: An Actual Isochrone And Dynamic Time Warping Distance-Based K-Medoids Method, *International Journal Of Geo-Information*, 12, 285, pp. 2-19. <https://doi.org/10.3390/ijgi12070285>

Wang, H., Peng, Y., and Kou, G., A Two-Stage Rangking Method To Minimize Ordinal Violation for Pairwise Comparisons, *Applied Soft Computing*, 106, 2021, pp. 1-9.

Ward, J.H., Hierarchical Grouping to Optimize an Objective Function, *Journal of the American Statistical Association*, Vol. 58, No. 301, 1963, pp. 236-244.

Warrens, M.J., van der Hoef, H. (2022). Understanding the Adjusted Rand Index and Other Partition Comparison Indices Based on Counting Object Pairs. *Journal of Classification*. <https://doi.org/10.1007/s00357-022-09413-z>

Wiroonsri, N., (2023), Clustering performance analysis using a new correlation-based cluster validity index, *Pattern Recognition*, 145 (2024) 109910.

Wolberg, William. (1992). Breast Cancer Wisconsin (Original). UCI Machine Learning Repository. <https://doi.org/10.24432/C5HP4Z>.

Xiong, H., Wu, J., Chen, J.: K-Means Clustering Versus Validation Measures: A Data Distribution Perspective, *IEEE Transactions on Systems, Man, and Cybernetics*, Part B 39(2): 318–331 (2009)



Xuansen, H., Fan, H. Yueping, F., Lingming, J., Runzong, L., & Allam, M. (2023), *An effective clustering sheme for high-dimensional data*, Multimedia Tools and Applications, <https://doi.org/10.1007/s11042-023-17129-4>.

Xu, R., and Wunsch, D.C.II, (2009), *Clustering*, John Wiley & Sons, Inc., Hoboken, New Jersey. ISBN: 978-0-470-27680-8. pp. 23-24.

Xu, Z., Chen, H., Li, P., Yin, Y., and Xu, H., Algorithm for determining number of clusters based on dichotomy, *Proceeding iThings, IEEE GreeCom, IEEE Cyber, Physical and Social Computing, and IEEE Smart Data Congress*, 978-1-7281-7647-5/20/\$31.000, pp: 180-185, <https://ieeexplore.ieee.org/document/9291601>

Yu, D., Guojun L., Mauzo G., X. Liu, An improved k-medoids algorithm based on step increasing and optimizing medoids, *Expert System With Applications*, 92, 464-473, 2018. DOI: 10.1016/j.eswa.2017.09.052.

Yuan, F., Yang, Y., Yuan, T., (2020), A Dissimilarity Measure For Mixed Nominal And Ordinal Attribute Data In K-Modes Algorithm, *Applied Intelligence*, 50: 1498-1509, <https://doi.org/10.1007/s10489-019-01583-5>

Zadegan, S.M.R, Mehdi M, and F. Sadoughi, Ranked K-Medoids: A Fast and Accurate Rank-Based Partitioning Algorithm For Clustering Large Dataset, *Knowledge-Based System*, 39, 133-143, 2013. DOI: 10.1016/j.knosys.2012.10.012.

Zhang, Y., and Cheung, Y.M., A New Distance Metric Exploiting Heterogeneous Inter-Attribute Relationship for Ordinal-And-Nominal-Attribute Data Clustering, *IEEE Transactions on Cybernetics*, 2020.

Zhihe, W., Shuyan, W., Hui, D., and Hao, G., (2020), Fuzzy C-Means Clustering Algorithm for Automatically Determining the Number of Clusters, *Proceeding of the 16th International Conference on Computational Intelligence and Security (CIS)*. (2020) 223-227,. DOI: 10.1109/CIS52066.2020.00055

Zorn, C., (2003). Agglomerative Clustering of Rankings Data, with Application to Prison Rodeo Events. Department of Political Science, Emory University, Atlanta, GA 30322. <https://www.academia.edu/2815155>

Zwitter, M. dan Soklic, M., (1988), *Primary Tumor, UCI Machine Learning Repository*