

## DAFTAR PUSTAKA

- Abd El-Mageed, A. I. A., Dyab, A. K. F., Mohamed, L. A., Taha, F., & Essawy, H. A. (2022). Suspension polymerization for fabrication of magnetic polystyrene microspheres stabilized with Hitenol BC-20. *Polymer Bulletin*, 79(5), 3379–3393. <https://doi.org/10.1007/s00289-021-03755-1>
- Abd El-Mageed, A. I. A., & Ogawa, T. (2019). Supramolecular structures of terbium(iii) porphyrin double-decker complexes on a single-walled carbon nanotube surface. *RSC Advances*, 9(48), 28135–28145. <https://doi.org/10.1039/c9ra05818d>
- Abdulsada, A. H., Mishjil, K. A., & Abd, A. N. (2018). Effect of thermal annealing on properties of polycrystalline Titanium dioxide (TiO<sub>2</sub>) thin film prepared by simple chemical method. *Journal of Physics: Conference Series*, 1032(1). <https://doi.org/10.1088/1742-6596/1032/1/012037>
- Al-Asbahi, B. A. (2017). Influence of anatase titania nanoparticles content on optical and structural properties of amorphous silica. *Materials Research Bulletin*, 89, 286–291. <https://doi.org/10.1016/j.materresbull.2017.01.004>
- Alfárez Vega, F. L., Olaya, J. J., & Bautista Ruiz, J. (2018). Synthesis and corrosion resistance of SiO<sub>2</sub>-TiO<sub>2</sub>-ZrO<sub>2</sub>-Bi<sub>2</sub>O<sub>3</sub> coatings spin-coated on Ti6Al4V alloy. *Ceramics International*, 44(2), 2123–2131. <https://doi.org/10.1016/j.ceramint.2017.10.161>
- Ariga, K. (2021). Nanoarchitectonics Revolution and Evolution: From Small Science to Big Technology. *Small Science*, 1(1), 2000032. <https://doi.org/10.1002/smssc.202000032>
- Ayoola, A. A., Babalola, R., Durodola, B. M., Alagbe, E. E., Agboola, O., & Adegbile, E. O. (2022). Corrosion inhibition of A36 mild steel in 0.5 M acid medium using waste citrus limonum peels. *Results in Engineering*, 15. <https://doi.org/10.1016/j.rineng.2022.100490>
- Brinker, C. J., Hurd, A. J., Frye, G. C., Schunk, P. R., & Ashley, C. S. (t.t.). *The Centennial Memorial Issue of The Ceramic Society of Japan Sol-Gel Thin Film Formation*.
- Budi Utomo, R. S., & Alva, S. (2017). STUDI DAN KARAKTERISASI LAJU KOROSI LOGAM ALUMINIUM DENGAN PELAPISAN MEMBRAN SOL-GEL. *Jurnal Teknik Mesin*, 6(3), 191. <https://doi.org/10.22441/jtm.v6i3.1969>
- Budiarti, H. A., Puspitasari, R. N., Hatta, A. M., Sekartedjo, & Risanti, D. D. (2017). Synthesis and Characterization of TiO<sub>2</sub>@SiO<sub>2</sub> and SiO<sub>2</sub>@TiO<sub>2</sub> Core-Shell Structure Using Lapindo Mud Extract via Sol-Gel Method. *Procedia Engineering*, 170, 65–71. <https://doi.org/10.1016/j.proeng.2017.03.013>

- Carter, C. Barry., & Norton, M. G. (Murray G. (2007). *Ceramic materials : science and engineering*. Springer.
- Chatel, G. (2018). How sonochemistry contributes to green chemistry? *Ultrasonics Sonochemistry*, 40, 117–122. <https://doi.org/10.1016/j.ultsonch.2017.03.029>
- Chen, Q., Xu, Y., Ma, A., Zhang, L., & Zheng, Y. (2023). Study of the passivation and repassivation behavior of pure titanium in 3.5 wt% NaCl solution and 6 M HNO<sub>3</sub> solution. *Corrosion Science*, 224. <https://doi.org/10.1016/j.corsci.2023.111538>
- Çomaklı, O., Yazıcı, M., Demir, M., Yetim, A. F., & Çelik, A. (2023). Effect of bilayer numbers on structural, mechanical, tribological and corrosion properties of TiO<sub>2</sub>-SiO<sub>2</sub> multilayer film-coated  $\beta$ -type Ti45Nb alloys. *Ceramics International*, 49(2), 3007–3015. <https://doi.org/10.1016/j.ceramint.2022.09.285>
- da Fonseca, B. T., D'Elia, E., Siqueira Júnior, J. M., de Oliveira, S. M., dos Santos Castro, K. L., & Ribeiro, E. S. (2021). Study of the characteristics and properties of the SiO<sub>2</sub>/TiO<sub>2</sub>/Nb<sub>2</sub>O<sub>5</sub> material obtained by the sol-gel process. *Scientific Reports*, 11(1). <https://doi.org/10.1038/s41598-020-80310-4>
- El-Khawaga, A. M., Zidan, A., & El-Mageed, A. I. A. A. (2023). Preparation methods of different nanomaterials for various potential applications: A review. Dalam *Journal of Molecular Structure* (Vol. 1281). Elsevier B.V. <https://doi.org/10.1016/j.molstruc.2023.135148>
- Esquivel, K., García J., M. G., Rodríguez, F. J., González, M. V., Escobar-Alarcón, L., Ortiz-Frade, L., & Godínez, L. A. (2011). Titanium dioxide doped with transition metals (M x Ti 1-x O<sub>2</sub>, M: Ni, Co): Synthesis and characterization for its potential application as photoanode. *Journal of Nanoparticle Research*, 13(8), 3313–3325. <https://doi.org/10.1007/s11051-011-0245-y>
- Geetha Bhavani, A., & Wani, T. A. (2021). Synthesis of single phase LaMn1-XNiXO3 perovskite material. *Materials Letters: X*, 12. <https://doi.org/10.1016/j.mlblux.2021.100107>
- Haider, A. J., Al-Anbari, R. H., Kadhim, G. R., & Salame, C. T. (2017). Exploring potential Environmental applications of TiO<sub>2</sub> Nanoparticles. *Energy Procedia*, 119, 332–345. <https://doi.org/10.1016/j.egypro.2017.07.117>
- Hamidah, I., Solehudin, A., Hamdani, A., Hasanah, L., Khairurrijal, K., Kurniawan, T., Mamat, R., Maryanti, R., Nandiyanto, A. B. D., & Hammouti, B. (2021). Corrosion of copper alloys in KOH, NaOH, NaCl, and HCl electrolyte solutions and its impact to the mechanical properties. *Alexandria Engineering Journal*, 60(2), 2235–2243. <https://doi.org/10.1016/j.aej.2020.12.027>
- Han, J., Liu, E., Zhou, Y., Zhao, S., Yan, H., Hu, C., Kang, J., Han, Q., & Su, Y. (2023a). Robust superhydrophobic film on aluminum alloy prepared with TiO<sub>2</sub>/SiO<sub>2</sub>-silane composite film for efficient self-cleaning, anti-corrosion and anti-icing. *Materials Today Communications*, 34. <https://doi.org/10.1016/j.mtcomm.2022.105085>

- Han, J., Liu, E., Zhou, Y., Zhao, S., Yan, H., Hu, C., Kang, J., Han, Q., & Su, Y. (2023b). Robust superhydrophobic film on aluminum alloy prepared with TiO<sub>2</sub>/SiO<sub>2</sub>-silane composite film for efficient self-cleaning, anti-corrosion and anti-icing. *Materials Today Communications*, 34. <https://doi.org/10.1016/j.mtcomm.2022.105085>
- Hashimoto, K., Irie, H., & Fujishima, A. (2005). TiO<sub>2</sub> photocatalysis: A historical overview and future prospects. *Japanese Journal of Applied Physics, Part 1: Regular Papers and Short Notes and Review Papers*, 44(12), 8269–8285. <https://doi.org/10.1143/JJAP.44.8269>
- Hernández, R., Olvera-Rodríguez, I., Guzmán, C., Medel, A., Escobar-Alarcón, L., Brillas, E., Sirés, I., & Esquivel, K. (2018). Microwave-assisted sol-gel synthesis of an Au-TiO<sub>2</sub> photoanode for the advanced oxidation of paracetamol as model pharmaceutical pollutant. *Electrochemistry Communications*, 96, 42–46. <https://doi.org/10.1016/j.elecom.2018.09.009>
- Hernández-Padrón, G., & García-Garduño, M. V. (2013). Sol-gel, one technology by produced nanohybrid with anticorrosive properties. *Physics Procedia*, 48, 102–108. <https://doi.org/10.1016/j.phpro.2013.07.017>
- Huang, L., Wang, J., Zhu, Y., Li, Z., & Sun, K. (2019). Effect of TiO<sub>2</sub>-SiO<sub>2</sub> on microstructure and mechanical characteristics of zirconium corundum abrasives by sol-gel method. Dalam *Journal of Alloys and Compounds* (Vol. 802, hlm. 229–234). Elsevier Ltd. <https://doi.org/10.1016/j.jallcom.2019.06.162>
- Jebali, S., Vayer, M., Belal, K., Mahut, F., & Sinturel, C. (2024). Dip-coating deposition of nanocomposite thin films based on water-soluble polymer and silica nanoparticles. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 680. <https://doi.org/10.1016/j.colsurfa.2023.132688>
- Jesus, M. A. M. L., Ferreira, A. M., Lima, L. F. S., Batista, G. F., Mambrini, R. V., & Mohallem, N. D. S. (2021a). Micro-mesoporous TiO<sub>2</sub>/SiO<sub>2</sub> nanocomposites: Sol-gel synthesis, characterization, and enhanced photodegradation of quinoline. *Ceramics International*, 47(17), 23844–23850. <https://doi.org/10.1016/j.ceramint.2021.05.092>
- Jesus, M. A. M. L., Ferreira, A. M., Lima, L. F. S., Batista, G. F., Mambrini, R. V., & Mohallem, N. D. S. (2021b). Micro-mesoporous TiO<sub>2</sub>/SiO<sub>2</sub> nanocomposites: Sol-gel synthesis, characterization, and enhanced photodegradation of quinoline. *Ceramics International*, 47(17), 23844–23850. <https://doi.org/10.1016/j.ceramint.2021.05.092>
- Katz, E. (2020). Magnetic nanoparticles. Dalam *Magnetochemistry* (Vol. 6, Nomor 1, hlm. 1–6). MDPI AG. <https://doi.org/10.3390/magnetochemistry6010006>
- Kelly, P. J., & Arnell, R. D. (t.t.). *Magnetron sputtering: a review of recent developments and applications*.
- Li, Z., Zhang, Y., Wang, K., Wang, Z., Ma, G., Ke, P., & Wang, A. (2024). Highly dense passivation enhanced corrosion resistance of Ti<sub>2</sub>AlC MAX phase

- coating in 3.5 wt.% NaCl solution. *Corrosion Science*, 228. <https://doi.org/10.1016/j.corsci.2024.111820>
- Lu, H., Tang, S. Y., Yun, G., Li, H., Zhang, Y., Qiao, R., & Li, W. (2020a). Modular and Integrated Systems for Nanoparticle and Microparticle Synthesis—A Review. Dalam *Biosensors* (Vol. 10, Nomor 11). MDPI. <https://doi.org/10.3390/BIOS10110165>
- Lu, H., Tang, S. Y., Yun, G., Li, H., Zhang, Y., Qiao, R., & Li, W. (2020b). Modular and Integrated Systems for Nanoparticle and Microparticle Synthesis—A Review. Dalam *Biosensors* (Vol. 10, Nomor 11). MDPI. <https://doi.org/10.3390/BIOS10110165>
- Lupacchini, M., Mascitti, A., Giachi, G., Tonucci, L., d'Alessandro, N., Martinez, J., & Colacino, E. (2017). Sonochemistry in non-conventional, green solvents or solvent-free reactions. Dalam *Tetrahedron* (Vol. 73, Nomor 6, hlm. 609–653). Elsevier Ltd. <https://doi.org/10.1016/j.tet.2016.12.014>
- Mettin, R., Cairós, C., & Troia, A. (2015). Sonochemistry and bubble dynamics. *Ultrasonics Sonochemistry*, 25(1), 24–30. <https://doi.org/10.1016/j.ultsonch.2014.08.015>
- Mishra, Y. K., Murugan, N. A., Kotakoski, J., & Adam, J. (2017). Progress in electronics and photonics with nanomaterials. Dalam *Vacuum* (Vol. 146, hlm. 304–307). Elsevier Ltd. <https://doi.org/10.1016/j.vacuum.2017.09.035>
- Moghanian, A., Nasiripour, S., Hosseini, S. M., Hosseini, S. H., Rashvand, A., Ghorbanoghli, A., Pazhouheshgar, A., & Sharifian Jazi, F. (2021). The effect of Ag substitution on physico-chemical and biological properties of sol-gel derived 60%SiO<sub>2</sub>-31%CaO-4%P<sub>2</sub>O<sub>5</sub>-5%TiO<sub>2</sub> (mol%) quaternary bioactive glass. *Journal of Non-Crystalline Solids*, 560. <https://doi.org/10.1016/j.jnoncrysol.2021.120732>
- Muflikhun, M. A., Castillon, G. B., Santos, G. N. C., & Chua, A. Y. (2017). Micro and nano silver-graphene composite manufacturing via horizontal vapor phase growth (HVPG) technique. *Materials Science Forum*, 901 MSF, 3–7. <https://doi.org/10.4028/www.scientific.net/MSF.901.3>
- Muflikhun, M. A., Chua, A. Y., & Santos, G. N. C. (2017). Statistical design analysis of Silver-Titanium dioxide nanocomposite materials synthesized via Horizontal Vapor Phase Growth (HVPG). *Key Engineering Materials*, 735 KEM, 210–214. <https://doi.org/10.4028/www.scientific.net/KEM.735.210>
- Muflikhun, M. A., Chua, A. Y., & Santos, G. N. C. (2020). Dataset of material measurement based on SEM images of Ag/TiO<sub>2</sub> nanocomposite material synthesized via Horizontal Vapor Phase Growth (HVPG) technique. *Data in Brief*, 28. <https://doi.org/10.1016/j.dib.2019.105018>
- Muflikhun, M. A., & Santos, G. N. C. (2019). A standard method to synthesize Ag, Ag/Ge, Ag/TiO<sub>2</sub>, SnO<sub>2</sub>, and Ag/SnO<sub>2</sub> nanomaterials using the HVPG technique. *MethodsX*, 6, 2861–2872. <https://doi.org/10.1016/j.mex.2019.11.025>

- Nandanwar, R., Singh, P., & Haque, F. (2015). Synthesis and Characterization of SiO<sub>2</sub> Nanoparticles by Sol-Gel Process and Its Degradation of Methylene Blue. *American Chemical Science Journal*, 5(1), 1–10. <https://doi.org/10.9734/acsj/2015/10875>
- Nazeri, M. F. M., & Mohamad, A. A. (2014). Corrosion measurement of Sn-Zn lead-free solders in 6 M KOH solution. *Measurement: Journal of the International Measurement Confederation*, 47(1), 820–826. <https://doi.org/10.1016/j.measurement.2013.10.002>
- Pakdel, E., Daoud, W. A., Seyedin, S., Wang, J., Razal, J. M., Sun, L., & Wang, X. (2018). Tunable photocatalytic selectivity of TiO<sub>2</sub>/SiO<sub>2</sub> nanocomposites: Effect of silica and isolation approach. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 552, 130–141. <https://doi.org/10.1016/j.colsurfa.2018.04.070>
- Pokhrel, N., Vabbina, P. K., & Pala, N. (2016). Sonochemistry: Science and Engineering. Dalam *Ultrasonics Sonochemistry* (Vol. 29, hlm. 104–128). Elsevier B.V. <https://doi.org/10.1016/j.ultsonch.2015.07.023>
- Ravi-Kumar, S., Lies, B., Lyu, H., & Qin, H. (2019). *Laser ablation of polymers: A review*. 34, 316–327. <https://doi.org/10.1016/j.promfg.2019.06.155>
- Raviprabha, K., & Bhat, R. S. (2023). Corrosion inhibition of mild steel in 0.5 M HCL by substituted 1,3,4-oxadiazole. *Egyptian Journal of Petroleum*, 32(2), 1–10. <https://doi.org/10.1016/j.ejpe.2023.03.002>
- Reyes-Coronado, D., Rodríguez-Gattorno, G., Espinosa-Pesqueira, M. E., Cab, C., De Coss, R., & Oskam, G. (2008). Phase-pure TiO<sub>2</sub> nanoparticles: Anatase, brookite and rutile. *Nanotechnology*, 19(14). <https://doi.org/10.1088/0957-4484/19/14/145605>
- Rodríguez-Méndez, A., Guzmán, C., Elizalde-Peña, E. A., Escobar-Alarcón, L., Vega, M., Rivera, J. A., & Esquivel, K. (2017). Effluent disinfection of real wastewater by Ag-TiO<sub>2</sub> nanoparticles photocatalysis. *Journal of Nanoscience and Nanotechnology*, 17(1), 711–719. <https://doi.org/10.1166/jnn.2017.13066>
- Rosales, A., & Esquivel, K. (2020). SiO<sub>2</sub>@TiO<sub>2</sub> composite synthesis and its hydrophobic applications: A review. Dalam *Catalysts* (Vol. 10, Nomor 2). MDPI. <https://doi.org/10.3390/catal10020171>
- Rosales, A., Maury-Ramírez, A., Gutiérrez, R. M. De, Guzmán, C., & Esquivel, K. (2018). SiO<sub>2</sub>@TiO<sub>2</sub> coating: Synthesis, physical characterization and photocatalytic evaluation. *Coatings*, 8(4). <https://doi.org/10.3390/coatings8040120>
- Rosales, A., Ortiz-Frade, L., Medina-Ramirez, I. E., Godínez, L. A., & Esquivel, K. (2021). Self-cleaning of SiO<sub>2</sub>-TiO<sub>2</sub> coating: Effect of sonochemical synthetic parameters on the morphological, mechanical, and photocatalytic properties of the films. *Ultrasonics Sonochemistry*, 73. <https://doi.org/10.1016/j.ultsonch.2021.105483>



- Sakohara, S., & Nishikawa, K. (2004). Compaction of TiO<sub>2</sub> suspension utilizing hydrophilic/hydrophobic transition of cationic thermosensitive polymers. *Journal of Colloid and Interface Science*, 278(2), 304–309. <https://doi.org/10.1016/j.jcis.2004.06.002>
- Salerno, M., Landoni, P., & Verganti, R. (2008). Designing foresight studies for Nanoscience and Nanotechnology (NST) future developments. *Technological Forecasting and Social Change*, 75(8), 1202–1223. <https://doi.org/10.1016/j.techfore.2007.11.011>
- Satalkar, P., Elger, B. S., & Shaw, D. M. (2016). Defining Nano, Nanotechnology and Nanomedicine: Why Should It Matter? *Science and Engineering Ethics*, 22(5), 1255–1276. <https://doi.org/10.1007/s11948-015-9705-6>
- Satrio, R., Utomo, B., Akhsin Muflikhun, M., & Ariyadi, H. M. (2024). Effect of TiO<sub>2</sub>-SiO<sub>2</sub> Nanocomposite as a Filler on the Self-Cleaning Properties of Material. *J-Proteksion*, 8(2), 2541–3562. <https://doi.org/10.32528/jp.v8i2.1575>
- Tanaka, D., Inose, T., Shimono, S., Tanaka, H., Tamaki, T., El-Mageed, A. I. A. A., Dyab, A. K. F., Ishikawa, N., & Ogawa, T. (2014). Surface self-assembly of trans-substituted porphyrin double-decker complexes exhibiting slow magnetic relaxation. *e-Journal of Surface Science and Nanotechnology*, 12, 124–128. <https://doi.org/10.1380/ejsnt.2014.124>
- Tu, Y., Zhong, J., Ding, H., Zhang, H., Lv, G., Zhang, J., & Hou, X. (2022). Preparation of fly ash supporting nano-TiO<sub>2</sub> composite photocatalyst by a wet mechanical grinding method. *Chemical Physics Letters*, 805. <https://doi.org/10.1016/j.cplett.2022.139978>
- Utomo, R. S. B., Sentanuhady, J., & Muflikhun, M. A. (2024). TiO<sub>2</sub>-SiO<sub>2</sub> nanocomposite via a novel sol-gel method with the addition of an energy monitoring device: Synthesized, characterization and anti-bacterial applications. *Ceramics International*. <https://doi.org/10.1016/j.ceramint.2024.04.059>
- Vignesh, M., Anbuechezhiyan, G., Mamidi, V. K., & Vivek Anand, A. (2024). Enriching mechanical, wear, and corrosion behaviour of SiO<sub>2</sub>/TiO<sub>2</sub> reinforced Al 5754 alloy hybrid composites. *Materials Letters*, 361. <https://doi.org/10.1016/j.matlet.2024.136106>
- Wahyuni, S., & Prasetya, A. T. (2017). Enhanced the hydrophobic surface and the photo-activity of TiO<sub>2</sub>-SiO<sub>2</sub> composites. *IOP Conference Series: Materials Science and Engineering*, 172(1). <https://doi.org/10.1088/1757-899X/172/1/012056>
- Wang, C., Lu, W., Wu, W., Zhang, L., Guo, W., Huang, G., & Xu, S. (2023). Mechanical grinding of FeNC nanomaterial with Fe<sub>3</sub>O<sub>4</sub> to construct magnetic adsorbents for desulfurization. *Separation and Purification Technology*, 306. <https://doi.org/10.1016/j.seppur.2022.122574>

- Wang, D., Hou, P., Zhang, L., Xie, N., Yang, P., & Cheng, X. (2018). Photocatalytic activities and chemically-bonded mechanism of SiO<sub>2</sub>@ TiO<sub>2</sub> nanocomposites coated cement-based materials. *Materials Research Bulletin*, 102, 262–268. <https://doi.org/10.1016/j.materresbull.2018.02.013>
- Wang, J., Zhu, T., Bao, Y., Liu, X., Shi, X., Guo, X., Han, Z., Andresen, P. L., Zhang, L., & Chen, K. (2023). Insights into the stress corrosion cracking propagation behavior of Alloy 690 and 316 L stainless steel in KOH versus LiOH oxygenated water. *Corrosion Science*, 224. <https://doi.org/10.1016/j.corsci.2023.111556>
- Wang, L., Wang, X., Cui, S., Fan, X., Zu, B., & Wang, C. (2013). TiO<sub>2</sub> supported on silica nanolayers derived from vermiculite for efficient photocatalysis. *Catalysis Today*, 216, 95–103. <https://doi.org/10.1016/j.cattod.2013.06.026>
- Wen, J., & Mark, J. E. (1995). Sol-Gel Preparation of Composites of Poly(dimethylsiloxane) with SiO<sub>2</sub> and SiO<sub>2</sub>/TiO<sub>2</sub>, and Their Mechanical Properties. Dalam *Polymer Journal* (Vol. 27, Nomor 5).
- Wood, R. J., Lee, J., & Bussemaker, M. J. (2017). A parametric review of sonochemistry: Control and augmentation of sonochemical activity in aqueous solutions. Dalam *Ultrasonics Sonochemistry* (Vol. 38, hlm. 351–370). Elsevier B.V. <https://doi.org/10.1016/j.ultsonch.2017.03.030>
- Xie, Z., Yang, J., Wang, K., Meng, Q., Tang, Y., & Zhao, K. (2022). Facile fabrication of TiO<sub>2</sub>-SiO<sub>2</sub>-C composite with anatase/rutile heterostructure via sol-gel process and its enhanced photocatalytic activity in the presence of H<sub>2</sub>O<sub>2</sub>. *Ceramics International*, 48(7), 9114–9123. <https://doi.org/10.1016/j.ceramint.2021.12.096>
- Ye, L., Zhang, Y., Zhang, X., Hu, T., Ji, R., Ding, B., & Jiang, B. (2013). Sol-gel preparation of SiO<sub>2</sub>/TiO<sub>2</sub>/SiO<sub>2</sub>-TiO<sub>2</sub> broadband antireflective coating for solar cell cover glass. *Solar Energy Materials and Solar Cells*, 111, 160–164. <https://doi.org/10.1016/j.solmat.2012.12.037>
- Zaleska-Medynska, A., Marchelek, M., Diak, M., & Grabowska, E. (2016). Noble metal-based bimetallic nanoparticles: The effect of the structure on the optical, catalytic and photocatalytic properties. *Advances in Colloid and Interface Science*, 229, 80–107. <https://doi.org/10.1016/j.cis.2015.12.008>
- Zhang, M., E, L., Zhang, R., & Liu, Z. (2019). The effect of SiO<sub>2</sub> on TiO<sub>2</sub>-SiO<sub>2</sub> composite film for self-cleaning application. *Surfaces and Interfaces*, 16, 194–198. <https://doi.org/10.1016/j.surfin.2018.10.005>
- Zhang, W., Tu, J., Long, W., Lai, W., Sheng, Y., & Guo, T. (2017). Preparation of SiO<sub>2</sub> anti-reflection coatings by sol-gel method. *Energy Procedia*, 130, 72–76. <https://doi.org/10.1016/j.egypro.2017.09.398>