



## DAFTAR PUSTAKA

- Aba, M. 2020. Improving the quality of aquafeed for an effective food security in small scale African aquaculture. European Organization for Nuclear Research. <https://doi.org/10.5281/zenodo.4317728>
- Adeboyejo, O. A., Clarke, E.O. & Olarinmoye, M.O. 2011. Organochlorine pesticide residues in water, sediments, fin and shell-fish samples from Lagos Lagoon Complex, Nigeria. *Researcher*, 3(3):38-45.
- Afonso, P., Morato, T., & Santos, R. S., 2008. Spatial patterns in reproductive traits of the temperate parrotfish *Sparisoma cretense*. *Fisheries Research*. 90(1–3): 92-99. <https://doi.org/10.1016/j.fishres.2007.09.029>.
- Afshari, M., Valinassab T., Seifabadi J., & Kamaly E. 2013. Age determination and feeding habits of *Nemipterus japonicus* (Bloch, 1791) in the Northern Oman Sea. *Iranian Journal of Fisheries Sciences*. 12(2): 248-264.
- Alonso-Fernández, A., & Saborido-Rey, F. 2012. Relationship between energy allocation and reproductive strategy in *Trisopterus luscus*. *Journal of Experimental Marine Biology and Ecology*, 416-417, 8-16. <https://doi.org/10.1016/j.jembe.2012.02.001>
- Amine, M. A. 2012. Biology and assessment of the thread fin bream *Nemipterus japonicus* in Gulf of Suez, Egypt. *Egypt. J. Aquat. Biol. & Fish.* 16 (2): 47-57. <https://doi.org/10.21608/ejabf.2012.2124>
- Anakotta, A.R.F. 2002. Studi kebiasaan makan ikan-ikan yang tertangkap di sekitar ekosistem mangrove Pantai Oesapa dan Oebelo Kupang Nusa Tenggara Timur. Institut Pertanian Bogor. *Thesis*.
- Anjani, F., W. Adi, & E. Utami. 2018. Aspek reproduksi ikan selar kuning (*Selaroides leptolepis*) yang didaratkan di Pelabuhan Perikanan Nusantara Sungailiat. *Jurnal Sumberdaya Perairan*. 12 (2): 26-34.
- Anjos, C., & Xavier, F. (2012, January 27). Nutritional value and uses of microalgae in aquaculture. InTech eBooks. <https://doi.org/10.5772/30576>.
- Antoine, D., Andre, J., & Morel, A. 1996. Oceanic primary production estimation at global scale from satellite (coastal zone color scanner) chlorophyll. *Global Biogeochemical Cycles*, 10, 57 – 69
- Behzadi Anakotta, A.R.F. 2002. Studi kebiasaan makan ikan-ikan yang tertangkap di sekitar ekosistem mangrove pantai Oesapa dan Oebelo Kupang Nusa Tenggara Timur. Institut Pertanian Bogor. *Thesis*.
- Behzadi, S., Kamrani, E., Kaymaram, F., & Ranjbar, M. S. 2016. Trophic level, food preference and feeding ecology of *Rachycentron canadum* (Linnaeus, 1766), in Hormuzgan Province waters (Northern Persian Gulf and Oman Sea). *Iranian Journal of Fisheries Sciences*. 17(1): 179–193.



- Bhakta.D., S.K. Das., B.K. Das., T.S. Nagesh., & S. Bahera. 2019. Food and feeding habits of *Otolithoides pama* (Hamilton, 1822) occurring from Hooghly-Matlah estuary of West Bengal, India. *Regional Studies in Marine Science* 32: 2352-4855.
- Bilecenoglu, M., & B. Russell. 2008. Record of *Nemipterus randalli* Russell, 1986 (Nemipteridae) from Iskenderun Bay, Turkey. *Cybium*. 32(3): 279-280.
- Biswas, S. P. 1993. Manual of Methods in Fish Biology. South Asian Publisher, New Dehli.
- Bone, Q., & R. Moore. 2008. Biology of Fishes Third Edition. Taylor & Francis Group, US.
- Caddy, J. F. & G. D. Sharp. 1986. an ecological framework for marine fishery investigation. FAO Fish. Tech. Pap., (283):152 p.
- Cardoso, L G., & Haimovici, M. 2014. Long term changes in the sexual maturity and in the reproductive biomass of the southern king weakfish *Macrodon atricauda* (Günther, 1880) in Southern Brazil. *Fisheries Research*, 160, 120-128. <https://doi.org/10.1016/j.fishres.2014.05.012>
- Carlotti, F., Bonnet, D., & Halsband, C. (2007). Development and growth rates of *Centropages typicus*. *Progress in Oceanography*. 72(2007) 164–194. <https://doi.org/10.1016/j.pocean.2007.01.011>
- Chaiphongpachara, T., Adisakwattana, P., & Suwandittakul, N. 2022. Intraspecific genetic variation of *Anisakis typica* in Indian mackerel caught from the Gulf of Thailand, Samut Songkhram Province. *The Scientific World Journal*, 2022, 1-10. <https://doi.org/10.1155/2022/2122619>.
- Chanda, A. 2014. First record of two Australian species: one under *Metapenaeopsis* and another under *Metapenaeus* from Indian water, their diagnosis and distribution. *Journal of Entomology and Zoology Studies*, 2(4), 18-20.
- Chandra, A. 2015. Indian records of the genus *Metapenaeopsis* Bouvier, 1905 with special reference to extended distribution of two species. *International Journal of Fisheries and Aquatic Studies*. 2(6): 265-273
- Chattopadhyay, N R. 2017. Reproductive cycle, maturation, and spawning. Elsevier eBooks, 15-42. <https://doi.org/10.1016/b978-0-12-801774-6.00002-x>
- Colwell R.K. & Futuyma D.J. 1971. On the measurement of niche breadth and overlap. *Ecology*. 52(4): 567-576.
- Cortés, E. 1999. Standardized diet compositions and trophic levels of sharks. *Journal of Marine Science*. 56: 707-717.



- Duarte, I A., Vasconcelos, R P., França, S., Batista, M I., Tanner, S., Cabral, H N., & Fonseca, V F. 2018. Short-term variability of fish condition and growth in estuarine and shallow coastal areas. *Marine Environmental Research*. 184(18); 130-137.
- Effendie, M. I. 2002. Biologi Perikanan. Yayasan Pustaka Nusatama, Yogyakarta.
- ElHaweet, A. E. A. 2013. Biological studies of the invasive species *Nemipterus japonicus* (Bloch, 1791) as a red sea immigrant into the Mediterranean. *The Egyptian Journal of Aquatic Research*. 39 (4).
- El-Naggar, H.A., H.M.K. Allah., M.F. Masood., W.M. Shaban., & M.A.E. Bashar. 2019. Food and feeding habits of some nile river fish and their relationship to the availability of natural food resources. *Egyptian Journal of Aquatic Research* 45: 273–280.
- Erdogan, Z., Koç, H. T., & Ozdemir, F. 2021. Reproductive biology of the tigris scraper, *Capoeta umbla* (heckel, 1843) population living in solhan creek of Murat River (bingöl, turkey). *Transylvanian Review of Systematical and Ecological Research*, 23(2), 39-50. <https://doi.org/10.2478/trser-2021-0013>
- Ergüden, D., Turan, C., Gürlek, M., Yaglioglu, D., & Güngör, M., 2010. Age and growth of the Randall's threadfin bream *Nemipterus randalli* (Russell, 1986), a recent lessepsian migrant in Iskenderun Bay, Northeastern Mediterranean. *Journal of Applied Ichthyology*, 26(3), 441-444. <https://doi.org/10.1111/j.1439-0426.2009.01387.x>
- Farias, I., Figueiredo, I., Janeiro, A I., Bandarra, N M., Batista, I., & Morales-Nín, B. 2014. Reproductive and feeding spatial dynamics of the black scabbardfish, *Aphanopus carbo* Lowe, 1839, in NE Atlantic inferred from fatty acid and stable isotope analyses. *Deep-sea research. Part 1. Oceanographic research papers/Deep sea research. Part I, Oceanographic research papers*, 89, 84-93. <https://doi.org/10.1016/j.dsr.2014.04.010>
- Fimbres-Olivarría, D., López-Elías, J A., Carvajal-Millán, E., Márquez-Escalante, J A., Martínez-Córdova, L R., Miranda-Baeza, A., Enríquez-Ocaña, L F., Váldez-Holguín, J E., & Brown, F. 2016. *Navicula* sp. sulfated polysaccharide gels induced by Fe (III): rheology and microstructure. *International Journal of Molecular Sciences*. 17(8), 1238-1238. <https://doi.org/10.3390/ijms17081238>.
- Fjosne, K. & J. Gjosaeter. 1996. Dietary composition and the potential of food competition between)-group cod (*Gadus morhua* L.) and some toher fish species in the littoral zone. *ICES J. Mar. Sci.* 53: 757-770.
- Frolikova, M., Sebkova, N., Ded, L., & Dvorakova-Hortova, K. 2016. Characterization of CD46 and  $\beta 1$  integrin dynamics during sperm acrosome reaction. *Scientific Reports*, 6(1). <https://doi.org/10.1038/srep33714>.



- Gertseva, V., & Gertsev, V. 2006. A conceptual model of fish functional relationships in marine ecosystems and its application for fisheries stock assessment. Elsevier BV, 81(1), 9-14. <https://doi.org/10.1016/j.fishres.2006.06.004>
- Global Biodiversity Information Facility. 2024. *Nemipterus swainson*, 1839. <https://www.gbif.org/species/2379945>.
- Hart, P. J. B., & Reynolds, J. D. 2002. Handbook of fish biology and fisheries. Blackwell Publishing, USA.
- Haryono, Rahardjo, M. F., Affandi, R., & Mulyadi. 2017. Karakteristik morfologi dan habitat ikan brek (*Barbonymus balleroides* Val. 1842) di Sungai Serayu Jawa Tengah. Jurnal Biologi Indonesia, 13(2), 223–232.
- Hosny, C. F. H., & Al-jaber, A. M., 2017. Reproductive biology of *Gerres longirostris* Lacepede, 1801 (Perciformes: Gerreidae) in the western Arabian Gulf. Indian Journal of Fisheries, 64(2). <https://doi.org/10.21077/ijf.2017.64.2.58421-02>
- Hou, G., Zhang, H., Wang, J., Chen, Y., & Lin, J. 2021. Stock assessment of 19 perciformes in the beibu gulf, china, using a length-based bayesian biomass method. <https://doi.org/10.3389/fmars.2021.731837>.
- Husain, P., Karnan, & Santoso, D. 2021. Biologi reproduksi ikan tongkol (*Euthynnus affinis*) yang didaratkan di Pangkalan Pendaratan Ikan Tanjung Luar Kabupaten Lombok Timur. Jurnal Inovasi Pendidikan dan Sains. 2 (1): 19-25.
- Innal, D., Aksu, M., Akdoganbulut, D., Kisin, B., Unal, M. C., Ozturk, M., Dogangil, B., & Pek, E. (2015). Age and growth of *Nemipterus randalli* from Antalya Gulf-Turkey. International Journal of Fisheries and Aquatic Studies. 2(4): 299-303.
- Kabupaten Lamongan. 2021. Profil Perikanan. Dinas Perikanan Kabupaten Lamongan.
- Kamler, E. 1992. Early Life History of Fish, an Energetic Approach. Chapman and Hall. London, 181 pp.
- Kantun, W., & Moka, W. J., 2022. Some aspects of the reproductive of japanese threadfin bream (*Nemipterus japonicus* Bloch, 1791) caught in the area around the artificial reef in the pitu sunggu waters of the Makassar Strait. Jurnal Perikanan Universitas Gadjah Mada, 24(2), 147. <https://doi.org/10.22146/jfs.73629>.
- Kementerian Kelautan & Perikanan. 2021. Statistik Potensi Sumber Daya Ikan Ikan Demersal WPP-NRI 712. Jakarta
- Kiran, G., Hitesh, K., Muniya, T., Kinjal, K., & Hariprasad. 2021. Observations on the food and feeding habit of *Nemipterus mesoprion* (bleeker, 1853) landed at veraval harbour. J. Exp. Zool. India. 24(1): 291-295.



- Koch, M., Ďuriš, Z., Huang, J F., & Chan, T Y. 2014. First report of the swimming crab *Ovalipes iridescentes* (Miers, 1886) (Brachyura, Portunidae) from Taiwan.
- Krebs, C. J. 1989. *Ecological Methodology*. Harper Collins Publisher, New York.
- Kumar, S., & Mohite, S. (2011). Study of relationships between the morphometric characters of the threadfin bream, *Nemipterus japonicas*. *biosciences. Biotechnology Research Asia*, 8(2), 685–691. <https://doi.org/10.13005/bbra/920>.
- Kumari, S., Sarkar, U.K., & Karnatak, G. 2021 Food selectivity and reproductive biology of small indigenous fish Indian river shad, *Gudusia chapra* (Hamilton, 1822) in a large tropical reservoir. *Environ Sci Pollut Res* 28, 11040–11052.
- Leene, J. 1936. Note on *Charybdis erythrodactyla* (Lam.), *Charybdis acutifrons* (de Man), and *Charybdis obtusifrons* nov. spec. *Zoologische Mededelingen*, 19(9), 117–127.
- Leet, J.K., Gall, H. E., & Sepúlvedaa, M. S., 2011. A review of studies on androgen and estrogen exposure in fish early life stages: effects on gene and hormonal control of sexual differentiation. *Journal of Applied Toxicology*. 31(5): 379–398. <https://doi.org/10.1002/jat.1682>
- Liu, M., Clarke, L. J., Baker, S. C., Jordan, G. C., & Burridge, C. P., 2020. A practical guide to DNA metabarcoding for entomological ecologists. *Ecological Entomology*. 45(3); 373-385.
- Lloret-Lloret, E., Albo-Puigserver, M., Giménez, J., Navarro, J., Pennino, M. G., Steenbeek, J., Bellido, J. M., & Coll, M. (2022). Small pelagic fish fitness relates to local environmental conditions and trophic variables. *Progress in Oceanography*. 202, 102745. <https://doi.org/10.1016/j.pocean.2022.102745>
- Lopes, C. A., Reynalte-Tataje, D. A., & Nuñer, A. P. d. O. 2017. Reproductive dynamics of *Lycengraulis grossidens* (clupeiformes: engraulidae) and *Platanichthys platana* (clupeiformes: clupeidae) in a subtropical coastal lagoon. *Brazilian Journal of Biology*, 78(3), 477-486. <https://doi.org/10.1590/1519-6984.170155>
- Luzio, A., D. Santos, A. Fernandes, S. Monteiro, & A. Coimbra. 2016. Effects of 17-ethinylestradiol at different water temperatures on zebrafish sex differentiation and gonad development. *Aquatic Toxicology*. 174: 24-35.
- Madduppa, H. 2014. Bioekologi dan Biosistematis Ikan Terumbu. PT IPB Press: Bogor.
- Manko, P. 2016. Stomach Content Analysis in Freshwater Fish Feeding Ecology. Vydavateľstvo Prešovskej Univerzity, Prešov.



- Marcelle, B., Konan, K. J., Laurent, A., Issa, O., & Celestin, A. 2014. Reproductive biology of the sompat grunt, *Pomadasys jubelini* (Cuvier, 1830) in côte d'ivoire lagoons complex (west africa). Journal of Applied Biosciences, 72(1), 5855. <https://doi.org/10.4314/jab.v72i1.99673>
- Mardlijah, S. & M. P. Patria. 2012. Biologi reproduksi ikan madidihang (*Thunnus albacares* Bonnatere 1788) di Teluk Tomini. BAWAL. 4(1): 27-34.
- Meshram, M., M. Rajesh, K.M. Rajesh, & N.K. Suyani. (2021). Sexual maturity, spawning periodicity and fecundity of obtuse *Barracuda sphyraena obtusata* (Cuvier, 1829) along Karnataka Coast, Southeastern Arabian Sea. Indian Journal of Animal Research. 55 (12): 1409-1415. <https://doi.org/10.18805/IJAR.B-4505>.
- Millamena, O M., Coloso, R M., & Pascual, F P. 2002. Nutrition in tropical aquaculture: Essentials of fish nutrition, feeds, and feeding of tropical aquatic species.
- Mohamed, A. A., Ismail-Fitry, M. R., Rozzamri, A., & Bakar, J. (2022). Effect of foam-mat drying on kinetics and physical properties of japanese threadfin bream (*Nemipterus japonicus*) powder. Journal of Food Processing and Preservation, 46(3). <https://doi.org/10.1111/jfpp.16376>
- Monojkumar, P. P. 2008. Observations on the food of *Nemipterus mesoprion* (Bleeker, 1853) from Malabar Coast. Journal of the Marine Biological Association of India. 50 (1): 52 – 56.
- Nababan, B., Nirmawan, A. D., & Panjaitan, J. P. 2022. Variabilitas suhu permukaan laut dan konsentrasi klorofil-a di Perairan Palabuhanratu dan sekitarnya. Jurnal Teknologi Perikanan dan Kelautan. 13 (2). 145-162.
- Naim, D. M. 2018. Geometric morphometrics species discrimination within the genus *Nemipterus* from Malaysia and its surrounding seas. Biodiversitas Journal of Biological Diversity, 19(6), 2316-2322. <https://doi.org/10.13057/biodiv/d190640>
- Nainggolan, A., Sudrajat, A. O., Utomo, N. B. P., & Harris, E. (2015). Peningkatan kinerja reproduksi, kualitas telur, dan larva melalui suplementasi Spirulina dikombinasi dengan injeksi *oocyte developer* pada induk ikan lele (*Clarias sp.*) betina. Jurnal Riset Akuakultur, 10(2), 199-210.
- Nair, J., & S. Kumar. 2018. Training Manual Molecular Biology and Biotechnology for Fisheries Professionals. CMFRI. India.
- Nair, P., S. Josepha, V. Kripaa, & V. N. Pillaia. (2021). Population growth and maturity characteristics of commerson's anchovy (*Stolephorus commersonii* Lacepède, 1803) along the southwest coast of India. Indian Journal of Geo Marine Sciences. 50 (2): 141-147. <https://doi.org/10.56042/ijms.v50i02.66089>



- Namin, F., Shahram, A., & Hadavi, M. 2015. Reproductive biology of *Caspian vimba* in the coastal waters of the southwestern Caspian Sea. <https://doi.org/10.1515/aopf-2015-0020>.
- Nettely T, Rajaee A. H, Denil N. A, Idris M. H, Nesarul M. H, Amin S. M. N, & Hena M.K.A. 2016. Reproductive biology of *Nemipterus japonicus* (Bloch, 1791) from the coastal waters of Bintulu (South China Sea), Sarawak, Malaysia. *J Environ Biol.* 37 (Special issue), 715-724.
- Nettely, T., Rajaee, A. H., Denil, N. A., Idris, M. H., Nesarul, M. H., Amin, S. M. N., & Hena, M. K. A. (2016). Reproductive biology of *Nemipterus japonicus* (Bloch, 1791) from the coastal waters of Bintulu (South China Sea), Sarawak, Malaysia. *Journal of Environmental Biology*, 37 (Special Issue), 715–724.
- Nikolsky, G. V. 1963. *The Ecology of Fisheries*. Academic Press, London.
- Nur, M. 2015. Biologi Reproduksi Ikan endemik pirik (*Lagusia micrachantus*, Bleeker 1860) di Sulawesi Selatan. *Tesis*. Program Pascasarjana, Universitas Hasanudin, Makasar.
- Nurholisah, S., Khan, A. M., Dewanti, L. P., & Syamsuddin, M. L. 2023. Pemetaan daerah penangkapan ikan bawal putih (*Pampus argenteus*) di Perairan Pangandaran. *Albacore Jurnal Penelitian Perikanan Laut*, 7(2), 313-321.
- Oktaviyani, S., M. Boer, & Yonvitner. 2016. Aspek biologi ikan kurisi (*Nemipterus japonicus*) di perairan Teluk Banten. *Jurnal Bawal*. 8 (1): 21-28.
- Pasini, F., Gómez-Caravaca, A.M., Blasco, T., Cvejić, J., Caboni, M. & Verardo, V. 2022. Assessment of lipid quality in commercial omega-3 supplements sold in the french market. *Biomolecules* 2022, 12, 1361. <https://doi.org/10.3390/biom12101361>
- Paul, M., Pradit, S., Hajisamae, S., Prengmak, P., Hisam, F., & Chaibundit, S. 2017. Relationships of body lengths with mouth opening and prey length of nemipterid fishes (Regan, 1913) in the Gulf of Thailand. *The Egyptian Journal of Aquatic Research*, 43, 297-302.
- Paul, M., Siriporn, P., Sukree, H., Permsak, P., & Hoque, S. 2016. Size and growth variation at maturity of six *Nemipterus* species in the South China sea. *Russian Journal of Agricultural and Socio-Economic Sciences*, 59(11), 156-164. <https://doi.org/10.18551/rjoas.2016-11.19>
- Pauly, D. 1993. Some Simple Methods for the Assessment of Typical Fish Stocks. (Vol. 234). FAO.
- Persada, L., Utami, E., & Rosalina, D. 2016. Aspek reproduksi ikan kurisi (*Nemipterus furcosus*) yang didaratkan di Pelabuhan Perikanan Nusantara Sungailiat. *Jurnal Sumberdaya Perairan*. 10 (2): 46-55.



- Pertiwi, N. P. D., Mahardika, I. G. N. K., & Watiniasih, N. L. 2015. Optimasi amplifikasi DNA menggunakan metode PCR pada ikan karang anggota family Pseudochromidae (*dottyback*) untuk identifikasi spesies secara molekular. *Jurnal Biologi*. 19(2): 53-57.
- Preciado, I., Velasco, F., & Olaso, I. 2008. The role of pelagic fish as forage for the demersal fish community in the southern Bay of Biscay. *Journal of Marine Systems*, 72(1-4), 407-417. <https://doi.org/10.1016/j.jmarsys.2007.04.007>
- Prokofiev, A M., & Кукуев, Е N. 2009. Systematics and distribution of black swallowers of the genus *Chiasmodon* (Perciformes: Chiasmodontidae). <https://doi.org/10.1134/s0032945209100063>
- Rahardjo, M. F., Sjafai, D. S., Affandi, R., & Sulistiono. 2011. *Ikthiology*. Bandung: Lubug Agung.
- Rahman, M. M., & Samat, A. F. 2021. Reproductive cycle, sexual maturity and fecundity of *Nemipterus furcosus* (Valenciennes, 1830). *Aquaculture and Fisheries*. 6 (4).
- Raje, S.G. 2002. Observations on the biology of *Nemipterus japonicus* (Bloch) from Veraval. *Ind. J. Fishe.* (49): 433-440.
- Rao, M. V. H., Ghosh, S., Sreeramulu, K., Mahesh, V. U., Kumar, M. S., & Muktha, M. 2017. Reproductive biology of *Nemipterus japonicus* (Bloch, 1791) in the trawl grounds along the north-east coast of India. *Indian Journal of Fisheries*, 64(4). <https://doi.org/10.21077/ijf.2017.64.4.62693-03>
- Rapita, R., S. Susiana, & Rochmady, R. 2020. Hubungan panjang-bobot ikan kurisi (*Nemipterus* sp.) di perairan Desa Malang Rapat, Kabupaten Bintan, Kepulauan Riau. *Jurnal Agribisnis Perikanan*. 13 (2): 449-453.
- Ravi, I., Buanthiyal, M., & Saxena, J. 2014. *Advances in Biotechnology*. Springer. India.
- Republik Indonesia. 2021. Peraturan menteri kelautan dan perikanan no. 18 tahun 2021 tentang penempatan alat penangkapan ikan. Kementerian Kelautan dan Perikanan RI. Jakarta
- Ridho, M. R., Kaswadiji R. F., Jaya. dan Nurhakim S. 2004. Distribusi sumber daya ikan demersal di Perairan Cina Selatan. *Jurnal Ilmu Perairan dan Perikanan Indonesia*, 9(2), 123 – 128.
- Russell, B.C., 1990. *FAO Species Catalogue. Nemipterid fishes of the world. (Threadfin breams, whiptail breams, monocle breams, dwarf monocle breams, and coral breams)*. Family Nemipteridae. An annotated and illustrated catalogue of nemipterid species known to date. FAO Fish. 125(12):149.



- Saç, G. and Gaygusuz, Ö. 2019. Relationships between body size, weight and fecundity of the endangered fish *Alburnus carinatus* Battalgil, 1941 in the Manyas Lake (turkey). Aquatic Sciences and Engineering, 35(1), 27-30. <https://doi.org/10.26650/ase2019600582>.
- Samat, A. F., Rahman, M. M., & Yunus, K. 2016. Relative abundance and growth of male and female *Nemipterus furcosus* population. *Sains Malaysiana*, 45(1), 79–86.
- Sánchez-Hernández, J., & Cobo, F. 2015. Adaptive flexibility in the feeding behaviour of brown trout: optimal prey size. Zoological studies, 54(1). <https://doi.org/10.1186/s40555-015-0107-x>
- Sá-Oliveira, J. C, Angelini, R., & Isaac-Nahum, V. J. 2014. Diet and niche breadth and overlap in fish communities within the area affected by an Amazonian reservoir (Amapá, Brazil). An Acad Bras Cienc. 86(1): 383-405. doi: 10.1590/0001-3765201420130053.
- Sarman, V., Hitesh, K., Mahendra, P., & Piyush, V. 2018. Biological aspects of threadfin bream *Nemipterus japonicus* (Bloch 1791) along coast of Saurastra, Gujarat. 3.
- Satria H., & Kartamihardja E. S., 2002 Distribusi panjang total dan kebiasaan makan ikan payangka (*Ophiocara porocephala*). JPPI 8(1):41-50.
- Serrano, A., Velasco, F., Olaso, I., & Sánchez, F A. 2003. Macrofauna crustaceans in the diet of demersal fish in the Bay of Biscay in relation to abundance in the environment. Sarsia, 88(1), 36-48. <https://doi.org/10.1080/00364820308469>
- Sikoki, F.D., & A.T. Ibim. 2014. The effect of environmental and nutritional manipulation on year-round gonadal development, spawning and recrudescence of female *Clarias gariepinus* broodfish. Advance in Life Sci. Tech., 16, 1-9.
- Song, H. Y., Jung, Y., Choi, Y., Kim, B., Nguyen, T. V., & Lee, D. 2020. Characterization of the complete mitochondrial genome of the fork-tailed threadfin bream, *Nemipterus furcosus* (Spariformes, Nemipteridae) and phylogenetic analysis. Mitochondrial DNA Part B, 5(3), 3130-3131. <https://doi.org/10.1080/23802359.2020.1778576>
- Sparre, P., & Venema, S.C. (1999). Introduksi pengkajian stok ikan tropis. pusat penelitian dan pengembangan perikanan. Buku 1. Manual. Terjemahan dari: Introduction to Tropical Fish Stock Assesment Part I.FAO Fish Tech Pap. No. 306/1: 438 p
- Sreekanth, G.B., Chakraborty, S.K., Jaiswar, A.K., Nair, J.R., Pazhayamadom, D.G., Renjith, R.K., Kumar, R., Sandeep, K.P. & Anuraj, A., 2012. Site specific differences in food and feeding biology of *Nemipterus japonicus* (Bloch, 1791) along Indian coast. Indian J. Fish., 59(3): 25-31



- Srihari, M., Silpa, S., Pavan-Kumar, A., Tikochinski, Y., Golani, D., Nayak, B. B., & Abidi, Z. J. 2020. Characterization of genetic diversity of an invasive lessepsian migrant, *Nemipterus randalli russell*, 1986 from its native and non-native regions using mitochondrial dna marker. Mediterranean Marine Science. <https://doi.org/10.12681/mms.23507>
- Stentiford, G. D., & Holt, C. C. 2022. Global adoption of aquaculture to supply seafood. Environmental Research Letters, 17(4), 041003. <https://doi.org/10.1088/1748-9326/ac5c9f>.
- Stoner, A W. 2004. Effects of environmental variables on fish feeding ecology: implications for the performance of baited fishing gear and stock assessment. Journal of fish biology, 65(6), 1445-1471. <https://doi.org/10.1111/j.0022-1112.2004.00593>.
- Sulistiono, S., Tirta, N., & Brodjo, M. 2017. Kebiasaan makanan ikan kresek (*Thryssa mystax*) di Perairan Ujung Pangkah, Jawa Timur. Jurnal Iktiologi Indonesia, 9(1), 35-48. <https://doi.org/10.32491/jii.v9i1.199>.
- Sunarni, T., S. Wairara, & Elviana, S. 2020. Analisis pertumbuhan dan tingkat kematangan gonad ikan buntal (*Tetraodon fluviatilis*). Agricola. 10 (2): 85-93.
- Supmee, V., Songrak, A., Suppapan, J., & Sangthong, P. 2021. Population genetic structure of ornate threadfin bream (*Nemipterus hexodon*) in Thailand. <https://doi.org/10.21315/tlsr2021.32.1.4>.
- Suryandari, A., & Kunto, P. 2010. Luas relung dan kompetisi pakan komunitas ikan di Situ Panjalu, Jawa Barat. Jurnal BAWAL. 3(3): 159-164.
- Tamsil, A., Kordi K., M. G. H., Yasin, H., & Ibrahim, T.A. 2019. Fisheries Biology. Lily Publisher. Yogyakarta.
- Tonnie, N., Abu Hena, M.K., Idris, M. H., Rajaee, A.H., Amin, S.M.N., & Nesarul, M. H. 2017. Food and feeding habits of *Nemipterus japonicus* and *Nemipterus peronii* from coastal water of Bintulu, Sarawak, South China Sea. Journal of Environmental Biology. 39: 857-864.
- Tucker Marlee A. & Rogers Tracey L. 2014. Examining predator-prey body size, trophic level and body mass across marine and terrestrial mammals. Proc. R. Soc. B.28120142103. <http://doi.org/10.1098/rspb.2014.2103>
- Udupa, K. S. 1986. Statistical Method of Estimating the Size at First Maturity in Fishes. Fishbyte. 4 (2): 8-10.
- Uiblein, F., & Heemstra, P.C. 2010. A taxonomic view of the western Indian Ocean goatfishes of the genus *Upeneus* (Family Mullidae), with descriptions of four new species. Biology, Environmental Science.
- Uiblein, F., & Mcgrouth, M. 2012. A new deep-water goatfish of the genus *Upeneus* (Mullidae) from northern Australia and the Philippines, with a taxonomic account of *U. subvittatus* and remarks on *U. mascareensis*. Zooxota. 3550 (1): 61-70.



- Uiblein, F., Gledhill, D. C., Pavlov, D. A., Hoang, T. A., & Shaheen, S., 2019. Three new goatfishes of the genus *Upeneus* (Mullidae) from the Indo-Pacific, with a redescription of colour patterns in *U. margarethae*. *Zooxota*. 4683 (2): 151–196.
- Usseglio, P., Friedlander, A., DeMartini, E., Schuhbauer, A., Schemmel, E., & Salinas-de-León, P. 2015. Improved estimates of age, growth and reproduction for the regionally endemic Galapagos sailfin grouper *Mycteroperca olfax* (Jenyns, 1840). *Peerj*, 3, e1270. <https://doi.org/10.7717/peerj.1270>.
- Vagh, S., Karundani, H. K., Vase, V. K., Pal, M., Neelmani., Mahavadiya, D., & Rathod, D. 2021. Food and feeding habits of *Nemipterus japonicus* (Bloch, 1791) off Gujarat, north-west coast of India. *Indian Journal of Geo Marine Sciences*. 50 (06): 473-479.
- Vandeputte, M., Quillet, E., & Chatain, B. 2012. Are sex ratios in wild European sea bass (*Dicentrarchus labrax*) populations biased? *Aquatic living resources*, 25(1), 77-81. <https://doi.org/10.1051/alr/2012002>
- Vinson, M R., & Angradi, T. R. 2010. Stomach emptiness in fishes: sources of variation and study design implications. *Reviews in fisheries science*, 19(2), 63-73. <https://doi.org/10.1080/10641262.2010.536856>
- Volkoff, H., & Rønnestad, I. 2020. Effects of temperature on feeding and digestive processes in fish. *Temperature*, 7(4), 307-320. <https://doi.org/10.1080/23328940.2020.1765950>
- Wahyuni, I. S., Sri, S.H., & Ina, J. I. 2009. Informasi biologi perikanan ikan kurisi, *Nemipterus japonicus*, di Blanakan dan Tegal. *Jurnal BAWAL*. 2(4): 171-176.
- Williams, R. J., Anandanadesan, A., & Purves, D. W. 2010. The probabilistic niche model reveals the niche structure and role of body size in a complex food web. *PLOS ONE*, 5(8), e12092. <https://doi.org/10.1371/journal.pone.0012092>
- Yi, M., Hsu, K., Wang, J., Feng, B., Lin, H. D., & Yan, Y. 2021. Genetic structure and diversity of the yellowbelly threadfin bream *Nemipterus bathybius* in the Northern South China Sea. *Diversity*, 13(7), 324. <https://doi.org/10.3390/d13070324>
- Żarski, D., Horváth, Á., Bernáth, G., Krejszeff, S., Radócz, J., Palińska-Żarska, K., Bokor, Z., Kupren, K., & Urbányi, B. 2016. Evaluation of Gamete Quality. [https://doi.org/10.1007/978-3-319-49376-3\\_8](https://doi.org/10.1007/978-3-319-49376-3_8)
- Zuhdi, M. F., & Maddupa, H. 2020. Identifikasi *caesio cuning* berdasarkan karakterisasi morfometrik dan DNA barcoding yang didaratkan di Pasar Ikan Muara Baru, Jakarta. *Jurnal Kelautan Tropis*. 23(2):199-206.