

DAFTAR PUSTAKA

- Altan, M. (2010). Reducing shrinkage in injection moldings via the Taguchi, ANOVA and neural network methods. *Materials and Design*, 31(1), 599–604. <https://doi.org/10.1016/j.matdes.2009.06.049>
- Bryce, D. M. (1998). *Plastic injection molding: Mold design and construction fundamentals*. Society of Manufacturing Engineers.
- Cheng, J., Feng, Y., Tan, J., & Wei, W. (2008). Optimization of injection mold based on fuzzy moldability evaluation. *Journal of Materials Processing Technology*, 208(1–3), 222–228. <https://doi.org/10.1016/j.jmatprotec.2007.12.114>
- Dorfling, J., & Rokhsaz, K. (2014). Constrained and unconstrained propeller blade optimization. *52nd Aerospace Sciences Meeting, January*. <https://doi.org/10.2514/6.2014-0563>
- Fu, J., & Ma, Y. (2016). Mold modification methods to fix warpage problems for plastic molding products. *Computer-Aided Design and Applications*, 13(1), 138–151. <https://doi.org/10.1080/16864360.2015.1059203>
- Groover, M. P. (2010). *Fundamentals of modern manufacturing: Part 1*. John Wiley & Sons, Inc.
- Hisham A. Maddah. (2016). Polypropylene as a Promising Plastic: A Review. *American Journal of Polymer Science*, 6(1), 1–11. <https://doi.org/10.5923/j.ajps.20160601.01>
- Huang, M. C., & Tai, C. C. (2001). Effective factors in the warpage problem of an injection-molded part with a thin shell feature. *Journal of Materials Processing Technology*, 110(1), 1–9. [https://doi.org/10.1016/S0924-0136\(00\)00649-X](https://doi.org/10.1016/S0924-0136(00)00649-X)
- Imam, A., & Bicker, R. (2012). Effects of Propeller Blade Twist on Reconnaissance Quad-Rotor Uav. *The International Conference on Applied Mechanics and Mechanical Engineering*, 15(15), 1–15. <https://doi.org/10.21608/amme.2012.37087>
- Kazmer, D. O. (2007). Injection Mold Design Engineering. In *Injection Mold Design Engineering*. <https://doi.org/10.3139/9783446434196.fm>
- Kc, B., Faruk, O., Agnelli, J. A. M., Leao, A. L., Tjong, J., & Sain, M. (2016). Sisal-glass fiber hybrid biocomposite: Optimization of injection molding parameters using Taguchi method for reducing shrinkage. *Composites Part A: Applied Science and Manufacturing*, 83, 152–159. <https://doi.org/10.1016/j.compositesa.2015.10.034>

- Kitayama, S., Tamada, K., Takano, M., & Aiba, S. (2018). Numerical optimization of process parameters in plastic injection molding for minimizing weldlines and clamping force using conformal cooling channel. *Journal of Manufacturing Processes*, 32(March), 782–790. <https://doi.org/10.1016/j.jmapro.2018.04.007>
- Megahed, A. A., Osama, M. M., Selmy, A. I., & Abdelhaleem, A. M. M. (2022). Study of bearing strength for injection molded GFRPP composites under dry and wet conditions. *Scientific Reports*, 12(1), 1–13. <https://doi.org/10.1038/s41598-022-21539-z>
- Nugroho, G., Taha, Z., Nugraha, T. S., & Hadsanggeni, H. (2015). Development of a Fixed Wing Unmanned Aerial Vehicle (UAV) for Disaster Area Monitoring and Mapping. *Journal of Mechatronics, Electrical Power, and Vehicular Technology*, 6(2), 83–88. <https://doi.org/10.14203/j.mev.2015.v6.83-88>
- Nurhakim, L., Gani, R. A., Penerbangan, J. T., Teknik, F., & Bandung, U. N. (2022). Analisa Pengaruh Twist Pada Gaya Aerodinamik Propeller Quadcopter Dengan Menggunakan. *Jurnal Industri Elektro Dan Penerbangan*, 11 No 1, 1–13.
- Oliaei, E., Heidari, B. S., Davachi, S. M., Bahrami, M., Davoodi, S., Hejazi, I., & Seyfi, J. (2016). Warpage and Shrinkage Optimization of Injection-Molded Plastic Spoon Parts for Biodegradable Polymers Using Taguchi, ANOVA and Artificial Neural Network Methods. *Journal of Materials Science and Technology*, 32(8), 710–720. <https://doi.org/10.1016/j.jmst.2016.05.010>
- Radhwan Hussin, Rozaimi Mohd Saad, & Razaidi Hussin. (2019). (PDF) An Optimization of Plastic Injection Molding Parameters Using Taguchi Optimization Method. *Injection Molding*, 02(05), 75–80. https://www.researchgate.net/publication/260796857_An_Optimization_of_Plastic_Injection_Molding_Parameters_Using_Taguchi_Optimization_Method
- Rutkay, B., & Laliberté, J. (2016). Design and manufacture of propellers for small unmanned aerial vehicles. *Journal of Unmanned Vehicle Systems*, 4(4), 228–245. <https://doi.org/10.1139/juvs-2014-0019>
- Shayfull, Z., Fathullah, M., Nasir, S. M., Shuaib, N. A., & Abdul Manan, M. S. (2012). Warpage analyses on thin plate in three-plate mold by Taguchi method and analysis of variance (ANOVA) for PC, ABS and PC/ABS. *International Review of Mechanical Engineering*, 6(1), 1–10.
- Shuaib, N. A., Ghazali, M. F., Shayfull, Z., Zain, M. Z. M., & Nasir, S. M. (2011). Warpage Factors Effectiveness of a Thin Shallow Injection-Molded Part using Taguchi Method. *International Journal of Engineering & Technology IJET-IJENS*, 11(01), 182–187.
- Soejanto, I. (2009). Desain eksperimen dengan metode taguchi. *Yogyakarta: Graha*

Ilmu.

- Webber, D. (2013). Space tourism: Its history, future and importance. *Acta Astronautica*, 92(2), 138–143. <https://doi.org/10.1016/j.actaastro.2012.04.038>
- Wilczyński, K., & Narowski, P. (2019). Simulation studies on the effect of material characteristics and runners layout geometry on the filling imbalance in geometrically balanced injection molds. *Polymers*, 11(4). <https://doi.org/10.3390/polym11040639>
- Zhao, N. yang, Lian, J. yuan, Wang, P. fei, & Xu, Z. bin. (2022). Recent progress in minimizing the warpage and shrinkage deformations by the optimization of process parameters in plastic injection molding: a review. *International Journal of Advanced Manufacturing Technology*, 120(1–2), 85–101. <https://doi.org/10.1007/s00170-022-08859-0>
- Zhao, Z., He, X., Liu, M., & Liu, B. (2010). Injection mold design and optimization of automotive panel. *ICIC 2010 - 3rd International Conference on Information and Computing*, 3, 119–122. <https://doi.org/10.1109/ICIC.2010.214>