



DAFTAR PUSTAKA

- [1] L. Liu, D. An, Y. Wang, X. Ma, dan C. Jiang, “Research on Legal Judgment Prediction Based on Bert and LSTM-CNN Fusion Model,” dalam *2021 3rd World Symposium on Artificial Intelligence (WSAI)*, Jun 2021, hlm. 41–45. doi: 10.1109/WSAI51899.2021.9486374.
- [2] S. Ahmad, M. Z. Asghar, F. M. Alotaibi, dan Y. D. Al-Otaibi, “A hybrid CNN + BiLSTM deep learning-based DSS for efficient prediction of judicial case decisions,” *Expert Syst. Appl.*, vol. 209, hlm. 118318, Des 2022, doi: 10.1016/j.eswa.2022.118318.
- [3] H. Zhang, Z. Dou, Y. Zhu, dan J.-R. Wen, “Contrastive Learning for Legal Judgment Prediction,” *ACM Trans. Inf. Syst.*, Jan 2023, doi: 10.1145/3580489.
- [4] P. Madambakam dan S. Rajmohan, “A Study on Legal Judgment Prediction using Deep Learning Techniques,” dalam *2022 IEEE Silchar Subsection Conference (SILCON)*, Nov 2022, hlm. 1–6. doi: 10.1109/SILCON55242.2022.10028879.
- [5] M. B. L. Virtucio dkk., “Predicting Decisions of the Philippine Supreme Court Using Natural Language Processing and Machine Learning,” dalam *2018 IEEE 42nd Annual Computer Software and Applications Conference (COMPSAC)*, Jul 2018, hlm. 130–135. doi: 10.1109/COMPSAC.2018.10348.
- [6] N. Aletras, D. Tsarapatsanis, D. Preoțiuc-Pietro, dan V. Lampos, “Predicting judicial decisions of the European Court of Human Rights: A natural language processing perspective,” *PeerJ Comput. Sci.*, vol. 2, hlm. e93, 2016.
- [7] “Situs Web Kepaniteraan Mahkamah Agung RI.” Diakses: 11 April 2023. [Daring]. Tersedia pada: <https://kepaniteraan.mahkamahagung.go.id/registry-news/1468-potret-kinerja-hakim-agung-periode-januari-agustus-2017-setiap-hakim-agung-selesaikan-rata-rata-688-berkas>
- [8] P. S. Pratiwi, “MA Keluhan Beban Kerja Hakim Agung,” nasional. Diakses: 11 April 2023. [Daring]. Tersedia pada: <https://www.cnnindonesia.com/nasional/20170922163213-12-243384/ma-keluhan-beban-kerja-hakim-agung>
- [9] E. Q. Nuranti, E. Yulianti, dan H. S. Husin, “Predicting the Category and the Length of Punishment in Indonesian Courts Based on Previous Court Decision Documents,” *Computers*, vol. 11, no. 6, Art. no. 6, Jun 2022, doi: 10.3390/computers11060088.



- [10] A. Bramantoro dan I. Virdyna, “Classification of divorce causes during the COVID-19 pandemic using convolutional neural networks,” *PeerJ Comput. Sci.*, vol. 8, hlm. e998, Jun 2022, doi: 10.7717/peerj.cs.998.
- [11] I. N. Khasanah dan A. A. Krisnadhi, “Extreme Multilabel Text Classification on Indonesian Tax Court Ruling using Single Channel CNN and IndoBERT Embedding,” dalam *2021 6th International Workshop on Big Data and Information Security (IWBiS)*, Okt 2021, hlm. 59–66. doi: 10.1109/IWBIS53353.2021.9631855.
- [12] Y. Kim, “Convolutional Neural Networks for Sentence Classification.” arXiv, 2 September 2014. doi: 10.48550/arXiv.1408.5882.
- [13] “indo-law: Indonesian law dataset containing section annotation of court decision documents.” ir-nlp-csui, 11 Oktober 2023. Diakses: 1 Desember 2023. [Daring]. Tersedia pada: <https://github.com/ir-nlp-csui/indo-law>
- [14] B. Luo, Y. Feng, J. Xu, X. Zhang, dan D. Zhao, “Learning to Predict Charges for Criminal Cases with Legal Basis,” dalam *Proceedings of the 2017 Conference on Empirical Methods in Natural Language Processing*, M. Palmer, R. Hwa, dan S. Riedel, Ed., Copenhagen, Denmark: Association for Computational Linguistics, Sep 2017, hlm. 2727–2736. doi: 10.18653/v1/D17-1289.
- [15] H. Zhong, Z. Guo, C. Tu, C. Xiao, Z. Liu, dan M. Sun, “Legal Judgment Prediction via Topological Learning,” dalam *Proceedings of the 2018 Conference on Empirical Methods in Natural Language Processing*, Brussels, Belgium: Association for Computational Linguistics, Okt 2018, hlm. 3540–3549. doi: 10.18653/v1/D18-1390.
- [16] S. Ghosh, “How to Compare Machine Learning Models and Algorithms,” neptune.ai. Diakses: 27 Mei 2024. [Daring]. Tersedia pada: <https://neptune.ai/blog/how-to-compare-machine-learning-models-and-algorithms>
- [17] B. Chen, Y. Li, S. Zhang, H. Lian, dan T. He, “A Deep Learning Method for Judicial Decision Support,” dalam *2019 IEEE 19th International Conference on Software Quality, Reliability and Security Companion (QRS-C)*, Jul 2019, hlm. 145–149. doi: 10.1109/QRS-C.2019.00040.
- [18] D. Huang dan W. Lin, “A Model for Legal Judgment Prediction Based on Multi-model Fusion,” dalam *2019 3rd International Conference on Electronic Information Technology and Computer Engineering (EITCE)*, Okt 2019, hlm. 892–895. doi: 10.1109/EITCE47263.2019.9094946.
- [19] L. Yuan dkk., “Automatic Legal Judgment Prediction via Large Amounts of Criminal Cases,” dalam *2019 IEEE 5th International Conference on Computer and*



- [20] H. Wang, T. He, Z. Zou, S. Shen, dan Y. Li, “Using Case Facts to Predict Accusation Based on Deep Learning,” dalam *2019 IEEE 19th International Conference on Software Quality, Reliability and Security Companion (QRS-C)*, Jul 2019, hlm. 133–137. doi: 10.1109/QRS-C.2019.00038.
- [21] Q. Bao, H. Zan, P. Gong, J. Chen, dan Y. Xiao, “Charge Prediction with Legal Attention,” dalam *Natural Language Processing and Chinese Computing*, J. Tang, M.-Y. Kan, D. Zhao, S. Li, dan H. Zan, Ed., dalam Lecture Notes in Computer Science. Cham: Springer International Publishing, 2019, hlm. 447–458. doi: 10.1007/978-3-030-32233-5_35.
- [22] A. Shelar dan M. Moharir, “Predicting Outcomes of Court Judgments - A Machine Learning Approach,” dalam *2021 International Conference on Intelligent Technologies (CONIT)*, Jun 2021, hlm. 1–6. doi: 10.1109/CONIT51480.2021.9498385.
- [23] E. Mumcuoğlu, C. E. Öztürk, H. M. Ozaktas, dan A. Koç, “Natural language processing in law: Prediction of outcomes in the higher courts of Turkey,” *Inf. Process. Manag.*, vol. 58, no. 5, hlm. 102684, Sep 2021, doi: 10.1016/j.ipm.2021.102684.
- [24] J. Soh, H. K. Lim, dan I. E. Chai, “Legal Area Classification: A Comparative Study of Text Classifiers on Singapore Supreme Court Judgments,” dalam *Proceedings of the Natural Legal Language Processing Workshop 2019*, Minneapolis, Minnesota: Association for Computational Linguistics, Jun 2019, hlm. 67–77. doi: 10.18653/v1/W19-2208.
- [25] K. Petersen, R. Feldt, S. Mujtaba, dan M. Mattsson, “Systematic mapping studies in software engineering,” dalam *12th International Conference on Evaluation and Assessment in Software Engineering (EASE) 12*, 2008, hlm. 1–10.
- [26] P. T. C. dos Santos dkk., “Multiclass Legal Judgment Outcome Prediction for Consumer Lawsuits using XGBoost and TPE,” dalam *2020 IEEE International Conference on Systems, Man, and Cybernetics (SMC)*, Okt 2020, hlm. 881–886. doi: 10.1109/SMC42975.2020.9283094.
- [27] A. Lage-Freitas, H. Allende-Cid, O. Santana, dan L. Oliveira-Lage, “Predicting Brazilian Court Decisions,” *PeerJ Comput. Sci.*, vol. 8, hlm. e904, Mar 2022, doi: 10.7717/peerj-cs.904.
- [28] I. Almuslim dan D. Inkpen, “Legal Judgment Prediction for Canadian Appeal Cases,” dalam *2022 7th International Conference on Data Science and Machine Learning Applications (CDMA)*, Mar 2022, hlm. 163–168. doi: 10.1109/CDMA54072.2022.00032.



[29] Y.-H. Liu dan Y.-L. Chen, “A two-phase sentiment analysis approach for judgement prediction,” *J. Inf. Sci.*, vol. 44, no. 5, hlm. 594–607, 2018.

[30] V. G. Pillai dan L. R. Chandran, “Verdict Prediction for Indian Courts Using Bag of Words and Convolutional Neural Network,” dalam *2020 Third International Conference on Smart Systems and Inventive Technology (ICSSIT)*, Agu 2020, hlm. 676–683. doi: 10.1109/ICSSIT48917.2020.9214278.

[31] D. Varga, Z. Szoplák, S. Krajci, P. Sokol, dan P. Gurský, “Analysis and Prediction of Legal Judgements in the Slovak Criminal,” 2021.

[32] L. Liu, D. An, Y. Wang, X. Ma, dan C. Jiang, “Research on Legal Judgment Prediction Based on Bert and LSTM-CNN Fusion Model,” dalam *2021 3rd World Symposium on Artificial Intelligence (WSAI)*, Jun 2021, hlm. 41–45. doi: 10.1109/WSAI51899.2021.9486374.

[33] Y. Wang, J. Gao, dan J. Chen, “Deep Learning Algorithm for Judicial Judgment Prediction Based on BERT,” dalam *2020 5th International Conference on Computing, Communication and Security (ICCCS)*, Okt 2020, hlm. 1–6. doi: 10.1109/ICCCS49678.2020.9277068.

[34] Y. Feng, C. Li, dan V. Ng, “Legal Judgment Prediction via Event Extraction with Constraints,” dalam *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, Dublin, Ireland: Association for Computational Linguistics, Mei 2022, hlm. 648–664. doi: 10.18653/v1/2022.acl-long.48.

[35] S. Li, H. Zhang, L. Ye, X. Guo, dan B. Fang, “Mann: A multichannel attentive neural network for legal judgment prediction,” *IEEE Access*, vol. 7, hlm. 151144–151155, 2019.

[36] N. Xu, P. Wang, L. Chen, L. Pan, X. Wang, dan J. Zhao, “Distinguish Confusing Law Articles for Legal Judgment Prediction.” arXiv, 23 April 2020. doi: 10.48550/arXiv.2004.02557.

[37] C. Wang dan X. Jin, “Study on the Multi-Task Model for Legal Judgment Prediction,” dalam *2020 IEEE International Conference on Artificial Intelligence and Computer Applications (ICAICA)*, Jun 2020, hlm. 309–313. doi: 10.1109/ICAICA50127.2020.9182565.

[38] H. Zhong, Y. Wang, C. Tu, T. Zhang, Z. Liu, dan M. Sun, “Iteratively Questioning and Answering for Interpretable Legal Judgment Prediction,” *Proc. AAAI Conf. Artif. Intell.*, vol. 34, no. 01, Art. no. 01, Apr 2020, doi: 10.1609/aaai.v34i01.5479.

[39] I. Chalkidis, I. Androutsopoulos, dan N. Aletras, “Neural Legal Judgment Prediction in English,” Jan 2019, hlm. 4317–4323. doi: 10.18653/v1/P19-1424.



- [40] K. Kowsrihawat, P. Vateekul, dan P. Boonkwan, “Predicting Judicial Decisions of Criminal Cases from Thai Supreme Court Using Bi-directional GRU with Attention Mechanism,” dalam *2018 5th Asian Conference on Defense Technology (ACDT)*, Okt 2018, hlm. 50–55. doi: 10.1109/ACDT.2018.8592948.
- [41] Z. Yang, P. Wang, L. Zhang, L. Shou, dan W. Xu, “A Recurrent Attention Network for Judgment Prediction,” dalam *Artificial Neural Networks and Machine Learning – ICANN 2019: Text and Time Series*, I. V. Tetko, V. Kůrková, P. Karpov, dan F. Theis, Ed., dalam Lecture Notes in Computer Science. Cham: Springer International Publishing, 2019, hlm. 253–266. doi: 10.1007/978-3-030-30490-4_21.
- [42] B. Strickson dan B. De La Iglesia, “Legal Judgement Prediction for UK Courts,” dalam *Proceedings of the 2020 The 3rd International Conference on Information Science and System*, dalam ICISS 2020. New York, NY, USA: Association for Computing Machinery, Mar 2020, hlm. 204–209. doi: 10.1145/3388176.3388183.
- [43] “Natural Language Processing in Action,” Manning Publications. Diakses: 2 Desember 2023. [Daring]. Tersedia pada: <https://www.manning.com/books/natural-language-processing-in-action>
- [44] T. Ganegedara, *Natural Language Processing with TensorFlow: Teach language to machines using Python’s deep learning library*. Birmingham Mumbai: Packt Publishing, 2018.
- [45] E. Cambria dan B. White, “Jumping NLP Curves: A Review of Natural Language Processing Research [Review Article],” *IEEE Comput. Intell. Mag.*, vol. 9, no. 2, hlm. 48–57, Mei 2014, doi: 10.1109/MCI.2014.2307227.
- [46] E. D. Liddy, “Natural language processing,” *Encycl. Libr. Inf. Sci. 2nd Ed*, 2001.
- [47] C. Zong, R. Xia, dan J. Zhang, *Text Data Mining*, 1st ed. 2021 edition. Springer, 2022.
- [48] T. Jo, *Text Mining: Concepts, Implementation, and Big Data Challenge*, 1st ed. 2019 edition. Cham, Switzerland: Springer, 2018.
- [49] A.-H. Tan, K. Ridge, D. Labs, dan H. Terrace, “Text Mining: The state of the art and the challenges,” Nov 2000.
- [50] C. C. Aggarwal, *Neural Networks and Deep Learning: A Textbook*, 1st ed. 2018 edition. Cham, Switzerland: Springer, 2018.
- [51] Y. Wu, J. Li, J. Wu, dan J. Chang, “Siamese capsule networks with global and local features for text classification,” *Neurocomputing*, vol. 390, hlm. 88–98, Mei 2020, doi: 10.1016/j.neucom.2020.01.064.



- [52] A. Subasi, "Chapter 5 - Other classification examples," dalam *Practical Machine Learning for Data Analysis Using Python*, A. Subasi, Ed., Academic Press, 2020, hlm. 323–390. doi: 10.1016/B978-0-12-821379-7.00005-9.
- [53] D. S. Kannan dan V. Gurusamy, "Preprocessing Techniques for Text Mining".
- [54] "Penerapan Support Vector Machine (SVM) untuk Pengkategorian Penelitian | Jurnal RESTI (Rekayasa Sistem dan Teknologi Informasi)." Diakses: 2 Desember 2023. [Daring]. Tersedia pada: <https://jurnal.iaii.or.id/index.php/RESTI/article/view/11>
- [55] V. Gupta dan G. Lehal, "A Survey of Text Mining Techniques and Applications," *J. Emerg. Technol. Web Intell.*, vol. 1, Agu 2009, doi: 10.4304/jetwi.1.1.60-76.
- [56] B. Pahwa, T. S., dan N. Kasliwal, "Sentiment Analysis- Strategy for Text Pre-Processing," *Int. J. Comput. Appl.*, vol. 180, hlm. 15–18, Apr 2018, doi: 10.5120/ijca2018916865.
- [57] Z. Sun, R. Zemel, dan Y. Xu, "A Computational Framework for Slang Generation," *Trans. Assoc. Comput. Linguist.*, vol. 9, hlm. 462–478, Apr 2021, doi: 10.1162/tacl_a_00378.
- [58] A. K. Uysal dan S. Gunal, "The impact of preprocessing on text classification," *Inf. Process. Manag.*, vol. 50, no. 1, hlm. 104–112, Jan 2014, doi: 10.1016/j.ipm.2013.08.006.
- [59] E. S. Paramitha, *Analisis dan Implementasi Stemming Menggunakan Algoritma Idris pada Dokumen Teks Berbahasa Indonesia*. Universitas Telkom, 2012. Diakses: 2 Desember 2023. [Daring]. Tersedia pada: <https://openlibrary.telkomuniversity.ac.id/pustaka/95897/analisis-dan-implementasi-stemming-menggunakan-algoritma-idris-pada-dokumen-teks-berbahasa-indonesia.html>
- [60] H. Liang, X. Sun, Y. Sun, dan Y. Gao, "Text feature extraction based on deep learning: a review," *EURASIP J. Wirel. Commun. Netw.*, vol. 2017, no. 1, hlm. 211, Des 2017, doi: 10.1186/s13638-017-0993-1.
- [61] M. Aydoğan dan A. Karci, "Improving the accuracy using pre-trained word embeddings on deep neural networks for Turkish text classification," *Phys. Stat. Mech. Its Appl.*, vol. 541, hlm. 123288, Mar 2020, doi: 10.1016/j.physa.2019.123288.
- [62] A. Goyal, V. Gupta, dan M. Kumar, "A deep learning-based bilingual Hindi and Punjabi named entity recognition system using enhanced word embeddings," *Knowl.-Based Syst.*, vol. 234, hlm. 107601, Des 2021, doi: 10.1016/j.knosys.2021.107601.
- [63] T. Mikolov, K. Chen, G. Corrado, dan J. Dean, "Efficient estimation of word representations in vector space," *ArXiv Prepr. ArXiv13013781*, 2013.



- [64] A. Nurdin, B. A. S. Aji, A. Bustamin, dan Z. Abidin, “PERBANDINGAN KINERJA WORD EMBEDDING WORD2VEC, GLOVE, DAN FASTTEXT PADA KLASIFIKASI TEKS,” *J. Tekno Kompak*, vol. 14, no. 2, Art. no. 2, Agu 2020, doi: 10.33365/jtk.v14i2.732.
- [65] P. Bojanowski, E. Grave, A. Joulin, dan T. Mikolov, “Enriching Word Vectors with Subword Information.” arXiv, 19 Juni 2017. doi: 10.48550/arXiv.1607.04606.
- [66] J. Pennington, R. Socher, dan C. Manning, “Glove: Global Vectors for Word Representation,” dipresentasikan pada EMNLP, Jan 2014, hlm. 1532–1543. doi: 10.3115/v1/D14-1162.
- [67] J. A. Nichols, H. W. Herbert Chan, dan M. A. B. Baker, “Machine learning: applications of artificial intelligence to imaging and diagnosis,” *Biophys. Rev.*, vol. 11, no. 1, hlm. 111–118, Sep 2018, doi: 10.1007/s12551-018-0449-9.
- [68] K. Kumari dan S. Yadav, “Linear regression analysis study,” *J. Pract. Cardiovasc. Sci.*, vol. 4, hlm. 33, Jan 2018, doi: 10.4103/jpcs.jpcs_8_18.
- [69] J. I. E. Hoffman, “Chapter 28 - Variations Based on Linear Regression,” dalam *Biostatistics for Medical and Biomedical Practitioners*, J. I. E. Hoffman, Ed., Academic Press, 2015, hlm. 501–511. doi: 10.1016/B978-0-12-802387-7.00028-7.
- [70] Y. SONG dan Y. LU, “Decision tree methods: applications for classification and prediction,” *Shanghai Arch. Psychiatry*, vol. 27, no. 2, hlm. 130–135, Apr 2015, doi: 10.11919/j.issn.1002-0829.215044.
- [71] L. Breiman, “Random Forests,” *Mach. Learn.*, vol. 45, hlm. 5–32, Okt 2001, doi: 10.1023/A:1010950718922.
- [72] X. Zhang, “Support Vector Machines,” dalam *Encyclopedia of Machine Learning*, C. Sammut dan G. I. Webb, Ed., Boston, MA: Springer US, 2010, hlm. 941–946. doi: 10.1007/978-0-387-30164-8_804.
- [73] T. Joachims, “Text categorization with Support Vector Machines: Learning with many relevant features,” dalam *Machine Learning: ECML-98*, C. Nédellec dan C. Rouveiro, Ed., Berlin, Heidelberg: Springer, 1998, hlm. 137–142. doi: 10.1007/BFb0026683.
- [74] C. Cortes dan V. Vapnik, “Support-vector networks,” *Mach. Learn.*, vol. 20, no. 3, hlm. 273–297, Sep 1995, doi: 10.1007/BF00994018.
- [75] H. Wang, J. Xiong, Z. Yao, M. Lin, dan J. Ren, “Research Survey on Support Vector Machine,” dalam *Proceedings of the 10th EAI International Conference on Mobile Multimedia Communications*, Chongqing, People’s Republic of China: EAI, 2017. doi: 10.4108/eai.13-7-2017.2270596.



- [76] T. Chen dan C. Guestrin, “XGBoost: A Scalable Tree Boosting System,” dalam *Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, Agu 2016, hlm. 785–794. doi: 10.1145/2939672.2939785.
- [77] “Extreme Gradient Boosting - an overview | ScienceDirect Topics.” Diakses: 3 Desember 2023. [Daring]. Tersedia pada: <https://www.sciencedirect.com/topics/computer-science/extreme-gradient-boosting>
- [78] L. Deng dan D. Yu, “Deep learning: methods and applications,” *Found. Trends Signal Process.*, vol. 7, no. 3–4, hlm. 197–387, 2014.
- [79] C. Janiesch, P. Zschech, dan K. Heinrich, “Machine learning and deep learning,” *Electron. Mark.*, vol. 31, no. 3, hlm. 685–695, Sep 2021, doi: 10.1007/s12525-021-00475-2.
- [80] B. Santosa dan A. Umam, *Data Mining dan Big Data Analytics : Teori dan Implementasi Menggunakan Python & Apache Spark*.
- [81] A. Moghar dan M. Hamiche, “Stock Market Prediction Using LSTM Recurrent Neural Network,” *Procedia Comput. Sci.*, vol. 170, hlm. 1168–1173, Jan 2020, doi: 10.1016/j.procs.2020.03.049.
- [82] M. Roondiwala, H. Patel, dan S. Varma, “Predicting Stock Prices Using LSTM,” *Int. J. Sci. Res. IJSR*, vol. 6, Apr 2017, doi: 10.21275/ART20172755.
- [83] M. Rastogi, “Tutorial on LSTM: A computational perspective,” Medium. Diakses: 28 Mei 2024. [Daring]. Tersedia pada: <https://towardsdatascience.com/tutorial-on-lstm-a-computational-perspective-f3417442c2cd>
- [84] S. Albawi, T. A. Mohammed, dan S. Al-Zawi, “Understanding of a convolutional neural network,” dalam *2017 International Conference on Engineering and Technology (ICET)*, Agu 2017, hlm. 1–6. doi: 10.1109/ICEngTechnol.2017.8308186.
- [85] R. Faisal, “What Are Model Parameters In Deep Learning, and How To Calculate It,” Analytics Vidhya. Diakses: 28 Mei 2024. [Daring]. Tersedia pada: <https://medium.com/analytics-vidhya/what-are-model-parameters-in-deep-learning-and-how-to-calculate-it-de96476caab>
- [86] W. Rawat dan Z. Wang, “Deep Convolutional Neural Networks for Image Classification: A Comprehensive Review,” *Neural Comput.*, vol. 29, hlm. 1–98, Jun 2017, doi: 10.1162/NECO_a_00990.
- [87] “What Is a Convolutional Neural Network? | 3 things you need to know.” Diakses: 28 Mei 2024. [Daring]. Tersedia pada: <https://www.mathworks.com/discovery/convolutional-neural-network.html>



- [88] Y. Zhang dan B. Wallace, “A Sensitivity Analysis of (and Practitioners’ Guide to) Convolutional Neural Networks for Sentence Classification.” arXiv, 6 April 2016. doi: 10.48550/arXiv.1510.03820.
- [89] N. Liu dan L. Wang, “An approach for assisting diagnosis of Alzheimer’s disease based on natural language processing,” *Front. Aging Neurosci.*, vol. 15, hlm. 1281726, Nov 2023, doi: 10.3389/fnagi.2023.1281726.
- [90] A. Géron, *Hands-On Machine Learning with Scikit-Learn and TensorFlow: Concepts, Tools, and Techniques to Build Intelligent Systems*, 1st edition. Beijing Boston Farnham Sebastopol Tokyo: O'Reilly Media, 2017.
- [91] “What is Epoch in Machine Learning? | Simplilearn,” Simplilearn.com. Diakses: 27 Mei 2024. [Daring]. Tersedia pada: <https://www.simplilearn.com/tutorials/machine-learning-tutorial/what-is-epoch-in-machine-learning>
- [92] T. I. Z. M. Putra, S. Suprapto, dan A. F. Bukhori, “Model Klasifikasi Berbasis Multiclass Classification dengan Kombinasi Indobert Embedding dan Long Short-Term Memory untuk Tweet Berbahasa Indonesia,” *J. Ilmu Siber Dan Teknol. Digit.*, vol. 1, no. 1, Art. no. 1, Nov 2022, doi: 10.35912/jisted.v1i1.1509.
- [93] K. Team, “Keras documentation: Dropout layer.” Diakses: 3 Desember 2023. [Daring]. Tersedia pada: https://keras.io/api/layers/regularization_layers/dropout/
- [94] baeldung, “How ReLU and Dropout Layers Work in CNNs | Baeldung on Computer Science.” Diakses: 3 Desember 2023. [Daring]. Tersedia pada: <https://www.baeldung.com/cs/ml-relu-dropout-layers>
- [95] P. F. Muhammad, R. Kusumaningrum, dan A. Wibowo, “Sentiment Analysis Using Word2vec And Long Short-Term Memory (LSTM) For Indonesian Hotel Reviews,” *Procedia Comput. Sci.*, vol. 179, hlm. 728–735, Jan 2021, doi: 10.1016/j.procs.2021.01.061.
- [96] J. Brownlee, “How to Choose an Activation Function for Deep Learning,” MachineLearningMastery.com. Diakses: 3 Desember 2023. [Daring]. Tersedia pada: <https://machinelearningmastery.com/choose-an-activation-function-for-deep-learning/>
- [97] N. S. Chauhan, “Loss Functions in Neural Networks,” The AI dream. Diakses: 3 Desember 2023. [Daring]. Tersedia pada: <https://www.theaidream.com/post/loss-functions-in-neural-networks>
- [98] A. Eko Prasetyo, “Data mining: konsep dan aplikasi menggunakan matlab,” Universitas Indonesia Library. Diakses: 3 Desember 2023. [Daring]. Tersedia pada: <https://lib.ui.ac.id>



[99] J. Mohajon, “Confusion Matrix for Your Multi-Class Machine Learning Model,”

Medium. Diakses: 4 Desember 2023. [Daring]. Tersedia pada:
<https://towardsdatascience.com/confusion-matrix-for-your-multi-class-machine-learning-model-ff9aa3bf7826>

[100] K. Takahashi, K. Yamamoto, A. Kuchiba, dan T. Koyama, “Confidence interval for micro-averaged F1 and macro-averaged F1 scores,” *Appl. Intell. Dordr. Neth.*, vol. 52, no. 5, hlm. 4961–4972, Mar 2022, doi: 10.1007/s10489-021-02635-5.

[101] “Maria Khalusova | Machine Learning Model Evaluation Metrics part 2: Multi-class classification.” Diakses: 28 Mei 2024. [Daring]. Tersedia pada:
<https://www.mariakhalusova.com/posts/2019-04-17-ml-model-evaluation-metrics-p2/>

[102] “pre-trained word2vec indonesia.” Diakses: 5 Desember 2023. [Daring]. Tersedia pada:
<https://www.kaggle.com/datasets/bhimantoros/pretrained-word2vec-indonesia>

[103] W. F. Abdillah, A. Premana, dan R. M. H. Bhakti, “Analisis Sentimen Penanganan Covid-19 dengan Support Vector Machine: Evaluasi Leksikon dan Metode Ekstraksi Fitur,” *J. Ilm. Intech Inf. Technol. J. UMUS*, vol. 3, no. 02, Art. no. 02, Nov 2021, doi: 10.46772/intech.v3i02.556.

[104] N. Aliyah Salsabila, Y. Ardhito Winatmoko, A. Akbar Septiandri, dan A. Jamal, “Colloquial Indonesian Lexicon,” dalam *2018 International Conference on Asian Language Processing (IALP)*, Nov 2018, hlm. 226–229. doi: 10.1109/IALP.2018.8629151.

[105] F. Tala, “A Study of Stemming Effects on Information Retrieval in Bahasa Indonesia,” Des 2003.

[106] B. Waltl, G. Bonczek, E. Scepankova, J. Landthaler, dan F. Matthes, “Predicting the Outcome of Appeal Decisions in Germany’s Tax Law,” dalam *Electronic Participation*, P. Parycek, Y. Charalabidis, A. V. Chugunov, P. Panagiotopoulos, T. A. Pardo, Ø. Sæbø, dan E. Tambouris, Ed., dalam *Lecture Notes in Computer Science*. Cham: Springer International Publishing, 2017, hlm. 89–99. doi: 10.1007/978-3-319-64322-9_8.