



DAFTAR PUSTAKA

- Aguayo, J., Mostert, D., Fourrier-Jeandel, C., Cerf-Wendling, I., Hostachy, B., Viljoen, A., & Ioos, R. (2017). Development of a hydrolysis probe-based real-time assay for the detection of tropical strains of *Fusarium oxysporum* f. Sp. Cubense race 4. *PLoS ONE*, 12(2), 1–20. <https://doi.org/10.1371/journal.pone.0171767>
- Aini, N., & Rahayu, T. (2019). Media Alternatif Untuk Pertumbuhan Jamur Menggunakan Sumber Karbohidrat Yang Berbeda. *Jurnal Ilmu Kesehatan*, 3(5), 855–860.
- Albuquerque, P. C., Nakayasu, E. S., Rodrigues, M. L., Frases, S., Casadevall, A., Zancope-Oliveira, R. M., Almeida, I. C., & Nosanchuk, J. D. (2008). Vesicular transport in *Histoplasma capsulatum*: An effective mechanism for trans-cell wall transfer of proteins and lipids in ascomycetes. *Cellular Microbiology*, 10(8), 1695–1710. <https://doi.org/10.1111/j.1462-5822.2008.01160.x>
- Ammar, G. A., Tryono, R., Doll, K., Karlovsky, P., Deising, H. B., & Wirsel, S. G. R. (2013). Identification of ABC transporter genes of *Fusarium graminearum* with roles in azole tolerance and/or virulence. *PLoS ONE*, 8(11), 1–13. <https://doi.org/10.1371/journal.pone.0079042>
- Andersen, G. L., Frisch, A. S., Kellogg, C. A., Levetin, E., Lighthart, B., & Paterno, D. (2009). Aeromicrobiology/Air Quality. *Encyclopedia of Microbiology*, Third Edition, 11–26. <https://doi.org/10.1016/B978-012373944-5.00166-8>
- Armitage, A. D., Taylor, A., Sobczyk, M. K., Baxter, L., Greenfield, B. P. J., Bates, H. J., Wilson, F., Jackson, A. C., Ott, S., Harrison, R. J., & Clarkson, J. P. (2018). Characterisation of pathogen-specific regions and novel effector candidates in *Fusarium oxysporum* f. sp. *cepae*. *Scientific Reports*, 8(1), 1–15. <https://doi.org/10.1038/s41598-018-30335-7>
- Baayen, R. P., O'Donnell, K., Bonants, P. J. M., Cigelnik, E., Kroon, L. P. N. M., Roebroeck, E. J. A., & Waalwijk, C. (2000). Gene genealogies and AFLP analyses in the *Fusarium oxysporum* complex identify monophyletic and nonmonophyletic formae speciales causing wilt and rot disease. *Phytopathology*, 90(8), 891–900. <https://doi.org/10.1094/PHYTO.2000.90.8.891>
- Bi, F., Meng, X., Ma, C., & Yi, G. (2015). Identification of miRNAs involved in fruit ripening in Cavendish bananas by deep sequencing. *BMC Genomics*, 16(1), 1–15. <https://doi.org/10.1186/s12864-015-1995-1>
- Bonifacino, J. S., & Glick, B. S. (2004). The Mechanisms of Vesicle Budding and Fusion. *Cell*, 116(2), 153–166. [https://doi.org/10.1016/S0092-8674\(03\)01079-1](https://doi.org/10.1016/S0092-8674(03)01079-1)
- Bragard, C., Baptista, P., Chatzivassiliou, E., Di Serio, F., Gonthier, P., Jaques Miret, J. A., Justesen, A. F., MacLeod, A., Magnusson, C. S., Milonas, P., Navas-Cortes, J. A., Parnell, S., Potting, R., Stefani, E., Thulke, H. H., Van der Werf, W., Civera, A. V., Yuen, J., Zappalà, L., ... Reignault, P. L. (2022). Pest categorisation of *Fusarium oxysporum* f. sp. *cubense Tropical*



- Race 4. *EFSA Journal*, 20(1), 1–32.
<https://doi.org/10.2903/j.efsa.2022.7092>
- Brown, L., Wolf, J. M., Prados-Rosales, R., & Casadevall, A. (2015). Through the wall: Extracellular vesicles in Gram-positive bacteria, mycobacteria and fungi. *Nature Reviews Microbiology*, 13(10), 620–630.
<https://doi.org/10.1038/nrmicro3480>
- Cai, Q., Cai, Q., Qiao, L., Wang, M., He, B., Lin, F., Palmquist, J., Huang, H., & Jin, H. (2018). Plants send small RNAs in extracellular vesicles to fungal pathogen to silence virulence genes. 4142(May), 1–9.
- Campo, S., Gilbert, K. B., & Carrington, J. C. (2016). Small RNA-Based Antiviral Defense in the Phytopathogenic Fungus *Colletotrichum higginsianum*. *PLoS Pathogens*, 12(6), 1–36.
<https://doi.org/10.1371/journal.ppat.1005640>
- Cheng, C., Liu, F., Sun, X., Tian, N., Mensah, R. A., Li, D., & Lai, Z. (2019). Identification of *Fusarium oxysporum f. sp. cubense* tropical race 4 (Foc TR4) responsive miRNAs in banana root. *Scientific Reports*, 9(1), 1–16.
<https://doi.org/10.1038/s41598-019-50130-2>
- Cohen-Cory, S. (2002). The double life of netrin. *Nature Neuroscience*, 5(10), 926–928. <https://doi.org/10.1038/nn1002-926>
- Covert, S. F. (1998). Supernumerary chromosomes in filamentous fungi. *Current Genetics*, 33(5), 311–319. <https://doi.org/10.1007/s002940050342>
- Da Silva, R. P., Puccia, R., Rodrigues, M. L., Oliveira, D. L., Joffe, L. S., César, G. V., Nimrichter, L., Goldenberg, S., & Alves, L. R. (2015). Extracellular vesicle-mediated export of fungal RNA. *Scientific Reports*, 5, 1–12.
<https://doi.org/10.1038/srep07763>
- Dai, X., & Zhao, P. X. (2011). PsRNATarget: A plant small RNA target analysis server. *Nucleic Acids Research*, 39(SUPPL. 2), 155–159.
<https://doi.org/10.1093/nar/gkr319>
- Dale, J., James, A., Paul, J. Y., Khanna, H., Smith, M., Peraza-Echeverria, S., Garcia-Bastidas, F., Kema, G., Waterhouse, P., Mengersen, K., & Harding, R. (2017). Transgenic Cavendish bananas with resistance to *Fusarium* wilt tropical race 4. *Nature Communications*, 8(1).
<https://doi.org/10.1038/s41467-017-01670-6>
- Dang, Y., Yang, Q., Xue, Z., & Liu, Y. (2011). RNA interference in fungi: Pathways, functions, and applications. *Eukaryotic Cell*, 10(9), 1148–1155.
<https://doi.org/10.1128/EC.05109-11>
- Debat, H. J., & Ducasse, D. A. (2014). Plant microRNAs: Recent Advances and Future Challenges. *Plant Molecular Biology Reporter*, 32(6), 1257–1269.
<https://doi.org/10.1007/s11105-014-0727-z>
- Dita, M. A., Waalwijk, C., Buddenhagen, I. W., Souza, J. T., & Kema, G. H. J. (2010). A molecular diagnostic for tropical race 4 of the banana fusarium wilt pathogen. *Plant Pathology*, 59(2), 348–357.
<https://doi.org/10.1111/j.1365-3059.2009.02221.x>
- Dita, M., Barquero, M., Heck, D., Mizubuti, E. S. G., & Staver, C. P. (2018). Fusarium wilt of banana: Current knowledge on epidemiology and research needs toward sustainable disease management. *Frontiers in Plant Science*,



871. <https://doi.org/10.3389/fpls.2018.01468>
- Donaire, L., & Ayllón, M. A. (2017). Deep sequencing of mycovirus-derived small RNAs from *Botrytis* species. *Molecular Plant Pathology*, 18(8), 1127–1137. <https://doi.org/10.1111/mpp.12466>
- Dubrovina, A. S., Aleynova, O. A., Kalachev, A. V., Suprun, A. R., Ogneva, Z. V., & Kiselev, K. V. (2019). Induction of transgene suppression in plants via external application of synthetic dsRNA. *International Journal of Molecular Sciences*, 20(7). <https://doi.org/10.3390/ijms20071585>
- Elmore, J. M., & Coaker, G. (2011). The role of the plasma membrane H⁺-ATPase in plant-microbe interactions. *Molecular Plant*, 4(3), 416–427. <https://doi.org/10.1093/mp/ssq083>
- Fei, S., Czislowski, E., Fletcher, S., Peters, J., Batley, J., Aitken, E., & Mitter, N. (2019). Small RNA profiling of Cavendish banana roots inoculated with *Fusarium oxysporum* f. sp. *cubense* race 1 and tropical race 4. *Phytopathology Research*, 1(1), 1–12. <https://doi.org/10.1186/s42483-019-0029-3>
- Fink, S., Burmester, A., Hippler, U. C., Neumeister, C., Götz, M. R., & Wiegand, C. (2022). Efficacy of antifungal agents against fungal spores: An in vitro study using microplate laser nephelometry and an artificially infected 3D skin model. *MicrobiologyOpen*, 11(1), 1–24. <https://doi.org/10.1002/mbo3.1257>
- Fourie, G., Steenkamp, E. T., Gordon, T. R., & Viljoen, A. (2009). Evolutionary relationships among the *Fusarium oxysporum* f. sp. *cubense* vegetative compatibility groups. *Applied and Environmental Microbiology*, 75(14), 4770–4781. <https://doi.org/10.1128/AEM.00370-09>
- Fourie, G., Steenkamp, E. T., Ploetz, R. C., Gordon, T. R., & Viljoen, A. (2011). Current status of the taxonomic position of *Fusarium oxysporum* formae *specialis cubense* within the *Fusarium oxysporum* complex. *Infection, Genetics and Evolution*, 11(3), 533–542. <https://doi.org/10.1016/j.meegid.2011.01.012>
- Gaffar, F. Y., Imani, J., Karlovsky, P., Koch, A., & Kogel, K.-H. (2019). Different Components of the RNA Interference Machinery Are Required for Conidiolation, Ascosporogenesis, Virulence, Deoxynivalenol Production, and Fungal Inhibition by Exogenous Double-Stranded RNA in the Head Blight Pathogen *Fusarium graminearum*. *Frontiers in Microbiology*, 10(August), 1–13. <https://doi.org/10.3389/fmicb.2019.01662>
- Garcia-Silva, M. R., Cura Das Neves, R. F., Cabrera-Cabrera, F., Sanguinetti, J., Medeiros, L. C., Robello, C., Naya, H., Fernandez-Calero, T., Souto-Padron, T., De Souza, W., & Cayota, A. (2014). Extracellular vesicles shed by *Trypanosoma cruzi* are linked to small RNA pathways, life cycle regulation, and susceptibility to infection of mammalian cells. *Parasitology Research*, 113(1), 285–304. <https://doi.org/10.1007/s00436-013-3655-1>
- Gardner, J. (1847). Original Papers. ON ETHER-VAPOUR, ITS MEDICAL AND SURGICAL USES. *The Lancet*, 49(1234), 431–434. [https://doi.org/10.1016/S0140-6736\(02\)87196-3](https://doi.org/10.1016/S0140-6736(02)87196-3)
- Gartland, S., Zeng, B., & Marr, M. T. (2022). The small RNA landscape is stable



- with age and resistant to loss of dFOXO signaling in *Drosophila*. *PLoS ONE*, 17(11 November), 1–17. <https://doi.org/10.1371/journal.pone.0273590>
- Gebremichael, D. E., Haile, Z. M., Negrini, F., Sabbadini, S., Capriotti, L., Mezzetti, B., & Baraldi, E. (2021). RNA interference strategies for future management of plant pathogenic fungi: Prospects and challenges. *Plants*, 10(4), 1–21. <https://doi.org/10.3390/plants10040650>
- Ghag, S. B., Shekhawat, U. K. S., & Ganapathi, T. R. (2015). Small RNA profiling of two important cultivars of banana and overexpression of miRNA156 in transgenic banana plants. *PLoS ONE*, 10(5), 1–14. <https://doi.org/10.1371/journal.pone.0127179>
- Gote, V., Bolla, P. K., Kommineni, N., Butreddy, A., Nukala, P. K., Palakurthi, S. S., & Khan, W. (2023). A Comprehensive Review of mRNA Vaccines. *International Journal of Molecular Sciences*, 24(3). <https://doi.org/10.3390/ijms24032700>
- Gu, K. X., Song, X. S., Xiao, X. M., Duan, X. X., Wang, J. X., Duan, Y. B., Hou, Y. P., & Zhou, M. G. (2019). A β 2-tubulin dsRNA derived from *Fusarium asiaticum* confers plant resistance to multiple phytopathogens and reduces fungicide resistance. *Pesticide Biochemistry and Physiology*, 153(September), 36–46. <https://doi.org/10.1016/j.pestbp.2018.10.005>
- Guo, L., Han, L., Yang, L., Zeng, H., Fan, D., Zhu, Y., Feng, Y., Wang, G., Peng, C., Jiang, X., Zhou, D., Ni, P., Liang, C., Liu, L., Wang, J., Mao, C., Fang, X., Peng, M., & Huang, J. (2014). Genome and transcriptome analysis of the fungal pathogen *fusarium oxysporum f. Sp. Cubense* causing banana vascular wilt disease. *PLoS ONE*, 9(4). <https://doi.org/10.1371/journal.pone.0095543>
- Herlinda, S. (2010). Spore density and viability of entomopathogenic fungal isolates from Indonesia, and their virulence against *Aphis gossypii* Glover (Homoptera: Aphididae). *Tropical Life Sciences Research*, 21(1), 11–19.
- Hernández-Soto, A., & Chacón-Cerdas, R. (2021). RNAi crop protection advances. *International Journal of Molecular Sciences*, 22(22), 1–15. <https://doi.org/10.3390/ijms222212148>
- Huang, G., Allen, R., Davis, E. L., Baum, T. J., & Hussey, R. S. (2006). Engineering broad root-knot resistance in transgenic plants by RNAi silencing of a conserved and essential root-knot nematode parasitism gene. *Proceedings of the National Academy of Sciences of the United States of America*, 103(39), 14302–14306. <https://doi.org/10.1073/pnas.0604698103>
- Hwang, S. K., Piao, L., Lim, H. T., Minai-Tehrani, A., Yu, K. N., Ha, Y. C., Chae, C. H., Lee, K. H., Beck, G. R., Park, J., & Cho, M. H. (2010). Suppression of lung tumorigenesis by leucine zipper/EF hand-containing transmembrane-1. *PLoS ONE*, 5(9), 1–14. <https://doi.org/10.1371/journal.pone.0012535>
- Jangir, P., Mehra, N., Sharma, K., Singh, N., Rani, M., & Kapoor, R. (2021). Secreted in Xylem Genes: Drivers of Host Adaptation in *Fusarium oxysporum*. *Frontiers in Plant Science*, 12(April), 1–17. <https://doi.org/10.3389/fpls.2021.628611>
- Jeyakumar, J. M. J., Ali, A., Wang, W. M., & Thiruvengadam, M. (2020).



- Characterizing the role of the miR156-SPL network in plant development and stress response. *Plants*, 9(9), 1–15. <https://doi.org/10.3390/plants9091206>
- Kalleda, N., Naorem, A., & Manchikatla, R. V. (2013). Targeting Fungal Genes by Diced siRNAs: A Rapid Tool to Decipher Gene Function in *Aspergillus nidulans*. *PLoS ONE*, 8(10). <https://doi.org/10.1371/journal.pone.0075443>
- Katara, P., Gautam, B., Kuntal, H., & Sharma, V. (2010). Prediction of miRNA targets, affected proteins and their homologs in *Glycine max*. *Bioinformation*, 5(4), 162–165. <https://doi.org/10.6026/97320630005162>
- Kettles, G. J., Hofinger, B. J., Hu, P., Bayon, C., Rudd, J. J., Balmer, D., Courbot, M., Hammond-Kosack, K. E., Scalliet, G., & Kanyuka, K. (2019). SRNA profiling combined with gene function analysis reveals a lack of evidence for cross-kingdom RNAi in the wheat – *Zymoseptoria tritici* pathosystem. *Frontiers in Plant Science*, 10(July). <https://doi.org/10.3389/fpls.2019.00892>
- Kim, S. H., & Vujanovic, V. (2022). ATP-Binding Cassette (ABC) Transporters in *Fusarium* Specific Mycoparasite *Sphaerodes mycoparasitica* during Biotrophic Mycoparasitism. *Applied Sciences (Switzerland)*, 12(15). <https://doi.org/10.3390/app12157641>
- Koch, A., Biedenkopf, D., Furch, A., Weber, L., Rossbach, O., Abdellatef, E., Linicus, L., Johannsmeier, J., Jelonek, L., Goesmann, A., Cardoza, V., McMillan, J., Mentzel, T., & Kogel, K. H. (2016). An RNAi-Based Control of *Fusarium graminearum* Infections Through Spraying of Long dsRNAs Involves a Plant Passage and Is Controlled by the Fungal Silencing Machinery. *PLoS Pathogens*, 12(10), 1–22. <https://doi.org/10.1371/journal.ppat.1005901>
- Ladunga, I. (2003). Finding Homologs to Nucleotide Sequences Using Network BLAST Searches . *Current Protocols in Bioinformatics*, 00(1), 1–25. <https://doi.org/10.1002/0471250953.bi0303s00>
- Lee, P. Y., Costumbrado, J., Hsu, C. Y., & Kim, Y. H. (2012). Agarose gel electrophoresis for the separation of DNA fragments. *Journal of Visualized Experiments*, 62. <https://doi.org/10.3791/3923>
- Li, C., Shao, J., Wang, Y., Li, W., Guo, D., Yan, B., Xia, Y., & Peng, M. (2013). Analysis of banana transcriptome and global gene expression profiles in banana roots in response to infection by race 1 and tropical race 4 of *Fusarium oxysporum f. sp. cubense*. *BMC Genomics*, 14(1), 1–16. <https://doi.org/10.1186/1471-2164-14-851>
- Li, E., Wang, G., Xiao, J., Ling, J., Yang, Y., & Xie, B. (2016). A SIX1 homolog in *Fusarium oxysporum f. sp. conglutinans* is required for full virulence on cabbage. *PLoS ONE*, 11(3), 1–15. <https://doi.org/10.1371/journal.pone.0152273>
- Li, M. H., Yang, B., Leng, Y., Chao, C. P., Liu, J. M., He, Z. F., Jiang, Z. D., & Zhong, S. (2011). Molecular characterization of *Fusarium oxysporum f. sp. cubense* race 1 and 4 isolates from Taiwan and Southern China. *Canadian Journal of Plant Pathology*, 33(2), 168–178. <https://doi.org/10.1080/07060661.2011.559176>



- Li, M., Shi, J., Xie, X., Leng, Y., Wang, H., Xi, P., Zhou, J., Zhong, S., & Jiang, Z. (2013). Identification and application of a unique genetic locus in diagnosis of *Fusarium oxysporum f. sp. cubense* tropical race 4. *Canadian Journal of Plant Pathology*, 35(4), 482–493. <https://doi.org/10.1080/07060661.2013.828321>
- Lichtenberg, S. S., Tsyusko, O. V., Palli, S. R., & Unrine, J. M. (2019). Uptake and Bioactivity of Chitosan/Double-Stranded RNA Polyplex Nanoparticles in *Caenorhabditis elegans*. *Environmental Science and Technology*, 53(7), 3832–3840. <https://doi.org/10.1021/acs.est.8b06560>
- Limera, C., Sabbadini, S., Sweet, J. B., & Mezzetti, B. (2017). New biotechnological tools for the genetic improvement of major woody fruit species. *Frontiers in Plant Science*, 8(August), 1–16. <https://doi.org/10.3389/fpls.2017.01418>
- Lin, Q. T., Lee, R., Feng, A. L., Kim, M. S., & Stathopoulos, P. B. (2021). The leucine zipper EF-hand containing transmembrane protein-1 EF-hand is a tripartite calcium, temperature, and pH sensor. *Protein Science*, 30(4), 855–872. <https://doi.org/10.1002/pro.4042>
- Lin, Y. H., Chang, J. Y., Liu, E. T., Chao, C. P., Huang, J. W., & Chang, P. F. L. (2009). Development of a molecular marker for specific detection of *Fusarium oxysporum f. sp. cubense* race 4. *European Journal of Plant Pathology*, 123(3), 353–365. <https://doi.org/10.1007/s10658-008-9372-4>
- Liu, J., Elmore, J. M., Fuglsang, A. T., Palmgren, M. G., Staskawicz, B. J., & Coaker, G. (2009). RIN4 functions with plasma membrane H⁺-ATPases to regulate stomatal apertures during pathogen attack. *PLoS Biology*, 7(6). <https://doi.org/10.1371/journal.pbio.1000139>
- Liu, J., Liu, X., Zhang, S., Liang, S., Luan, W., & Ma, X. (2021). TarDB: an online database for plant miRNA targets and miRNA-triggered phased siRNAs. *BMC Genomics*, 22(1), 1–12. <https://doi.org/10.1186/s12864-021-07680-5>
- Loreti, E., & Perata, P. (2022). Mobile plant microRNAs allow communication within and between organisms. *New Phytologist*, 235(6), 2176–2182. <https://doi.org/10.1111/nph.18360>
- Luis David, M.-B. (2018). Secreted in Xylem (Six) Genes in *Fusarium oxysporum f. sp. cubense* and Their Potential Acquisition by Horizontal Transfer. *Advances in Biotechnology & Microbiology*, 10(1). <https://doi.org/10.19080/aibm.2018.10.555779>
- Mariscal, M., Miguel-Rojas, C., Hera, C., Fernandes, T. R., & Di Pietro, A. (2022). *Fusarium oxysporum* Casein Kinase 1, a Negative Regulator of the Plasma Membrane H⁺-ATPase Pma1, Is Required for Development and Pathogenicity. *Journal of Fungi*, 8(12). <https://doi.org/10.3390/jof8121300>
- Maryani, N., Lombard, L., Poerba, Y. S., Subandiyah, S., Crous, P. W., & Kema, G. H. J. (2019). Phylogeny and genetic diversity of the banana Fusarium wilt pathogen *Fusarium oxysporum f. sp. cubense* in the Indonesian centre of origin. *Studies in Mycology*, 92, 155–194. <https://doi.org/10.1016/j.simyco.2018.06.003>
- McLoughlin, A. G., Wytinck, N., Walker, P. L., Girard, I. J., Rashid, K. Y., De



- Kievit, T., Fernando, W. G. D., Whyard, S., & Belmonte, M. F. (2018). Identification and application of exogenous dsRNA confers plant protection against *Sclerotinia sclerotiorum* and *Botrytis cinerea*. *Scientific Reports*, 8(1), 1–14. <https://doi.org/10.1038/s41598-018-25434-4>
- Meister, G., & Tuschl, T. (2004). Mechanisms of gene silencing by double-stranded RNA. *Nature*, 431(7006), 343–349. <https://doi.org/10.1038/nature02873>
- Michielse, C. B., Van Wijk, R., Reijnen, L., Manders, E. M. M., Boas, S., Olivain, C., Alabouvette, C., & Rep, M. (2009). The nuclear protein Sge1 of *Fusarium oxysporum* is required for parasitic growth. *PLoS Pathogens*, 5(10). <https://doi.org/10.1371/journal.ppat.1000637>
- Mitter, N., Worrall, E. A., Robinson, K. E., Xu, Z. P., & Carroll, B. J. (2017). Induction of virus resistance by exogenous application of double-stranded RNA. *Current Opinion in Virology*, 26, 49–55. <https://doi.org/10.1016/j.coviro.2017.07.009>
- Monk, B. C., Mason, A. B., Abramochkin, G., Haber, J. E., Seto-Young, D., & Perlin, D. S. (1995). The yeast plasma membrane proton pumping ATPase is a viable antifungal target. I. Effects of the cysteine-modifying reagent omeprazole. *BBA - Biomembranes*, 1239(1), 81–90. [https://doi.org/10.1016/0005-2736\(95\)00133-N](https://doi.org/10.1016/0005-2736(95)00133-N)
- n, Eunsung Mouradian, M. M., & Tang et al., 2005. (2008). 基因的改变 NIH Public Access. *Bone*, 23(1), 1–7. <https://doi.org/10.1016/j.fgb.2013.06.004.Functional>
- Nasir, N.; Pittaway, P.A.; Pegg, K.G.; Lisle, A. T. . (2013). Pilot study investigating the complexity of *Fusarium* wilt of bananas in West Sumatra, Indonesia. *Australian Journal of Agricultural Research*, 50(7), 1279–1283.
- Newell, P. D., Fricker, A. D., Roco, C. A., Chandransu, P., & Merkel, S. M. (2013). A Small-Group Activity Introducing the Use and Interpretation of BLAST. *Journal of Microbiology & Biology Education*, 14(2), 238–243. <https://doi.org/10.1128/jmbe.v14i2.637>
- Niño-Sánchez, J., Chen, L. H., De Souza, J. T., Mosquera, S., & Stergiopoulos, I. (2021). Targeted delivery of gene silencing in fungi using genetically engineered bacteria. *Journal of Fungi*, 7(2), 1–22. <https://doi.org/10.3390/jof7020125>
- Nugraha, A., Dan, W., & Nindita, A. (2019). Identifikasi Morfologi Aksesi Pisang Cavendish pada Fase Pembibitan dan Produksi di Lampung Morphological Identification of Cavendish Accession in Nursery and Production Phase on Lampung. *Bul. Agrohorti*, 7(2), 138–144.
- O'Donnell, K., Sutton, D. A., Rinaldi, M. G., Sarver, B. A. J., Balajee, S. A., Schroers, H. J., Summerbell, R. C., Robert, V. A. R. G., Crous, P. W., Zhang, N., Aoki, T., Jung, K., Park, J., Lee, Y. H., Kang, S., Park, B., & Geiser, D. M. (2010). Internet-accessible DNA sequence database for identifying fusaria from human and animal infections. *Journal of Clinical Microbiology*, 48(10), 3708–3718. <https://doi.org/10.1128/JCM.00989-10>
- Pérez-vicente, L., Dita, M. A., & Martínez-de La parte, E. (2014). Technical Manual Prevention and diagnostic of *Fusarium* Wilt (Panama disease) of



- banana caused by *Fusarium oxysporum f. sp. cubense Tropical Race 4 (TR4)*. *Worshop on Diagnosis of Fusarium Wilt*, 4(March 2015), 1–74.
- Power, I. L., Faustinelli, P. C., Orner, V. A., Sobolev, V. S., & Arias, R. S. (2020). Analysis of small RNA populations generated in peanut leaves after exogenous application of dsRNA and dsDNA targeting aflatoxin synthesis genes. *Scientific Reports*, 10(1), 1–12. <https://doi.org/10.1038/s41598-020-70618-6>
- Pratama, Y., Wibowo, A., Widiaستuti, A., Subandiyah, S., Widinugraheni, S., & Rep, M. (2018). Evaluation of Some Specific Primer Sets Development for Detecting *Fusarium oxysporum f. sp. cubense Tropic Race 4 (Foc TR4)* Originating from Indonesia. *Jurnal Perlindungan Tanaman Indonesia*, 22(1), 82. <https://doi.org/10.22146/jpti.25037>
- Qi, P. F., Zhang, Y. Z., Liu, C. H., Zhu, J., Chen, Q., Guo, Z. R., Wang, Y., Xu, B. J., Zheng, T., Jiang, Y. F., Wang, J. P., Zhou, C. Y., Feng, X., Kong, L., Lan, X. J., Jiang, Q. T., Wei, Y. M., & Zheng, Y. L. (2018). *Fusarium graminearum* ATP-binding cassette transporter gene FgABCC9 is required for its transportation of salicylic acid, fungicide resistance, mycelial growth and pathogenicity towards wheat. *International Journal of Molecular Sciences*, 19(8). <https://doi.org/10.3390/ijms19082351>
- Qiao, L., Lan, C., Capriotti, L., Ah-Fong, A., Nino Sanchez, J., Hamby, R., Heller, J., Zhao, H., Glass, N. L., Judelson, H. S., Mezzetti, B., Niu, D., & Jin, H. (2021). Spray-induced gene silencing for disease control is dependent on the efficiency of pathogen RNA uptake. *Plant Biotechnology Journal*, 19(9), 1756–1768. <https://doi.org/10.1111/pbi.13589>
- Riolo, G., Cantara, S., Marzocchi, C., & Ricci, C. (2021). miRNA targets: From prediction tools to experimental validation. *Methods and Protocols*, 4(1), 1–20. <https://doi.org/10.3390/mps4010001>
- Rodrigo, G., & Elena, S. F. (2013). MicroRNA precursors are not structurally robust but plastic. *Genome Biology and Evolution*, 5(1), 181–186. <https://doi.org/10.1093/gbe/evs132>
- Romano, N., & Macino, G. (1992). Quelling: transient inactivation of gene expression in *Neurospora crassa* by transformation with homologous sequences. *Molecular Microbiology*, 6(22), 3343–3353. <https://doi.org/10.1111/j.1365-2958.1992.tb02202.x>
- Saraiva, M., de Bruijn, I., Grenville-Briggs, L., McLaggan, D., Willemse, A., Bulone, V., & van West, P. (2014). Functional characterization of a tyrosinase gene from the oomycete *Saprolegnia parasitica* by RNAi silencing. *Fungal Biology*, 118(7), 621–629. <https://doi.org/10.1016/j.funbio.2014.01.011>
- Šečić, E., & Kogel, K. H. (2021). Requirements for fungal uptake of dsRNA and gene silencing in RNAi-based crop protection strategies. *Current Opinion in Biotechnology*, 70, 136–142. <https://doi.org/10.1016/j.copbio.2021.04.001>
- Šečić, E., Kogel, K. H., & Ladera-Carmona, M. J. (2021). Biotic stress-associated microRNA families in plants. *Journal of Plant Physiology*, 263. <https://doi.org/10.1016/j.jplph.2021.153451>
- Seto-Young, D., Monk, B., Mason, A. B., & Perlin, D. S. (1997). Exploring an



- antifungal target in the plasma membrane H⁺-ATPase of fungi. *Biochimica et Biophysica Acta - Biomembranes*, 1326(2), 249–256. [https://doi.org/10.1016/S0005-2736\(97\)00028-X](https://doi.org/10.1016/S0005-2736(97)00028-X)
- Singh, A., Gautam, V., Singh, S., Sarkar Das, S., Verma, S., Mishra, V., Mukherjee, S., & Sarkar, A. K. (2018). Plant small RNAs: advancement in the understanding of biogenesis and role in plant development. *Planta*, 248(3), 545–558. <https://doi.org/10.1007/s00425-018-2927-5>
- Sinha, H., David, L., Pascon, R. C., Clauder-Münster, S., Krishnakumar, S., Nguyen, M., Shi, G., Dean, J., Davis, R. W., Oefner, P. J., McCusker, J. H., & Steinmetz, L. M. (2008). Sequential elimination of major-effect contributors identifies additional quantitative trait loci conditioning high-temperature growth in yeast. *Genetics*, 180(3), 1661–1670. <https://doi.org/10.1534/genetics.108.092932>
- Song, S., Chen, X., Huang, D., Xu, Y., Zeng, H., Hu, X., Xu, B., Jin, Z., & Wang, W. (2016). Identification of miRNAs differentially expressed in *Fusarium* wilt-resistant and susceptible banana varieties. *South African Journal of Botany*, 106, 244–249. <https://doi.org/10.1016/j.sajb.2016.06.007>
- Song, X. S., Gu, K. X., Duan, X. X., Xiao, X. M., Hou, Y. P., Duan, Y. B., Wang, J. X., Yu, N., & Zhou, M. G. (2018). Secondary amplification of siRNA machinery limits the application of spray-induced gene silencing. *Molecular Plant Pathology*, 19(12), 2543–2560. <https://doi.org/10.1111/mpp.12728>
- Song, X. S., Gu, K. X., Duan, X. X., Xiao, X. M., Hou, Y. P., Duan, Y. B., Wang, J. X., & Zhou, M. G. (2018). A myosin5 dsRNA that reduces the fungicide resistance and pathogenicity of *Fusarium asiaticum*. *Pesticide Biochemistry and Physiology*, 150(June), 1–9. <https://doi.org/10.1016/j.pestbp.2018.07.004>
- Sterling, C. H., Veksler-Lublinsky, I., & Ambros, V. (2015). An efficient and sensitive method for preparing cDNA libraries from scarce biological samples. *Nucleic Acids Research*, 43(1), 1–19. <https://doi.org/10.1093/nar/gku637>
- Su, X., Lu, G., Li, X., Rehman, L., Liu, W., Sun, G., Guo, H., Wang, G., & Cheng, H. (2020). Host-induced gene silencing of an adenylate kinase gene involved in fungal energy metabolism improves plant resistance to *Verticillium dahliae*. *Biomolecules*, 10(1). <https://doi.org/10.3390/biom10010127>
- Tang, G., Zhang, C., Ju, Z., Zheng, S., Wen, Z., Xu, S., Chen, Y., & Ma, Z. (2018). The mitochondrial membrane protein FgLettm1 regulates mitochondrial integrity, production of endogenous reactive oxygen species and mycotoxin biosynthesis in *Fusarium graminearum*. *Molecular Plant Pathology*, 19(7), 1595–1611. <https://doi.org/10.1111/mpp.12633>
- Tanjung, M. R., Munif, A., Effendi, Y., & Tondok, E. T. (2022). Korelasi Keparahan Penyakit Layu *Fusarium* dengan Kelimpahan *Fusarium oxysporum* dan Fitonematoda : Studi Kasus Perkebunan Pisang PTPN VIII Parakansalak The Severity of Fusarium Wilt Disease in Correlation to the Abundance of *Fusarium oxysporum* and Phytonem. *Jurnal Fitopatologi Indonesia*, 18(September), 222–230. <https://doi.org/10.14692/jfi.18.5.222>



- Ulilalbab, A. R., Widinugraheni, S., Masanto, Subandiyah, S., & Wibowo, A. (2022). Expression of SIX1b and SIX1c effector genes and banana resistance genes during Foc TR4 infection on banana cultivars. *Biodiversitas*, 23(10), 5314–5322. <https://doi.org/10.13057/biodiv/d231041>
- van der Does, H. C., Duyvesteijn, R. G. E., Goltstein, P. M., van Schie, C. C. N., Manders, E. M. M., Cornelissen, B. J. C., & Rep, M. (2008). Expression of effector gene SIX1 of *Fusarium oxysporum* requires living plant cells. *Fungal Genetics and Biology*, 45(9), 1257–1264. <https://doi.org/10.1016/j.fgb.2008.06.002>
- Viglaš, J., & Olejníková, P. (2021). An update on ABC transporters of filamentous fungi – from physiological substrates to xenobiotics. *Microbiological Research*, 246(January). <https://doi.org/10.1016/j.micres.2020.126684>
- Wang, C., Wang, Q., Zhu, X., Cui, M., Jia, H., Zhang, W., Tang, W., Leng, X., & Shen, W. (2019). Characterization on the conservation and diversification of miRNA156 gene family from lower to higher plant species based on phylogenetic analysis at the whole genomic level. *Functional and Integrative Genomics*, 19(6), 933–952. <https://doi.org/10.1007/s10142-019-00679-y>
- Wang, D., Peng, C., Zheng, X., Chang, L., Xu, B., & Tong, Z. (2020). Secretome analysis of the banana fusarium wilt fungi foc r1 and foc tr4 reveals a new effector OASTL required for full pathogenicity of foc tr4 in banana. *Biomolecules*, 10(10), 1–17. <https://doi.org/10.3390/biom10101430>
- Wang, J., Mei, J., & Ren, G. (2019). Plant microRNAs: Biogenesis, homeostasis, and degradation. *Frontiers in Plant Science*, 10(March), 1–12. <https://doi.org/10.3389/fpls.2019.00360>
- Wang, J. W., Czech, B., & Weigel, D. (2009). miR156-Regulated SPL Transcription Factors Define an Endogenous Flowering Pathway in *Arabidopsis thaliana*. *Cell*, 138(4), 738–749. <https://doi.org/10.1016/j.cell.2009.06.014>
- Wang, M., & Dean, R. A. (2020). Movement of small RNAs in and between plants and fungi. *Molecular Plant Pathology*, 21(4), 589–601. <https://doi.org/10.1111/mpp.12911>
- Wang, M., Thomas, N., & Jin, H. (2017). Cross-kingdom RNA trafficking and environmental RNAi for powerful innovative pre- and post-harvest plant protection. *Current Opinion in Plant Biology*, 38, 133–141. <https://doi.org/10.1016/j.pbi.2017.05.003>
- Wang, M., Weiberg, A., Lin, F. M., Thomma, B. P. H. J., Huang, H. Da, & Jin, H. (2016). Bidirectional cross-kingdom RNAi and fungal uptake of external RNAs confer plant protection. *Nature Plants*, 2(10), 1–10. <https://doi.org/10.1038/nplants.2016.151>
- Werner, B. T., Gaffar, F. Y., Schuemann, J., Biedenkopf, D., & Koch, A. M. (2020). RNA-Spray-Mediated Silencing of *Fusarium graminearum* AGO and DCL Genes Improve Barley Disease Resistance. *Frontiers in Plant Science*, 11(April), 1–11. <https://doi.org/10.3389/fpls.2020.00476>
- Widinugraheni, S., Niño-Sánchez, J., Van Der Does, H. C., Van Dam, P.,



- García-Bastidas, F. A., Subandiyah, S., Meijer, H. J. G., Kistler, H. C., Kema, G. H. J., & Rep, M. (2018). A SIX1 homolog in *Fusarium oxysporum* f.sp. *Cubense* tropical race 4 contributes to virulence towards Cavendish banana. *PLoS ONE*, 13(10), 1–12. <https://doi.org/10.1371/journal.pone.0205896>
- Winterberg, B., Uhlmann, S., Linne, U., Lessing, F., Marahiel, M. A., Eichhorn, H., Kahmann, R., & Schirawski, J. (2010). Elucidation of the complete ferrichrome a biosynthetic pathway in *Ustilago maydis*. *Molecular Microbiology*, 75(5), 1260–1271. <https://doi.org/10.1111/j.1365-2958.2010.07048.x>
- Wytinck, N., Manchur, C. L., Li, V. H., Whyard, S., & Belmonte, M. F. (2020). DsRNA uptake in plant pests and pathogens: Insights into RNAi-based insect and fungal control technology. *Plants*, 9(12), 1–17. <https://doi.org/10.3390/plants9121780>
- Zhao, J. P., Jiang, X. L., Zhang, B. Y., & Su, X. H. (2012). Involvement of microRNA-Mediated Gene Expression Regulation in the Pathological Development of Stem Canker Disease in *Populus trichocarpa*. *PLoS ONE*, 7(9). <https://doi.org/10.1371/journal.pone.0044968>
- Zhu, H., Zhang, Y., Tang, R., Qu, H., Duan, X., & Jiang, Y. (2019). Banana sRNAome and degradome identify microRNAs functioning in differential responses to temperature stress. *BMC Genomics*, 20(1), 1–16. <https://doi.org/10.1186/s12864-018-5395-1>
- Zuo, W., Tian, M., Qi, J., Zhang, G., Hu, J., Wang, S., & Bao, Y. (2023). The functions of EF-hand proteins from host and zoonotic pathogens. *Microbes and Infection*, xxxx, 105276. <https://doi.org/10.1016/j.micinf.2023.105276>