

DAFTAR PUSTAKA

- A. Fudholi, (1982), Kontrol Kecepatan Pelarutan "invivo" Permasalahan dan Alat, Medika, 8, 572 - 574.
- A. Fudholi, (1983), Metodologi Formulasi dalam Kompresi Direk, Medika, 7, 586 - 593.
- Banker, G. S., Peck, G. E. & Baley, G., (1980), Tablet Formulation and Design in Pharmaceutical Dosage Forms; Tablets, vol 1, Marcel Dekker, Inc. New York, 77 - 78, 85.
- Bolhuis, G. K., (1987), Formulation of Fast Disintegrating Tablets Prepared by Direct Compression, Lactose Symposium, jakarta, 56 - 86.
- Cartensen, J. T. & Leeson, L. J., (1974), Dissolution Technology, The Industrial Pharmaceutical Technology Section of Academy of Pharmaceutical Science, Washington, 113 - 114.
- Chao, L. L., (1969), Statistic; Methods and Analysis, Mc. Graw, Hill, Inc. New York, 301 - 312, 495.
- Dep Kes RI, (1979), Farmakope Indonesia, edisi ke 3, Jakarta, 7, 93, 265, 338 - 339, 354, 514 - 515, 591.
- Fassihi, A. R. & Kanfer, I., (1986), Effect of Compressibility and Powder Flow Properties on Tablet Weight Variation in Drug Development and Industrial Pharmacy, 12, Marcel Dekker, Africa, 1947 - 1966.

- Fonner, D. E., Anderson, N. R. & Banker, G. S., (1981), Granulation and Tablet Characteristic in Pharmaceutical Dosage Forms; tablets, vol. 2, H. A. Lieberman & L. Lachman (editor), Marcel Dekker, Inc. New York, 226 - 231, 246, 249, 252.
- Formularium Der Nederlandse Apothekers, (1980), F. 58.
- Gold, G., Duvall, R. N., Palermo, B. T. & Seater, J. G., (1968), Factors Affecting The Flow of Lactosae Granules, J. Pharm. Sci., 57, 667 - 671.
- Gunsel, W. C. & Kanig, J. L., (1976), Tablets in The Theory and Practice Of Industial Pharmacy, edisi ke 2, L. Lachman, H. A. Lieberman, J. L. Kanig (editor), Lea & Febiger, Philadhelphia, 327 - 328.
- Hanson, A. W., (1982), Hand Book of Dissolution Testing, Pharmaceutical Technology Publications, Spring Field, Oregon, 82 - 83, 119 - 124.
- Khan, K. A., (1975), The Concept of Dissolution Effisiensi, J. Pharm. Pharmacol., 27, 48 - 498.
- Leur, H. V., (1987), Available Types of DMV Lactose : Characteristics and pharmaceutical Applications, Lactose Symposium, Jakarta, 81 - 87.
- Lowenthal, W., (1972), Disintegration of Tablets, J. Pharm. Sci., 61, 1695 - 1708.
- Rawlins, E. A., (1977), Texbook of Pharmaceutics, edisi ke 8, Bailliere Tindal, London, 301 - 303.
- Reynold, J. E. F., (1982), Martindale The Extra Pharmacopoeia, edisi ke 28, The Pharmaceutical

Press, London, 623.

Sheth, B. B., Bandellin, F. J. & Shangraw, R. F., (1980),
Compressed Tablet in Pharmaceutical Dosage Form;
Tablets, vol. 1, H. A. Lieberman & L. Lachman
(editor), Marcel Dekker, Inc. New York, 112 -
115, 117, 120, 122, 135, 141, 147 - 180.

Shotton, Hersey, J. A., & Wray, P. E., (1976), Compaction
and Compression in The theory and Practice of
Industrial Pharmacy, Edisi ke 2, L. Lachman,
H. A. Lieberman, J. L. Kanig (editor), Lea &
Febiger, Philadelphia 307 - 309.

The United States Pharmacopeia, (1980), twentieth
Revision United States Pharmacopeia Convection,
Inc. Twinbrook Parkway, Rock Ville, 655.

Wadke, H. A. & Jacobson, H., (1980), Preformulation
testing in Pharmaceutical Dosage Forms; Tablets,
vol 1, H. A. lieberman, L. Lachman (editor),
Marcel Dekker, Inc. New York, 45.

Wagner, J. G., (1969), Interpretation of Percent
Dissolved-Time Plot Derived from In
Vitro Testing of Conventional Tablet
and Capsules, J. Pharm. Sci., 58, 1253 - 1257.

Windhoz, M., (1976), The Merck Index, edisi ke 9,
Published by Merc & CO, Inc. Rahway, N. J., USA,
214, 701, 702.

Wurster, D. E. & Taylor, P. W., (1965), Dissolution Rates
J. Pharm. Sci. 54, 169 - 174.