

DAFTAR PUSTAKA

- Achadiani, Sastramihardja, H., Akbar, I.B., Hernowo, B.S., Faried, A., dan Kuwano, H., 2013. *Buah Merah (Pandanus conoideus Lam.) from Indonesian herbal medicine induced apoptosis on human cervical cancer cell lines. Obesity Research & Clinical Practice*, **7**: 31–32.
- Achadiyani, Septiani, L., Faried, A., Bolly, H.M.B., dan Kurnia, D., 2016. Role of the red fruit (*Pandanus conoideus* Lam) ethyl acetate fraction on the induction of apoptosis vs. downregulation of survival signaling pathways in cervical cancer Cells. *European Journal of Medicinal Plants*, **13**: 1–9.
- Agriopoulou, S., Tarapoulouzi, M., Bedine Boat, M.A., Rébufa, C., Dupuy, N., Theocharis, C.R., dkk., 2021. Authentication and Chemometric Discrimination of Six Greek PDO Table Olive Varieties through Morphological Characteristics of Their Stones. *Foods*, **10**: 1829.
- Aman, W.P., Tethool, E.F., Sarungallo, Z.L., dan Hutabalian, O., 2019. Penentuan beberapa karakteristik fisik dan mekanik buah merah (*Pandanus conoideus* L.) sebagai dasar perancangan peralatan pengolahan minyak buah merah. *Journal Agritechnology*, **2**: 32.
- Andina, L., Riyanto, S., dan Rohman, A., 2014. Determination of anisidine value of red fruit oil under elevated temperature using FTIR spectroscopy and multivariate calibration. *International Food Research Journal*, **21**: 2325–2330.
- Andina, L., Riyanto, S., dan Rohman, A., 2017. Determination of peroxide value of red fruit oil by FTIR spectroscopy and multivariate calibration. *International Food Research Journal*, **24**: 2312–2316.
- AOAC, 2000. *Official Methods of Analysis of AOAC International*.
- Arumsari, N.I., Riyanto, S., dan Rohman, A., 2013. Some Physico-chemical Properties of Red Fruit Oil (*Pandanus conoideus* Lam) from Hexane and Chloroform Fractions. *Journal of Food and Pharmaceutical Sciences*, **1**: 30–34.
- Asrianto, A., Asrori, A., Sitompul, L.S., Sahli, I.T., dan Hartati, R., 2021. Uji aktivitas ekstrak etanol biji buah merah (*Pandanus conoideus* Lamk.) terhadap bakteri *Escherichia coli* dan *Staphylococcus aureus*. *Bioscientist : Jurnal Ilmiah Biologi*, **9**: 1.
- Ayu, D.F., Diharmi, A., dan Ali, A., 2019. Karakteristik minyak ikan dari lemak abdomen hasil sampling pengasapan ikan patin (*Pangasius hypophthalmus*). *Jurnal Pengolahan Hasil Perikanan Indonesia*, **22**: 187–197.
- Ayucitra, A., Indraswati, N., Mulyandasari, V., Dengi, Y.K., dan Francisco, G., 2011. Potensi Senyawa Fenolik Bahan Alam sebagai Antioksidan Alami Minyak Goreng Nabati. *WIDYA TEKNIK*, **10**: 1–10.
- Azizian, H., Mossoba, M.M., Fardin-Kia, A.R., Delmonte, P., Karunathilaka, S.R., dan Kramer, J.K.G., 2015. Novel, rapid identification, and quantification of adulterants in extra virgin olive oil using near-infrared spectroscopy and chemometrics. *Lipids*, **50**: 705–718.

- Azman, A.N., 2018. Ekstraksi dan Karakteristik Minyak Ikan Sembilang (*Paraplotosus albilabris*) dengan Bahan Pelarut yang Berbeda. *Berkala Perikanan Terubuk*, **46**: 19–27.
- Badan Standarisasi Nasional, 1996. Arang aktif untuk pemurnian minyak makan SNI 06-4262-1996. Jakarta, Badan Standarisasi Nasional.
- Badan Standarisasi Nasional, 2000. Bentonite untuk pemucatan minyak nabati SNI 13-6336-2000. Jakarta, Badan Standarisasi Nasional.
- Badan Standarisasi Nasional, 2013. Minyak goreng SNI 3741:2013. Jakarta, Badan Standarisasi Nasional.
- Biancolillo, A. dan Marini, F., 2018. Chemometric methods for spectroscopy-based pharmaceutical analysis. *Frontiers in Chemistry*, **6**: 576.
- Che Man, Y.B., Aye, W.W., Tan, C.P., dan Abdulkarim, S.M., 2009. Determination Of Free Fatty Acids In Crude Palm Oil, Bleached Palm Oil And Bleached Deacidified Palm Oil By Fourier Transform Infrared Spectroscopy. *Journal of Food Lipids*, **16**: 475–483.
- Che Man, Y.B., Moh, M.H., dan Van De Voort, F.R., 1999a. Determination of free fatty acids in crude palm oil and refined-bleached-deodorized palm olein using fourier transform infrared spectroscopy. *Journal of the American Oil Chemists' Society*, **76**: 485–490.
- Che Man, Y.B. dan Setiowaty, G., 1999. Determination of anisidine value in thermally oxidized palm olein by fourier transform infrared spectroscopy. *Journal of the American Oil Chemists' Society*, **76**: 243–247.
- Che Man, Y.B., Setiowaty, G., dan Van De Voort, F.R., 1999b. Determination of iodine value of palm oil by fourier transform infrared spectroscopy. *Journal of the American Oil Chemists' Society*, **76**: 693–699.
- Chebet, J., Kinyanjui, T., dan Cheplogoi, P.K., 2016. Impact of frying on iodine value of vegetable oils before and after deep frying in different types of food in Kenya. *Journal of Scientific and Innovative Research*, **5**: 193–196.
- Choe, E. dan Min, D.B., 2006. Mechanisms and factors for edible oil oxidation. *Comprehensive Reviews in Food Science and Food Safety*, **5**: 169–186.
- Dais, P. dan Hatzakis, E., 2013. Quality assessment and authentication of virgin olive oil by NMR spectroscopy: A critical review. *Analytica Chimica Acta*, **765**: 1–27.
- Dari, D.W., Astawan, M., dan Suseno, S.H., 2018. Characteristics of sardin fish oil (*Sardinella sp.*) resulted from stratified purification. *Jurnal Pengolahan Hasil Perikanan Indonesia*, **20**: 456.
- Darmawan, S., 2006. Pembuatan minyak kemiri dan pemurniannya dengan arang aktif dan bentonit. *Jurnal Penelitian Hasil Hutan*, **24**: 413–423.
- Diana, F. melva, 2013. Omega 6. *Jurnal Kesehatan Masyarakat*, **7**: 26–31.
- Djuricic, I. dan Calder, P.C., 2021. Beneficial Outcomes of Omega-6 and Omega-3 Polyunsaturated Fatty Acids on Human Health: An Update for 2021. *Nutrients*, **13**: 2421.
- Doloking, H., Mukhriani, M., Rusdi, M., Rafi'ah, S., dan Fitriana, F., 2020. Physicochemical Properties of Palm Oil Fraction (*Elaeis guineensis* Jacq). *ad-Dawaa' Journal of Pharmaceutical Sciences*, **3**: 24–32.

- Downey, G., McIntyre, P., dan Davies, A.N., 2002. Detecting and quantifying sunflower oil adulteration in extra virgin olive oils from the Eastern Mediterranean by visible and near-infrared spectroscopy. *Journal of Agricultural and Food Chemistry*, **50**: 5520–5525.
- Dubois, J., 1996. *Determination of Peroxide Value and Anisidine Value Using Fourier Transform Infrared Spectroscopy*. National Library of Canada = Bibliothèque nationale du Canada, Ottawa.
- Dubois, J., Van De Voort, F.R., Sedman, J., Ismail, A.A., dan Ramaswamy, H.R., 1996. Quantitative Fourier transform infrared analysis for anisidine value and aldehydes in thermally stressed oils. *Journal of the American Oil Chemists' Society*, **73**: 787–794.
- Dymińska, L., Calik, M., Albegar, A.M.M., Zajac, A., Kostyń, K., Lorenc, J., dkk., 2017. Quantitative determination of the iodine values of unsaturated plant oils using infrared and Raman spectroscopy methods. *International Journal of Food Properties*, **20**: 2003–2015.
- Febriyanti, R., 2011. Pengaruh pemberian ekstrak buah merah (*Pandanus conoideus*) terhadap kadar glukosa darah tikus putih (*Rattus norvegicus*) diabetik. *Jurnal Peternakan*, **8**: 21–26.
- Fitria, E., Hariyadi, P., dan Wijaya, H., 2020. Identifikasi dan fraksinasi karotenoid pada minyak buah merah (*Pandanus conoideus*). *Journal of Agro-based Industry*, **37**: 7–19.
- Guillen, M.D. dan Cabo, N., 2000. Some of the most significant changes in the Fourier transform infrared spectra of edible oils under oxidative conditions. *Journal of the Science of Food and Agriculture*, **80**: 2028–2036.
- Guillén, M.D. dan Cabo, N., 2002. Fourier transform infrared spectra data versus peroxide and anisidine values to determine oxidative stability of edible oils. *Food Chemistry*, **77**: 503–510.
- Herdiyati, Y., Atmaja, H.E., Satari, M.H., dan Kurnia, D., 2020. Potential Antibacterial Flavonoid From Buah Merah (*Pandanus conoideus* Lam.) Against Pathogenic Oral Bacteria of *Enterococcus faecalis* ATCC 29212. *The Open Dentistry Journal*, **14**: 433–439.
- Heriyanto, Gunawan, I.A., Fujii, R., Maoka, T., Shioi, Y., Kameubun, K.M.B., dkk., 2021. Carotenoid composition in buah merah (*Pandanus conoideus* Lam.), an indigenous red fruit of the Papua Islands. *Journal of Food Composition and Analysis*, **96**: 103722.
- Hewavitharana, G.G., Perera, D.N., Navaratne, S.B., dan Wickramasinghe, I., 2020. Extraction methods of fat from food samples and preparation of fatty acid methyl esters for gas chromatography: A review. *Arabian Journal of Chemistry*, **13**: 6865–6875.
- Hidayat, J.P., Hariyadi, A., dan Chosta, F., 2022. Unjuk kinerja adsorpsi bentonit dan arang aktif terhadap karakteristik minyak jelantah. *Jurnal Sains dan Teknologi Pangan*, **7**: 5600–5614.
- Hourant, P., Baeten, V., Morales, M.T., Meurens, M., dan Naparicio, A., 2000. Oil and Fat Classification by Selected Bands of Near-Infrared Spectroscopy. *Applied Spectroscopy*, **54**: 1168–1174.

- Indah, Rohman, A., dan Lestari, L.A., 2022. Physicochemical characterization refined patin fish oil (*Pangasius micronea*) using bentonite and activated Carbon. *Journal of Food and Pharmaceutical Sciences*, **10**: 626–633.
- Indrawati, I., 2016. 'Sensitivity of pathogenic bacteria to buah merah (*Pandanus conoideus* Lam.)', , dalam: *AIP Conference Proceedings 1744*. Dipresentasikan pada Towards the sustainable use of biodiversity in a changing environment :From basic to applied research: Proceeding of the 4th International Conference on Biological Science, AIP Publishing, Yogyakarta, Indonesia, hal. 020028.
- IUPAC, 1987. *Standard Methods for the Analysis of Oils. Fats and Derivatives*, 7th ed. International Union of Pure and Applied Chemistry Blackwell Scientific Publications.
- Jabeur, H., Zribi, A., Makni, J., Rebai, A., Abdelhedi, R., dan Bouaziz, M., 2014. Detection of chemlali extra-virgin olive oil adulteration mixed with soybean oil, corn oil, and sunflower oil by using GC and HPLC. *Journal of Agricultural and Food Chemistry*, **62**: 4893–4904.
- Johnson, M. dan Bradford, C., 2014. Omega-3, Omega-6 and Omega-9 Fatty Acids: Implications for Cardiovascular and Other Diseases. *Journal of Glycomics & Lipidomics*, **04**: 1–8.
- Khoirunnisa, Z., Wardana, A.S., dan Rauf, R., 2019. Angka Asam dan Peroksida Minyak jelantah dari penggorengan Lele secara berulang. *Jurnal Kesehatan*, **12**: 81–90.
- Knockaert, G., Lemmens, L., Van Buggenhout, S., Hendrickx, M., dan Van Loey, A., 2012. Changes in β -carotene bioaccessibility and concentration during processing of carrot puree. *Food Chemistry*, **133**: 60–67.
- Kostik, V., Memeti, S., dan Bauer, B., 2013. Fatty Acid composition of Edible Oils and Fats. *Journal of Hygienic Engineering and Design*, .
- Kun Tanti, D., Andi, N.A.S., dan Risfaheri, 2007. Pengaruh suhu dan lama pengeringan terhadap mutu minyak kelapa murni. *Jurnal Pascapanen*, **4**: 91–96.
- Kurnianingsih, N.P., Maherawati, M., dan Rahayuni, T., 2020. Pemurnian Minyak Kelapa Tradisional Menggunakan Adsorben Arang aktif Tempurung Kelapa. *Agrisaintifika: Jurnal Ilmu-Ilmu Pertanian*, **4**: 37.
- Lamas, S., Rodrigues, N., Fernandes, I.P., Barreiro, M.F., Pereira, J.A., dan Peres, A.M., 2021. Fourier transform infrared spectroscopy-chemometric approach as a non-destructive olive cultivar tool for discriminating Portuguese monovarietal olive oils. *European Food Research and Technology*, **247**: 2473–2484.
- Laos, L.E., Masturi, M., dan Yulianti, I., 2016. 'Pengaruh Suhu Aktivasi Terhadap Daya Serap Karbon AKtif Kulit Kemiri', , dalam: *Prosiding Seminar Nasional Fisika (E-Journal) SNF2016 UNJ*. Dipresentasikan pada SEMINAR NASIONAL FISIKA 2016 UNJ, Pendidikan Fisika dan Fisika FMIPA UNJ, hal. SNF2016-MPS-135-SNF2016-MPS-140.
- Lengkey, L.C.E.CH., Budiastra, I.W., Seminar, K.B., dan Purwoko, B.S., 2013. Model pendugaan kandungan air, lemak dan asam lemak bebas pada tiga provenan biji jarak pagar (*Jatropha curcas* L.) menggunakan spektroskopi

- inframerah dekat dengan metode partial least square (PLS). *Jurnal Littri*, **19**: 203–211.
- Lerma-García, M.J., Ramis-Ramos, G., Herrero-Martínez, J.M., dan Simó-Alfonso, E.F., 2010. Authentication of extra virgin olive oils by Fourier-transform infrared spectroscopy. *Food Chemistry*, **118**: 78–83.
- Lestari, N., Junaidi, L., Wijaya, H., Wardayanie, N.I.A., dan Ariningsih, S., 2021. Pengembangan teknologi pengolahan serbuk minyak buah merah (*Pandanus conoideus* Lamk) untuk sediaan bahan tambahan pangan. *Journal of Agro-based Industry*, **38**: 117.
- Liu, Y., Sun, L., Du, C., dan Wang, X., 2020. Near-infrared Prediction of Edible Oil Frying Times Based on Bayesian Ridge Regression. *Optik*, .
- Lubis, E.H., Wijaya, H., dan Lestari, N., 2012. Mempelajari ekstraksi dan stabilitas total karotenoid, α dan β Cryptoxanthin dalam ekstrak buah merah (*Pandanus conoideus* Lamk). *Jurnal Riset Teknologi Industri*, **6**: 39–53.
- Madhujith, T. dan Sivakanthan, S., 2019. Oxidative stability of edible plant oils, dalam: Mérillon, J.-M. dan Ramawat, K.G. (Editor), *Bioactive Molecules in Food, Reference Series in Phytochemistry*. Springer International Publishing, Cham, hal. 529–551.
- Maestrello, V., Solovyev, P., Bontempo, L., Mannina, L., dan Camin, F., 2022. Nuclear magnetic resonance spectroscopy in extra virgin olive oil authentication. *Comprehensive Reviews in Food Science and Food Safety*, **21**: 4056–4075.
- Majid, H. dan Silva, F.V.M., 2020. Optimisation of ultrasound assisted extraction of antiacetylcholinesterase and antioxidant compounds from manuka (*Leptospermum scoparium*) for use as a phytomedicine against Alzheimer's disease. *New Zealand Journal of Forestry Science*, **50**: .
- Mamuaja, C.F., 2017. *Lipida*. Unsrat Press, Manado.
- Marina, A.M., Rosli, W.I.W., dan Noorhidayah, M., 2013. Quantitative Analysis of Peroxide Value in Virgin Coconut Oil by ATRFTIR Spectroscopy. *The Open Conference Proceedings Journal*, **4**: 53–56.
- Marlina, L., Ramdan, I., dan Kimia, T., 2017. Identifikasi Kadar Asam Lemak Bebas pada berbagai jenis Minyak goreng nabati. *TEDC*, **11**: 53–59.
- Meng, X., Yin, C., Yuan, L., Zhang, Y., Ju, Y., Xin, K., dkk., 2023. Rapid detection of adulteration of olive oil with soybean oil combined with chemometrics by Fourier transform infrared, visible-near-infrared and excitation-emission matrix fluorescence spectroscopy: A comparative study. *Food Chemistry*, **405**: 134828.
- Mezzomo, N. dan Ferreira, S.R.S., 2016. Carotenoids Functionality, Sources, and Processing by Supercritical Technology: A Review. *Journal of Chemistry*, **2016**: 1–16.
- Miller, J.N. dan Miller, J.C., 2010. *Statistic and Chemometrics for Analytical Chemistry*, 6th ed. Pearson Prentice Hall, England.
- Moghaddam, T.M. dan Firoozzare, A., 2021. Investigating the effect of sensory properties of black plum peel marmalade on consumers acceptance by Discriminant Analysis. *Food Chemistry: X*, **11**: 1–5.

- Moigradean, D., Poiana, M.-A., dan Gogoasa, I., 2012. Quality characteristics and oxidative stability of coconut oil during storage. *Journal of Agroalimentary Processes and Technologies*, **18**: 272–276.
- Moros, J., Garrigues, S., dan Guardia, M. de la, 2010. Vibrational spectroscopy provides a green tool for multi-component analysis. *Trends in Analytical Chemistry*, **29**: 578–591.
- Mulyani, H. dan Sujarwanta, A., 2018. *Lemak Dan Minyak*, 1st ed. Lembaga Penelitian UM Metro, Kota Metro.
- Murtiningrum, Ketaren, S., Suprihatin, dan Kaseno, 2005. Ekstraksi minyak dengan metode wet rendering dari buah pandan. *Jurnal Teknologi Industri Pertanian*, **15**: 28–33.
- Murtiningrum, M., Sarungallo, Z.L., dan Mawikere, N.L., 2011. The exploration and diversity of red fruit (*Pandanus conoideus* L.) from Papua based on its physical characteristics and chemical composition. *Biodiversitas Journal of Biological Diversity*, **13**: .
- Murtiningrum, Sarungallo, Z.L., Roreng, M.K., Santoso, B., dan Armiaati, 2019. Chemical properties, carotenoid, tocopherol and fatty acid composition of three clones of red fruit (*Pandanus conoideus* Lam.) oil of different ripening stages. *International Food Research Journal*, **26**: 649–655.
- Musafira, Dzulkifli, Fardinah, dan Nizar, 2020. Pengaruh Kadar Air dan Kadar Asam Lemak Bebas Terhadap Masa Simpan Minyak Kelapa Mandar: The Influence of Water Content and Free Fatty Acid Content on Mandar Coconut Oil Shelf Life. *KOVALEN: Jurnal Riset Kimia*, **6**: 224–229.
- Nde, D.B. dan Foncha, A.C., 2020. Optimization methods for the extraction of vegetable oils: a review. *Processes*, **8**: 209.
- Ningtyas, N.S.I., Tirtasari, K., dan Agustin, A.L.D.A., 2019. Proteksi Minyak Buah Merah (*Pandanus conoideus* Lam) Terhadap Jumlah Folikel yang Terpapar Plumbum. *Jurnal Sangkareang Mataram*, **5**: 7–9.
- Nugraha, A.S., Hadi, N.S., dan Siwi, S.U., 2012. Efek hepatoprotektif ekstrak buah merah (*Pandanus conoideus* Lam.) pada hati mencit jantan galur Swiss induksi dengan CCl₄. *Jurnal Natur Indonesia*, **11**: 24.
- Ogori, A.F., 2020. Source, extraction and constituents of fats and oils. *Food Science and Nutrition*, **6**: 1–8.
- Özdemir, D. dan Öztürk, B., 2007. Near infrared spectroscopic determination of olive oil adulteration with sunflower and corn oil. *Journal of Food and Drug Analysis*, **15**: 40–47.
- Pasquini, C., 2003. Near Infrared Spectroscopy: fundamentals, practical aspects and analytical applications. *Journal of the Brazilian Chemical Society*, **14**: 198–219.
- Peng, D., Bi, Y., Ren, X., Yang, G., Sun, S., dan Wang, X., 2015. Detection and quantification of adulteration of sesame oils with vegetable oils using gas chromatography and multivariate data analysis. *Food Chemistry*, **188**: 415–421.
- Ponglabba, D.V., Sarungallo, Z.L., dan Santoso, B., 2020. Sifat Fisik dan Organoleptik Bubur Daging Buah Merah (*Pandanus conoideus* Lamk). *Journal of Agro-based Industry*, **37**: 58–65.

- Prabowo, S., Prayitno, Y.A., dan Yuliani, 2020. Chemical Profile and Observing Honey Adulteration Using Fourier Transform Infrared (FTIR) Spectroscopy and Multivariate Calibration. *Journal of Food and Pharmaceutical Sciences*, **8**: 215–225.
- Pratiwi, I., Sarungallo, Z.L., dan Santoso, B., 2020. Sifat Fisikokimia Minyak Buah Merah (*Pandanus conoideus* Lamk) Degumming dan Karakteristik Mikroenkapsulat Minyak Buah Merah yang Dihasilkan. *Agritevhology*, **3**: 50–58.
- Pulassery, S., Abraham, B., Ajikumar, N., Munnilath, A., dan Yoosaf, K., 2022. Rapid Iodine Value Estimation Using a Handheld Raman Spectrometer for On-Site, Reagent-Free Authentication of Edible Oils. *ACS Omega*, **7**: 9164–9171.
- Purnomo, T.A.B., Kurniawan, Y.S., Kesuma, R.F., dan Yuliati, Dr.L., 2020. Selection of maceration solvent for natural pigment extraction from red fruit (*Pandanus conoideus* Lam). *Indonesian Journal of Natural Pigments*, **2**: 8–12.
- Putra, D.A., Meriatna, M., Suryati, S., dan Zulmiardi, Z., 2022. Pembuatan Zat Emulsifier dari Minyak Pliek U dengan Katalis NaOH. *Jurnal Teknologi Kimia Unimal*, **11**: 22.
- Rahayu, L.H. dan Purnavita, S., 2014. Pengaruh suhu dan waktu adsorpsi terhadap sifat kimia-fisika minyak goreng bekas hasil pemurnian menggunakan adsorben ampas pati aren dan bentonit. *Momentum*, **10**: 35–41.
- Rahmawati, D., Anggraini, W., dan Djamil, M., 2021. Cytotoxicity of red fruit ethyl acetate extract (*Pandanus conoideus* lam.) on squamous cell carcinoma cell line (HSC-3). *Scientific Dental Journal*, **5**: 42.
- Reich, G., 2005. Near-infrared spectroscopy and imaging: basic principles and pharmaceutical applications. *Advanced Drug Delivery Reviews*, **57**: 1109–1143.
- Renyaan, A.W.A., Suprayitno, E., Aulani'am, dan Hariati, A.M., 2020. *Nutrient content and endemic red fruit oil (Pandanus austrosinensis) fatty acid profile in Papua Indonesia*. *Journal of Physics: Conference Series*, **1665**: 012019.
- Renyaan, A.W.A., Suprayitno, E., Aulani'am, dan Hariati, A.M., 2020b. Nutrient content and endemic red fruit oil (*Pandanus austrosinensis*) fatty acid profile in Papua Indonesia. *Journal of Physics: Conference Series*, **1665**: 012019.
- Rohman, A., 2014. *Spektroskopi Inframerah Dan Kemometrika Untuk Analisis Farmasi*, 1st ed. Pustaka Pelajar, Yogyakarta - Indonesia.
- Rohman, A., 2016. *Lipid : Sifat Fisika-Kimia Dan Analisisnya*, 1st ed. Pustaka Pelajar, Yogyakarta - Indonesia.
- Rohman, A., Che Man, Y.B., dan Riyanto, S., 2011. Authentication analysis of red fruit (*Pandanus conoideus* Lam) oil using FTIR spectroscopy in combination with chemometrics: authentication of red fruit oil using FTIR spectroscopy. *Phytochemical Analysis*, **22**: 462–467.
- Rohman, A., Ghazali, M.A.B., Windarsih, A., Irnawati, I., Riyanto, S., Yusof, F.M., dkk., 2020a. Comprehensive Review on Application of FTIR Spectroscopy

- Coupled with Chemometrics for Authentication Analysis of Fats and Oils in the Food Products. *Molecules*, **25**: 5485.
- Rohman, A., Irnawati, dan Riswanto, F.D.O., 2021. *Kemometrika*, 1st ed. Gadjah Mada University Press, Yogyakarta - Indonesia.
- Rohman, A., Martsasi, A., dan Riyanto, S., 2013. Simultaneous quantitative analysis of red fruit oil and sesame oil using FTIR spectroscopy and multivariate calibrations. *International Food Research Journal*, **20**: 357–361.
- Rohman, A., Riyanto, S., dan Che Man, Y.B., 2012. Characterization of red fruit (*Pandanus conoideus* Lam) oil. *International Food Research Journal*, **19**: 363–367.
- Rohman, A., Riyanto, S., Sasi, A.M., dan Yusof, F.Mohd., 2014a. The use of FTIR spectroscopy in combination with chemometrics for the authentication of red fruit (*Pandanus conoideus* Lam) oil from sunflower and palm oils. *Food Bioscience*, **7**: 64–70.
- Rohman, A., Riyanto, S., Windarsih, A., Irnawati, Khadijah, dan Putri, A.R., 2020. *Karakterisasi Minyak Dan Lemak*, Cetakan 1. Pustaka Pelajar. Indonesia
- Rohman, A., Riyanto, S., Yuniarti, N., Saputra, W.R., Utami, R., dan Mulatsih, W., 2010. Antioxidant activity, total phenolic, and total flavonoid of extracts and fractions of red fruit (*Pandanus conoideus* Lam). *International Food Research Journal*, **17**: 97–106.
- Rohman, A., Setyaningrum, D.L., dan Riyanto, S., 2014b. FTIR spectroscopy combined with partial least square for analysis of red fruit oil in ternary mixture system. *International Journal of Spectroscopy*, **2014**: 1–5.
- Rohman, A., Triyasmono, L., Riyanto, S., dan Andina, L., 2015. Rapid determination of saponification value in red fruit oil by infrared spectroscopy and partial least square calibration. *Research Journal of Medicinal Plant*, **9**: 442–448.
- Roreng, M.K. dan Nishigaki, T., 2013. Buah merah and Papuan people. *Warta Industri Hasil Pertanian*, **30**: 37–48.
- Roreng, M.K., Palupi, N.S., dan Prangdimurti, E., 2014. Carotenoids from red fruit (*Pandanus Conoideus* Lam.) extract are bioavailable : a study in rats. *IOSR Journal of Pharmacy (IOSRPHR)*, **04**: 11–16.
- Rosmalina, R.T., Kosasih, W., Priatni, S., dan Research Unit for Clean Technology, Indonesian Institute of Sciences (LIPI), Bandung, 2021. The effects of adsorbent materials on the lipid quality of lemuru fish oil and the enrichment of omega-3 using lipase. *Jurnal Teknologi dan Industri Pangan*, **32**: 16–26.
- Rozi, A., Suseno, S.H., dan Jacoeb, A.M., 2016. Extraction and characterization of liver oil from silky shark. *Jurnal Pengolahan Hasil Perikanan Indonesia*, **19**: 100.
- Salghi, R., Armbruster, W., dan Schwack, W., 2014. Detection of argan oil adulteration with vegetable oils by high-performance liquid chromatography–evaporative light scattering detection. *Food Chemistry*, **153**: 387–392.

- Santoso, B., Murtiningrum, M., dan Sarungallo, Z.L., 2011. Morfologi Buah Selama Tahap Perkembangan Buah Merah (*Pandanus conoideus*). *Jurnal Agrotek*, **2**: 23–29.
- Santoso, B., Sarungallo, Zi.L., Situngkir, R.U., Roreng, M.K., Lisangan, M.M., dan Murni, V., 2018. Mutu Kimia Minyak dan Komponen Aktif Minyak Buah Merah (*Pandanus conoideus* L.) yang Dinetralsiasi Menggunakan Larutan Alkali. *J. Agritechnology*, **1**: 66–75.
- Sari, E.M., Samual, S.H., Maulana, R.C., Maulina, N.N.A., dan Sopian, Y., 2022. Analisis Rantai Nilai dan Efisiensi Pemasaran Buah Merah (*Pandanus conoideus* Lamk.) di Provinsi Papua Barat. *Jurnal Agrica*, **15**: 112–122.
- Sarungallo, Z.L., Hariyadi, P., Andarwulan, A., dan Purnomo, E.H., 2020a. Effect of heat treatment prior to extraction on the yield and quality of red fruit (*Pandanus conoideus*) oil. *Food Research*, **4**: 659–665.
- Sarungallo, Z.L., Hariyadi, P., Andarwulan, N., dan Purnomo, E.H., 2014. Pengaruh Metode Ekstraksi Terhadap Mutu Kimia dan Komposisi Asam Lemak Minyak Buah Merah (*Pandanus conoideus*). *Jurnal Teknologi Industri Pertanian*, **24**: 209–217.
- Sarungallo, Z.L., Hariyadi, P., Andarwulan, N., dan Purnomo, E.H., 2015. Characterization of Chemical Properties, Lipid Profile, Total Phenol and Tocopherol Content of Oils Extracted from Nine Clones of Red Fruit (*Pandanus conoideus*). *Kasetsart J. (Nat. Sci.)*, **49**: 237–250.
- Sarungallo, Z.L., Hariyadi, P., Andarwulan, N., dan Purnomo, E.H., 2019a. Keragaman karakteristik fisik buah, tanaman dan rendemen minyak dari 9 klon buah merah (*Pandanus conoideus*). *Agrikan: Jurnal Agribisnis Perikanan*, **12**: 70–82.
- Sarungallo, Z.L., Hariyadi, P., Andarwulan, N., Purnomo, E.H., dan Wada, M., 2015b. Analysis of α -cryptoxanthin, β -cryptoxanthin, α -carotene, and β -carotene of *Pandanus conoideus* oil by high-performance liquid chromatography (HPLC). *Procedia Food Science*, **3**: 231–243.
- Sarungallo, Z.L., Murtiningrum, dan Paiki, S.N.P., 2011. Sifat Fisikokimia Minyak Kasar dan Hasil Degumming dari Buah Merah (*Pandanus conoideus* L.) yang diekstrak secara Tradisional Merdey. *Jurnal Agrotek*, **1**: 9–15.
- Sarungallo, Z.L., Murtiningrum, Roreng, M.K., dan Latumahina, R.M.M., 2016. Nutrient content of three clones of red fruit (*Pandanus conoideus*) during the maturity development. *International Food Research Journal*, **23**: 1217–1255.
- Sarungallo, Z.L., Roreng, M.K., Yantewo, E.P., dan Eprillati, I., 2021. Karakteristik Fisikokimia, Organoleptik, dan Kandungan Gizi Mayones Minyak Buah Merah (*Pandanus conoideus*). *Agritech*, **41**: 316–326.
- Sarungallo, Z.L., Santoso, B., Lisangan, M.M., Paiki, S.N.P., Situngkir, R.U., dan Asokawaty, E.A., 2019b. Kinetika perubahan mutu minyak buah merah (*Pandanus conoideus*) hasil degumming selama penyimpanan. *Jurnal Aplikasi Teknologi Pangan*, **7**: 156–162.
- Sarungallo, Z.L., Santoso, B., Situngkir, R.U., Roreng, M.K., dan Lisangan, M.M., 2020b. Determination of chemical properties, composition of fatty acid,

- carotenoids and tocopherols of degummed and neutralized red fruit (*Pandanus conoideus*) oil. *Jurnal Teknologi*, **82**: 71–78.
- Sarungallo, Z.L., Santoso, B., Tethool, E.F., Situngkir, R.U., dan Tupamahu, J., 2018. Kinetika perubahan mutu minyak buah merah (*Pandanus conoideus*) selama penyimpanan. *Agritech*, **38**: 64.
- Satriyanto, B. dan Widjanarko, S.B., 2012. STABILITAS WARNA EKSTRAK BUAH MERAH (*Pandanus conoideus*) TERHADAP PEMANASAN SEBAGAI SUMBER POTENSIAL PIGMEN ALAMI. *Jurnal Teknologi Pertanian*, **13**: 157–168.
- Satriyanto, B., Widjanarko, S.B., dan Yunianta, 2012. Stabilitas warna ekstrak buah merah (*Pandanus conoideus*) terhadap pemanasan sebagai sumber potensial pigmen alami. *Jurnal Teknologi Pertanian*, **13**: 157–168.
- Setyaningrum, D.L., Riyanto, S., dan Rohman, A., 2013. Analysis of corn and soybean oils in red fruit oil using FTIR spectroscopy in combination with partial least square. *International Food Research Journal*, **20**: 1977–1981.
- Situmorang, C.C. dan Dewi, N.N.S.A., 2021. The administration of red fruit extract (*Pandanus Conoideus* Lamk.) to reduce menstrual pain among adolescent girls. *Journal of Midwifery*, **5**: 72.
- Soetjipto, H., Putra, Y.A., dan Kristijanto, A.I., 2020. Pengaruh Pemurnian Terhadap Kualitas dan Kandungan Skualen Minyak Biji Kemangi Hutan (*Ocimum gratissimum* L.). *ALCHEMY Jurnal Penelitian Kimia*, **16**: 190–198.
- Southwell, K. dan Harris, R., 1992. Chemical characteristics of *Pandanus conoideus* fruit lipid. *Journal of the Science of Food and Agriculture*, **58**: 593–594.
- Steinbach, A., 2013. NIR Spectroscopy - A guide to near-infrared spectroscopic analysis, dalam: *A Guide to Near-Infrared Spectroscopic Analysis of Industrial Manufacturing Processes*. Metrohm AG, Switzerland.
- Stuart, B.H., 2004. *Infrared Spectroscopy: Fundamentals and Applications*. John Wiley & Sons, Ltd.
- Subawa, A.A.N., Yasa, I.W.P.S., Jawi, I.M., dan Mahendra, A.N., 2021. Antioxidant and hypolipidemic effects of *Ipomoea batatas* L and *Pandanus conoideus* Lam combination on rats fed with high cholesterol diet. *Open Access Macedonian Journal of Medical Sciences*, **9**: 473–476.
- Sugiritama, I.W., Ratnayanti, I.G.A.D., Wiryawan, I.G.N.S., Wahyuniari, I.A.I., Linawati, N.M., dan Arijana, I.G.K.N., 2016. Effect of red fruit oil (*Pandanus Conoideus* Lam) on animal model of preeclampsia. *International Journal of Science and Research (IJSR)*, **5**: 1770–1773.
- Sultan, D.M.S., 2010. 'Characterization of GaN/AlN MQW based Heterostructures using Fourier Transform Infrared (FTIR) Spectroscopy', , *Master of Science*, . Chalmers University of Technology, Sweden.
- Susanti, E.P., Rohman, A., dan Setyaningsih, W., 2022. Dual response optimization of ultrasound-assisted oil extraction from red fruit (*Pandanus conoideus*): recovery and total phenolic compounds. *Agronomy*, **12**: 523.
- Taher, A. dan Repaso, M.S., 2009. Aktivitas Antioksidan Minyak Buah Merah dari Kultivar *Pandanus conoideus* L. yang Berbeda. *Jurnal Natural*, **8**: 48–51.

- Triyasmono, L., Riyanto, S., dan Rohman, A., 2013. Determination of iodine value and acid value of red fruit oil by infrared spectroscopy and multivariate calibration. *International Food Research Journal*, **20**: 3259–3263.
- Triyasmono, L., Schollmayer, C., Schmitz, J., Hovah, E., Lombo, C., Schmidt, S., dkk., 2023. Simultaneous determination of the saponification value, acid value, ester value, and iodine value in commercially available red fruit oil (*Pandanus conoideus* Lam.) using ¹H qNMRs Spectroscopy. *Food Analytical Methods*, **16**: 155–167.
- Utami, A.D. dan Priyowidodo, D., 2014. The effect of red fruit's (*Pandanus conoideus*) extract to eritocytes, hemoglobin, PCV and TPP concentrations of mice (*Mus musculus*) infected by otxoplasma gondii. *Jurnal Sain Veteriner*, **32**: 13-21 .
- Van De Voort, F.R., Sedman, J., Emo, G., dan Ismail, A.A., 1992. Rapid and direct iodine value and saponification number determination of fats and oils by attenuated total reflectance/fourier transform infrared spectroscopy. *Journal of the American Oil Chemists' Society*, **69**: 1118–1123.
- Vanstone, N., Moore, A., Martos, P., dan Neethirajan, S., 2018. Detection of the adulteration of extra virgin olive oil by near-infrared spectroscopy and chemometric techniques. *Food Quality and Safety*, **2**: 189–198.
- Voncina, D.B., 2009. Chemometrics in analytical chemistry. *Nova Biotechnologica*, **9**: 211–216.
- Wabula, R.A., Seniwati, dan Widiastuti, H., 2019. Aktivitas antioksidan ekstrak etanol buah merah (*Pandanus conoideus* Lam.) dengan metode Ferric Reducing Antioxidant Power (FRAP). *Window of Health : Jurnal Kesehatan*, **2**: 307–337.
- Walujo, E.B., Keim, A.P., dan S., M.J., 2007. Kajian etnotaksonomi *Pandanus conoideus* Lamarck untuk menjembatani pengetahuan lokal dan ilmiah. *Berita Biologi*, **8**: 391–404.
- Warsono, I.U., Murtiningrum, dan Sarungallo, Z.L., 2011. Pengaruh minyak buah merah (*Pandanus conoideus* L.) pada plasma darah kelinci yang diberi pakan kolesterol. *Prosiding Seminar Nasional Akselerasi Pembangunan Pertanian dan Perdesaan Berbasis Inovasi dan Sumberdaya Lokal*, 578–582.
- Wawo, A.H., Lestari, P., dan Setyowati, N., 2019. Buah merah (*Pandanus conoideus* Lamk) bioresources Pegunungan Tengah Papua: keanekaragaman dan upaya konservasinya. *Jurnal Biologi Indonesia*, **15**: 107–121.
- Wijaya, H. dan Pohan, H.G., 2009. Kajian teknis standar minyak buah merah (*Pandanus conoideus* lam). *Prosiding PPI Standarisasi*, 1–12.
- Wuryastuty, H. dan Wasito, 2014. Cytotoxicity study of red fruit extract (*Pandanus conoideus* Lam) as anti-goitrogenic herbal medicine in Sprague Dawley rats. *Jurnal Sain Veteriner*, **32**: 1–12.
- Xia, N., Schirra, C., Hasselwander, S., Förstermann, U., dan Li, H., 2018. Red fruit (*Pandanus conoideus* Lam) oil stimulates nitric oxide production and reduces oxidative stress in endothelial cells. *Journal of Functional Foods*, **51**: 65–74.

- Xu, L., Zhu, X., Yu, X., Huan, Z., dan Wang, X., 2018. Rapid and Simultaneous Determination of the Iodine Value and Saponification Number of Edible Oils by FTIR Spectroscopy. *European Journal of Lipid Science and Technology*, **120**: 1700396.
- Yang, R., Liu, R., dan Kexin, X., 2013. Detection of adulterated milk using two-dimensional correlation spectroscopy combined with multi-way partial least squares. *Food Bioscience*, **2**: 61–67.
- Yeniza dan Asmara, A.P., 2019. Penentuan Bilangan Peroksida Minyak RBD (Refined Bleached Deodorized) Olein PT. PHPO dengan Metode Titrasi Iodometri. *AMINA*, **1**: 79–83.
- Yuan, L., Meng, X., Xin, K., Ju, Y., Zhang, Y., Yin, C., dkk., 2023. A comparative study on classification of edible vegetable oils by infrared, near infrared and fluorescence spectroscopy combined with chemometrics. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, **288**: 122120.
- Yuan, Z., 2020. Detection of flaxseed oil multiple adulteration by near-infrared spectroscopy and nonlinear one class partial least squares discriminant analysis. *Food Science and Technology*, **125**: 109247.
- Yuhono, JT. dan Pribadi, E.R., 2007. Analisis titik impas harga dan sistim pemasaran pada industri minyak buah merah (*Pandanus conoideus* Lamk). *Bul. Littro*, **XVIII**: 188–202.
- Zebua, L.I. dan Walujo, E.B., 2018. Pengetahuan tradisional masyarakat Papua dalam mengenali, mengklasifikasi dan memanfaatkan pandan buah merah (*Pandanus conoideus* Lam.). *Jurnal Biologi Papua*, **8**: 23–37.
- Zou, M.-Q., Zhang, X.-F., Qi, X.-H., Ma, H.-L., Dong, Y., Liu, C.-W., dkk., 2009. Rapid authentication of olive oil adulteration by Raman spectrometry. *Journal of Agricultural and Food Chemistry*, **57**: 6001–6006.