

DAFTAR PUSTAKA

- Abd-Elmoaty, M.A., Saleh, R., Sharma, R. and Argawal, A. (2010). Increased levels of oxidants and reduced antioxidants in semen of infertile men with varicocele. *Fertil Steril*, 94(4), 1531-1534.
- Afifi, M., Almaghrabi, O.A. and Kadasa, N.M. (2015). Ameliorative effect of zinc oxide nanoparticles on antioxidants and sperm characteristics in streptozotocin-induced diabetic rat testes. *Biomed Res Int*, 2015, 153573.
- Agbaje, I.M., Rogers, D.A., McVicar, C.M., McClure, N., Atkinson, A.B., Mallidis, C. and Lewis, S.E. (2007). Insulin dependant diabetes mellitus: implications for male reproductive function. *Hum Reprod*, 22(7), 1871–1877.
- Alahmar, A.T. (2019). Role of Oxidative Stress in Male Infertility: An Updated Review. *J Hum Reprod Sci*, 12(1), 4-18.
- Almeer, R.S., Soliman, D., Kassab, R.B., AlBasher, G.I., Alarifi, S., Alkahtani, S., et al. (2018). Royal jelly abrogates cadmium-induced oxidative challenge in mouse testes: involvement of the Nrf2 pathway. *Int J Mol Sci*, 19(12), 3979.
- Ballester, J., Muñoz, M.C., Domínguez, J., Rigau, T., Guinovart, J.J. and Rodríguez-Gil, J.E. (2004). Insulin-dependent diabetes affects testicular function by FSH- and LH-linked mechanisms. *J Androl*, 25(5), 706–719.
- Bhattacharya, S.M., Ghosh, M. and Nandi, N. (2014). Diabetes mellitus and abnormalities in semen analysis. *J Obstet Gynaecol Res*, 40(1), 167–171.
- Chidlow, G., Wood, J.P., Graham, M. and Osborne, N.N. (2005). Expression of monocarboxylate transporters in rat ocular tissues. *Am J Physiol Cell Physiol*, 288(2), C416–428.

- Darbandi, M., Darbandi, S., Agarwal, A., Sengupta, P., Durairajanayagam, D., Henkel, R. and Sadeghi, M.R. (2018). Reactive oxygen species and male reproductive hormones. *Reprod Biol Endocrinol*, 16(1), 87.
- Deeds, M.C., Anderson, J.M., Armstrong, A.S., Gastineau, D.A., Hiddinga, H.J., Jahangir, A., Eberhardt, N.L. and Kudva, Y.C. (2011). Single dose streptozotocin-induced diabetes: considerations for study design in islet transplantation models. *Lab Anim*, 45(3), 131–140.
- Dias, T.R., Martins, A.D., Reis, V.P., Socorro, S., Silva, B.M., Alves, M.G. and Oliveira, P.F. (2013). Glucose transport and metabolism in sertoli cell: relevance for male fertility. *Curr Chem Biol*, 7(3), 282–293.
- Dimova, D., Pavlova, E. and Atanassova, N. The role of diabetes mellitus in male reproductive function: review. *Acta Morphol Anthropol*, 24(3–4), 99–108.
- Ding, G.L., Liu, Y., Liu, M.E., Pan, J.X., Guo, M.X., Sheng, J.Z. and Huang, H.F. (2015). The effects of diabetes on male fertility and epigenetic regulation during spermatogenesis. *Asian J Androl*, 17(6), 948–953.
- Do, M.H., Hur, J., Choi, J., Kim, Y., Park, H.Y. and Ha, S.K. (2018). Spatholobus suberectus ameliorates diabetes-induced renal damage by suppressing advanced glycation end products in db/db mice. *Int J Mol Sci*, 19(9), 2774.
- Feng, S.L., Li, S.H., Wang, Y., Chen, C.C. and Gao, B. (2001). Effect of ligustrum fruit extract on reproduction in experimental diabetic rats. *Asian J. Androl*, 3(1), 71–73.
- Garcia, C.K., Brown, M.S., Pathak, R.K. and Goldstein, J.L. (1995). cDNA cloning of MCT2, a second monocarboxylate transporter expressed in different cells than MCT1. *J Biol Chem*, 270(4), 1843–1849.
- Gerber, J., Heinrich, J. and Brehm, R. (2016). Blood–testis barrier and Sertoli cell function: lessons from SCCx43KO mice. *Reproduction*, 151(2), R15–27.

- Gilbert, S.F. (2000). *Developmental biology*. 6th edition. Sunderland (MA), Sinauer Associates.
- González, P., Lozano, P., Ros, G. and Solano, F. (2023). Hyperglycemia and oxidative stress: an integral, updated and critical overview of their metabolic interconnections. *Int J Mol Sci*, 24(11), 9352.
- Griswold, M.D. (1995). Interactions between germ cells and Sertoli cells in the testis. *Biology of Reproduction*, 52(2), 211–216.
- Guariguata, L., Whiting, D.R., Beagley, J., Linnenkamp, U. and Shaw, J.E. (2014). Global estimates of diabetes prevalence for 2013 and projections for 2035. *Diabetes Res Clin Pract*, 103(2), 137-149.
- Guzel, E., Arlier, S., Guzeloglu-Kayisli, O., Tabak, M.S., Ekiz, T., Semerci, N., Larsen, K., Schatz, F., Lockwood, C.J., & Kayisli, U.A. (2017). Endoplasmic reticulum stress and homeostasis in reproductive physiology and pathology. *Int J Mol Sci*, 18(4), 792.
- Halestrap, A.P. (2012). The monocarboxylate transporter family--structure and functional characterization. *IUBMB Life*, 64(1), 1-9.
- Jeeva, J.S., Sunitha, J., Ananthalakshmi, R., Rajkumari, S., Ramesh, M. and Krishnan, R. (2015). Enzymatic antioxidants and its role in oral diseases. *J Pharm Bioallied Sci*, 7(Suppl 2), S331-3.
- Jelodar, G., Khaksar, Z. and Pourahmadi, M. (2009). Endocrine profile and testicular histomorphometry in adult rat offspring of diabetic mothers. *J Physiol Sci*, 59(5), 377–382.
- Jiang, T., Huang, Z., Lin, Y., Zhang, Z., Fang, D. and Zhang, D.D. (2010). The protective role of Nrf2 in streptozotocin-induced diabetic nephropathy. *Diabetes*, 59(4), 850–860.

- Jones, R.S. and Morris, M.E. (2016). Monocarboxylate transporters: therapeutic targets and prognostic factors in disease. *Clin Pharmacol Ther*, 100(5), 454-463.
- Kianifard, D., Sadrkhanlou, R.A. and Hasanzadeh, S. (2012). The ultrastructural changes of the sertoli and Leydig cells following streptozotocin induced diabetes. *Iran J Basic Med Sci*, 15(1), 623–635.
- Kobayashi, T., Miyazaki, T., Natori, M. and Nozawa, S. (1991). Protective role of superoxide dismutase in human sperm motility: superoxide dismutase activity and lipid peroxide in human seminal plasma and spermatozoa. *Hum Reprod*, 6(7), 987–991.
- La Vignera, S., Condorelli, R.A., Vicari, E., D’Agata, R., Salemi, M. and Calogero, A.E. (2012). High levels of lipid peroxidation in semen of diabetic patients. *Andrologia*, 44 (Suppl 1), 565–570.
- Liu, B., Zhang, X., Qin, M., Song, A., Cui, T. and Wang, C. (2016). Malfunction of Sertoli cell secretion leads to testicular damage in diabetic rats. *Int J Clin Exp Med*, 9(6), 9316–9321.
- Lorenzo, C., Wagenknecht, L.E., Rewers, M.J., Karter, A.J., Bergman, R.N., Hanley, A.J. and Haffner, S.M. (2010). Disposition index, glucose effectiveness, and conversion to type 2 diabetes. *Diabetes Care*, 33(9), 2098–2103.
- Ma, D., Han, P., Song, M., Zhang, H., Shen, W., Huang, G., Zhao, M., Sun, Q., Zhao, Y. and Min, L. (2021). β -carotene rescues busulfan disrupted Spermatogenesis through elevation in testicular antioxidant capability. *Front Pharmacol*, 12, 593953.
- Ma, Q. (2013). Role of nrf2 in oxidative stress and toxicity. *Annu Rev Pharmacol Toxicol*, 53, 401–426.

- Mallidis, C., Agbaje, I., Rogers, D., Glenn, J., McCullough, S., Atkinson, A.B., Steger, K., Stitt, A. and McClure, N. (2007). Distribution of the receptor for advanced glycation end products in the human male reproductive tract: prevalence in men with diabetes mellitus. *Human Reprod*, 22(8), 2169–2177.
- Mangoli, E., Talebi, A. R., Anvari, M. and Pouretezari, M. (2013). Effects of experimentally-induced diabetes on sperm parameters and chromatin quality in mice. *Iran J Reprod Med*, 11(1), 53–60.
- Maresch, C.C., Stute, D.C., Fleming, T., Lin, J., Hammes, H.P. and Linn, T. (2019). Hyperglycemia induces spermatogenic disruption via major pathways of diabetes pathogenesis. *Scientific Reports*, 9(1), 13074.
- Martinez, L.C., Sherling, D. and Holley, A. (2019). The screening and prevention of diabetes mellitus. *Prim Care*, 46(1), 41-52.
- Mateus, I., Feijó, M., Espínola, L.M., Vaz, C.V., Correia, S. and Socorro, S. (2018). Glucose and glutamine handling in the Sertoli cells of transgenic rats overexpressing regucalcin: plasticity towards lactate production. *Sci Rep*, 8, 10321.
- Mullaney, B.P., Rosselli, M. and Skinner, M.K. (1994). Developmental regulation of Sertoli cell lactate production by hormones and the testicular paracrine factor, PModS. *Mol Cell Endocrinol*, 104(1), 67–73.
- Mullem, A.A., Gucht, A.L.M., Visser, W.E., Meima, M.E., Peeters, R.P. and Visser, T.J. (2016). Effects of thyroid hormone transporters MCT8 and MCT10 on nuclear activity of T3. *Mol Cell Endocrinol*, 437, 252-260.
- Nakamura, B.N., Lawson, G., Chan, J.Y., Banuelos, J., Cortés, M.M., Hoang, Y.D., Ortiz, L., Rau, B.A. and Luderer, U. (2010). Knockout of the transcription factor NRF2 disrupts spermatogenesis in an age-dependent manner. *Free Radic Biol Med*, 49(9), 1368-79.

- Navarro-Casado, L., Juncos-Tobarra, M.A., Cháfer-Rudilla, M., de Onzoño, L.Í., Blázquez-Cabrera, J.A. and Miralles-García, J.M. (2010). Effect of experimental diabetes and STZ on male fertility capacity. Study in rats. *J Androl*, 31(6), 584–592.
- Nicholas, D.A., Knight, V.S., Tonsfeldt, K.J., Terasaka, T., Molinar-Inglis, O., Stephens, S.B.Z., Trejo, J., Kauffman, A.S., Mellon, P.L. and Lawson, M.A. (2020). GLUT1-mediated glycolysis supports GnRH-induced secretion of luteinizing hormone from female gonadotropes. *Sci Rep*, 10(1), 13063.
- Ning, B., Hang, S., Zhang, W., Mao, C. and Li, D. (2023). An update on the bridging factors connecting autophagy and Nrf2 antioxidant pathway. *Front Cell Dev Biol*, 11, 1232241.
- Omolaoye, T.S., Skosana, B.T. and Plessis, S.S. (2017). Diabetes mellitus- induction: Effect of different streptozotocin doses on male reproductive parameters. *Acta Histochem*, 120(2), 103-109.
- Pei, J., Pan, X., Wei, G. and Hua, Y. (2023). Research progress of glutathione peroxidase family (GPX) in redoxitation. *Front Pharmacol*, 14, 1147414.
- Pizzino, G., Irrera, N., Cucinotta, M., Pallio, G., Mannino, F., Arcoraci, V., Squadrito, F., Altavilla, D. and Bitto, A. (2017). Oxidative Stress: Harms and Benefits for Human Health. *Oxid Med Cell Longev*, 2017, 8416763.
- Pournasir, M., Ghorbian, S., Ghasemnejad, T., Fattahi, A. and Nouri, M. (2021). Glutathione peroxidase 3 (extracellular isoform) levels and functional polymorphisms in fertile and infertile men. *Middle East Fertil Soc J*, 26, 13.
- Plaitakis, A., Kalef-Ezra, E., Kotzamani, D., Zaganas, I. and Spanaki, C. (2017). The glutamate dehydrogenase pathway and its roles in cell and tissue biology in health and disease. *Biology (Basel)*, 6(1), 11.

- Rato, L., Alves, M.G., Dias, T.R., Cavaco, J.E. and Oliveira, P.F. (2015). Testicular metabolic reprogramming in neonatal streptozotocin-induced type 2 diabetic rats impairs glycolytic flux and promotes glycogen synthesis. *J Diabetes Res*, 2015, 973142.
- Roessner, C., Paasch, U., Kratzsch, J., Glander, H.J. and Grunewald, S. (2012). Sperm apoptosis signalling in diabetic men. *Reprod Biomed Online*, 25(3), 292–299.
- Rotimi, D.E., Ojo, O.A., Olaolu, T.D. and Adeyemi, O.S. (2022). Exploring Nrf2 as a therapeutic target in testicular dysfunction. *Cell Tissue Res*, 390(1), 23–33.
- Schoeller, E., Albanna, G., Frolova, A. and Moley K.H. (2012). Insulin rescues impaired spermatogenesis via the hypothalamic-pituitarygonadal axis in Akita diabetic mice and restores male fertility. *Diabetes*, 61(7), 1869–1878.
- Schrade, A., Kyrölahti, A., Akinrinade, O., Pihlajoki, M., Fischer, S., Rodriguez, V.M., Otte, K., Velagapudi, V., Toppari, J., Wilson, D.B. and Heikinheimo, M. (2016). GATA4 regulates blood-testis barrier function and lactate metabolism in mouse Sertoli cells. *Endocrinology*, 157(6), 2416–2431.
- Shayakhmetova, G.M., Bondarenko, L.B., Matvienko, A.V. and Kovalenko, V.M. (2012). Reproductive disorders in streptozotocin-treated male rats following co-administration of ethambutol, rifampicin, isoniazid and pyrazinamide. *Rom J Diabetes Nutr Metab Dis*, 19(4), 405–415.
- Shrilatha, B. and Muralidhara. (2007). Early oxidative stress in testis and epididymal sperm in streptozotocin-induced diabetic mice: Its progression and genotoxic consequences. *Reprod Toxicol*, 23(4), 578–587.
- Sindhu, R.K., Koo, J.R., Roberts, C.K. and Vaziri, N.D. (2004). Dysregulation of hepatic superoxide dismutase, catalase and glutathione peroxidase in diabetes: response to insulin and antioxidant therapies. *Clin Exp Hypertens*, 26(1), 43–53.

- Singh, R.P., Sastry, K.V.H., Pandey, N.K., Shit, N.G., Agarwal, R., Singh, R., Sharma, S.K., Saxena, V.K. and Jagmohan (2011). Molecular characterization and expression of LDHA and LDHB mRNA in testes of Japanese Quail (*Coturnix japonica*). *Asian-Aust J Anim Sci*, 24(8), 1060–1068.
- Soudamani, S., Malini, T. and Balasubramanian, K. (2005). Effects of streptozotocin-diabetes and insulin replacement on the epididymis of prepubertal rats: histological and histomorphometric studies. *Endocr Res*, 31(2), 81–98.
- Sutanegara, D., Darmono and Budhiarta, A.A. (2000). The epidemiology and management of diabetes mellitus in Indonesia. *Diabetes Res Clin Pract*, 50(2), S9–16.
- Vikram, A., Tripathi, D.N., Ramarao, P. and Jena, G.B. (2008). Intervention of D-glucose ameliorates the toxicity of streptozotocin in accessory sex organs of rat. *Toxicol App Pharmacol*, 226(1), 84–93.
- Volpe, C.M.O., Villar-Delfino, P.H., Dos Anjos, P.M.F. and Nogueira-Machado, J.A. (2018). Cellular death, reactive oxygen species (ROS) and diabetic complications. *Cell Death Dis*, 9(2), 119.
- Vulturar, R., Chiş, A., Pintilie, S., Farcaş, I.M., Botezatu, A., Login, C.C., Sitar-Taut, A.V., Orasan, O.H., Stan, A., Lazea, C., Al-Khzouz, C., Mager, M., Vinţan, M.A., Manole, S. and Damian, L. (2022). One molecule for mental nourishment and more: glucose transporter type 1-biology and deficiency syndrome. *Biomedicines*, 10(6), 1249.
- Wang, X., Yang, X., Zhong, X., Wang, Z., Xue, S., Yu, W. and Dong, Z. (2017). Percutaneous nephrolithotomy under ultrasound guidance in patients with renal calculi and autosomal dominant polycystic kidney disease: a report of 11 cases. *Adv Urol*, 2017, 3483172.
- Xu, Y., Lei, H., Guan, R., Gao, Z., Li, H., Wang, L., Song, W., Gao, B. and Xin, Z. (2014). Studies on the mechanism of testicular dysfunction in the early stage

of a streptozotocin induced diabetic rat model. *Biochem Biophys Res Commun*, 450(1), 87–92.

Yu, B. and Huang, Z. (2015). Variations in antioxidant genes and male infertility. *Biomed Res Int*, 2015, 513196.

Zhao, F., Ci, X., Man, X., Li, J., Wei, Z. and Zhang, S. (2021). Food-derived pharmacological modulators of the Nrf2/ARE pathway: their role in the treatment of diseases. *Molecules*, 26(4), 1016.