



## DAFTAR PUSTAKA

- Abitbol, T., Rivkin, A., Cao, Y., Nevo, Y., Abraham, E., Ben-Shalom, T., Shoseyov, O. (2016). *Nanocellulose, a tiny fiber with huge applications*. *Current Opinion in Biotechnology*, 76–88. <http://dx.doi.org/10.1016/j.copbio.2016.01.002>
- Armynah, B., Anugrahwidya, R., Tahir, D. (2022). *Composite cassava starch/chitosan/Pineapple Leaf Fiber (PALF)/Zinc Oxide (ZnO): Bioplastics with high mechanical properties and faster degradation in soil and seawater*. *International Journal of Biological Macromolecules* 213 (2022) 814–823. <https://doi.org/10.1016/j.ijbiomac.2022.06.038>
- Asadi, A., Miller, M., Moon, R. J., & Kalaitzidou, K. (2016). *Improving the interfacial and mechanical properties of short glass fiber/epoxy composites by coating the glass fibers with cellulose nanocrystals*. *eXPRESS Polymer Letters*, 587–597.
- Azlin, M, N, M., Sapuan, S, M., Zuhri, M, Y, M., Zainudin, E, S. (2021). *Effect of Stacking Sequence and Fiber Content on Mechanical and Morphological Properties of Woven Kenaf/Polyester Fiber Reinforced Polylactic Acid (PLA) Hybrid Laminated Composites*. *JMRTEC* 4102. <https://doi.org/10.1016/j.jmrt.2021.12.046>
- Bahramiana. N., Atai. M., Jamal. M, R, N., Dent (2015). *Mater.* 31, 1022.
- Belbekhouche, S., Bras, J., Siqueira, G., Chappey, C., Lebrun, L., Khelifi, B., Marais, S., & Dufresne, A. (2011). *Water sorption behavior and gas barrier properties of cellulose whiskers and microfibrils films*. *Carbohydrate Polymers*, 83 (4), 1740–1748. <https://doi.org/10.1016/j.carbpol.2010.10.036>
- Bernardes, G, P., Andrade, M, D, P., Poletto, M. (2023). *Effect of alkaline treatment on the thermal stability, degradation kinetics, and thermodynamic parameters of pineapple crown fibres*. *journal of materials research and technology* 2023;23:64e76. <https://doi.org/10.1016/j.jmrt.2022.12.179>



- Bollino, F., Giannella, V., Armentani, E., Sepe, R. (2023). *Mechanical behavior of chemically-treated hemp fibers reinforced composites subjected to moisture absorption*. Journal Of Materials Research And Technology 2023;22:762e775. <https://doi.org/10.1016/j.jmrt.2022.11.152>
- Boopathi, L., SaMPath, P.S., Mylsamy, K. (2012). *Investigation of physical, chemical and mechanical properties of raw and alkali treated Borassus fruit fiber*, Compos. Part B Eng. 43 3044–3052.
- Brucely, Y., Sahoo, M, R., Halder, S., Thiyagu, M., Kumar, A, S., Parida, L. (2022). *Investigating mechanical strength of luffa and pineapple fibre reinforced polymer composite*. Materials Today: Proceedings 69 (2022) 1300–1303. <https://doi.org/10.1016/j.matpr.2022.08.407>
- Cruz, S, V., & Tecante, A. (2021). Nanocellulose and microcrystalline cellulose from agricultural waste: Review on isolation and application as reinforcement in polymeric matrices. Food Hydrocolloids, 118, 106771. <https://doi.org/10.1016/j.foodhyd.2021.106771>
- Dagdag, O., Hanbali, G., Khalaf, B., Jodeh, S., Harfi, A. E., & Deghles, A. (2019). Dual Component Polymeric Epoxy-Polyaminoamide Based Zinc Phosphate Anticorrosive Formulation for 15CDV6 Steel. Coatings.
- Das, S., Paul, S., Grammatikos, S, A., Siddiquee, M, A, B., Papatzani, S, Koralli, P., Islam, J, M, M., Khan, M, A., Shauddin, S, M., Khan, R, A., Vidakis, N., Petousis, M. (2021). *Effect of stacking sequence on the performance of hybrid natural/synthetic fiber reinforced polymer composite laminates*. Composite Structures 276 (2021) 114525. <https://doi.org/10.1016/j.compstruct.2021.114525>
- Dhali, K., Ghasemlou, M., Daver, F., Cass, P., & Adhikari, B. (2021). *A review of nanocellulose as a new material towards environmental sustainability*. Science of the Total Environment, 775, 145871. <https://doi.org/10.1016/j.scitotenv.2021.145871>
- Faruk, O., Bledzki, A. K., Fink, H.P., Sain, M. (2012). *Biocomposites reinforced with natural fibers: 2000–2010*, Prog. Polym. Sci. 37 1552–1596.



- French, A. D., (2014). Idealized powder diffraction patterns for cellulose polymorphs. *Cellulose* 21:885–896. [https:// DOI 10.1007/s10570-013-0030-4](https://doi.org/10.1007/s10570-013-0030-4)
- Fukuzumi, H., Saito, T., Iwata, T., Kumamoto, Y., & Isogai, A. (2009). *Transparent and High Gas Barrier Films of Cellulose Nanofibers Prepared by TEMPO-Mediated Oxidation*. *Biomacromolecules*, 10(1), 162–165. <https://doi.org/10.1021/bm801065u>
- Gaikindo (2022). *Indonesia And Global Vehicle Production 2012-2021*. <https://www.gaikindo.or.id/indonesia-and-global-vehicle-production-2012-2021/>
- Gaikindo (2023). *Penjualan Mobil Ev, Phev, Hybrid Domestik Januari-Desember 2022*. <https://www.gaikindo.or.id/penjualan-mobil-ev-phev-hybrid-domestik-januari-desember-2022/>
- Gabr, M. H., Elrahman, M. A., Okubo, K., & Fujii, T. (2010). *A study on mechanical properties of bacterial cellulose/epoxy reinforced by plain woven carbon fiber modified with liquid rubber*. *Composites: Part A*, 1263–1271. <https://dx.doi.org/10.1016/j.compositesa.2010.05.010>
- Gabr, M. H., Phong, N.T., Okubo, K., Uzawa, K., KiMPara, I., & Fujii, T. (2010). *Thermal and mechanical properties of electrospun nano-celulose reinforced epoxy nanocomposites*. *Polymer Testing* 37 (2014) 51–58. <http://dx.doi.org/10.1016/j.polymertesting.2014.04.010>
- Gibson, R. F. (2016). *Principles of Composites Material Mechanics*. New York: McGraw-Hill. CRC Press.
- Gnanasekaran, S., Nordin, N, I, A, A., Jamari, S, S. (2022). *Effect of Steam-Alkaline coupled treatment on N36 cultivar pineapple leave fibre for isolation of cellulose*. *Materials Today: Proceedings* 48 (2022) 753–760. <https://doi.org/10.1016/j.matpr.2021.02.216>
- Gomes. A., Goda. K., Ohgi. J. (2004). *JSME Int. J.*, 47(4), 541.
- Jones, R. M. (1999). *Mechanics of Composite Materials Second Edition*. Philadelphia: Taylor & Francis.



- Joseph, P. V, Joseph, K., Thomas, S., Pillai, C. K. S., Prasad, V. S., Groeninckx, G., & Sarkissova, M. (2003). The thermal and crystallisation studies of short sisal fibre reinforced polypropylene composites. *Composites Part A: Applied Science and Manufacturing*, 34(3), 253–266. [https://doi.org/10.1016/S1359-835X\(02\)00185-9](https://doi.org/10.1016/S1359-835X(02)00185-9)
- Kabir, M. M., Wang, H., Lau, K. T., & Cardona, F. (2012). Chemical treatments on plant-based natural fibre reinforced polymer composites: An overview. *Composites Part B: Engineering*, 43(7), 2883–2892. <https://doi.org/10.1016/j.compositesb.2012.04.053>
- Kabir, M. M., Wang, H., Lau, K. T., & Cardona, F. (2013). Effects of chemical treatments on hemp fibre structure. *Applied Surface Science*, 276, 13–23. <https://doi.org/10.1016/j.apsusc.2013.02.086>
- Kargarzadeh, H., Mariano, M., Huang, J., Lin, N., Ahmad, I., Dufresne, A., & Thomas, S. (2017). *Recent developments on nanocellulose reinforced polymer nanocomposites: A review*. *Polymer*, 368-393. <https://doi.org/10.1016/j.polymer.2017.09.043>
- Kaw, A. K. (2006). *Mechanics of Composite Materials*. Boca Raton: CRC Press.
- Kemenperin (2014). *Membidik Plastik Otomotif*. <https://kemenperin.go.id/artikel/10268/Membidik-Plastik-Otomotif>
- Kim, J, T., Netravali, A, N 2010 *Compos. Part A*, 41, 1245.
- Khan, A., Asiri, A. M., Jawaid, M., Saba, N., & Inamuddin. (2020). *Effect of cellulose nano fibers and nano clays on the mechanical, morphological, thermal and dynamic mechanical performance of kenaf/epoxy composites*. *Carbohydrate Polymers*, 116248. <https://doi.org/10.1016/j.carbpol.2020.116248>
- Klemm, D., Heublein, B., Fink, H.-P., & Bohn, A. (2005). *Cellulose: Fascinating Biopolymer and Sustainable Raw Material*. *Angewandte Chemie International Edition*, 44(22), 3358–3393. <https://doi.org/10.1002/anie.200460587>
- Kumar, S., Falzon, B, G., Kun, Je., Wilson, E., Graninger, G., & Hawkins, S. C. (2020). *High performance multiscale glass fibre epoxy composites integrated with*



- cellulose nanocrystals for advanced structural applications*. Composites Part A 131 (2020) 10580. <https://doi.org/10.1016/j.compositesa.2020.105801>
- Kumar, R., Rakesh, P. K., Sreehari, D., Kumar, D., Naik, T. P. (2023). *Experimental investigations on material properties of alkali retted Pinus Roxburghii Fiber*. Biomass Conversion and Biorefinery. <https://doi.org/10.1007/s13399-023-04245-2>
- Kusmono., Hestiawan, H., & Jamasri. (2020). *The water absorption, mechanical and thermal properties of chemically treated woven fan palm reinforced polyester composites*. J MATER RES TECHNOL. 2020;9(3):4410–4420. <https://doi.org/10.1016/j.jmrt.2020.02.065>
- Lehrhofer, A. F., Goto, T., Kawada, T., Rosenau, T., & Hettegger, H. (2022). *The in vitro synthesis of cellulose – A mini-review*. Carbohydrate Polymers, 285, 119222. <https://doi.org/10.1016/j.carbpol.2022.119222>
- Li, Mi., Pu, Y., Thomas, V. T., Yoo, C. G., Ozcan, S., Deng, Y., Nelson, K., Ragauskas, A. J. (2020). *Recent advancements of plant-based natural fiber-reinforced composites and their applications*. Composites Part B 200 (2020) 108254. <https://doi.org/10.1016/j.compositesb.2020.108254>
- Lima, R. D. A. A., Cavalcanti, D. K., Neto, J. D. S. E. S., Costa. H. M. D., & Banea. M. D. (2019). *Effect of surface treatments on interfacial properties of natural intralaminar hybrid composites*, Polymer Composites, 2019;1-12
- Marsyahyo, E., Jamasri, Rochardjo, H. S. B., & Soekrisno. (2009). *Preliminary Investigation on Bulletproof Panels Made from Ramie Fiber Reinforced Composites for NIJ Level II, IIA, and IV*. Journal of Industrial Textiles, 39(1), 13–26. <https://doi.org/10.1177/1528083708098913>
- Moon, R. J., Martini, A., Nairn, J., Simonsen, J., & Youngblood, J. (2011). *Cellulose nanomaterials review: structure, properties and nanocomposites*. Chem. Soc. Rev., 40(7), 3941–3994. <https://doi.org/10.1039/C0CS00108B>
- Mwaikambo, L. Y., Tucker, N., & Clark, A. J. (2007). *Mechanical Properties of Hemp-Fibre-Reinforced Euphorbia Composites*. Macromolecular Materials



- and Engineering, 292(9), 993–1000.  
<https://doi.org/10.1002/mame.200700092>
- Nayak, B. A., Shubham, Prusty, R. K., & Ray, B. C. (2020). *Effect of nanosilica and nanoclay reinforcement on flexural and thermal properties of glass fiber/epoxy composites. Materials Today: Proceedings*, 5098-5102.  
<https://doi.org/10.1016/j.matpr.2020.02.852>
- Nissilä, T., Hietala, M., & Oksmana, K. (2019). *A method for preparing epoxy-cellulose nanofiber composites with an oriented structure. Composites Part A*, 105515. <https://doi.org/10.1016/j.compositesa.2019.105515>
- Paul, V., Kanny, K., Redhi, G, G. (2015). *Mechanical, thermal and morphological properties of a bio-based composite derived from banana plant source Compos. Part A Appl. Sci. Manuf.* 68 (2015) 90–100.  
<http://dx.doi.org/10.1016/j.compositesa.2014.08.032>
- Peng, S. X., Shrestha, S., Yoo, Y., & Youngblood, J. P. (2017). *Enhanced dispersion and properties of a two-component epoxy nanocomposite using surface modified cellulose nanocrystals. Polymer*, 359-368.
- Phanthong, P., Reubroycharoen, P., Haod, X., Xu, G., Abudula, A., & Guan, G. (2018). *Nanocellulose: Extraction and application. Carbon Resources Conversion*, 32-43. <https://doi.org/10.1016/j.crcon.2018.05.004>
- Ramesh, M., Deepa, C., Arpitha, G. R., & Gopinath, V. (2019). Effect of hybridization on properties of hemp-carbon fibre-reinforced hybrid polymer composites using experimental and finite element analysis. *World Journal of Engineering*, 16(2), 248–259. <https://doi.org/10.1108/WJE-04-2018-0125>
- Rathore, D. K., Prusty, R. K., Kumar, D. S., & Ray, B. C. (2016). *Mechanical performance of CNT-filled glass fiber/epoxy composite in in-situ elevated temperature environments emphasizing the role of CNT. Composites: Part A*, 364–376.
- Rinawa, M, L., Chauhan, P., Sharman, A, K., Singh, H, K., Ankit., Karuna, M, S. (2022). *Water absorption studies of pineapple leaf fiber/nano rice husk powder reinforced epoxy matrix hybrid composites. Materials Today:*



- Proceedings 59 (2022) 1498–1502.  
<https://doi.org/10.1016/j.matpr.2022.01.279>
- Saba, N., Mohammad, F., Pervaiz, M., Jawaid, M., Alothman, O., & Sain, M. (2017). *Mechanical, morphological and structural properties of cellulose nanofibers reinforced epoxy composites*. *International Journal of Biological Macromolecules*, 190–200.  
<http://dx.doi.org/10.1016/j.ijbiomac.2017.01.029>
- Senthilkumar, K., Chandrasekar, M., Y, Othman., Alothman., Fouad, H., Jawaid, M., Azeem, M, A. (2022). *Flexural, iMPact and dynamic mechanical analysis of hybrid composites: Olive tree leaves powder/ pineapple leaf fibre/epoxy matrix*. *journal of materials research and technology* 2022;21:4241e4252. <https://doi.org/10.1016/j.jmrt.2022.11.036>
- Singh, T, S., Pruncu, C, I., Gangil, B., Singh, V., Fekete, G., (2019). *CoMParative performance assessment of pineapple and Kevlar fibers based friction composites*. *J MATER RES TECHNOL*. 2020;9(2):1491–1499.  
<https://doi.org/10.1016/j.jmrt.2019.11.074>
- Singh, Y., Kumar, J., Naik, T, P., Pabla, B, S., Singh, I. (2020). *Processing and characterization of pineapple fiber reinforced recycled polyethylene composites*. *Materials Today: Proceedings* 44 (2021) 2153–2157.  
<https://doi.org/10.1016/j.matpr.2020.12.278>
- Sisti, L., Totaro, G., Vannini, M., Fabbri, P., Kalia, S., Zatta, A., & Celli, A. (2016). Evaluation of the retting process as a pre-treatment of vegetable fibers for the preparation of high-performance polymer biocomposites. *Industrial Crops and Products*, 81, 56–65.  
<http://dx.doi.org/10.1016/j.indcrop.2015.11.045>
- Umanath, K., Prabhu, M, K, Yuvaraj, A., Devika, D., (2020). *Fabrication and analysis of Master leaf spring plate using carbon fibre and pineapple leaf fibre as natural composite materials*. *Materials Today: Proceedings* 33 (2020) 183–188. <https://doi.org/10.1016/j.matpr.2020.03.790>
- Tomczak. F., Satyanarayana K. G. Sydenstricker. T, H, D (2007). *Compos. Part A*, 38, 2227.



- Venkatasudhakar, M., Kishorekumar, P., Raja, N, D. (2020). *Influence of stacking sequence and fiber treatment on mechanical properties of carbon- jute-banana reinforced epoxy hybrid composites*. International Journal of Polymer Analysis and Characterization. <https://doi.org/10.1080/1023666X.2020.1781481>
- Vinod, A., Tengsuthiwat, J., Gowda, Y., Vijay, R., Sanjay, M, R., Siengchin, S., Dhakal, H, N. (2022). *Jute/Hemp bio-epoxy hybrid bio-composites: Influence of stacking sequence on adhesion of fiber-matrix*. International Journal of Adhesion & Adhesives 113 (2022) 103050. <https://doi.org/10.1016/j.ijadhadh.2021.103050>
- Wagh, J., Madgule, M., Awadhani, LV., (2022). *Investigative studies on the mechanical behavior of Jute, Sisal, Hemp, and glass fiber-based composite material*. Materials Today: Proceedings xxx (xxxx) xxx. <https://doi.org/10.1016/j.matpr.2022.12.101>
- Wang, B., & Sain, M. (2007). *Dispersion of soybean stock-based nanofiber in a plastic matrix*. Polymer International, 56(4), 538–546. <https://doi.org/10.1002/pi.2167>
- Walker, J. C. F. (2006). Sawmilling. In Primary Wood Processing: Principles and Practice (Vol. 9781402043). [https://doi.org/10.1007/1-4020-4393-7\\_7](https://doi.org/10.1007/1-4020-4393-7_7)
- Xie. Y., Hill. C, A, S., Xiao. Z., Militz. H., Mai. C (2010) Compos. Part A, 41,806.
- Xu, S., Girouard, N., Schueneman, G., Shofner, M. L., & Meredith, J. C. (2013). *Mechanical and thermal properties of waterborne epoxy composites containing cellulose nanocrystals*. Polymer, 6589-6598.
- Yang, J., Zhang, K., Chen, D., Zhang, Y., Zhang, X., Yang, Z. (2024) *Effect of alkali treatment on water absorption deterioration and mechanism of wheat straw/PVC composites*. Polymer Testing 131 (2024) 108348. <https://doi.org/10.1016/j.polymertesting.2024.108348>
- Zhang, Y., Song, P., Fu, S., & Chen, F. (2015). Morphological structure and mechanical properties of epoxy/polysulfone/cellulose nanofiber ternary nanocomposites. *Composites Science and Technology*, 66–71.