

DAFTAR PUSTAKA

- Al-Dayyat, H. M., Rayyan, Y. M., & Tayyem, R. F. (2018). Non-alcoholic *fatty liver* disease and associated dietary and lifestyle risk factors. *Diabetes and Metabolic Syndrome: Clinical Research and Reviews*. <https://doi.org/10.1016/j.dsx.2018.03.016>
- Al Mahtab, M., Ghosh, J., Bhatia, S., Nagral, A., Bangar, M., Menezes, S., ... Singh, S. P. (2022). Gender Differences in Nonalcoholic *Fatty liver* Disease. *Euroasian Journal of Hepato-Gastroenterology*, 12(S1). <https://doi.org/10.5005/jp-journals-10018-1370>
- Azzalini, L., Ferrer, E., Ramalho, L. N., Moreno, M., Domínguez, M., Colmenero, J., ... Bataller, R. (2010). Cigarette smoking exacerbates nonalcoholic *fatty liver* disease in obese rats. *Hepatology*, 51(5). <https://doi.org/10.1002/hep.23516>
- Bamber, J., Cosgrove, D., Dietrich, C. F., Fromageau, J., Bojunga, J., Calliada, F., ... Piscaglia, F. (2013). EFSUMB guidelines and recommendations on the clinical use of ultrasound elastography. Part 1: Basic principles and technology. *Ultraschall in der Medizin (Stuttgart, Germany : 1980)*, 34(2), 169–184. <https://doi.org/10.1055/S-0033-1335205>
- Bhatia, L. S., Curzen, N. P., Calder, P. C., & Byrne, C. D. (2012). Non-alcoholic *fatty liver* disease: A new and important cardiovascular risk factor? *European Heart Journal*. <https://doi.org/10.1093/eurheartj/ehr453>
- Bhatt, H. B., & Smith, R. J. (2015). *Fatty liver* disease in diabetes mellitus. *Hepatobiliary surgery and nutrition*. <https://doi.org/10.3978/j.issn.2304-3881.2015.01.03>
- Boyce, C. J., Pickhardt, P. J., Kim, D. H., Taylor, A. J., Winter, T. C., Bruce, R. J., ... Hinshaw, J. L. (2010). Hepatic steatosis (*fatty liver* disease) in asymptomatic adults identified by unenhanced low-dose CT. *American Journal of Roentgenology*, 194(3). <https://doi.org/10.2214/AJR.09.2590>
- Byrne, C. D., & Targher, G. (2015). NAFLD: A multisystem disease. *Journal of Hepatology*. <https://doi.org/10.1016/j.jhep.2014.12.012>
- Calin-Necula, A., Enciu, V., Ologeanu, P., Moldoveanu, A. C., & Braticevici, C. F. (2023). The correlation between Body Mass Index and histological features of Nonalcoholic *Fatty liver* Disease. *Romanian journal of internal medicine = Revue roumaine de medecine interne*, 61(3). <https://doi.org/10.2478/rjim-2023-0011>
- Castera, L., Yuen Chan, H. L., Arrese, M., Afdhal, N., Bedossa, P., Friedrich-Rust, M., ... Pinzani, M. (2015). EASL-ALEH Clinical Practice Guidelines: Non-invasive tests for evaluation of liver disease severity and prognosis. *Journal of hepatology*, 63(1), 237–264. <https://doi.org/10.1016/J.JHEP.2015.04.006>
- Chalasani, N., Younossi, Z., Lavine, J. E., Charlton, M., Cusi, K., Rinella, M., ... Sanyal, A. J. (2018). The diagnosis and management of nonalcoholic *fatty liver* disease: Practice guidance from the American Association for the Study of Liver Diseases. *Hepatology*, 67(1).



UNIVERSITAS
GADJAH MADA

Korelasi antara Derajat Fatty Liver pada Pemeriksaan CT-Scan Abdomen Non Kontras dengan

Derajat

Fibrosis Hepar pada Pemeriksaan 2D-Shear Wave Elastography.

Hutomo Prawirohardjo, Dr. dr. Lina Choridah, Sp.Rad(K)-PRP, dr. Sudarmanta, Sp.Rad(K)-RI

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

<https://doi.org/10.1002/hep.29367>

Chavez-Tapia, N. C., Lizardi-Cervera, J., Perez-Bautista, O., Ramos-Ostos, M. H., & Uribe, M. (2006). Smoking is not associated with nonalcoholic *fatty liver* disease. *World Journal of Gastroenterology*, 12(32).

Cheemerla, S., & Balakrishnan, M. (2021). Global Epidemiology of Chronic Liver Disease. *Clinical Liver Disease*. <https://doi.org/10.1002/cld.1061>

Chen, C., YF, C., CY, Y., HY, O., LL, T., TL, H., ... YR, C. (2014). Living donor liver transplantation: the Asian perspective. *Transplantation*, 97 Suppl 8(8), S75–S79. <https://doi.org/10.1097/TP.0000000000000060>

Chung, J., Park, H. S., Kim, Y. J., Yu, M. H., Park, S., & Jung, S. Il. (2021). Association of hepatic steatosis index with nonalcoholic *fatty liver* disease diagnosed by non-enhanced ct in a screening population. *Diagnostics*, 11(12). <https://doi.org/10.3390/diagnostics11122168>

Cosgrove, D., Piscaglia, F., Bamber, J., Bojunga, J., Correas, J. M., Gilja, O. H., ... Dietrich, C. F. (2013). EFSUMB guidelines and recommendations on the clinical use of ultrasound elastography. Part 2: Clinical applications. *Ultraschall in der Medizin (Stuttgart, Germany : 1980)*, 34(3), 238–253. <https://doi.org/10.1055/S-0033-1335375>

da Silva, L. de C. M., de Oliveira, J. T., Tochetto, S., de Oliveira, C. P. M. S., Sigrist, R., & Chammas, M. C. (2020). Ultrasound elastography in patients with *fatty liver* disease. *Radiologia Brasileira*, 53(1), 47. <https://doi.org/10.1590/0100-3984.2019.0028>

Dahlan, M. (2016). *Besar Sampel dalam Penelitian Kedokteran dan Kesehatan. Sagung Seto.*

Divella, R., Mazzocca, A., Daniele, A., Sabbà, C., & Paradiso, A. (2019). Obesity, nonalcoholic *fatty liver* disease and adipocytokines network in promotion of cancer. *International Journal of Biological Sciences*. <https://doi.org/10.7150/ijbs.29599>

Edmison, J., & McCullough, A. J. (2007). Pathogenesis of Non-alcoholic Steatohepatitis: Human Data. *Clinics in Liver Disease*. <https://doi.org/10.1016/j.cld.2007.02.011>

Erbas, O., Erdogan, M. A., Khalilnezhad, A., Gürkan, F. T., Yiğitürk, G., Meral, A., & Taskiran, D. (2018). Neurobehavioral effects of long-term maternal fructose intake in rat offspring. *International Journal of Developmental Neuroscience*, 69. <https://doi.org/10.1016/j.ijdevneu.2018.07.001>

Fritz, G. A., Schoellnast, H., Deutschmann, H. A., Wiltgen, M., Brader, P., Berghold, A., & Groell, R. (2006). Density histogram analysis of unenhanced hepatic computed tomography in patients with diffuse liver diseases. *Journal of computer assisted tomography*, 30(2), 201–205. <https://doi.org/10.1097/00004728-200603000-00006>

Gan, L., Chitturi, S., & Farrell, G. C. (2011). Mechanisms and implications of age-related changes in the liver: Nonalcoholic *fatty liver* disease in the elderly. *Current Gerontology and Geriatrics Research*, 2011. <https://doi.org/10.1155/2011/831536>

Gasim, G. I., Elshehri, F. M., Kheidr, M., Alshubaily, F. K., Elzaki, E. M., & Musa, I. R. (2017). The Use of Computed Tomography in the Diagnosis of *Fatty liver* and Abdominal Fat Distribution among a Saudi Population. *Open Access Macedonian Journal of Medical*



UNIVERSITAS
GADJAH MADA

Korelasi antara Derajat Fatty Liver pada Pemeriksaan CT-Scan Abdomen Non Kontras dengan Derajat

Fibrosis Hepar pada Pemeriksaan 2D-Shear Wave Elastography.

Hutomo Prawirohardjo, Dr. dr. Lina Choridah, Sp.Rad(K)-PRP, dr. Sudarmanta, Sp.Rad(K)-RI

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id>

Sciences, 5(6), 762. <https://doi.org/10.3889/OAMJMS.2017.187>

Hamabe, A., Uto, H., Imamura, Y., Kusano, K., Mawatari, S., Kumagai, K., ... Tsubouchi, H. (2011). Impact of cigarette smoking on onset of nonalcoholic fatty liver disease over a 10-year period. *Journal of gastroenterology*, 46(6), 769–778. <https://doi.org/10.1007/S00535-011-0376-Z>

Hamer, O. W., Aguirre, D. A., Casola, G., Lavine, J. E., Woenckhaus, M., & Sirlin, C. B. (2006). Fatty liver: imaging patterns and pitfalls. *Radiographics : a review publication of the Radiological Society of North America, Inc*, 26(6), 1637–1653. <https://doi.org/10.1148/RG.266065004>

Heyens, L. J. M., Busschots, D., Koek, G. H., Robaeys, G., & Francque, S. (2021). Liver Fibrosis in Non-alcoholic Fatty liver Disease: From Liver Biopsy to Non-invasive Biomarkers in Diagnosis and Treatment. *Frontiers in Medicine*. <https://doi.org/10.3389/fmed.2021.615978>

Iwashita, H., Shakado, S., Yoshimaru, N., Tanaka, H., Koto, F., Tanaka, T., ... Hirai, F. (2022). Clinical Utility of Ultrasound-Guided Attenuation Parameter for the Detection and Quantification of Hepatic Steatosis in Patients with Fatty liver Diagnosed by Computed Tomography. *Ultrasound in Medicine and Biology*, 48(7). <https://doi.org/10.1016/j.ultrasmedbio.2022.02.023>

Jang, Y. S., Joo, H. J., Park, Y. S., Park, E. C., & Jang, S. I. (2023). Association between smoking cessation and non-alcoholic fatty liver disease using NAFLD liver fat score. *Frontiers in Public Health*, 11. <https://doi.org/10.3389/fpubh.2023.1015919>

Jawahar, A., Gonzalez, B., Balasubramanian, N., Adams, W., & Goldberg, A. (2020). Comparison of computed tomography hepatic steatosis criteria for identification of abnormal liver function and clinical risk factors, in incidentally noted fatty liver. *European Journal of Gastroenterology and Hepatology*, 32(2). <https://doi.org/10.1097/MEG.0000000000001502>

Kodama, Y., Ng, C. S., Wu, T. T., Ayers, G. D., Curley, S. A., Abdalla, E. K., ... Charnsangavej, C. (2007). Comparison of CT methods for determining the fat content of the liver. *AJR. American journal of roentgenology*, 188(5), 1307–1312. <https://doi.org/10.2214/AJR.06.0992>

Kramer, H., Pickhardt, P. J., Kliewer, M. A., Hernando, D., Chen, G. H., Zagzebski, J. A., & Reeder, S. B. (2017). Accuracy of Liver Fat Quantification With Advanced CT, MRI, and Ultrasound Techniques: Prospective Comparison With MR Spectroscopy. *AJR. American journal of roentgenology*, 208(1), 92. <https://doi.org/10.2214/AJR.16.16565>

Lee, D. H. (2017). Imaging evaluation of non-alcoholic fatty liver disease: focused on quantification. *Clinical and Molecular Hepatology*, 23(4), 290. <https://doi.org/10.3350/CMH.2017.0042>

Lee, S. J., Kim, Y. R., Lee, Y. H., & Yoon, K.-H. (2023). US Attenuation Imaging for the Evaluation and Diagnosis of Fatty liver Disease. *Journal of the Korean Society of Radiology*, 84(3). <https://doi.org/10.3348/jksr.2022.0053>

Lee, S. S., & Park, S. H. (2014). Radiologic evaluation of nonalcoholic fatty liver disease. *World Journal of Gastroenterology : WJG*, 20(23), 7392.



UNIVERSITAS
GADJAH MADA

Korelasi antara Derajat Fatty Liver pada Pemeriksaan CT-Scan Abdomen Non Kontras dengan

Derajat

Fibrosis Hepar pada Pemeriksaan 2D-Shear Wave Elastography.

Hutomo Prawirohardjo, Dr. dr. Lina Choridah, Sp.Rad(K)-PRP, dr. Sudarmanta, Sp.Rad(K)-RI

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

<https://doi.org/10.3748/WJG.V20.I23.7392>

Li, Q., Dhyani, M., Grajo, J. R., Sirlin, C., & Samir, A. E. (2018). Current status of imaging in nonalcoholic fatty liver disease. *World Journal of Hepatology*, 10(8), 530. <https://doi.org/10.4254/WJH.V10.I8.530>

Luo, Y., & Lin, H. (2021). Inflammation initiates a vicious cycle between obesity and nonalcoholic fatty liver disease. *Immunity, Inflammation and Disease*. <https://doi.org/10.1002/iid3.391>

Lupșor-Platon, M., Stefanescu, H., Murescan, D., Florea, M., Erzsébet Szász, M., Maniu, A., & Badea, R. (2014). Noninvasive assessment of liver steatosis using ultrasound methods. *Medical ultrasonography*, 16(3), 236–245. <https://doi.org/10.11152/MU.2013.2066.163.1MLP>

MacHado, M. V., & Diehl, A. M. (2016). Pathogenesis of Nonalcoholic Steatohepatitis. *Gastroenterology*, 150(8), 1769. <https://doi.org/10.1053/J.GASTRO.2016.02.066>

Marchesini, G., Day, C. P., Dufour, J. F., Canbay, A., Nobili, V., Ratziu, V., ... Mathus-Vliegen, L. (2016). EASL-EASD-EASO Clinical Practice Guidelines for the management of non-alcoholic fatty liver disease. *Journal of Hepatology*, 64(6). <https://doi.org/10.1016/j.jhep.2015.11.004>

Nagra, N., Penna, R., Selva, D., & Coy, D. (2021). Tagging incidental finding of fatty liver on ultrasound: A novel intervention to improve early detection of liver fibrosis. *Journal of Clinical and Translational Research*. <https://doi.org/10.18053/jctres.07.202105.009>

Ou, H., Fu, Y., Liao, W., Zheng, C., & Wu, X. (2019). Association between Smoking and Liver Fibrosis among Patients with Nonalcoholic Fatty liver Disease. *Canadian Journal of Gastroenterology and Hepatology*, 2019. <https://doi.org/10.1155/2019/6028952>

Ozturk, A., Mohammadi, R., Pierce, T. T., Kamarthi, S., Dhyani, M., Grajo, J. R., ... Samir, A. E. (2020). Diagnostic accuracy of shear-wave elastography as a non-invasive biomarker of high-risk non-alcoholic steatohepatitis (NASH) in patients with non-alcoholic fatty liver disease (NAFLD). *Ultrasound in medicine & biology*, 46(4), 972. <https://doi.org/10.1016/J.ULTRASMEDBIO.2019.12.020>

Park, S. H., Kim, P. N., Kim, K. W., Lee, S. W., Yoon, S. E., Park, S. W., ... Cho, E. Y. (2006). Macrovesicular hepatic steatosis in living liver donors: use of CT for quantitative and qualitative assessment. *Radiology*, 239(1), 105–112. <https://doi.org/10.1148/RADIOL.2391050361>

Park, Y. S., Park, S. H., Lee, S. S., Kim, D. Y., Shin, Y. M., Lee, W., ... Yu, E. S. (2011). Biopsy-proven nonsteatotic liver in adults: estimation of reference range for difference in attenuation between the liver and the spleen at nonenhanced CT. *Radiology*, 258(3), 760–766. <https://doi.org/10.1148/RADIOL.10101233>

Piscaglia, F., Marinelli, S., Bota, S., Serra, C., Venerandi, L., Leoni, S., & Salvatore, V. (2014). The role of ultrasound elastographic techniques in chronic liver disease: current status and future perspectives. *European journal of radiology*, 83(3), 450–455. <https://doi.org/10.1016/J.EJRAD.2013.06.009>

Pouwels, S., Sakran, N., Graham, Y., Leal, A., Pintar, T., Yang, W., ... Ramnarain, D. (2022).



UNIVERSITAS
GADJAH MADA

Korelasi antara Derajat Fatty Liver pada Pemeriksaan CT-Scan Abdomen Non Kontras dengan Derajat

Fibrosis Hepar pada Pemeriksaan 2D-Shear Wave Elastography.

Hutomo Prawirohardjo, Dr. dr. Lina Choridah, Sp.Rad(K)-PRP, dr. Sudarmanta, Sp.Rad(K)-RI

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Non-alcoholic fatty liver disease (NAFLD): a review of pathophysiology, clinical management and effects of weight loss. *BMC Endocrine Disorders*, 22(1). <https://doi.org/10.1186/S12902-022-00980-1>

Qayyum, A., Coh, J. S., Kakar, S., Yeh, B. M., Merriman, R. B., & Coakley, F. V. (2005). Accuracy of liver fat quantification at MR imaging: comparison of out-of-phase gradient-echo and fat-saturated fast spin-echo techniques--initial experience. *Radiology*, 237(2), 507–511. <https://doi.org/10.1148/RADIOL.2372040539>

Rahman, J. (2015). Estimation of Range of Hounsfield Unit on CT for Different Grades of Fatty Infiltration of Liver Categorized Using Ultrasound. *Technology*, 4(6), 336–340.

Ramai, D., Facciorusso, A., Vigandt, E., Schaf, B., Saaddeen, W., Chauhan, A., ... Sacco, R. (2021). Progressive liver fibrosis in non-alcoholic fatty liver disease. *Cells*. <https://doi.org/10.3390/cells10123401>

Rezayat, A. A., Moghadam, M. D., Nour, M. G., Shirazinia, M., Ghodsi, H., Zahmatkesh, M. R. R., ... Rezayat, K. A. (2018). Association between smoking and non-alcoholic fatty liver disease: A systematic review and meta-analysis. *SAGE Open Medicine*, 6. <https://doi.org/10.1177/2050312117745223>

Riazi, K., Azhari, H., Charette, J. H., Underwood, F. E., King, J. A., Afshar, E. E., ... Shaheen, A. A. (2022). The prevalence and incidence of NAFLD worldwide: a systematic review and meta-analysis. *The Lancet Gastroenterology and Hepatology*, 7(9). [https://doi.org/10.1016/S2468-1253\(22\)00165-0](https://doi.org/10.1016/S2468-1253(22)00165-0)

Roldan-Valadez, E., Favila, R., Martínez-López, M., Uribe, M., & Méndez-Sánchez, N. (2008). Imaging techniques for assessing hepatic fat content in nonalcoholic fatty liver disease. *Annals of Hepatology*. [https://doi.org/10.1016/s1665-2681\(19\)31850-2](https://doi.org/10.1016/s1665-2681(19)31850-2)

Singh, D., Das, C., & Baruah, M. (2013). Imaging of non alcoholic fatty liver disease: A road less travelled. *Indian Journal of Endocrinology and Metabolism*, 17(6). <https://doi.org/10.4103/2230-8210.122606>

Stefan, N., & Cusi, K. (2022). A global view of the interplay between non-alcoholic fatty liver disease and diabetes. *The Lancet Diabetes and Endocrinology*. [https://doi.org/10.1016/S2213-8587\(22\)00003-1](https://doi.org/10.1016/S2213-8587(22)00003-1)

Takakusagi, M. N., Zhang, R., Thomas, B. J. I., & Yoon, H. C. (2023). Computerized Tomography-Based Screening for Moderate to Severe Hepatic Steatosis in a Multiethnic Population. *Permanente Journal*, 27(1). <https://doi.org/10.7812/TPP/22.057>

Targher, G., Bertolini, L., Padovani, R., Rodella, S., Tessari, R., Zenari, L., ... Arcaro, G. (2007). Prevalence of nonalcoholic fatty liver disease and its association with cardiovascular disease among type 2 diabetic patients. *Diabetes Care*, 30(5). <https://doi.org/10.2337/dc06-2247>

Vergniol, J., Foucher, J., Terrebonne, E., Bernard, P., Le Bail, B., Merrouche, W., ... De Ledinghen, V. (2011). Noninvasive tests for fibrosis and liver stiffness predict 5-year outcomes of patients with chronic hepatitis C. *Gastroenterology*, 140(7), 1970-1979.e3. <https://doi.org/10.1053/J.GASTRO.2011.02.058>

Wu, Y., Zheng, Q., Zou, B., Yeo, Y. H., Li, X., Li, J., ... Nguyen, M. H. (2020). The epidemiology



UNIVERSITAS
GADJAH MADA

Korelasi antara Derajat Fatty Liver pada Pemeriksaan CT-Scan Abdomen Non Kontras dengan Derajat

Fibrosis Hepar pada Pemeriksaan 2D-Shear Wave Elastography.

Hutomo Prawirohardjo, Dr. dr. Lina Choridah, Sp.Rad(K)-PRP, dr. Sudarmanta, Sp.Rad(K)-RI

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

of NAFLD in Mainland China with analysis by adjusted gross regional domestic product: a meta-analysis. *Hepatology International*, 14(2). <https://doi.org/10.1007/s12072-020-10023-3>

Yoneda, M., Suzuki, K., Kato, S., Fujita, K., Nozaki, Y., Hosono, K., ... Nakajima, A. (2010). Nonalcoholic fatty liver disease: US-based acoustic radiation force impulse elastography. *Radiology*, 256(2), 640–647. <https://doi.org/10.1148/RADIOL.10091662>

Younossi, Z., Anstee, Q. M., Marietti, M., Hardy, T., Henry, L., Eslam, M., ... Bugianesi, E. (2018). Global burden of NAFLD and NASH: Trends, predictions, risk factors and prevention. *Nature Reviews Gastroenterology and Hepatology*. <https://doi.org/10.1038/nrgastro.2017.109>

Younossi, Z. M., Blissett, D., Blissett, R., Henry, L., Stepanova, M., Younossi, Y., ... Beckerman, R. (2016). The economic and clinical burden of nonalcoholic fatty liver disease in the United States and Europe. *Hepatology*, 64(5), 1577–1586. <https://doi.org/10.1002/HEP.28785/SUPPINFO>

Younossi, Z. M., Koenig, A. B., Abdelatif, D., Fazel, Y., Henry, L., & Wymer, M. (2016). Global epidemiology of nonalcoholic fatty liver disease—Meta-analytic assessment of prevalence, incidence, and outcomes. *Hepatology*, 64(1). <https://doi.org/10.1002/hep.28431>

Yousaf, M., Maryam, D. S., Fiaz, D. M., Hanif, D. A., Fatima, M., Bacha, D. R., ... Dr. Syed Amir Gilani, P. (2020). Comparison of Computed Tomographic Hounsfield Numbers with Ultrasonographic Categorization of the Fatty liver Disease. *Journal of Radiology and Clinical Imaging*, 02(04). <https://doi.org/10.26502/jrci.2809015>

Zeb, I., Li, D., Nasir, K., Katz, R., Larijani, V. N., & Budoff, M. J. (2012). Computed Tomography Scans in the Evaluation of Fatty liver Disease in a Population Based Study: The Multi-Ethnic Study of Atherosclerosis. *Academic Radiology*, 19(7), 811. <https://doi.org/10.1016/J.ACRA.2012.02.022>

Zhang, Q. Q., & Lu, L. G. (2015). Nonalcoholic fatty liver disease: Dyslipidemia, risk for cardiovascular complications, and treatment strategy. *Journal of Clinical and Translational Hepatology*. <https://doi.org/10.14218/JCTH.2014.00037>

Zhang, Y., Fowler, K. J., Hamilton, G., Cui, J. Y., Sy, E. Z., Balanay, M., ... Sirlin, C. B. (2018). Liver fat imaging—a clinical overview of ultrasound, CT, and MR imaging. *The British Journal of Radiology*, 91(1089). <https://doi.org/10.1259/BJR.20170959>