

DAFTAR PUSTAKA

- Akbulut, M. K., Şenel, G. and Süngü Şeker, Ş., (2020). Comparison of labelum and spur papillae in *Dactylorhiza* (Orchidaceae) from Anatolia. *Brazilian Journal of Botany*, 43(2): 367-377.
- Andalasari, T.D., Yafisham, Y. and Nuraini, N., (2014). Respon pertumbuhan anggrek *Dendrobium* terhadap jenis media tanam dan pupuk daun. *Jurnal Penelitian Pertanian Terapan*, 14(1): 167-173.
- Antoń, S., Kaminska, M. and Stpiczyńka, M., (2012). Comparative structure of the osmophores in the flower of *Stanhopea graveolens* Lindley and *Cynoches chlorochilon* Klotzsch (Orchidaceae). *Acta Agrobotanica*, AOS. (2023). *Bulbophyllum* Thouars, 1822. Retrieved March 23, 2023. Accessed from <https://www.aos.org/orchids/orchids-a-to-z/letter-b/bulbophyllum.aspx>.
- Arditti, J. (1992). *Fundamental of Orchid Biology*. John Wiley & Sons, Singapore. Pp: 150-156, 279-285, 307-309, & 453-459.
- Arzac, A., López-Cepero, J.M., Babushkina, E.A. and Gomez, S., (2018). Applying methods of hard tissues preparation for wood anatomy: Imaging polished samples embedded in polymethylmethacrylate. *Dendrochronologia*, 51: 76-81.
- Beeckman, T., and Viane, R. (1999). Embedding thin plant specimens for oriented sectioning. *Biotechnic & Histochemistry*, 75(1): 23-26.
- Bogarín, D., Fernández, M., Borkent, A., Heemskerk, A., Pupulin, F., Ramírez, S., Smets, E. and Gravendeel, B., (2018). Pollination of *Trichosalpinx* (Orchidaceae: Pleurothallidinae) by biting midges (Diptera: Ceratopogonidae). *Botanical Journal of the Linnean Society*, 186(4): 510-543.

- Borba, E. L., Barbosa, A. R., de Melo, M. C., Gontijo, S. L. and de Oliveira, H. O., (2011). Mating systems in the Pleurothallidinae (Orchidaceae): evolutionary and systematic implications. *Lankesteriana International Journal on Orchidology*, 11(3): 207-221.
- Bronner, R. (1975). Simultaneous demonstration of lipids and starch in plant tissues, *Stain Technology*, 50(1): 1-4.
- Cardoso-Gustafson, P., (2014). Desenvolvimento floral em espécies de Pleurothallidinae (Orchidaceae) com ênfase nas estruturas secretoras (Doctoral dissertation, Ph. D. Thesis, Instituto de Botânica da Secretaria do Meio Ambiente, São Paulo, Brazil). Pp: 56-104.
- Chaturvedi, S.K., S. Chaturvedi. (2010). Biotic pollination in *Aerides odorata* Lour (Orchidaceae). *Int. J. Plant Reprod. Biol*, 2(1):45-49.
- Comber, J. B. (2001). *Orchids of Sumatera*. Natural History Publication (Borneo), Kota Kinabalu.
- da Silva, F.M.T., Barbosa, W.M. and Ferreira-Júnior, W.G., (2021). Morphoanatomical characterization of *Brassavola tuberculata* Hook' s (Orchidaceae) leaf and root upon the rocky outcrop. *Revista Agrogeoambiental*, 13(4): 671-680.
- Gamisch, A., and Comes, H. P. (2019). Clade-age-dependent diversification under high species turnover shapes species richness disparities among tropical rainforest lineages of *Bulbophyllum* (Orchidaceae). *BMC Evol*, 19(1): 1-16.
- Garay, L.A., Hamer, F., & Sweet, H.R. (1994). Systematics of *Bulbophyllum* section *Cirrhopetalum* (Orchidaceae). *Orchid Research Newsletter*, 9: 1-12.

- GBIF. (2023). *Bulbophyllum lepidum* (Blume) J.J.Sm. Retrieved March 23, 2023. Accessed from <https://www.gbif.org/occurrence/3355600014>.
- GBIF. (2023). *Bulbophyllum* Thouars. Retrieved March 17, 2023. Accessed from <https://www.gbif.org/species/144107235/verbatim>.
- GBIF. (2023). *Bulbophyllum vaginatum* (Lindl.) Rchb.f. Retrieved March 23, 2023. Accessed from <https://www.gbif.org/species/2846303>.
- Hamann, T., Smets, E. and Lens, F. (2011). A comparison of paraffin and resin-based techniques used in bark anatomy. *Taxon*, 60(3): 841-851.
- Handayani, R. F. (2011). Proses Aklimatisasi Pada Kultur Jaringan Unit Wonocatur, Banguntapan, Bantul, Yogyakarta. Universitas Sebelas Maret. Surakarta. Retrieved from <https://digilib.uns.ac.id/dokumen/detail/20419/Proses-Aklimatisasi-padaKultur-Jaringan-Anggrek-di-Laboratorium-Kultur-Jaringan-Unit-WonocaturBanguntapan-Bantul-Yogyakarta>.
- Hartati, S. and Darsana, L. (2015). Karakterisasi anggrek alam secara morfologi dalam rangka pelestarian plasma nutfah. *J. Agron. Indonesia*, 43(2): 133-139.
- Humami, D. W., Sujono, P. A. W., and Desmawati, I. (2020). Densitas dan morfologi stomata daun *Pterocarpus indicus* di Jalan Arif Rahman Hakim dan Kampus ITS, Surabaya. *REKAYASA*, 13(3): 240-245.
- Humeau, L., Micheneau, C., Jacquemyn, H., Gauvin-Bialecki, A., Fournel, J. and Pailler, T., (2011). Sapromyophily in the native orchid, *Bulbophyllum variegatum*, on Réunion (Mascarene Archipelago, Indian ocean). *Journal of Tropical Ecology*, 27(6): 591-599.
- Jensen, W.A. (1962). *Botanical Histochemistry*. WH Freeman and Company. San

Francisco. U.S.A.

Joanna, M., Kevin, D. L., Magdalena, N., Dorota, L., Joanna, K., and Dariusz, S. L. (2020). Labelum and gynostemium micromorphology in *Polystachya* (Orchidaceae), *Plant Systematics and Evolution*, 307(2): 1-20.

Johansen, D.A. 1940. *Plant Microtechnique*. New York: McGraw-Hill Book Company.

Kartikaningrum, S., Widiastoety, D., and Effendie, K. (2004). *Panduan Karakterisasi Tanaman Hias: Anggrek dan Anthurium*. Sekretariat Komisi Nasional Plasma Nutfah, Bogor.

Keng-Hong, T. and Nishida, R. (2005). Synomone or kairomone? *Bulbophyllum apertum* flower releases raspberry ketone to attract bactrocera fruit flies. *Journal of Chemical Ecology*. 31(3): 497–507.

Kowalkowska, A. K, and Margońska, H. B. (2009) Diversity of labellar micromorphological structures in selected species of *Malaxidinae* (Orchidales). *Acta Soc Bot Pol*, 78:141–150.

Kowalkowska, A., Kozieradzka-Kiszkurno, M., and Turzyński, S. (2014). Morphological, histological and ultrastructural features of osmophores and nectary of *Bulbophyllum wendlandianum* (Kraenzl.) Dammer (*B. section Cirrhopetalum* Lindl., *Bulbophyllinae* Schltr., Orchidaceae). *Plant Systematics and Evolution*, 301(2014): 609-622.

Kull, T., and Hutchings, M. J. (2006). A comparative analysis of decline in the distribution ranges of orchid species in Estonia and the United Kingdom. *Biological Conservation*, 129(1): 31-39.

Kumekawa, Y., Miyata, H., Ohga, K., Hayakawa, H., Yokoyama, J., Ito, K., Tebayashi, S.I., Arakawa, R. and Fukuda, T., (2013). Comparative

- analyses of stomatal size and density among ecotypes of *Aster hispidus* (Asteraceae). *American Journal of Plant Sciences*, 4(3): 1-4.
- Kurniahu, H. (2023). Pengamatan epidermis daun menggunakan metode *printing* dan irisan paradermal. *BINAR*, 2(1): 13-18.
- Monawati, A., Rhomadhoni, D., and Hanik, N. R. (2021). Identifikasi hama dan penyakit pada tanaman anggrek bulan (*Phalaenopsis amabilis*). *Florea: Jurnal Biologi dan Pembelajarannya*, 8(1): 12-21.
- Moreira, A.S.F.P., de Lemos Filho, J.P. and dos Santos Isaias, R.M., (2013). Structural adaptations of two sympatric epiphytic orchids (Orchidaceae) to a cloudy forest environment in rocky outcrops of Southeast Brazil. *Revista de Biología Tropical*, 61(3): 1053-1065.
- Morris, M. W., Stern, W. L., and Judd, W. S. (1995). Vegetative anatomy and systematics of subtribe Dendrobiinae (Orchidaceae). *Botanical Journal of the Linnean Society*, 120(2): 89–144.
- Nakahira, M., Ono, H., Wee, S. L., Tan, K. H. and Nishida, R., (2018). Floral synomone diversification of *Bulbophyllum* sibling species (Orchidaceae) in attracting fruit fly pollinators. *Biochemical Systematics and Ecology*, 81: 86-95.
- Nakano, J. & Meshitsuka, G. (1992). The detection of lignin. *Methods in Lignin Chemistry*, 7(2): 23-32.
- Narbona, E., del Valle, J. C. and Whittall, J. B., (2021). Painting the green canvas: How pigments produce flower colours. *The Biochemist*, 43(3): 6-12.
- Neubig, K.M., Carlsward, B.S., Mark Whitten, W. and Williams, N.H., (2015). Nectary structure and nectar in *Sobralia* and *Elleanthus* (Sobralieae: Orchidaceae). *Lankesteriana*, 15(2): 113-127.

- Noviarini, W., and Ermavitalini, D. (2015). Analisa kerusakan jaringan akar lamun *Thalassia hemprichii* yang terpapar logam berat kadmium (Cd). *Jurnal Sains dan Seni ITS*, 4(2): 2337-3520.
- Nunes, E. L. P., Smidt, E. C., Stützel, T., and Coan, A. I. (2015). Comparative floral micromorphology and anatomy of species of *Bulbophyllum* section *Napelli* (Orchidaceae), a Neotropical section widely distributed in forest habitats. *Botanical Journal of the Linnean Society*, 177(3): 378-394.
- Ong, P. T., and Tan, K. H. (2011). Fly pollination in four Malaysian species of *Bulbophyllum* (Section *Sestochilus*) – *B. lasianthum*, *B. lobbii*, *B. subumbellatum* and *B. virescens*. *Malesian Orchid Journal*, 8(2011): 103-110.
- Onoda, Y., Richards, L. and Westoby, M., 2012. The importance of leaf cuticle for carbon economy and mechanical strength. *New Phytologist*, 196(2): 441-447.
- Open Access Pub. (2024). *Chlorenchyma Cellsa: Journal of Plant Cell Development*. Retrieved April 19, 2024. Accessed from <https://openaccesspub.org/plant-cell-development/chlorenchyma-cellsa>.
- Pearse, A. G. E. (1985). *Histochemistry : Theoretical and Applied*. 4th Edition. Churchill Livingstone : London, New York.
- Perkasa, A.Y., Siswanto, T., Shintarika, F. and Aji, T.G., (2017). Studi identifikasi stomata pada kelompok tanaman C3, C4 dan CAM. *Jurnal Pertanian Presisi (Journal of Precision Agriculture)*, 1(1): 59-72.
- Piazza L. D., Smidt E. d. C., Bona C. (2015). Anatomia comparada dos órgãos vegetativos de espécies de *Bulbophyllum* seção Didactyle (Lindl.) Cogn. e *Bulbophyllum* seção Xiphizusa Rchb.f. (Orchidaceae). *Hoehnea*, 42(1): 171–183.

- POWO. (2023). *Bulbophyllum lepidum* (Blume) J.J.Sm. Retrieved March 23, 2023. Accessed from <https://powo.science.kew.org/taxon/urn:lsid:ipni.org:names:619301-1>.
- Prapitasari, B., Kurniawan, A. P., and Muharam, D. H. (2020). Keanekaragaman dan kelimpahan jenis anggrek (*Orchidaceae*) di Resort Selabintana Taman Nasional Gunung Gede Pangrango (TNGGP) Jawa Barat. *BIOSFER*, 5(1): 24-30.
- Pridgeon, A. M., Cribb, P. J., Chase, M. W., and Rasmussen, F.N. eds., (2014). *Genera Orchidacearum Volume 6: Epidendroideae (Part 3)*. OUP Oxford. Oxford, England.
- Riandinata, S. K., Athifah., and Syafii, M. R. S. (2022). Inventarisasi keanekaragaman anggrek (*Orchidaceae*) di Kecamatan Polinggona Kabupaten Kolaka. *Bioscientist*, 10(1): 333-334.
- Ribeiro, P. L., Borba, E. L., Smidt, E. C., E., Lambert, S. M., Schnadelbach, A. S. and Van den Berg, C., (2008). Genetic and morphological variation in the *Bulbophyllum exaltatum* (*Orchidaceae*) complex occurring in the Brazilian “*Campos rupestres*”: implications for taxonomy and biogeography. *Plant Systematics and Evolution*, 270: 109-137.
- Riverón-Giró, F.B., Damon, A., García-González, A., Solís-Montero, L., Aguilar-Romero, O., Ramírez-Marcial, N. and Nieto, G., (2017). Anatomy of the invasive orchid *Oeceoclades maculata*: ecological implications. *Botanical Journal of the Linnean Society*, 184(1): 94-112.
- Rudall, P.J., Perl, C.D. and Bateman, R.M., (2013). Organ homologies in orchid flowers re-interpreted using the Musk Orchid as a model. *PeerJ*, 1, p.e26.
- Ruzin, S.E. (1999). *Plant Microtechnique and Microscopy*. Oxford University Press, New York. p. 322.

- Santos, I.S.D. and Silva, M.J.D., (2023). Anatomy and Histochemistry of the Vegetative System of *Brachystele guayanensis* (Lindl.) Schltr.(Orchidaceae), a Potential Medicinal Species. *Plants*, 12(14): 2635.
- Sharifi-Rad, J., Quispe, C., Bouyahya, A., El Menyiy, N., El Omari, N., Shahinozzaman, M., Ara Haque Ovey, M., Koirala, N., Panthi, M., Ertani, A., Nicola, S., Lapava, N., Herrera-Bravo, J., Salazar, L. A., Changan, S., Kumar, M., and Calina, D. (2022). Ethnobotany, Phytochemistry, Biological Activities, and Health-Promoting Effects of the Genus *Bulbophyllum*. *Evidence-based complementary and alternative medicine : eCAM*, 2022, 6727609. <https://doi.org/10.1155/2022/6727609>.
- Shidiqy, H. A., Wahidah, B. F., and Hayati, N. (2018). Karakterisasi morfologi anggrek (*Orchidaceae*) di Hutan Kecamatan Ngaliyan Semarang. *Al Hayat- Journal of Biology and Applied Biology*, 1(2): 94-98.
- Silva, I. A., Ferreira, A. W. C., Lima, M. I. S., and Soares, J. J. (2010). Networks of epiphytic orchids and host trees in Brazilian gallery forests. *Journal of Tropical Ecology*, 26(2): 127-137.
- Štípková, Z., Tsiftsis, S., and Kindlmann, P. (2020). Pollination mechanisms are driving orchid distribution in space. *Scientific Reports*, 10(850): 1-13.
- Stpiczyńska, M., Davies, K. L., and Kamińska, M. (2015). Diverse labellar secretions in African *Bulbophyllum* (Orchidaceae: Bulbophyllinae) sections *Ptiloglossum*, *Oreonastes*, and *Megaclinium*. *Botanical Journal of the Linnean Society*, 179(2) : 266-287.
- Stpiczyńska, M., Davies, K.L. and Kamińska, M., (2011). Comparative anatomy of the nectary spur in selected species of Aeridinae (Orchidaceae). *Annals of Botany*, 107(3): 327-345.
- Stpiczyńska, M., Nepi, M. and Zych, M., (2012). Secretion and composition of

nectar and the structure of perigonal nectaries in *Fritillaria meleagris* L.(Liliaceae). *Plant Systematics and Evolution*, 298: 997-1013.

Stpiczyńska, M., Płachno, B. J. and Davies, K. L., (2018). Nectar and oleiferous trichomes as floral attractants in *Bulbophyllum saltatorium* Lindl.(Orchidaceae). *Protoplasma*, 255: 565-574.

Susiana, E. and Maideliza, T., 2013. Analisis Morfologi Granula Amilum dan Kristal Pada Beberapa Jenis Talas. *Jurnal Biologi UNAND*, 2(4): 249-255.

Tan, Hong, K., and Tze, T. L. (2014). Movements of flora parts and roles of the tooth on the column wall of *Bulbophyllum praetervisum* (Orchidaceae) flower in pollination by dacini fruit flies (Diptera: Tephritidae). *Journal of Pollination Ecology*, 24(17): 157-163.

Tan, K. and Nishida, R. (2000). Mutual reproductive benefits between a wild orchid, *Bulbophyllum patens*, and *Bactrocera* fruit flies via a floral synomone. *Journal of Chemical Ecology*, 26(2): 533–546.

Tan, K. H. and Nishida, R. (2013). *Pollination of Bactroceroophilous Bulbophyllum Orchids*. In: Elliott J, Kurzweil HF, O'Byrne P, Tan KW, van der Schans AS, Wong SM, Yam TM (eds.). Proceedings of the 20th World Orchid Conference, Singapore Botanic Gardens, Singapore. Pp 273-279.

Tan, K. H. and Tan, L. T. (2018). Movements of floral parts and roles of the tooth on the column wall of *Bulbophyllum praetervisum* (Orchidaceae) flower in pollination by dacini fruit flies (Diptera: Tephritidae). *Journal of Pollination Ecology*, 24(17): 157-163.

Tan, K. H., Nishida, R., and Toong, Y. C. (2002) Floral synomone of a wild orchid, *Bulbophyllum cheiri*, lures *Bactrocera* fruit flies for pollination. *J. Chem Ecol*, 28: 1161–1172.

- Tan, K. H., Vermeulen, J. J., Katte, T., Ono, H. and Nishida, R., (2021). Diversification in both the floral morphology and chemistry in two daciniphilous orchid ecotypes in Borneo. *Arthropod-Plant Interactions*, 15(3): 447-455.
- Teoh, E. S. (2021). *Bulbophyllum* Thouars. *Orchid Species from Himalaya and Southeast Asia* Vol. 1 (A-E). Springer, Cham. Pp. 97-169.
- Tihuraa, E.F., Agustiani, E.L. and Rahmawati, K., (2020). Karakter anatomi daun sebagai bentuk adaptasi tumbuhan penyusun zonasi mangrove di Banggai Kepulauan, Provinsi Sulawesi Tengah. *Jurnal Kelautan Tropis*, 23(2): 255-264.
- Tom and Sheehan, M. (1994). *An Illustrated Survei of Orchid Genera*. Cambridge, Press Syndicate of the University of Cambridge. Pp. 23, 75.
- Vermeulen, J. J., Schuiteman, A., De-Vogel, E. F. (2014). Nomenclatural changes in *Bulbophyllum* (Orchidaceae; Epidendroideae). *Phytotaxa*, 166(2): 101-113.
- Vermeulen, J., O'Byrne, P., and Lamb, A. (2015). *Bulbophyllum of Borneo*. Natural History Publication (Borneo), Kota Kinabalu. Pp. 83-86, 95-96.
- Wati, R.K., Gravendeel, B., Langelaan, R., van Heuven, B.J., Claessens, J., Kleynen, J., Smets, E.F., de Winter, A.J. and van der Meijden, A., (2023). Orchids reduce attachment of herbivorous snails with leaf trichomes. *Plos One*, 18(8): 1-19.
- Widyantoro, A. (2021) Studi keragaman anggrek epifit di Kepulauan Sula. *Metamorfosa: Journal of Biological Sciences*, 8(2): 230-237.
- Wiśneiwska, N., Lipinska, M. M., Golebiowski, M., and Kowalkowska, A. K. (2015). Labelum structure of *Bulbophyllum echinolabium* J.J. Sm. (*section*

Lepidorhiza Schltr., *Bulbophyllinae* Schltr., *Orchidaceae* Juss.).
Protoplasma, 256(5): 1185-1203.

Woodcock, T. S., Larson, B. M. H., Kevan, P. G., Inouye, D. W., and Lunau, K. (2014). Flies and flowers II: Floral attractants and rewards. *Journal of Pollination Biology*, 12(8): 63-94.

Yahman, (2009). Struktur dan Komposisi Tumbuhan Anggrek di Hutan Wisata Taman Eden Kabupaten Toba Samosir Propinsi Sumatra Utara. *Tesis Pascasarjana*. Universitas Sumatra Utara.

Zulfadhli, Z., Wijayanti, N., and Retnoaji, B., (2016). Perkembangan ovarium ikan wader pari (*Rasbora lateristriata* Bleeker, 1854): Pendekatan histologi. *Jurnal Perikanan Tropis*, 3(1): 32-39.