

DAFTAR PUSTAKA

- Abdullahi, A., Truijen, S., Umar, N. A., Useh, U., Egwuonwu, V. A., Van Crielinge, T. et al. (2021). Effects of Lower Limb Constraint Induced Movement Therapy in People With Stroke: A Systematic Review and Meta-Analysis. *Frontiers in Neurology*, 12.
- de Andrade Costa, G., Oliveira Filho, J., Ferreira-Campos, L., Improta-Caria, A. C., Macedo, C., Sarno Filho, M. V. et al. (2023). Stroke Is Associated with Refractory Hypertension among Resistant and Refractory Patients in a Cross-Sectional Study. *International Journal of Cardiovascular Sciences*, 36. doi:10.36660/ijcs.20220175
- Bakris, G. & Sorrentino, M. (2018). Redefining Hypertension — Assessing the New Blood-Pressure Guidelines. *New England Journal of Medicine*, 378 (6). doi:10.1056/nejmp1716193
- Barnett, H. J. M., Taylor, D. W., Eliasziw, M., Fox, A. J., Ferguson, G. G., Haynes, R. B. et al. (1998). Benefit of Carotid Endarterectomy in Patients with Symptomatic Moderate or Severe Stenosis. *New England Journal of Medicine*, 339 (20), 1415–1425. Massachusetts Medical Society. doi:10.1056/NEJM199811123392002
- Berge, E., Whiteley, W., Audebert, H., De Marchis, G. M., Fonseca, A. C., Padiglioni, C. et al. (2021). European Stroke Organisation (ESO) guidelines on intravenous thrombolysis for acute ischaemic stroke. *European Stroke Journal*, 6 (1), I–LXII. SAGE Publications. doi:10.1177/2396987321989865
- Bernhardt, J., Hayward, K. S., Kwakkel, G., Ward, N. S., Wolf, S. L., Borschmann, K. et al. (2017). Agreed definitions and a shared vision for new standards in stroke recovery research: the stroke recovery and rehabilitation roundtable taskforce. *International Journal of Stroke*, 12 (5), 444–450. Sage Publications Sage UK: London, England.
- Biller, J., Schneck, M. J. & Ruland, S. (2021). Ischemic Cerebrovascular Disease. In J. Jankovic, J. Mazziotta, S. Pomeroy & N. Newman (Hrsg.), *Bradley's*

- Neurology in Clinical Practice E-Book* (8. Auflage, S. 964–1013). New York: Elsevier Health Sciences.
- Boehme, A. K., Esenwa, C. & Elkind, M. S. V. (2017). Stroke Risk Factors, Genetics, and Prevention. *Circulation Research*, 120 (3), 472–495. American Heart Association. doi:10.1161/CIRCRESAHA.116.308398
- Cai, G., Shi, G., Xue, S. & Lu, W. (2017). The atherogenic index of plasma is a strong and independent predictor for coronary artery disease in the Chinese Han population. *Medicine*, 96 (37).
- CAPRIE Steering Committee. (1996). A randomised, blinded, trial of clopidogrel versus aspirin in patients at risk of ischaemic events (CAPRIE). *The Lancet*, 348 (9038), 1329–1339. doi:[https://doi.org/10.1016/S0140-6736\(96\)09457-3](https://doi.org/10.1016/S0140-6736(96)09457-3)
- Caprio, F. Z. & Sorond, F. A. (2019). Cerebrovascular Disease: Primary and Secondary Stroke Prevention. *Medical Clinics*, 103 (2), 295–308. Elsevier. doi:10.1016/j.mcna.2018.10.001
- Chaves, C. J. (2019). Ischemic Stroke (Netter Clinical Science). In J. Srinivasan, C. Chaves, B. Scott & J.E. Small (Hrsg.), *Netter's Neurology* (2. Auflage, S. 497–517). New York: Elsevier Health Sciences.
- Chow, C. K., Teo, K. K., Rangarajan, S., Islam, S., Gupta, R., Avezum, A. et al. (2013). Prevalence, awareness, treatment, and control of hypertension in rural and urban communities in high-, middle-, and low-income countries. *JAMA*, 310 (9). doi:10.1001/jama.2013.184182
- Deb, P., Sharma, S. & Hassan, K. M. (2010). Pathophysiologic mechanisms of acute ischemic stroke: An overview with emphasis on therapeutic significance beyond thrombolysis. *Pathophysiology*, 17 (3), 197–218. doi:<https://doi.org/10.1016/j.pathophys.2009.12.001>
- Demchuk, A. M. & Coutts, S. B. (2005). Alberta stroke program early CT score in acute stroke triage. *Neuroimaging Clinics*, 15 (2), 409–419. Elsevier.
- Dobiášová, M. & Frohlich, J. (2001). The plasma parameter log (TG/HDL-C) as an atherogenic index: correlation with lipoprotein particle size and esterification rate in apob-lipoprotein-depleted plasma (FERHDL). *Clinical Biochemistry*, 34 (7), 583–588. doi:[https://doi.org/10.1016/S0009-9120\(01\)00263-6](https://doi.org/10.1016/S0009-9120(01)00263-6)

- Eie, T. Y. (2016). *Correlation of risk factors and ASPECT scores in patients with middle cerebral artery ischaemic stroke in HUSM*. Kuala Lumpur: University Sains Malaysia.
- Ekker, M. S., Boot, E. M., Singhal, A. B., Tan, K. S., Debette, S., Tuladhar, A. M. et al. (2018). Epidemiology, aetiology, and management of ischaemic stroke in young adults. *The Lancet Neurology*. doi:10.1016/S1474-4422(18)30233-3
- Eryildiz, E. S. & Özdemir, A. Ö. (2018). Factors associated with early recovery after intravenous thrombolytic therapy in acute ischemic stroke. *Archives of Neuropsychiatry*, 55 (1), 80. Turkish Neuropsychiatric Society.
- Feigin, V. L., Brainin, M., Norrving, B., Martins, S., Sacco, R. L., Hacke, W. et al. (2022). World Stroke Organization (WSO): Global Stroke Fact Sheet 2022. *International Journal of Stroke*, 17 (1), 18–29. SAGE Publications. doi:10.1177/17474930211065917
- Fernández-Macías, J. C., Ochoa-Martínez, A. C., Varela-Silva, J. A. & Pérez-Maldonado, I. N. (2019). Atherogenic Index of Plasma: Novel Predictive Biomarker for Cardiovascular Illnesses. *Archives of Medical Research*, 50 (5), 285–294. doi:<https://doi.org/10.1016/j.arcmed.2019.08.009>
- Ford, B., Peela, S. & Roberts, C. (2022). Secondary Prevention of Ischemic Stroke: Updated Guidelines From AHA/ASA. *American family physician*, 105 (1), 99—102.
- Gofir, A., Mianoki, A. & Nuradyo, D. (2017). Correlation between atherogenic index of plasma with degree of neurological deficits in acute ischemic stroke. *Journal of the Neurological Sciences*, 381, 509. Elsevier.
- Gunay, S., Sariaydin, M. & Acay, A. (2016). New Predictor of Atherosclerosis in Subjects With COPD: Atherogenic Indices. *Respiratory Care*, 61 (11), 1481. doi:10.4187/respcare.04796
- Guzik, A. & Bushnell, C. (2017). Stroke Epidemiology and Risk Factor Management. *CONTINUUM Lifelong Learning in Neurology*. doi:10.1212/CON.0000000000000416
- Hamzeh, B., Pashar, Y., Mirzaei, N., Faramani, R. S., Najafi, F., Shakiba, E. et al. (2021). Visceral adiposity index and atherogenic index of plasma as useful

- predictors of risk of cardiovascular diseases: evidence from a cohort study in Iran. *Lipids in health and disease*, 20 (1), 1–10. BioMed Central.
- Hemphill, J. C., Greenberg, S. M., Anderson, C. S., Becker, K., Bendok, B. R., Cushman, M. et al. (2015). Guidelines for the Management of Spontaneous Intracerebral Hemorrhage. *Stroke*. doi:10.1161/str.0000000000000069
- Holmes, M. V., Millwood, I. Y., Kartsonaki, C., Hill, M. R., Bennett, D. A., Boxall, R. et al. (2018). Lipids, Lipoproteins, and Metabolites and Risk of Myocardial Infarction and Stroke. *Journal of the American College of Cardiology*, 71 (6). doi:10.1016/j.jacc.2017.12.006
- Jang, A. Y., Han, S. H., Sohn, I. S., Oh, P. C. & Koh, K. K. (2020). Lipoprotein(a) and cardiovascular diseases — revisited —. *Circulation Journal*. doi:10.1253/circj.CJ-20-0051
- Ke, C., Gupta, R., Shah, B. R., Stukel, T. A., Xavier, D. & Jha, P. (2021). Association of Hypertension and Diabetes with Ischemic Heart Disease and Stroke Mortality in India: The Million Death Study. *Global Heart*, 16 (1). doi:10.5334/gh.1048
- Kementerian Kesehatan RI. (2018). *Riset Kesehatan Dasar Tahun 2018*.
- Kementerian Kesehatan RI. (2019a). *Keputusan Menteri Kesehatan Republik Indonesia Tentang Pedoman Nasional Pelayanan Kedokteran: Tata Laksana Stroke*. Jakarta.
- Kementerian Kesehatan RI. (2019b). *Laporan Nasional Riskesdas 2018*. Jakarta.
- Kleindorfer, D. O., Towfighi, A., Chaturvedi, S., Cockcroft, K. M., Gutierrez, J., Lombardi-Hill, D. et al. (2021). 2021 guideline for the prevention of stroke in patients with stroke and transient ischemic attack: a guideline from the American Heart Association/American Stroke Association. *Stroke*, 52 (7), e364–e467. Am Heart Assoc.
- Koo, C. K., Teasdale, E. & Muir, K. W. (2000). What Constitutes a True Hyperdense Middle Cerebral Artery Sign? *Cerebrovascular Diseases*, 10 (6), 419–423. doi:10.1159/000016101

- Kuriakose, D. & Xiao, Z. (2020). Pathophysiology and Treatment of Stroke: Present Status and Future Perspectives. *International Journal of Molecular Sciences*, 21 (20). doi:10.3390/ijms21207609
- Langhorne, P., Bernhardt, J. & Kwakkel, G. (2011). Stroke rehabilitation. *The Lancet*, 377 (9778), 1693–1702. Elsevier. doi:10.1016/S0140-6736(11)60325-5
- Lindgen, A. (2014). Risk Factor (Oxford textbooks in clinical neurology). In B. Noorving (Hrsg.), *Oxford Textbook of Stroke and Cerebrovascular Disease* (S. 9–18). Oxford University Press.
- Liu, H., Liu, K., Pei, L., Li, S., Zhao, J., Zhang, K., Zong, C., Zhao, L., Fang, H. & Wu, J. (2021a). Atherogenic index of plasma predicts outcomes in acute ischemic stroke. *Frontiers in neurology*, 12, 741754. Frontiers Media SA.
- Liu, H., Liu, K., Pei, L., Li, S., Zhao, J., Zhang, K., Zong, C., Zhao, L., Fang, H. & Wu, J. (2021b). Atherogenic index of plasma predicts outcomes in acute ischemic stroke. *Frontiers in neurology*, 12, 741754. Frontiers Media SA.
- Liu, H., Liu, K., Pei, L., Li, S., Zhao, J., Zhang, K., Zong, C., Zhao, L., Fang, H. & Wu, J. (2021c). Atherogenic index of plasma predicts outcomes in acute ischemic stroke. *Frontiers in neurology*, 12, 741754. Frontiers Media SA.
- Liu, H., Liu, K., Pei, L., Li, S., Zhao, J., Zhang, K., Zong, C., Zhao, L., Fang, H., Wu, J. et al. (2021). Atherogenic Index of Plasma Predicts Outcomes in Acute Ischemic Stroke. *Frontiers in Neurology*, 12. doi:10.3389/fneur.2021.741754
- Lizcano, F. & Guzmán, G. (2014). Estrogen deficiency and the origin of obesity during menopause. *BioMed Research International*. doi:10.1155/2014/757461
- Love, B. B., Biller, J. & Gent, M. (1998). Adverse Haematological Effects of Ticlopidine. *Drug Safety*, 19 (2), 89–98. doi:10.2165/00002018-199819020-00002
- Maegerlein, C., Fischer, J., Mönch, S., Berndt, M., Wunderlich, S., Seifert, C. L. et al. (2019). Automated Calculation of the Alberta Stroke Program Early CT Score: Feasibility and Reliability. *Radiology*, 291 (1), 141–148. Radiological Society of North America. doi:10.1148/radiol.2019181228

- Mahmoudi, M. (2018). The pathogenesis of atherosclerosis. *Medicine (United Kingdom)*. doi:10.1016/j.mpmed.2018.06.010
- Maiër, B. & Kubis, N. (2019). Hypertension and Its Impact on Stroke Recovery: From a Vascular to a Parenchymal Overview. *Neural Plasticity*. doi:10.1155/2019/6843895
- Mozaffarian, D., Benjamin, E. J., Go, A. S., Arnett, D. K., Blaha, M. J., Cushman, M. et al. (2016). Executive summary: Heart disease and stroke statistics-2016 update: A Report from the American Heart Association. *Circulation*. doi:10.1161/CIR.0000000000000366
- Mtui, E., Gruener, G. & Dockery, P. (2020). Blood Supply of The Brain. *Fitzgerald's Clinical Neuroanatomy and Neuroscience* (S. 41–55). Elsevier Health Sciences.
- Muka, T., Oliver-Williams, C., Kunutsor, S., Laven, J. S. E., Fauser, B. C. J. M., Chowdhury, R. et al. (2016). Association of age at onset of menopause and time since onset of menopause with cardiovascular outcomes, intermediate vascular traits, and all-cause mortality: A systematic review and meta-analysis. *JAMA Cardiology*. doi:10.1001/jamacardio.2016.2415
- Murphy, S. J. X. & Werring, D. J. (2020). Stroke: causes and clinical features. *Medicine*, 48 (9), 561–566. doi:<https://doi.org/10.1016/j.mpmed.2020.06.002>
- Nam, K.-W., Kwon, H.-M., Jeong, H.-Y., Park, J.-H., Kwon, H. & Jeong, S.-M. (2019). High triglyceride/HDL cholesterol ratio is associated with silent brain infarcts in a healthy population. *BMC neurology*, 19 (1), 1–8. BioMed Central.
- Nam, K.-W., Kwon, H.-M., Park, J.-H. & Kwon, H. (2022). The atherogenic index of plasma is associated with cerebral small vessel disease: a cross-sectional study. *Journal of Lipid and Atherosclerosis*, 11 (3), 262. The Korean Society of Lipid and Atherosclerosis.
- O'Donnell, M. J., Denis, X., Liu, L., Zhang, H., Chin, S. L., Rao-Melacini, P. et al. (2015). Risk factors for ischaemic and intracerebral haemorrhagic stroke in 22 countries (the INTERSTROKE study): A case-control study. *The Lancet*. doi:10.1016/S0140-6736(10)60834-3

- Onuchukwu, I. C., Etim, E. U., Chimdike, O. G., Oguzie, B. C., Emuebie, H., Orji, K. N. et al. (2022). Review on Atherogenic Index of Plasma Lipids and Dyslipidemia. *Journal of Drug Delivery and Therapeutics*, 12 (4-S). doi:10.22270/jddt.v12i4-S.5477
- Rothwell, P. M., Coull, A. J., Giles, M. F., Howard, S. C., Silver, L. E., Bull, L. M. et al. (2004). Change in stroke incidence, mortality, case-fatality, severity, and risk factors in Oxfordshire, UK from 1981 to 2004 (Oxford Vascular Study). *The Lancet*, 363 (9425), 1925–1933. Elsevier.
- Roy-O'Reilly, M. & McCullough, L. D. (2018). Age and Sex Are Critical Factors in Ischemic Stroke Pathology. *Endocrinology*, 159 (8), 3120–3131. doi:10.1210/en.2018-00465
- Saeed, A., Feofanova, E. V., Yu, B., Sun, W., Virani, S. S., Nambi, V. et al. (2018). Remnant-Like Particle Cholesterol, Low-Density Lipoprotein Triglycerides, and Incident Cardiovascular Disease. *Journal of the American College of Cardiology*, 72 (2). doi:10.1016/j.jacc.2018.04.050
- Sarkarati, D. & Reisdorff, E. J. (2002). Emergent CT evaluation of stroke. *Emergency Medicine Clinics*, 20 (3), 553–581. Elsevier. doi:10.1016/S0733-8627(02)00020-2
- Schröder, J. & Thomalla, G. (2017). A critical review of Alberta Stroke Program Early CT Score for evaluation of acute stroke imaging. *Frontiers in neurology*, 7, 245. Frontiers Media SA.
- Septian, K. B., Poedjomartono, B. & Dwidanarti, S. R. (2020). *Korelasi Alberta Stroke Program Early CT Score (ASPECTS) dengan National Institutes of Health Stroke Scale (NIHSS) pada Pasien Stroke Iskemik*. Yogyakarta.
- Shah, R. S. & Cole, J. W. (2010). Smoking and stroke: The more you smoke the more you stroke. *Expert Review of Cardiovascular Therapy*. doi:10.1586/erc.10.56
- Sherwood, L. (2014). *Fisiologi Manusia dari Sel ke Sistem*. Philadelphia: Elsevier.
- Stanaway, J. D., Afshin, A., Gakidou, E., Lim, S. S., Abate, D., Abate, K. H. et al. (2018). Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters

- of risks for 195 countries and territories, 1990-2017: A systematic analysis for the Global Burden of Disease Study 2017. *The Lancet*, 392 (10159). doi:10.1016/S0140-6736(18)32225-6
- Sujatha, R. & Kavitha, S. (2017). Atherogenic indices in stroke patients: A retrospective study. *Iranian journal of neurology*, 16 (2), 78—82.
- Turana, Y., Tenglawan, J., Chia, Y. C., Nathaniel, M., Wang, J.-G., Sukonthasarn, A. et al. (2021). Hypertension and stroke in Asia: A comprehensive review from HOPE Asia. *The Journal of Clinical Hypertension*, 23 (3), 513–521. John Wiley & Sons, Ltd. doi:<https://doi.org/10.1111/jch.14099>
- Varbo, A. & Nordestgaard, B. G. (2019). Remnant cholesterol and risk of ischemic stroke in 112,512 individuals from the general population. *Annals of Neurology*, 85 (4), 550–559. John Wiley & Sons, Ltd. doi:<https://doi.org/10.1002/ana.25432>
- Wang, C., Du, Z., Ye, N., Liu, S., Geng, D., Wang, P. et al. (2020). Using the Atherogenic Index of Plasma to Estimate the Prevalence of Ischemic Stroke within a General Population in a Rural Area of China. (C. Bei, Hrsg.) *BioMed Research International*, 2020. New York: Hindawi Limited. doi:<https://doi.org/10.1155/2020/7197054>
- Wang, C., Du, Z., Ye, N., Shi, C., Liu, S., Geng, D. et al. (2022). Hyperlipidemia and hypertension have synergistic interaction on ischemic stroke: insights from a general population survey in China. *BMC Cardiovascular Disorders*, 22 (1). doi:10.1186/s12872-022-02491-2
- Wang, Q., Jiang, G., Yan, L., Chen, R. & Liu, Y. (2023). Association of atherogenic index of plasma with early neurological deterioration in patients with acute ischemic stroke. *Clin Neurol Neurosurg*, 2 (34). doi:10.1016/j.clineuro.2023.108014
- Warren, D. J., Musson, R., Connolly, D. J. A., Griffiths, P. D. & Hoggard, N. (2010). Imaging in acute ischaemic stroke: essential for modern stroke care. *Postgraduate Medical Journal*, 86 (1017), 409–418. doi:10.1136/pgmj.2010.097931

- Willeit, P., Yeang, C., Moriarty, P. M., Tschiderer, L., Varvel, S. A., McConnell, J. P. et al. (2020). Low-Density Lipoprotein Cholesterol Corrected for Lipoprotein(a) Cholesterol, Risk Thresholds, and Cardiovascular Events. *Journal of the American Heart Association*, 9 (23). doi:10.1161/JAHA.119.016318
- Woo, M.-H., Lee, K. O., Chung, D., Choi, J.-W., Kim, S.-H. & Oh, S.-H. (2021). Triglyceride/HDL-cholesterol ratio as an index of intracranial atherosclerosis in nonstroke individuals. *Frontiers in Neurology*, 11, 504219. Frontiers Media SA.
- Xavier, A. R., Qureshi, A. I., Kirmani, J. F., Yahia, A. M. & Bakshi, R. (2003). Neuroimaging of stroke: a review. *Southern medical journal*, 96 (4), 367–379. doi:10.1097/01.smj.0000063468.11503.c1
- Yoshimura, S., Uchida, K., Daimon, T., Takashima, R., Kimura, K., Morimoto, T. et al. (2017). Randomized controlled trial of early versus delayed statin therapy in patients with acute ischemic stroke: ASSORT trial (administration of statin on acute ischemic stroke patient). *Stroke*. doi:10.1161/STROKEAHA.117.017623
- Zhang, Q., Qiu, D.-X., Fu, R.-L., Xu, T.-F., Jing, M.-J., Zhang, H.-S. et al. (2016). H-Type Hypertension and C Reactive Protein in Recurrence of Ischemic Stroke. *International Journal of Environmental Research and Public Health*, 13 (5), 477. Multidisciplinary Digital Publishing Institute. doi:10.3390/ijerph13050477
- Zheng, H., Wu, K., Wu, W., Chen, G., Chen, Z. & Cai, Z. (2023). Relationship between the cumulative exposure to atherogenic index of plasma and ischemic stroke: a retrospective cohort study. *Cardiovasc Diabetol*, 22 (313). doi:10.1186/s12933-023-02044-7