



DAFTAR PUSTAKA

- Abas, M., Habib, T., Noor, S., Salah, B., & Dominik Zimon. (2022). Parametric Investigation and Optimization to Study the Effect of Process Parameters on the Dimensional Deviation of Fused Deposition Modeling of 3D Printed Parts. *Polymers*, 14(17), 3667–3667. <https://doi.org/10.3390/polym14173667>
- Achraf, M., Laaouina, L., Jeghal, A., Tairi, H., & Zaki, M. (2023). Modeling of Energy Consumption and Print Time for FDM 3D Printing Using Multilayer Perceptron Network. *Journal of Manufacturing and Materials Processing*, 7(4), 128–128. <https://doi.org/10.3390/jmmp7040128>
- Acierno, D. and Patti, A. (2023) ‘Fused deposition modelling (FDM) of thermoplastic-based filaments: Process and Rheological Properties—an overview’, *Materials*, 16(24), p. 7664. doi:10.3390/ma16247664.
- Ainali, N. M., Tarani, E., Zamboulis, A., Črešnar, K. P., Zemljic, L. F., Chrissafis, K., Lambropoulou, D. A., & Bikaris, D. N. (2021). Thermal Stability and Decomposition Mechanism of PLA Nanocomposites with Kraft Lignin and Tannin. *Polymers*, 13(16), 2818. <https://doi.org/10.3390/polym13162818>
- Akoglu H. (2018). User's guide to correlation coefficients. *Turkish journal of emergency medicine*, 18(3), 91–93. <https://doi.org/10.1016/j.tjem.2018.08.001>
- Al-Ghamdi, K. A. (2019). Sustainable FDM additive manufacturing of ABS components with emphasis on energy minimized and time efficient lightweight construction. *International Journal of Lightweight Materials and Manufacture*, 2(4), 338–345. <https://doi.org/10.1016/j.ijlmm.2019.05.004>
- Allouzi, R., Al-Azhari, W., & Allouzi, R. (2020). Conventional Construction and 3D Printing: A Comparison Study on Material Cost in Jordan. *Journal of Engineering*, 2020, 1–14. <https://doi.org/10.1155/2020/1424682>
- Bayraklilar, M. S. (2023). Dimensional Accuracy of Acrylonitrile Butadiene Styrene Material Produced by Additive Manufacturing Method. *Journal of Materials Engineering and Performance*. <https://doi.org/10.1007/s11665-023-08205-9>
- Behm, J. E., Waite, B. R., Hsieh, S. T., & Helmus, M. R. (2018). Benefits and limitations of three-dimensional printing technology for ecological research. *BMC ecology*, 18(1), 32. <https://doi.org/10.1186/s12898-018-0190-z>



- Breig, S. J. M., & Luti, K. J. K. (2021). Response surface methodology: A review on its applications and challenges in microbial cultures. *Materials Today: Proceedings*, 42, 2277–2284. <https://doi.org/10.1016/j.matpr.2020.12.316>
- Camposeco-Negrete, C. (2020). Optimization of printing parameters in fused deposition modeling for improving part quality and process sustainability. *The International Journal of Advanced Manufacturing Technology*, 108(7-8), 2131–2147. <https://doi.org/10.1007/s00170-020-05555-9>
- Chen, Z., Li, Z., Li, J., Liu, C., Liu, C., Li, Y., ... Yuelong, F. (2018). 3D printing of ceramics: A review. *Journal of the European Ceramic Society*. doi:10.1016/j.jeurceramsoc.2018.11.013
- Cohen, J. (1988). Statistical power analysis for the behavioral sciences (2nd ed.). Lawrence Erlbaum Associates.
- Deaton, M., Khuri, A., & Cornell, J. (1989). Response Surfaces: Designs and Analyses. *Journal of the American Statistical Association*, 84, 332. <https://doi.org/10.2307/2289884>.
- Dey, A., & Yodo, N. (2019). A Systematic Survey of FDM Process Parameter Optimization and Their Influence on Part Characteristics. *Journal of Manufacturing and Materials Processing*, 3(3), 64. <https://doi.org/10.3390/jmmp3030064>
- Dini, F., Ghaffari, S., Jafar, J., Hamidreza, R., & Marjan, S. (2020). A review of binder jet process parameters; powder, binder, printing and sintering condition. *Metal Powder Report*, 75, 95-100. <https://doi.org/10.1016/J.MPRP.2019.05.001>
- Durakovic, B. (2017). Design of Experiments Application, Concepts, Examples: State of the Art. *Periodicals of Engineering and Natural Sciences (PEN)*, 5(3). <https://doi.org/10.21533/pen.v5i3.145>
- Durão, L. F. C. S., Barkoczy, R., Zancul, E., Lee Ho, L., & Bonnard, R. (2019). Optimizing additive manufacturing parameters for the fused deposition modeling technology using a design of experiments. *Progress in Additive Manufacturing*, 4(3), 291–313. <https://doi.org/10.1007/s40964-019-00075-9>
- Elkaseer, A., Schneider, S., & Scholz, S. G. (2020). Experiment-Based Process Modeling and Optimization for High-Quality and Resource-Efficient FFF 3D Printing. *Applied Sciences*, 10(8), 2899. <https://doi.org/10.3390/app10082899>
- Ferreira, S. L. C., Bruns, R. E., Ferreira, H. S., Matos, G. D., David, J. M., Brandão, G. C., da Silva, E. G. P., Portugal, L. A., dos Reis, P. S., Souza, A. S., & dos Santos, W. N. L. (2007). Box-Behnken design: An alternative for the optimization of analytical methods. *Analytica Chimica Acta*, 597(2), 179–186. <https://doi.org/10.1016/j.aca.2007.07.011>



- Griffiths, C. A., Howarth, J., De Almeida-Rowbotham, G., Rees, A., & Kerton, R. (2016). A design of experiments approach for the optimisation of energy and waste during the production of parts manufactured by 3D printing. *Journal of Cleaner Production*, 139, 74–85. <https://doi.org/10.1016/j.jclepro.2016.07.182>
- Guan, Y., Sun, X., Jin, L., Guo, X., Zhang, Z., Shui, G., & Ma, L. (2021). Development of 3D printing entity slicing software. *China Foundry*, 18(6), 587–592. <https://doi.org/10.1007/s41230-021-1090-y>
- Gülcan, O., Günaydin, K., & Tamer, A. (2021). The State of the Art of Material Jetting-A Critical Review. *Polymers*, 13(16), 2829. <https://doi.org/10.3390/polym13162829>
- Hopkins, N., Jiang, L., & Brooks, H. (2021). Energy consumption of common desktop additive manufacturing technologies. *Cleaner Engineering and Technology*, 2, 100068. <https://doi.org/10.1016/j.clet.2021.100068>
- Hossain, Md. A., Zhumabekova, A., Paul, S. C., & Kim, J. R. (2020). A Review of 3D Printing in Construction and its Impact on the Labor Market. *Sustainability*, 12(20), 8492. <https://doi.org/10.3390/su12208492>
- Islam, S. A., Yangue, E., Yue, X., Zhenyu, Kong, & Liu, C. (2024). Advancing Additive Manufacturing through Deep Learning: A Comprehensive Review of Current Progress and Future Challenges. *ArXiv* (Cornell University). <https://doi.org/10.48550/arxiv.2403.00669>
- Jankovic, A., Chaudhary, G., & Goia, F. (2021). Designing the design of experiments (DOE) – An investigation on the influence of different factorial designs on the characterization of complex systems. *Energy and Buildings*, 250(111298), 111298. <https://doi.org/10.1016/j.enbuild.2021.111298>
- Joseph, T. M., Kallingal, A., Suresh, A. M., Mahapatra, D. K., Hasanin, M. S., Haponiuk, J., & Thomas, S. (2023). 3D printing of polylactic acid: recent advances and opportunities. *The International Journal of Advanced Manufacturing Technology*, 125(3-4), 1015–1035. <https://doi.org/10.1007/s00170-022-10795-y>
- Junk, S., & Matt, R. (2015). Investigation of Influencing Variables on Sustainability of 3D-Printing and Fused Deposition Modelling. *InImpact: The Journal of Innovation Impact*, 8, 365.
- Kadhum, A. H., Al-Zubaidi, S., & AlKareem, S. S. A. (2023). Optimization of Mechanical Properties and Surface Characteristics of PLA+ 3D Printing Materials. *International Journal of Chemical Engineering*, 2023, e8887905. <https://doi.org/10.1155/2023/8887905>
- Karimifard, S., & Moghaddam, M. R. A. (2018). Application of response surface methodology in physicochemical removal of dyes from wastewater: A



critical review. *Science of the Total Environment*, 640-641, 772–797. <https://doi.org/10.1016/j.scitotenv.2018.05.355>

Kristiawan, R., Imaduddin, F., Ariawan, D., Ubaidillah & Arifin, Z. (2021). A review on the fused deposition modeling (FDM) 3D printing: Filament processing, materials, and printing parameters. *Open Engineering*, 11(1), 639-649. <https://doi.org/10.1515/eng-2021-0063>

Kumar, L.J., Pandey, P.M., and Wimpenny, D.I., 2018, 3D Printing and Additive Manufacturing Technologies, Springer.

Lee, H., Han, W., Kim, H., Ha, D., Jang, J., Kim, B., & Cho, D. (2017). Development of Liver Decellularized Extracellular Matrix Bioink for Three-Dimensional Cell Printing-Based Liver Tissue Engineering.. *Biomacromolecules*, 18 4, 1229-1237 . <https://doi.org/10.1021/acs.biomac.6b01908>.

Li, D. F., Chen, J. M., Yuan, Y. P., Huang, K., & Fang, H. B. (2015). Development and Application of Stereolithography Apparatus. *Journal Beijing Univ Technol*, 41, 1769-74.doi:10.11936/bjutxb2015070084

Li, Z., Rathore, A. S., Song, C., Wei, S., Wang, Y., & Xu, W. (2018). PrinTracker. *Proceedings of the 2018 ACM SIGSAC Conference on Computer and Communications Security - CCS '18*. doi:10.1145/3243734.3243735

Low, Z. X., Chua, Y. T., Ray, B. M., Mattia, D., Metcalfe, I. S., & Patterson, D. A. (2017). Perspective on 3D printing of separation membranes and comparison to related unconventional fabrication techniques. *Journal of Membrane Science*, 523, 596-613. <https://doi.org/10.1016/j.memsci.2016.10.006>

Montgomery, D. C. (2017). Design and Analysis of Experiments. John Wiley & Sons, Inc.

Mostafaei, A., Elliott, A., Barnes, J., Li, F., Tan, W., Cramer, C., Nandwana, P., & Chmielus, M. (2020). Binder jet 3D printing—Process parameters, materials, properties, modeling, and challenges. *Progress in Materials Science*, 100707. <https://doi.org/10.1016/J.PMATSCL.2020.100707>.

Mpofu, T.P., Mawere, C., & Mukosera, M. (2014). The Impact and Application of 3D Printing Technology.

Murphy, S. V., & Atala, A. (2014). 3D bioprinting of tissues and organs. *Nature biotechnology*, 32(8), 773–785. <https://doi.org/10.1038/nbt.2958>

Ngo, T. D., Kashani, A., Imbalzano, G., Nguyen, K. T. Q., & Hui, D. (2018). Additive manufacturing (3D printing): A review of materials, methods, applications and challenges. *Composites Part B: Engineering*, 143, 172–196. doi:10.1016/j.compositesb.2018.02.012



- Pagac, M., Hajnys, J., Ma, Q.-P., Jancar, L., Jansa, J., Stefek, P., & Mesicek, J. (2021). A Review of Vat Photopolymerization Technology: Materials, Applications, Challenges, and Future Trends of 3D Printing. *Polymers*, 13(4), 598. <https://doi.org/10.3390/polym13040598>
- Pang, X., Zhuang, X., Tang, Z., & Chen, X. (2010). Polylactic acid (PLA): Research, development and industrialization. *Biotechnology Journal*, 5(11), 1125–1136. doi:10.1002/biot.201000135
- Panwisawas, C., Tang, Y., & Reed, R. (2020). Metal 3D printing as a disruptive technology for superalloys. *Nature Communications*, 11. <https://doi.org/10.1038/s41467-020-16188-7>.
- Peng, T., & Yan, F. (2018). Dual-objective Analysis for Desktop FDM Printers: Energy Consumption and Surface Roughness. *Procedia CIRP*, 69, 106–111. <https://doi.org/10.1016/j.procir.2017.11.084>
- Peng, Tao & Sun, Wenjun. (2017). Energy modelling for FDM 3D printing from a life cycle perspective. *International Journal of Manufacturing Research*. 12. 83-98. 10.1504/IJMR.2017.083651.
- Petousis, M., Vidakis, N., Mountakis, N., Karapidakis, E., & Moutsopoulou, A. (2023). Compressive response versus power consumption of acrylonitrile butadiene styrene in material extrusion additive manufacturing: the impact of seven critical control parameters. *The International Journal of Advanced Manufacturing Technology*, 126(3-4), 1233–1245. <https://doi.org/10.1007/s00170-023-11202-w>
- Rafiee, M., Farahani, R. D., & Therriault, D. (2020). Multi-material 3D and 4D Printing: A Survey. *Advanced Science*, 7(12). doi:10.1002/advs.201902307
- Rajeshkumar, G., Seshadri, S., Devnani, G., Sanjay, M., Siengchin, S., Maran, J., Al-Dhabi, N., Karuppiah, P., Mariadhas, V., Sivarajasekar, N., & Anuf, A. (2021). Environment friendly, renewable and sustainable poly lactic acid (PLA) based natural fiber reinforced composites – A comprehensive review. *Journal of Cleaner Production*, 310, 127483. <https://doi.org/10.1016/J.JCLEPRO.2021.127483>.
- Revilla-León, M., Sadeghpour, M., & Özcan, M. (2020). An update on applications of 3D printing technologies used for processing polymers used in implant dentistry. *Odontology*, 108(3), 331–338. <https://doi.org/10.1007/s10266-019-00441-7>
- Rodgers, J. L., & Nicewander, W. A. (1988). Thirteen Ways to Look at the Correlation Coefficient. *The American Statistician*, 42(1), 59. <https://doi.org/10.2307/2685263>
- Rojek, I., Mikołajewski, D., Macko, M., Szczepański, Z., & Dostatni, E. (2021). Optimization of Extrusion-Based 3D Printing Process Using Neural



Networks for Sustainable Development. Materials (Basel, Switzerland), 14(11), 2737. <https://doi.org/10.3390/ma14112737>

Rojek, I., Mikołajewski, D., Dostatni, E., & Macko, M. (2020). AI-Optimized Technological Aspects of the Material Used in 3D Printing Processes for Selected Medical Applications. Materials, 13(23), 5437. <https://doi.org/10.3390/ma13235437>

Roudi, A. M., Salem, S., Abedini, M., Maslahati, A., & Imran, M. (2021). Response Surface Methodology (RSM)-Based Prediction and Optimization of the Fenton Process in Landfill Leachate Decolorization. Processes, 9(12), 2284. <https://doi.org/10.3390/pr9122284>

Schober, P., Boer, C., & Schwarte, L. A. (2018). Correlation coefficients: Appropriate use and interpretation. Anesthesia & Analgesia, 126(5), 1763–1768. <https://doi.org/10.1213/ane.0000000000002864>

Shahrubudin, N., Lee, T. C., & Ramlan, R. (2019). An Overview on 3D Printing Technology: Technological, Materials, and Applications. Procedia Manufacturing, 35, 1286–1296. doi:10.1016/j.promfg.2019.06.089

Sharma, S., & Goel, S. (2019). 3D Printing and its Future in Medical World. Journal of Medical Research and Innovation, 3(1), e000141. <https://doi.org/10.15419/jmri.141>

Shinkar, K., & Rhode, K. (2022). Could 3D extrusion bioprinting serve to be a real alternative to organ transplantation in the future? Annals of 3D Printed Medicine, 7, [100066]. <https://doi.org/10.1016/j.stlm.2022.100066>

Simon, T. R., Lee, W. J., Spurgeon, B. E., Boor, B. E., & Zhao, F. (2018). An Experimental Study on the Energy Consumption and Emission Profile of Fused Deposition Modeling Process. Procedia Manufacturing, 26, 920–928. <https://doi.org/10.1016/j.promfg.2018.07.119>

Suteja, J. (2021). Effect of Infill Pattern, Infill Density, and Infill Angle on the Printing Time and Filament Length of 3D Printing. Jurnal Rekayasa Mesin, 12(1), 145. <https://doi.org/10.21776/ub.jrm.2021.012.01.16>

Tan, J., Wang, K. L., Hongsheng, S., Gao, M., & Zhang, S. (2020). Energy efficiency optimization for ecological 3D printing based on adaptive multi-layer customization. Journal of Cleaner Production, 245, 118826–118826. <https://doi.org/10.1016/j.jclepro.2019.118826>

Tanoto, Y. Y., Filbert, V., Febrian, R., & Adriel, N. (2022). Optimasi Multirespon pada Proses 3D Printing Material ABS dengan Metode Taguchi-PCR Topsis. Teknik/Teknik Fakultas Teknik Universitas Diponegoro, 43(2), 147–157. <https://doi.org/10.14710/teknik.v43i2.43301>

Tofail, S. A. M., Koumoulos, E. P., Bandyopadhyay, A., Bose, S., O'Donoghue, L., & Charitidis, C. (2018). Additive Manufacturing: Scientific and



technological challenges, market uptake and opportunities. *Materials Today*, 21(1), 22–37. doi:10.1016/j.mattod.2017.07.001

Tsioukas, V., Pikridas, C., & Karolos, I.-A. (2020). Challenges, opportunities, and limitations in 3D printing. *3D Printing: Applications in Medicine and Surgery*, 151–155. doi:10.1016/b978-0-323-66164-5.00012-x

Tümer, E. H., & Erbil, H. Y. (2021). Extrusion-Based 3D Printing Applications of PLA Composites: A Review. *Coatings*, 11(4), 390. <https://doi.org/10.3390/coatings11040390>

Veza, I., Spraggan, M., Fattah, I. M. R., & Idris, M. (2023). Response surface methodology (RSM) for optimizing engine performance and emissions fueled with biofuel: Review of RSM for sustainability energy transition. *Results in Engineering*, 18, 101213–101213. <https://doi.org/10.1016/j.rineng.2023.101213>

Vidakis, N., Petousis, M., Spiridaki, M., Mountakis, N., Moutsopoulou, A., & Kymakis, E. (2024). Optimization of critical process control parameters in MEX additive manufacturing of high-performance polyethylenimine: energy expenditure, mechanical expectations, and productivity aspects. *International Journal of Advanced Manufacturing Technology/International Journal, Advanced Manufacturing Technology*. <https://doi.org/10.1007/s00170-024-13418-w>

Wilson, S., Thomas, R., Mary, N., Bosco, E., & Gopinath, A. (2021). Development and fabrication of fused deposition modelling 3D printer. *IOP Conference Series: Materials Science and Engineering*, 1132. <https://doi.org/10.1088/1757-899X/1132/1/012019>.

Wu, L. J., Yick, K. L., Ng, S.-P., & Yip, J. (2012). Application of the Box-Behnken design to the optimization of process parameters in foam cup molding. *Materials & Design*, 39(9), 8059–8065. <https://doi.org/10.1016/j.eswa.2012.01.137>

Xu, Q., Jiang, L., Ma, C., Niu, Q., & Wang, X. (2021). Effect of Layer Thickness on the Physical and Mechanical Properties of Sand Powder 3D Printing Specimens. *Frontiers in Earth Science*, 9. <https://doi.org/10.3389/feart.2021.763202>

Yang, C.-J., & Wu, S.-S. (2022). Sustainable Manufacturing Decisions through the Optimization of Printing Parameters in 3D Printing. *Applied Sciences*, 12(19), 10060. <https://doi.org/10.3390/app121910060>

Yang, J., & Liu, Y. (2020). Energy, time and material consumption modelling for fused deposition modelling process. *Procedia CIRP*, 90, 510–515. <https://doi.org/10.1016/j.procir.2020.02.130>



Yasmin, F., Khan, M., & Peng, Q. (2023). Optimization of Processing Parameters for 3D Printed Product Using Taguchi Method. *Computer-Aided Design and Applications*, 281–300. <https://doi.org/10.14733/cadaps.2024.281-300>

Zanetti, E. M., Aldieri, A., Terzini, M., Calì, M., Franceschini, G., & Bignardi, C. (2017). Additively manufactured custom load-bearing implantable devices: grounds for caution. *Australasian Medical Journal*, 10(8).

Zhang, Z., Zhao, G., & Shen, F. (2022). Prediction and Analysis of Energy Consumption in Fused Deposition Processing Based on G-code. *Journal of Physics: Conference Series*, 2417(1), 012016–012016.