



## DAFTAR PUSTAKA

- Abedi, F., Sanjeeva, W., Richardson, A.J., Islam, A., Guymer, R.H., & Baird, P.N, 2013, ‘Genetic Influences on the Outcome of Anti-Vascular Endothelial Growth Factor Treatment in Neovascular Age-related Macular Degeneration’, *Ophthalmology*, vol. 120, no. 8, pp. 1641–1648, DOI:10.1016/j.ophtha.2013.01.014.
- Abou-Ltaif, S., 2016, ‘Afibbercept in refractory wet AMD treated with ranibizumab: Anatomical and visual outcome’, *Saudi Journal of Ophthalmology*, vol. 30, no. 4, pp. 227–232, DOI:10.1016/j.sjopt.2016.10.008.
- Ahmad, T., Wallace, G.R., James, T., Neville, M., Bunce, M., Hawes, K., Armuzzi, A., Crawshaw, J., Fortune, F., Walton, R., Stanford, M., Welsh, K., Marshall, S., & Jewel, D., 2003, ‘Mapping the HLA Association in Behcet Disease: A Role for Tumor necrosis Factor Polymorphism’, *Arthritis and Rheumatism*, vol. 48, no. 3, pp. 807-813, DOI:10.1002/art.10815.
- Akanda, M., Weiss, A., & Lieberman, R., 2020, ‘Update and Advances in Long-Acting Anti-Vascular Endothelial Growth Factor Agents’, *Advances in Ophthalmology and Optometry*, vol.5, pp. 141–146, DOI:10.1016/j.yaoo.2020.05.010.
- Akman, A., Salakci, N., Kacaroglu, H., Tosun, O., Yavuzer, U., Alpsoy, E & Yegin, O., 2008, ‘Relationship between periodontal findings and the TNF- $\alpha$  Gene 1031T/C polymorphism in Turkish patients with Behcet's disease’, *Journal of the European Academy of Dermatology and Venereology*, vol. 22, no. 8, pp. 950-957, DOI:10.1111/j.1468-3083.2008.02678.x.
- Al-Khersan, H., Hussain, R. M., Ciulla, T. A., & Dugel, P. U., 2019, ‘Innovative therapies for neovascular age-related macular degeneration’, *Expert Opinion on Pharmacotherapy*, vol. 20, no. 15, pp. 1879–1891, DOI:10.1080/14656566.2019.1636031.
- Al-Lamki, R. S., & Mayadas, T. N., 2015, ‘TNF receptors: Signaling pathways and contribution to renal dysfunction’, *Kidney International*, vol. 87, no.2, pp. 281–296, DOI:10.1038/ki.2014.285.
- Alter, R., de Luis, D. A., Izaola, O., Sagrado, M. G., Conde, R., Gago, T. A., Pacheco, D., Gonzales, J. & Velasco, M., 2010, ‘G308A polymorphism of TNF-alpha gene is associated with insulin resistance and histological changes in non alcoholic fatty liver disease patients’, *Annals of Hepatology*, vol. 9, no. 4, pp. 439–444, DOI:10.1016/s1665-2681(19)31620-5.
- Alwi, Z., 2005, ‘The Use of SNPs in Pharmacogenomics Studies’, *The Malaysian Journal of Medical Sciences : MJMS*, vol. 12, no. 2, pp. 4-12, PMCID: PMC3349395.
- Ambati, J., Ambati, B. K., Yoo, S. H., Ianchulev, S., & Adamis, A. P., 2003, ‘Age-related macular degeneration: Etiology, pathogenesis, and therapeutic strategies’, *Survey of Ophthalmology*, vol. 48, no. 3, pp. 257–293,



DOI: 10.1016/S0039-6257(03)00030-4.

- Amo, E., Bishop, P.N., Godia, P & Aarons, L., 2023, 'Towards a population pharmacokinetic/pharmacodynamic model of anti-VEGF therapy in patients with age-related macular degeneration', *European journal of pharmaceutics and biopharmaceutics*, vol. 188, pp.78–88. DOI:[doi.org/10.1016/j.ejpb.2023.05.007](https://doi.org/10.1016/j.ejpb.2023.05.007).
- Amoaku, W. M., Chakravarthy, U., Gale, R., Gavin, M., Ghanchi, F., Gibson, J., Harding, S., Johnston, Kelly, S., Lotery, A., Mahmood, S., Menon, G., Sivaprasad, S., Talks, J., A., Tufail, Yang, Y., 2015, 'Defining response to anti-VEGF therapies in neovascular AMD', *Eye (Basingstoke)*, vol. 29, no. 6, pp. 721–731, DOI:[10.1038/eye.2015.48](https://doi.org/10.1038/eye.2015.48).
- Asghar, T., Yoshida, S., Kennedy, S., Negoro, K., Zhou, W., Hamana, S., motoyama, S., Nakago, S., Barlow, D., & Maruo, T., 2004, 'The tumor necrosis factor-a promoter -1031C polymorphism is associated with decreased risk of endometriosis in a Japanese population', *Human Reproduction*, vol. 19, no. 11, pp. 2509–2514, DOI: [10.1093/humrep/deh478](https://doi.org/10.1093/humrep/deh478).
- Asifa, G.Z., Liaquat, A., Murtaza, I., Kazmi, S.A.R. and Javed, Q., 2013, 'Tumor Necrosis Factor-Alpha Gene Promoter Region Polymorphism and the Risk of Coronary Heart Disease', *The Scientific World Journal*, pp. 1-5, DOI:[10.1155/2013/203492](https://doi.org/10.1155/2013/203492).
- Aveleira, C.A., Lin, C.-M., Abcouwer, S.F., Ambrósio, A.F. & Antonetti, D.A., 2010, 'TNF- $\alpha$  Signals Through PKC $\zeta$ /NF- $\kappa$ B to Alter the Tight Junction Complex and Increase Retinal Endothelial Cell Permeability', *Diabetes*, vol. 59, no. 11, pp. 2872–2882, DOI:[10.2337%2Fdb09-1606](https://doi.org/10.2337%2Fdb09-1606).
- Azab, E., Elfasakhany, F.M., 2022, 'Effect of tumor necrosis factor alpha (TNF- $\alpha$ ) -308 and -1031 gene polymorphisms on periodontitis among Saudi subjects', *The Saudi Dental Journal*, vol. 34, no. 3, pp. 226-231, DOI:[10.1016%2Fsdentj.2022.02.002](https://doi.org/10.1016%2Fsdentj.2022.02.002).
- Baghel, K., Srivastava, R. N., Chandra, A., Goel, S. K., Agrawal, J., Kazmi, H. R., & Raj, S., 2014, 'TNF- $\alpha$ , IL-6, and IL-8 Cytokines and Their Association with TNF- $\alpha$ -308 G/A Polymorphism and Postoperative Sepsis', *Journal of Gastrointestinal Surgery*, vol. 18, no. 8, pp. 1486–1494, DOI:[10.1007/s11605-014-2574-5](https://doi.org/10.1007/s11605-014-2574-5).
- Barliana, M. I., Afifah, N. N., Amalia, R., Hamijoyo, L., & Abdulah, R., 2022, 'Genetic Polymorphisms and the Clinical Response to Systemic Lupus Erythematosus Treatment Towards Personalized Medicine', *Frontiers in Pharmacology*, vol. 13, pp. 1–14. DOI:[10.3389/fphar.2022.820927](https://doi.org/10.3389/fphar.2022.820927).
- Bashshur, Z. F., Haddad, Z. A., Schakal, A., Jaafar, R. F., Saab, M., & Noureddin, B. N., 2008, 'Intravitreal Bevacizumab for Treatment of Neovascular Age-related Macular Degeneration: A One-year Prospective Study', *American Journal of Ophthalmology*, vol. 145, no. 2, DOI:[10.1016/j.ajo.2007.09.031](https://doi.org/10.1016/j.ajo.2007.09.031).
- Bek, T., & Klug, S. E., 2018, 'Age, sex, and type of medication predict the effect of anti-VEGF treatment on central retinal thickness in wet age-related



macular degeneration', *Clinical Ophthalmology*, vol. 12, pp. 473–479,  
DOI:10.2147/ophth.s158760.

Bonyadi, M. H. J., Bonyadi, M., Ahmadieh, H., Fotuhi, N., Shoeibi, N., Saadat, S., & Yagubi, Z., 2015, 'Tumor necrosis factor gene polymorphisms in advanced non-exudative age-related macular degeneration', *Journal of Ophthalmic and Vision Research*, vol. 10, no. 2, pp. 155–159, DOI:10.4103/2008-322X.163781.

Brown, M., Brown, M., Feairheller, D., Thakkar, S & Park., 2011, 'Racial differences in tumor necrosis factor- $\alpha$ -induced endothelial microparticles and interleukin-6 production', *Vasc Health Risk Manag*, vol. 7, pp. 541–550, DOI:10.2147/vhrm.s22930.

Brown, M. M., Brown, G. C., Stein, J. D., Roth, Z., Campanella, J., & Beauchamp, G. R., 2005, 'Age-related macular degeneration: Economic burden and value-based medicine analysis', *Canadian Journal of Ophthalmology*, vol. 40, no. 3, pp. 277–287, DOI:10.1016/S0008-4182(05)80070-5.

Browning, D.J., Glassman, A.R., Aiello, L.P., Bressler, N.M., Bressler, S., Danis, R.P., Davis, M.D., Ferris, F.L., Huang, S.S., Kaiser, P.K., Kollman, C., Sadda, S., Scott, I.U., & Qin, H., 2008, 'Optical Coherence Tomography Measurements and Analysis Methods in Optical Coherence Tomography Studies of Diabetic Macular Edema', *Ophthalmology*, vol. 115, no. 8, pp. 1366–1371.e1, DOI: 10.1016/j.ophtha.2007.12.004.

Capaldo, C.T. & Nusrat, A., 2009, 'Cytokine regulation of tight junctions', *BBA – Biomembranes*, vol. 1788, no. 4, pp. 864-871, DOI:10.1016/j.bbamem.2008.08.027.

Chan, A., Duker, J. S., Ko, T. H., Fujimoto, J. G., & Schuman, J. S., 2006, 'Normal macular thickness measurements in healthy eyes using stratus optical coherence tomography', *Archives of Ophthalmology*, vol. 124, no. 2, pp. 193–198. DOI:10.1001/archophth.124.2.193.

Cheema, M. R., Da Costa, J., & Talks, J., 2021, 'Ten-year real-world outcomes of anti-vascular endothelial growth factor therapy in neovascular age-related macular degeneration', *Clinical Ophthalmology*, vol. 15, pp. 279–287, DOI:10.2147/OPTH.S269162.

Chen, G., Liu, B., Li, H., Mai, Z., Zhang, L., Li, M., Liu, L., Chen, S., Chen, J. & Liu, Y., 2020, 'Ethnicity-Stratified Analysis of the Association between TNF- $\alpha$  Genetic Polymorphisms and Acute Kidney Injury: A Systematic Review and Meta-Analysis', *Biomed Res Int*, vol. 2020, pp. 5262351. DOI:10.1155%2F2020%2F5262351.

Chen, G., Tzekov, R., Li, W., Jiang, F., Mao, S., & Tong, Y., 2015, 'Pharmacogenetics of Complement Factor H Y402H Polymorphism and Treatment of Neovascular AMD with Anti-VEGF Agents: A Meta-Analysis', *Scientific Reports*, vol. 5, no. 1, pp. 14517, DOI:10.1038/srep14517.



- Chen, Y., Zeng, J., Zhao, C., Wang, K., Trood, E., & Buehler, J., 2011, 'Assessing susceptibility to age-related macular degeneration with genetic markers and environmental factors', *Archives of Ophthalmology*, vol. 129, no. 3, pp. 344–351, DOI:10.1001/archophthalmol.2011.10.
- Chen, G., Liu, B., Li, H., Mai, Z., Zhang, L., Li, M., Liu, L., Chen, S., Chen, J. and Liu, Y., 2020, 'Ethnicity-Stratified Analysis of the Association between TNF- $\alpha$  Genetic Polymorphisms and Acute Kidney Injury: A Systematic Review and Meta-Analysis', *BioMed Research International*, pp.1–8, DOI:10.1155/2020/5262351.
- Chernykh, V., Shevchenko, A., Konenkov, V., Prokofiev, V., Eremina, A., & Trunov, A., 2019, 'TNF- $\alpha$  gene polymorphisms: Association with age-related macular degeneration in Russian population', *International Journal of Ophthalmology*, vol. 12, no. 1, pp. 25–29. DOI:10.18240/ijo.2019.01.04.
- Cui, G., Wang, H., Li, R., Zhang, L., Li, Z., Wang, Y., Hui, R., Ding, H., & Wang, D. W., 2012, 'Polymorphism of tumor necrosis factor alpha (TNF-alpha) gene promoter, circulating TNF-alpha level, and cardiovascular risk factor for ischemic stroke', *Journal of Neuroinflammation*, vol. 9, no. 1, DOI:10.1186/1742-2094-9-235.
- El-Dakrony, A.-H.M., Iman El-Gazzar, Sayed, S., Sadek, W., Hussein El-Fishawy & Shaker, O., 2017, 'Clinical significance of tumor necrosis factor- $\alpha$ -863 C/A and -1031 T/C promoter polymorphisms in systemic lupus erythematosus patients: Relation to disease activity and damage', *The Egyptian Rheumatologist*, vol. 39, no. 4, pp. 223-226, DOI:10.1016/j.ejr.2017.04.008.
- Davis, M. D., Gangnon, R. E., Lee, L. Y., Hubbard, L. D., Klein, B. E. K., Klein, R., Ferris, F. L., Bressler, S.B. & Milton, R.C., 2005, 'The age-related eye disease study severity scale for age-related macular degeneration: AREDS report no. 17', *Archives of Ophthalmology*, vol. 123, no. 11, pp. 1484–1498. DOI:10.1001/archopht.123.11.1484.
- De Freitas, L. G. A., Isaac, D. L. C., Tannure, W. T., Gabriel, L. A. R., Dos Reis, R. G., Rassi, A. R., & Pereira, M., 2013, 'Intravitreal bevacizumab combined with infliximab in the treatment of choroidal neovascularization secondary to age-related macular degeneration: Case report series', *Arquivos Brasileiros de Oftalmologia*, vol. 76, no. 3, pp. 180–184, DOI:10.1590/S0004-27492013000300010.
- Diniz, B., Rodger, D.C., Chavali, V.R., MacKay, T., Lee, S.Y., Stambolian, D., & Sadda, S.V., 2014, 'Drusen and RPE atrophy automated quantification by optical coherence tomography in an elderly population', *Eye*, vol. 29, no. 2, pp. 272–279, DOI:10.1038/eye.2014.260.
- Dong, S., Fan, P., Yu, H., Jiang, B. & Sun, D., 2024, 'A study of the relationship between cytokine levels and the response to anti-VEGF therapy in polypoid choroidal vasculopathy with different choroidal thicknesses', *Front. Endocrinol*, vol. 14, pp. 1307337, DOI:10.3389/fendo.2023.1307337.
- Dos Reis Veloso, C. E., De Almeida, L. N. F., De Marco, L. A., Vianna, R. N. G.,



- & Nehemy, M. B., 2012, 'Importance of genetic polymorphisms in the response to age-related macular degeneration treatment', *Revista Brasileira de Oftalmologia*, vol. 71, no. 3, pp. 194–198, DOI:10.1590/s0034-72802012000300011.
- Drugge, E.D., Farhan, K., Zhao, H., Abramov, R., Graham, L.A., Stambler, N., Hao, S. & Ferreri, N.R., 2023, 'Sex and race differences in urinary Tumor Necrosis Factor- $\alpha$  (TNF- $\alpha$ ) levels: Secondary analysis of the DASH-sodium trial', *Journal of Human Hypertension*, vol. 37, pp. 701–708, DOI:10.1038/s41371-022-00748-z.
- Dvoriantchikova, G. & Ivanov, D., 2014, 'Tumor necrosis factor-alpha mediates activation of NF- $\kappa$ B and JNK signaling cascades in retinal ganglion cells and astrocytes in opposite ways', *Eur J Neurosci*, vol. 40, no. 8, pp. 3171–3178. <https://pubmed.ncbi.nlm.nih.gov/25160799>.
- Emara, M., El-Edel, R., Fathy, W.M., Aboelkhair, N.T., Watany, M.M. & Abou-Elela, D.H., 2020, 'Study the Association of Tumor Necrosis Factor Promoter Polymorphism with Type 2 Diabetic Nephropathy', *Mediators of Inflammation*, pp. 1-9. DOI:10.1155/2020/1498278
- Dvoriantchikova, G. & Ivanov, D., 2014, 'Tumor necrosis factor-alpha mediates activation of NF- $\kappa$ B and JNK signaling cascades in retinal ganglion cells and astrocytes in opposite ways', *Eur J Neurosci*, vol. 40, no. 8, pp. 3171–3178. <https://pubmed.ncbi.nlm.nih.gov/25160799>.
- Emara, M., El-Edel, R., Fathy, W.M., Aboelkhair, N.T., Watany, M.M. & Abou-Elela, D.H., 2020, 'Study the Association of Tumor Necrosis Factor Promoter Polymorphism with Type 2 Diabetic Nephropathy', *Mediators of Inflammation*, pp. 1-9. DOI:10.1155/2020/1498278
- Faber, C., Jehs, T., Juel, H. B., Singh, A., Falk, M. K., Sørensen, T. L., & Nissen, M. H., 2015, 'Early and exudative age-related macular degeneration is associated with increased plasma levels of soluble TNF receptor II', *Acta Ophthalmologica*, vol. 93, no. 3, pp. 242–247, DOI:10.1111/aos.12581.
- Falavarjani, K.G. & Nguyen, Q.D., 2013, 'Adverse events and complications associated with intravitreal injection of anti-VEGF agents: a review of literature', *Eye*, vol. 27, no. 7, pp. 787–794, DOI:10.1038/eye.2013.107.
- Ferreira, F.B., Rafael, M.A., Coimbra, L., Boavida, N., Arrobas, F., Correia, F.P., Figueiredo, L.M., Carvalho, L., Lourenco, L.C., Santos, L., & Oliveira, A.M., 2023, 'Anti-tumor necrosis factor therapy is associated with attenuated humoral response to SARS-CoV-2 vaccines in patients with inflammatory bowel disease', *Vaccine*, vol. 41, no. 26, pp. 3862–3871, DOI:10.1016/j.vaccine.2023.05.012.
- Fernández-Vega, B., Fernández-Vega, Á., Rangel, C. M., Nicieza, J., Villota-Deleu, E., Vega, J. A., & Sanchez-Avila, R. M., 2016, 'Blockade of Tumor Necrosis Factor-Alpha: A Role for Adalimumab in Neovascular Age-Related Macular Degeneration Refractory to Anti-Angiogenesis Therapy', *Case Reports in Ophthalmology*, vol. 7, no. 1, pp. 154–162, DOI:10.1159/000445102.



- Finger, R. P., Wickremasinghe, S. S., Baird, P. N., & Guymer, R. H., 2014, ‘Predictors of anti-VEGF treatment response in neovascular age-related macular degeneration’, *Survey of Ophthalmology*, vol. 59, no. 1, pp. 1–18, DOI:10.1016/j.survophthal.2013.03.009.
- Fleckenstein, M., Keenan, T.D.L., Guymer, R.H., Chakravarthy, U., Schmitz-Valckenberg, S., Klaver, C.C., Wong, W.T. and Chew, E.Y., 2021, ‘Age-related macular degeneration’, *Nature Reviews Disease Primers*, vol. 7, no. 31, pp. 1-24, DOI:10.1038/s41572-021-00265-2
- Fleissig, E. & Loewenstein, A., 2022, ‘Complications of Intravitreal injections’, *Retinal Physician*, vol. 19, pp. 27-29
- Flores, R., Carneiro, A., Vieira, M., Tenreiro, S., & Seabra, M. C., 2021, ‘Age-Related Macular Degeneration: Pathophysiology, Management, and Future Perspectives’, *Ophthalmologica*, vol. 244, no. 6, pp. 495–511, DOI:10.1159/000517520.
- Fouly, M.A., Labib, H.M., Emarah, S.H., Fahmy, I.A., Abdel, H.M. & Moemen, L.A., 2022, ‘Serum cytokines as biomarkers for dry and wet age related macular degeneration’, *Delta Journal of Ophthalmology*, vol. 23, no. 3, pp. 184-189, DOI: 10.4103/djo.djo\_76\_21.
- Framme, C., Panagakis, G. & Birngruber, R., 2010, ‘Effects on Choroidal Neovascularization after Anti-VEGF Upload Using Intravitreal Ranibizumab, as Determined by Spectral Domain-Optical Coherence Tomography’, *Investigative Ophthalmology & Visual Science*, vol. 51, no. 3, pp.1671, DOI:10.1167/iovs.09-4496.
- Gao, J., Shan, G., Sun, B., Thompson, P. J., & Gao, X., 2006, ‘Association between polymorphism of tumour necrosis factor  $\alpha$ -308 gene promoter and asthma: A meta-analysis’, *Thorax*, vol. 61, no. 6, pp. 466–471, DOI:10.1136/thx.2005.051284.
- Ghazi., 2010, ‘Is monthly retreatment with intravitreal bevacizumab (Avastin®) necessary in neovascular age-related macular degeneration?’, *Clin. Ophthalmol.*, vol. 4, p.307-314, DOI:10.2147/ophth.s8598.
- Gigon, A., Iskandar, A., Kasser, S., Naso, S., Zola, M., & Mantel, I., 2024, ‘Short-term response to anti-VEGF as indicator of visual prognosis in refractory age-related macular degeneration’, *Eye*, vol. 38, no. 7, pp. 1342–1348, DOI:10.1038/s41433-023-02900-6.
- Giraudo, E., Primo, L., Audero, E., Gerber, H. P., Koolwijk, P., & Soker, S., 1998, ‘Tumor necrosis factor- $\alpha$  regulates expression of vascular endothelial growth factor receptor-2 and of its co-receptor neuropilin-1 in human vascular endothelial cells’, *Journal of Biological Chemistry*, vol. 273, no. 34, pp. 22128–22135, DOI:10.1074/jbc.273.34.22128.
- Gupta, A., Nosbisch, N., Agarwal, I., Patel, A., Thuppal, S., Mamillipalli, C., Prentice, J., Avaylon, J., Gallemore, R. & Bhandari, R., 2022, ‘Intravitreal Brolucizumab in Patients with Aflibercept-Resistant Neovascular Age-Related Macular Degeneration’, *Re:GEN Open*, vol. 2, no. 1, pp. 4–8,



DOI:10.1089/regen.2021.0035.

- Gurung, R. L., Fitzgerald, L. M., McComish, B. J., Hewitt, A. W., Verma, N., & Burdon, K. P., 2021, ‘Comparing vision and macular thickness in neovascular age-related macular degeneration, diabetic macular oedema and retinal vein occlusion patients treated with intravitreal antivascular endothelial growth factor injections in clinical practice’, *BMJ Open Ophthalmology*, vol. 6, no. 1, pp. 1–9, DOI:10.1136/bmjophth-2021-000749.
- Gurung, R.L., Fitzgerald, L.M., Liu, E., McCornish, B.J., Kaidonis, G., Ridge, B., Hewitt, A.W., Vote, B.J., Verma, N., Craig, J.E., & Burdon, K.P., 2008, ‘Predictive factors for treatment outcomes with intravitreal anti-vascular endothelial growth factor injections in diabetic macular edema in clinical practice’, *Ophthalmology*, vol. 115, no. 8, pp. 1366–1371.e1, DOI:10.1186/s40942-023-00453-0.
- Guthrie, M.J., Osswald, C.R., Valio, N.L., Mieler, W.F. & Kang-Mieler, J.J., 2014, ‘Objective area measurement technique for choroidal neovascularization from fluorescein angiography’, *Microvascular Research*, vol. 91, pp. 1–7, DOI:10.1016/j.mvr.2013.11.005.
- Hangai, M., He, S., Hoffman, S., Lim, J.I., Ryan, S.J., & Hinton, D.R., 2006, ‘Sequential induction of angiogenic growth factors by TNF- $\alpha$  in choroidal endothelial cells’, *Journal of Neuroimmunology*, vol. 171, pp. 45 – 56, DOI:10.1016/j.jneuroim.2005.09.018.
- Higuchi, T., Seki, N., Kamizono, S., Yamada, A., Kimura, A., Kato, H. & Itoh, K., 1998, ‘Polymorphism of the 5'-flanking region of the human tumor necrosis factor (TNF)- $\alpha$  gene in Japanese’, *Tissue Antigens*, vol. 51, pp. 605–612, DOI:10.1111/j.1399-0039.1998.tb03002.x.
- Hobbs, S. D., & Pierce, K., 2022, *Wet Age-related Macular Degeneration (Wet AMD)*, StatPearls Publishing LLC.
- Jeong, J.H., Kim, K.S., Lim, D., Kim, K.H., Kim, H.S., Lee, S., Song, J.H., Moon, B.G., Choy, H.E. & Park, S.C (2016), ‘Microvasculature remodeling in the mouse lower gut during inflammaging’, *Sci. Rep.*, vol. 7, pp. 39848, DOI:10.1038/srep39848.
- Jia, H., Lu, B., Zhao, Z., Yu, Y., Wang, F., Zhou, M., & Sun, X., 2022, ‘Prediction of the short-term efficacy of anti-VEGF therapy for neovascular age-related macular degeneration using optical coherence tomography angiography’, *Eye and vision*, vol. 9, no.1, DOI:10.1186/s40662-022-00287-1.
- Johnson, A. D., 2009, ‘Methods in genetics and clinical interpretation, Single-nucleotide polymorphism bioinformatics, A comprehensive review of resources’, *Circulation: Cardiovascular Genetics*, vol. 2, no. 5, pp. 530–536, DOI:10.1161/CIRCGENETICS.109.872010.
- Johnson, M. W., 2009, ‘Etiology and Treatment of Macular Edema’, *American Journal of Ophthalmology*, vol. 147, no. 1, pp. 11–21, DOI:10.1016/j.ajo.2008.07.024.



- Jonas, J. B., Cheung, C. M. G., & Panda-Jonas, S., 2017, ‘Updates on the epidemiology of age-related macular degeneration. *Asia-Pacific Journal of Ophthalmology*’, vol. 6, no. 6, pp. 493–497, DOI:10.22608/APO.2017251
- Kaiser, S. M., Arepalli, S., & Ehlers, J. P., 2021, ‘Current and future anti-VEGF agents for neovascular age-related macular degeneration’, *Journal of Experimental Pharmacology*, vol. 13, pp. 905–912, DOI:10.2147/JEP.S259298.
- Kaiser, P.K., Wykoff, C.C., Singh, R.P., Khanani, A.M., Do, D.V., Patel, H. & Patel, N., 2021, ‘Retinal fluid and thickness as measures of disease activity in neovascular age-related macular degeneration’, *Retina*, vol. 41, no. 8, pp. 1579–1586, DOI:10.1097/iae.0000000000003194.
- Kamao, H., Goto, K., Mito, Y., Miki, A., & Kiryu, J., 2018, ‘Effects of smoking on outcomes of antivascular endothelial growth factor therapy in patients with neovascular age-related macular degeneration smoking and Anti-VEGF therapy in NAMD’, *Journal of Ophthalmology*, pp. 1–7, DOI:10.1155/2018/2353428.
- Kauppinen, A., Paterno, J. J., Blasiak, J., Salminen, A., & Kaarniranta, K., 2016, ‘Inflammation and its role in age-related macular degeneration’, *Cellular and Molecular Life Sciences*, vol. 73, no. 9, pp. 1765–1786, DOI:10.1007/s00018-016-2147-8.
- Khan, A. H., Pierce, C. O., De Salvo, G., Griffiths, H., Nelson, M., Cree, A. J., Menon, G. & Lotery, A.J., 2021, ‘The effect of systemic levels of TNF-alpha and complement pathway activity on outcomes of VEGF inhibition in neovascular AMD’, *Eye (Basingstoke)*, vol. 36, no. 11, pp. 2192–2199, DOI:10.1038/s41433-021-01824-3.
- Khudhur, S.S., Saleh, E.S., Alosami, M.H., & Shareef, L.G., 2022, ‘Association between polymorphisms within the gene coding for tumor necrosis factor (TNF)-alpha with outcomes of treatment in a sample of Iraqi patients with ankylosing spondylitis taking etanercept: an observational study’, *F1000Research*, vol. 11, pp. 1576, DOI:10.12688/f1000research.128842.1.
- Klein, R., Chou, C. F., Klein, B. E. K., Zhang, X., Meuer, S. M., & Saaddine, J. B., 2011, ‘Prevalence of age-related macular degeneration in the US population’, *Archives of Ophthalmology*, vol. 129, no. 1, pp. 75–80, DOI:10.1001/archophthalmol.2010.318.
- Kloeckener-Gruissem, B., Barthelmes, D., Labs, S., Schindler, C., Kurz-Levin, M., Michels, S., Fleischhauer, J., Berger, W.H., Sutter, F. & Menghini, M., 2011, ‘Genetic association with response to intravitreal ranibizumab in patients with neovascular AMD’, *Investigative Ophthalmology and Visual Science*, vol. 52, no. 7, pp. 4694–4702, DOI:10.1167/iovs.10-6080.
- Kovach, J. L., Schwartz, S. G., Flynn, H. W., & Scott, I. U., 2012, ‘Anti-VEGF treatment strategies for wet AMD’, *Journal of Ophthalmology*, vol. 2012, pp. 786870, DOI:10.1155/2012/786870.
- Kuo, N.W., Lympamy, P.A., Menezo, V., Lagan, A.L., John, S., Kuan, Yeo, T.K.,



- Liyanage, S., Bois, R.M., Welsh, K.I., & Lightman, S., 2005, ‘TNF-857T, a Genetic Risk Marker for Acute Anterior Uveitis’, *Investigative Ophthalmology & Visual Science*, vol. 46, pp. 1565-1571, DOI:10.1167/iovs.04-0932.
- Laddha, N., Dwivedi, M., & Begum, R., 2012, ‘Increased Tumor Necrosis Factor (TNF)- $\alpha$  and Its Promoter Polymorphisms Correlate with Disease Progression and Higher Susceptibility towards Vitiligo’, *PLoS ONE*, vol. 7, no. 12, pp. e52298, DOI:10.1371/journal.pone.0052298.
- Lazzeri, S., Orlandi, P., Piaggi, P., Sartini, M. S., Casini, G., Guidi, G., Figus, M., Fioranti, A., Desidero, T., Ripandelli, G., Parravano, M., Varano, M., Nardi, M & Bocci, G., 2016, ‘IL-8 and VEGFR-2 polymorphisms modulate long-term functional response to intravitreal ranibizumab in exudative age-related macular degeneration’, *Pharmacogenomics*, vol. 1, pp. 27–35, DOI:10.2217/pgs.15.153.
- Lee, Y.H., Harley, J.B & Nath, S.K., 2006, ‘Meta-analysis of TNF- $\alpha$  promoter -308 A/G polymorphism and SLE susceptibility’, *European Journal of Human Genetics*, vol. 14, pp. 364–371, DOI:10.1038/sj.ejhg.5201566.
- Lee, Y. H., Rho, Y. H., Choi, S. J., Ji, J. D., & Song, G. G., 2006, ‘Association of TNF-alpha -308 G/A polymorphism with responsiveness to TNF- $\alpha$ -blockers in rheumatoid arthritis: A meta-analysis’, *Rheumatology International*, vol. 27, no. 2, pp. 157–161, DOI:10.1007/s00296-006-0175-7.
- Levi, S.G., Liran, T., Rinsky, B., Levinger, N., Elbaz, S., Carmi, S., Grunin, M & Chowers, I., 2021, ‘Anti-tumor necrosis factor alpha reduces the proangiogenic effects of activated macrophages derived from patients with age-related macular degeneration’, *Mol Vis*, vol. 27, pp. 622–631.
- PMCID: PMC8645186.
- Lin, C.M., Titchenell, P., Muthusamy, A., & Antonetti, D., 2013, ‘VEGF and TNF Interact to Induce Retinal Edema in an Atypical PKC Dependent Manner’, *Invest. Ophthalmol. Vis. Sci.*, vol. 54, no. 15, pp. 1130, <https://iovs.arvojournals.org/article.aspx?articleid=2145720>.
- Liu, Y., Hou, S., Lang, W., Dai, D., Wang, Z., Ji, X., Li, K., Zhang, X., Zou, Y., & Wang, J., 2014, ‘Roles of three common VEGF polymorphisms in the risk of age-related macular degeneration’, *Genetic Testing and Molecular Biomarkers*, vol. 18, no. 4, pp. 245–252, DOI:10.1089/gtmb.2013.0368.
- LoBue, S.A., Gindina, S., Saba, N.J., Chang, T., Davis, M.J. & Fish, S., 2023, ‘Clinical Features Associated with Acute Elevated Intraocular Pressure After Intravitreal Anti-VEGF Injections’, *Clinical Ophthalmology*, vol. 17, pp. 1683-1690, DOI: 10.2147/OPHTHS414212.
- Louis, E., Franchimont, D., Piron, A., Gevaert, Y., Schaaf-Lafontaine, N., & Roland, S., 1998, ‘Tumour necrosis factor (TNF) gene polymorphism influences TNF- $\alpha$  production in lipopolysaccharide (LPS)-stimulated whole blood cell culture in healthy humans’, *Clinical and Experimental Immunology*, vol. 113, no. 3, pp. 401–406, DOI:10.1046/j.1365-



2249.1998.00662.x.

- Lumbroso, B., Rispoli, M., Savastano, M., Jia, Y., Tan, O., & Huang, D., 2016, ‘Optical Coherence Tomography Angiography Study of Choroidal Neovascularization Early Response after Treatment’, *Dev Ophthalmol.*, vol. 56, pp. 77–85, DOI:10.1159/000442782.
- Maguire, M., 2016, ‘5-Year Outcomes with Anti-VEGF Treatment of Neovascular Age-related Macular Degeneration (AMD): The Comparison of AMD Treatments Trials’, *Ophthalmology*, vol. 123, no. 8, pp. 1751–1761, DOI:10.1016/j.ophtha.2016.03.045.
- Maier, J. A., Morelli, D., Ménard, S. & Balsari, A., 1996, ‘Tumor-necrosis-factor-induced fibroblast growth factor-1 acts as a survival factor in a transformed endothelial cell line’, *Am J Pathol*, vol. 149, no. 3, pp. 945–952, <https://pubmed.ncbi.nlm.nih.gov/8780398>.
- Majumder, P., Thou, K., Bhattacharya, M., Nair, V., Ghosh, S. & Dey, S.K., 2018, ‘Association of tumor necrosis factor- $\alpha$  (TNF- $\alpha$ ) gene promoter polymorphisms with aggressive and chronic periodontitis in the eastern Indian population’, *Biosci Rep*, vol. 38, no.4, DOI:10.1042%2FBSR20171212
- Malachkova, N. V., & Mohammad Mashhour, M. M., 2022, ‘Investigation of the effect of TNF- $\alpha$  on damage to retinal pigment epithelial cells in age-related macular degeneration’, *Reports of Morphology*, vol. 28, no. 1, pp. 34–41, DOI:10.31393/morphology-journal-2022-28(1)-05.
- Malachkova, N. V., & Osama Mohammad, M. A.-J., 2022, ‘Study of the effect of RS1800629 TNF polymorphism on the course of age-related macular degeneration through the prism of ANTI-VEGF therapy’, *Reports of Vinnytsia National Medical University*, vol. 26, no. 2, pp. 267–273, DOI:10.31393/reports-vnmedical-2022-26(2)-16.
- Maloney, J. P., & Gao, L., 2015, ‘Growth Factor Expression in Alveolar Epithelial Cells’, *Mediators of Inflammation*, pp. 7, <https://www.ncbi.nlm.nih.gov/pubmed/26424968%0Ahttps://www.hindawi.com/journals/mi/2015/387842/>.
- Markomichelakis, N. N., Theodossiadis, P. G., & Sfikakis, P. P., 2005, ‘Regression of neovascular age-related macular degeneration following infliximab therapy’, *American Journal of Ophthalmology*, vol. 139, no. 3, pp. 537–540, DOI:10.1016/j.ajo.2004.09.058.
- Martin, D. F., Maguire, M. G., Fine, S. L., Ying, G., Jaffe, G. J., Grunwald, J. E., Toth, C., Redford, M. & Ferris, F.L., 2012a, ‘Ranibizumab and Bevacizumab for Treatment of Neovascular Age-Related Macular Degeneration: 2-Year Results: Comparison of Age-related Macular Degeneration Treatments Trials (CATT) Research Group’, *Ophthalmology*, vol. 119, no. 7, pp. 1388–1398, DOI:10.1016/j.ophtha.2012.03.053.
- Menon, R., Thorsen, P., Vogel, I., Jacobsson, B., Williams, S.M. & Fortunato, S.J., 2007, ‘Increased Bioavailability of TNF- $\alpha$  in African Americans During



In Vitro Infection: Predisposing Evidence for Immune Imbalance', *Placenta*, vol. 28, no. 8, pp. 946-950, DOI:10.1016/j.placenta.2007.03.007.

Metrangolo, C., Donati, S., Mazzola, M., Fontanel, L., Messina, W., D'alterio, G., Rubino, M., Radice, P., Premi, E., & Azzolini, C., 2021, 'OCT Biomarkers in Neovascular Age-Related Macular Degeneration: A Narrative Review', *Journal of Ophthalmology*, pp.1–16, DOI:10.1155/2021/9994098.

Mirshahi, A., Hoehn, R., Lorenz, K., Kramann, C., & Baatz, H., 2012, 'Antitumor necrosis factor alpha for retinal diseases: Current knowledge and future concepts', *Journal of Ophthalmic and Vision Research*, vol. 7, no. 1, pp. 39–44.

Mitchell, P., Liew, G., Gopinath, B., & Wong, T. Y., 2018, 'Age-related macular degeneration', *The Lancet*, vol. 392, no. 10153, pp. 1147–1159, DOI:10.1016/S0140-6736(18)31550-2.

Mishra, N. & Arankalle, V.A., 2011, 'Association of polymorphisms in the promoter regions of TNF- $\alpha$  (-308) with susceptibility to hepatitis E virus and TNF- $\alpha$  (-1031) and IFN- $\gamma$  (+874) genes with clinical outcome of hepatitis E infection in India', *Journal of Hepatology*, vol. 55, no. 6, pp. 1227–1234, DOI:10.1016/j.jhep.2011.03.023.

Miyake, T., Sawada, O., Kakinoki, M., Sawada, T., Kawamura, H., Ogasawara, K. & Ohji, M., 2010, 'Pharmacokinetics of Bevacizumab and Its Effect on Vascular Endothelial Growth Factor after Intravitreal Injection of Bevacizumab in Macaque Eyes', *Investigative Ophthalmology & Visual Science*, vol. 51, no. 3, pp.1606. DOI:10.1167/iovs.09-4140.

Mockute, R., Vilkeviciute, A., Balciuniene, V.J., Zemaitiene, R., & Liutkeviciene, R., 2021, 'ABCA1 rs1883025 and CYP4F2 rs2108622 Gene Polymorphism Association with Age-Related Macular Degeneration and Anti-VEGF Treatment', *Medicina*, vol. 57, no. 9, pp. 974–974, DOI:10.3390/medicina57090974.

Mohammed, S.I., Jamal, M., Jasim, A.L. & Hussain, S.A., 2023, 'Factors Influencing Adalimumab Treatment Response in Patients with Rheumatoid Arthritis: The Future of Clinical Expertise', *Al-Rafidain J Med Sci*, vol. 5, pp. 192-204, DOI:10.54133/ajms.v5i.232.

Moraes, G., Dun Jack Fu, Wilson, M., Khalid, H., Wagner, S., Korot, E., Ferraz, D., Faes, L., Kelly, C., Spitz, T., Patel, P.J., Balaskas, K., Keenan, T.D.L., Keane, P.A. & Chopra, R., 2021, 'Quantitative Analysis of OCT for Neovascular Age-Related Macular Degeneration Using Deep Learning', *Ophthalmology*, vol. 128, no. 5, pp. 693–705, DOI:10.1016/j.ophtha.2020.09.025.

Nakano, Y., Kataoka, K., Takeuchi, J., Fujita, A., Kaneko, H., Shimizu, H., Ito, Y., & Terasaki, H., 2019, 'Vascular maturity of type 1 and type 2 choroidal neovascularization evaluated by optical coherence tomography angiography', *PloS one*, vol. 14, no. 4, pp. e0216304–e0216304, DOI:10.1371/journal.pone.0216304.



- Nawash, B., Ong, J., Driban, M., Hwang, J., Chen, J., Selvam, A., Mohan, S., & Chhablani, J., 2023, ‘Prognostic Optical Coherence Tomography Biomarkers in Neovascular Age-Related Macular Degeneration’, *Journal of Clinical Medicine*, vol. 12, no. 9, pp. 3049, DOI:10.3390/jcm12093049.
- Negoro, K., Kinouchi, Y., Hiwatashi, N., Takahashi, S., Takagi, S., Satoh, J., Shimosegawa, T. & Toyota, T., 1999, ‘Crohn's disease is associated with novel polymorphisms in the 5'-flanking region of the tumor necrosis factor gene’, *Gastroenterology*, vol. 117, no. 5, pp. 1062-8, DOI:10.1016/s0016-5085(99)70390-2.
- Nourian, M., Chaleshi, V., Pishkar, L., Azimzadeh, P., Baradaran Ghavami, S., Balaii, H., Alinaghi, S., Shahrokh, S., Asadzadeh Aghdaei, H. & Zali, M.R., 2017, ‘Evaluation of tumor necrosis factor (TNF)- $\alpha$  mRNA expression level and the rs1799964 polymorphism of the TNF- $\alpha$  gene in peripheral mononuclear cells of patients with inflammatory bowel diseases’, *Biomed Rep*, vol. 6, no. 6, pp. 698–702, DOI:10.3892/br.2017.908.
- Olson, N.C., Callas, P.W., Hanley, A.J., Festa, A., Haffner, S.M., Wagenknecht, L.E., & Tracy, R.P., 2012, ‘Circulating Levels of TNF- $\alpha$  Are Associated with Impaired Glucose Tolerance, Increased Insulin Resistance, and Ethnicity: The Insulin Resistance Atherosclerosis Study’, *J Clin Endocrinol Metab*, vol. 97, no. 3, pp. 1032–1040, DOI:10.1210%2Fjce.2011-2155.
- Opielak, G., Powrozek, T., Dziekanowska, A.S., Sobieszek, G., Rahnama-Hezavah, M & Małecka, T., 2021, ‘Effect of polymorphism rs1799964 in TNF- $\alpha$  gene on survival in depressive patients with chronic heart failure’, *European Review for Medical and Pharmacological Sciences*, vol. 25, pp. 6652-6659, DOI:10.26355/eurrev\_202111\_27109.
- Orchard, T.R., Chua, C.N., Ahmad, T., Cheng, H., Welsh, K.I. & Jewell, D.P., 2002, ‘Uveitis and erythema nodosum in inflammatory bowel disease: Clinical features and the role of HLA genes’, *Gastroenterology*, vol. 123, no. 3, pp. 714-718, DOI:10.1053/gast.2002.35396.
- Pandey, A. K., Singhi, E. K., Arroyo, J. P., Ikizler, T. A., Gould, E. R., Brown, J., Beckman, J. A., Harrison, D. G., & Moslehi, J., 2018, ‘Mechanisms of VEGF (vascular endothelial growth factor) inhibitor-associated hypertension and vascular disease’, *Hypertension*, vol. 71, no. 2, pp. E1–E8, DOI:10.1161/HYPERTENSIONAHA.117.10271.
- Papachristos, A., Karatza, E., Kalofonos, H., & Sivolapenko, G., 2020, ‘Pharmacogenetics in Model-Based Optimization of Bevacizumab Therapy for Metastatic Colorectal Cancer’, *International Journal of Molecular Sciences*, vol. 21, no. 11, pp. 3753, DOI:10.3390/ijms21113753.
- Park, D.H., Sun, H.J. & Lee, S.J., 2017, ‘A comparison of responses to intravitreal bevacizumab, ranibizumab, or aflibercept injections for neovascular age-related macular degeneration’, *Int Ophthalmol*, vol. 37, pp. 1205–1214, DOI:10.1007/s10792-016-0391-4
- Pierce, J. P., 2020, ‘Quitting Smoking by Age 35 Years—A Goal for Reducing



- Mortality', *JAMA Network Open*, vol. 5, no. 10, pp. e2231487, DOI:10.1001/jamanetworkopen.2022.31487.
- Pinto, E.S., Gutierrez, J.R., Alvarado, E.V., González, I.J., Haro, A.V., Valle, J.F., Salinas, H.E., Bourdon, L.M., & Valle, Y., 2016, 'Association of the -1031T>C polymorphism and soluble TNF- $\alpha$  levels with Acute Coronary Syndrome', *Cytokine*, vol. 78, pp. 37-43, DOI:10.1016/j.cyto.2015.11.014
- Plyukhova, A. A., Budzinskaya, M. V., Starostin, K. M., Rejdak, R., Bucolo, C., Reibaldi, M., & Toro, M. D., 2020, 'Comparative safety of bevacizumab, ranibizumab, and aflibercept for treatment of neovascular age-related macular degeneration (AMD): A systematic review and network meta-analysis of direct comparative studies', *Journal of Clinical Medicine*, vol. 9, no. 5, pp. 1–14. DOI:10.3390/jcm9051522.
- Powrozek, T., Mlak, R. & Brzozowska, A., 2018, 'Relationship between TNF- $\alpha$ -1031T/C gene polymorphism, plasma level of TNF- $\alpha$ , and risk of cachexia in head and neck cancer patients', *J Cancer Res Clin Oncol*, vol. 144, pp. 1423–1434. DOI:10.1007/s00432-018-2679-4.
- Putra, A., Hutagalung, A., Hasanil, I. H., Trisnadi, S., Djannah, D., Cahyono, E. B., & Intan, Y. S. N., 2018, 'Peran Induksi TNF- $\alpha$  Serial Doses dalam Peningkatan VEGF dan PDGF Mesenchymal Stem Cells', *Majalah Kedokteran Bandung*, vol. 50, no. 2, pp. 67–73. DOI:10.15395/mkb.v50n2.1278.
- Quintanilla, G.L., Rodríguez, A.L., Martínez, M.G., García, C.M., Maroñas, O., Sanjuan, V.M., Barcia, M.G., Ferro, I.Z., Aguiar, P., Espinar, F.J.O., & Ferreiro, A.F, 2019, 'Pharmacokinetics of Intravitreal Anti-VEGF Drugs in Age-Related Macular Degeneration', *Pharmaceutics*, vol. 11, no. 8, DOI: 10.3390/pharmaceutics11080365.
- Ramadhan, F., Yustiatini, I., Prakosa, A.d., Widjaja, S.S., Sasono, W.D., & Firmansjah, M., 2021, 'Association between central retinal thickness and visual outcome post intravitreal Ranibizumab injection loading doses in exudative age related macular degeneration', *IJR Retina*, vol. 4, no. 2, pp. 169 – 177, DOI:10.35479/ijrretina.2021.vol004.iss002.169.
- Rayess, N., Rahimy, E., Ying, G.S., Bagheri, N., Ho, A.C., Regillo, C.D., Vander, J.F., & Hsu, J., 2015, 'Baseline Choroidal Thickness as a Predictor for Response to Anti-Vascular Endothelial Growth Factor Therapy in Diabetic Macular Edema', *American Journal of Ophthalmology*, vol. 159, no. 1, pp. 85-91.e3, vol. 159, no. 1, pp. 85-91.e1-3. DOI:10.1016/j.ajo.2014.09.033.
- Romero-vazquez, S., Llorens, V., Soler-boronat, A., Figueras-roca, M., Adan, A., & Molins, B., 2021, 'Interlink between inflammation and oxidative stress in age-related macular degeneration: Role of complement factor H', *Biomedicines*, vol. 9, no. 7, DOI:10.3390/biomedicines9070763.
- Ruiz-Moreno, J. M., Arias, L., Abraldes, M. J., Montero, J., & Udaondo, P., 2021, 'Economic burden of age-related macular degeneration in routine clinical practice: the RAMDEBURS study', *International Ophthalmology*, vol. 41, no. 10, pp. 3427–3436, DOI:10.1007/s10792-021-01906-x.



- Ryuto, M., Ono, M., Izumi, H., Yoshida, S., Weich, H.A., Kohno, K. & Kuwano, M., 1996, ‘Induction of vascular endothelial growth factor by tumor necrosis factor alpha in human glioma cells: Possible roles of SP-1’, *J Biol Chem*, vol. 271, no. 45, pp. 28220-8, DOI:10.1074/jbc.271.45.28220.
- Sadi, R., Boivin, M., & Ma, T., 2009, ‘Mechanism of cytokine modulation of epithelial tight junction barrier’, *Frontiers in Bioscience*, vol. 14, pp. 2765–2778, DOI:10.2741/3413.
- Salimiaghdam, N., Riazi-Esfahani, M., Fukuhsara, P. S., Schneider, K., & Kenney, M. C., 2020, ‘Age-related Macular Degeneration (AMD): A Review on its Epidemiology and Risk Factors’, *The Open Ophthalmology Journal*, vol. 13, no. 1, pp. 90–99, DOI:10.2174/1874364101913010090.
- Schachat, A. P., Wilkinson, C., Hinton, D. R., Sadda, S. R., & Wiedemann, P., 2018, *Ryan’s Retina: Sixth Edition*, Elsevier Inc.
- Schouten, J. S. A. G., Heij, E. C., Webers, C. A. B., Lundqvist, I. J., & Hendrikse, F., 2009, ‘A systematic review on the effect of bevacizumab in exudative age-related macular degeneration’, *Graefe’s Archive for Clinical and Experimental Ophthalmology*, vol. 247, no. 1, pp. 1–11, DOI:10.1007/s00417-008-0952-y.
- Schroder, M.F., Risau, W., Hallman, R., & Bohlen, P., 1987, ‘Tumor necrosis factor type alpha, a potent inhibitor of endothelial cell growth in vitro, is angiogenic in vivo’, *Proc Natl Acad Sci USA*, vol. 84, no. 15, pp. 5277-81. DOI:10.1073%2Fpnas.84.15.5277.
- Sergejeva, O., Botov, R., Liutkevičiene, R., & Kriauciuniene, L., 2016, ‘Genetic factors associated with the development of age-related macular degeneration’, *Medicina (Lithuania)*, vol. 52, no. 2, pp. 79–88. DOI:10.1016/j.medici.2016.02.004.
- Sharma, D., Zachary, I., & Jia, H., 2023, ‘Mechanisms of Acquired Resistance to Anti-VEGF Therapy for Neovascular Eye Diseases’, *Investigative Ophthalmology & Visual Science*, vol. 64, no. 28, DOI:10.1167%2Fiovs.64.5.28.
- Shi, X., Semkova, I., Müther, P. S., Dell, S., Kociok, N., & Joussen, A. M., 2006, ‘Inhibition of TNF- $\alpha$  reduces laser-induced choroidal neovascularization’, *Experimental Eye Research*, vol. 83, no. 6, pp. 1325–1334. DOI:10.1016/j.exer.2006.07.007.
- Simader, C., Ritter, M., Bolz, M., Deák, G.G., Mayr-Sponer, U., Golbaz, I., Kundi, M., & Schmidt-Erfurth, U.M., 2014, ‘Morphologic parameters relevant for visual outcome during anti-angiogenic therapy of neovascular age-related macular degeneration’, *Ophthalmology*, vol. 121, no. 6, pp. 1237–1245, DOI:10.1016/j.ophtha.2013.12.029.
- Sizmaz, S., Kucukerdonmez, C., Kal, A., Pinarci, E. Y., Canan, H., & Yilmaz, G., 2014, ‘Retinal and choroidal thickness changes after single anti-vegf injection in neovascular age-related macular degeneration: Ranibizumab vs bevacizumab’, *European Journal of Ophthalmology*, vol. 24, no. 6, pp. 904–



910, DOI:10.5301/ejo.5000478.

- Spooner, K. L., Mhlanga, C. T., Hong, T. H., Broadhead, G. K., & Chang, A. A., 2018, ‘The burden of neovascular age-related macular degeneration: A patient’s perspective’, *Clinical Ophthalmology*, vol. 12, pp. 2483–2491, DOI:10.2147/OPTH.S185052.
- Soga, Y., Nishimura, F., Ohyama, H., Maeda, H., Takashiba, S. & Murayama, Y., 2003, ‘Tumor necrosis factor-alpha gene (TNF- $\alpha$ ) -1031/-863, -857 single-nucleotide polymorphisms (SNPs) are associated with severe adult periodontitis in Japanese’, *Journal of Clinical Periodontology*, vol. 30, no. 6, pp. 524-531. DOI:10.1034/j.1600-051x.2003.00287.x.
- Shu, D.Y., Frank, S.I., Fitvh, T.C., Karg, M.M., Butcher, E.R., Emmanuella Nnuji-John, Kim, L.A. & Saint-Geniez, M., 2022, ‘Dimethyl Fumarate Blocks Tumor Necrosis Factor-Alpha-Driven Inflammation and Metabolic Rewiring in the Retinal Pigment Epithelium’, *Front Mol Neurosci*, vol. 15, pp. 896786. DOI:10.3389/fnmol.2022.896786.
- Subramanian, M.L., Abedi, G., Ness, S., Ahmed, E., Fenberg, M., Daly, M.K., Houranieh, A. & Feinberg, E.B., 2010, ‘Bevacizumab vs ranibizumab for age-related macular degeneration: 1-year outcomes of a prospective, double-masked randomised clinical trial’, *Eye*, vol. 24, no. 11, pp.1708–1715, DOI:10.1038/eye.2010.147.
- Tahan, R.R., Ghonenim, A.M., & Mashad, N.E., 2016, ‘TNF- $\alpha$  gene polymorphisms and expression’, *SpringerPlus*, vol. 5, pp. 1508. DOI:10.1186%2Fs40064-016-3197-y.
- Tan, W., Zou, J., Yoshida, S., Jiang, B., & Zhou, Y., 2020, ‘The role of inflammation in age-related macular degeneration’, *International Journal of Biological Sciences*. 16(15): 2989–3001. DOI:10.7150/ijbs.49890.
- Terasaki, H., Kase, S., Shirasawa, M., Otsuka, H., Hisatomi, T., Sonoda, S., Ishida, S., Ishibashi, T. & Sakamoto, T., 2013, ‘TNF- $\alpha$  Decreases VEGF Secretion in Highly Polarized RPE Cells but Increases It in Non-Polarized RPE Cells Related to Crosstalk between JNK and NF- $\kappa$ B Pathways’, *Plos One*, vol. 8, no. 7, pp. e69994, DOI:10.1371/journal.pone.0069994.
- Tong, Q., Zhao, D.B., Bajracharya, P., Xu, X., Kong, R.-N., Zhang, J., Dai, S.M. & Cai, Q., 2012, ‘TNF- $\alpha$  -857 and -1031 polymorphisms predict good therapeutic response to TNF- $\alpha$  blockers in Chinese Han patients with ankylosing spondylitis’, *Pharmacogenomics*, vol. 13, no. 13, pp. 1459-1467, DOI:10.2217/pgs.12.133.
- Touhami, S., Beguier, F., Augustin, S., Charles-Messance, H., Vignaud, L., Nandrot, E.F., Reichman, S., Forster, V., Mathis, T., Sahel, J.A., Bodaghi, B., Guillonneau, X. & Sennlaub, F., 2018, ‘Chronic exposure to tumor necrosis factor alpha induces retinal pigment epithelium cell dedifferentiation’, *Journal of Neuroinflammation*, vol. 15, no. 85, pp. 1-11. DOI:10.1186/s12974-018-1106-8.



- Tsai, C.Y., Wu, C.L., Cheng, C.K., Shen, Y.D., Wu, W.C., Wu, P.C., Tsai, A., & Chen, J.T., 2023, ‘Baseline characteristics and treatment response predictive of nAMD outcomes with ranibizumab therapy in treatment-naïve patients: the RACER subgroup analysis’, *BMC ophthalmology*, vol. 23, no. 39, DOI:10.1186/s12886-023-02780-0.
- Veloso, C.E., 1, Almeida, L. N. F., Recchia, F. M. Pelayes, D., & Nehemy, M.B., 2013, ‘VEGF Gene Polymorphism and Response to Intravitreal Ranibizumab in Neovascular Age-Related Macular Degeneration’, *Ophthalmic research*, vol. 51, no. 1, pp. 1–8, DOI:10.1159/000354328.
- Wada, I., Oshima, Y., Satomi Shiose, Kano, K., Nakao, S., Yoshihiro Kaizu, Yoshida, S., Ishibashi, T. & Sonoda, K.H., 2019, ‘Five-year treatment outcomes following intravitreal ranibizumab injections for neovascular age-related macular degeneration in Japanese patients’, *Graefe’s archive for clinical and experimental ophthalmology*, vol. 257, no. 7, pp.1411–1418, DOI:10.1007/s00417-019-04361-8.
- Wan, L., Lin, H.J., Tsai, Y., Lee, C.C., Tsai, C.H. & Tsai, F.J., 2010, ‘Tumor necrosis factor- $\alpha$  gene polymorphisms in age-related macular degeneration’, *Retina*, vol. 30, no. 10, pp. 1595-600, DOI:10.1097/iae.0b013e3181dc58a6.
- Wang, H., Fotheringham, L., Wittchen, E.S., & Hartnett, M.E., 2015, ‘Rap1 GTPase Inhibits Tumor Necrosis Factor-aeInduced Choroidal Endothelial Migration via NADPH Oxidasee and NF-kB Dependent Activation of Rac1’, *Am J Pathol*, vol. 185, no. 12, pp. 3316-3325, DOI:10.1016/j.ajpath.2015.08.017.
- Wang, H., & Hartnett, E., 2016, ‘Regulation of signaling events involved in the pathophysiology of neovascular AMD’, *Molecular Vision*, vol. 22, pp. 189-202. <http://www.ncbi.nlm.nih.gov/pmc/articles/pmc4789180/>.
- Wang, H., Han, X., Wittchen, E. S., & Hartnett, M. E., 2016, ‘TNF- $\alpha$  mediates choroidal neovascularization by upregulating VEGF expression in RPE through ROS-dependent  $\beta$ -catenin activation’, *Molecular Vision*, vol. 22, pp. 116–128.
- Wang, X., & Ohji, M., 2013, ‘Vascular endothelial growth factor and its inhibitor in age-related macular degeneration’, *Taiwan Journal of Ophthalmology*, vol. 3, no. 4, pp. 128–133, DOI:10.1016/j.tjo.2013.09.002.
- Wang, Y., Wang, V. M., & Chan, C. C., 2011, ‘The role of anti-inflammatory agents in age-related macular degeneration (AMD) treatment’, *Eye*, vol. 25, no. 2, pp. 127–139, DOI:10.1038/eye.2010.196.
- Wang, Z., Zou, M., Chen, A., Liu, Z., Young, C. A., Wang, S., Zheng, D. & Jin, G., 2022, ‘Genetic associations of anti-vascular endothelial growth factor therapy response in age-related macular degeneration: a systematic review and meta-analysis’, *Acta Ophthalmologica*, vol. 100, no. 3, pp. e669–e680, DOI:10.1111/aos.14970.
- Weigelt, C.M., Zippel, N., Fuchs, H., Rimpelä, A.K., Schönberger, T., Stierstorfer, B., Bakker, R.A. & Redemann, N.H., 2022, ‘Characterization



and Validation of In Vitro and In Vivo Models to Investigate TNF- $\alpha$ -Induced Inflammation in Retinal Diseases', *Transl Vis Sci Technol*, vol. 11, no. 5, pp. 18, DOI:10.1167/tvst.11.5.18.

Whitmore, H.A., Amarnani, D., O'Hare, M., Delgado, T.S., Gonzalez, B.L., An, M., Pedron, J., Bushweller, J.H., Arboleda, V.J.F. & Kim, L.A., 2021, 'TNF- $\alpha$  signaling regulates RUNX1 function in endothelial cells. *FASEB J*, vol. 35, no. 2, pp. e21155, DOI:10.1096/fj.202001668r

Wickremasinghe, S.S., Xie, J., Lim, J., Chauhan, D.S., Robman, L., Richardson, A.J., Hageman, G., Baird, P.N., & Guymer, R., 2011, 'Variants in the APOE Gene Are Associated with Improved Outcome after Anti-VEGF Treatment for Neovascular AMD', *Investigative Ophthalmology & Visual Science*, vol. 52, no. 7, pp. 4072-4079, DOI:10.1167/iovs.10-6550.

Wong, W. L., Su, X., Li, X., Cheung, C. M. G., Klein, R., Cheng, C. Y., & Wong, T.Y., 2014, 'Global prevalence of age-related macular degeneration and disease burden projection for 2020 and 2040: A systematic review and meta-analysis', *The Lancet Global Health*, vol. 2, no. 2, pp. e106–e116. DOI:10.1016/S2214-109X(13)70145-1.

Wu, M., Xiong, H., Xu, Y., Xiong, X., Zou, H., Zheng, M., Wang, X. & Zhou, X., 2017, 'Association between VEGF-A and VEGFR-2 polymorphisms and response to treatment of neovascular AMD with anti-VEGF agents: A meta-analysis', *British Journal of Ophthalmology*, vol. 101, no. 7, pp. 976–984. DOI:10.1136/bjophthalmol-2016-309418.

Xing, B., Li, X.K., Zhang, S.F., Lu, Q.B., Du, J., Zhang, P.H., Yang, Z.D., Cui, N., Guo, C.T., Cao, W.C., Zhang, X.A. & Liu, W., 2018, 'Polymorphisms and haplotypes in the promoter of the TNF- $\alpha$  gene are associated with disease severity of severe fever with thrombocytopenia syndrome in Chinese Han population', *PLoS Negl Trop Dis*, vol. 12, no. 6, pp. e0006547, DOI:10.1371/journal.pntd.0006547.

Yang, S., Zhao, J., & Sun, X., 2016, 'Resistance to anti-VEGF therapy in neovascular age-related macular degeneration: A comprehensive review', *Drug Design, Development and Therapy*, vol. 10, pp. 1857–1867, DOI:10.2147/DDDT.S97653.

Yi, K.X., Wahab, A.A., Abas, M.N., Wahid, S.A.K.A., Othman, F.H. & Said, M.S.M., 2019, 'Correlation between carotid intima-media thickness and serum TNF-alpha levels in female with rheumatoid arthritis of different ethnicities: A single-centre experience in Malaysia', *Makara J health Res*, vol. 23, no. 3, 176-180, DOI:10.7454/msk.v23i3.1145.

Zehetner, C., Kirchmair, R., Neururer, S.B., Krälinger, M.T., Bechrakis, N.E. & Kieselbach, G.F., 2014, 'Systemic upregulation of PDGF-B in patients with neovascular AMD', *Invest Ophthalmol Vis Sci*, vol. 55, no. 1, pp. 337-44, DOI:10.1167/iovs.13-12978.

Zhang, Q., Chen, C.L., Chu, Z., Zheng, F., Miller, A., Roisman, L., Rafael de Oliveira Dias, J., Yehoshua, Z., Schaal, K.B., Feuer, W., Gregori, G., Kubach, S., An, L., Stetson, P.F., Durbin, M.K., Rosenfeld, P.J. & Wang,



UNIVERSITAS  
GADJAH MADA

Pengaruh Polimorfisme Gen TNF-Alfa -1031 T>C (rs1799964) terhadap Perubahan Ketebalan Makula  
Sentral  
**Pasca Terapi Injeksi Anti-VEGF Bevacizumab Intravitreal pada Pasien dengan AMD Neovaskular**  
PUTRI CLAUDYA OCTAVIANI, dr. Supanji, M.Kes., Ph.D., Sp.M(K); dr. Angela Nurini Agni, M.Kes., Sp.M(K)

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

R.K., 2017, 'Automated Quantitation of Choroidal Neovascularization: A Comparison Study Between Spectral-Domain and Swept-Source OCT Angiograms', *Investigative Ophthalmology & Visual Science*, vol. 58, no. 3, pp. 1506-1513, DOI:10.1167/iovs.16-20977.

Zhu, Q., Ziemssen, F., Henke-Fahle, S., Tatar, O., Szurman, P., Aisenbrey, S., Schneiderhan-Marra, N., Xu, X. & Grisanti, S., 2008, 'Vitreous Levels of Bevacizumab and Vascular Endothelial Growth Factor-A in Patients with Choroidal Neovascularization', *Ophthalmology*, vol. 115, no. 10, pp.1750-1755.e1, DOI:10.1016/j.ophtha.2008.04.023.

Zou, L., Lai, H., Zhou, Q., & Xiao, F., 2012, 'Lasting Controversy on Ranibizumab and Bevacizumab', *Theranostics*, vol. 1, pp. 395–402. DOI:10.7150/thno/v01p0395.