

DAFTAR PUSTAKA

- Agur, A.M.R., Dalley, A.F., 2018. Moore's essential clinical anatomy, Moore's Essential Clinical Anatomy.
- Arfian, N., Ats-tsani, H.K., Sayekti, P.I., Lakabela, D.A., Amelia, ., Febriyanto, T., Antonio, H.R.P., Wibisono, D.P., Sari, D.C.R., 2018. Prolonged Kidney Ischemia-Reperfusion Injury Associates with Inflammation, Vascular Remodelling, and Myofibroblast Formation. *J. thee Med. Sci. (Berkala Ilmu Kedokteran)* 50: 1–14. doi:10.19106/jmedsci005001201801
- Barret, Kim., *et al* 2010, Ganongs's Review of Medical Physiology, 23th edn. McGraw-Hill.
- Basile, D.P., Anderson, M.D., Sutton, T.A., 2012. Pathophysiology of acute kidney injury. *Compr. Physiol.* 2: 1303–1353. doi:10.1002/cphy.c110041
- Birtwistle, L., Chen, X.M., Pollock, C., 2021. Mesenchymal stem cell-derived extracellular vesicles to the rescue of renal injury. *Int. J. Mol. Sci.* 22. doi:10.3390/ijms22126596
- Bochon, B., Kozubska, M., Surygała, G., Witkowska, A., Ku, R., n.d. Mesenchymal Stem Cells — Potential Applications in Kidney Diseases.
- Bonventre, J. V, Zuk, A., n.d. Ischemic acute renal failure: An inflammatory disease? *Forefronts Nephrol.*
- Braga, T.T., Agudelo, J.S.H., Camara, N.O.S., 2015. Macrophages during the fibrotic process: M2 as friend and foe. *Front. Immunol.* 6: 1–8. doi:10.3389/fimmu.2015.00602
- Bu, T., Li, Z., Hou, Y., Sun, W., Zhang, R., Zhao, L., Wei, M., Yang, G., Yuan, L., 2021. Exosome-mediated delivery of inflammation-responsive Il-10 mRNA for controlled atherosclerosis treatment. *Theranostics* 11: 9988–10000. doi:10.7150/THNO.64229
- Cai, Guofeng, Cai, Guoliang, Zhou, H., Zhuang, Z., Liu, K., Pei, S., Wang, Y., Wang, H., Wang, Xin, Xu, S., Cui, C., Sun, M., Guo, S., Jia, K., Wang, Xiuzhen, Zhang, D., 2021. CL 1–12.
- Cao, Q., Harris, D.C.H., Wang, Y., 2015. Macrophages in kidney injury, inflammation, and fibrosis. *Physiology* 30: 183–194. doi:10.1152/physiol.00046.2014
- Chen, C.B., Liu, L.S., Zhou, J., Wang, X.P., Han, M., Jiao, X.Y., He, X.S., Yuan, X.P., 2017. Up-regulation of HMGB1 exacerbates renal ischemia-reperfusion injury by stimulating inflammatory and immune responses through the TLR4 signaling pathway in mice. *Cell. Physiol. Biochem.* 41: 2447–2460. doi:10.1159/000475914
- Chen, H., Wang, L., Zeng, X., Schwarz, H., Nanda, H.S., Peng, X., Zhou, Y., 2021. Exosomes, a New Star for Targeted Delivery. *Front. Cell Dev. Biol.* 9. doi:10.3389/fcell.2021.751079
- Chen, Q., Guan, X., Zuo, X., Wang, J., Yin, W., 2016. The role of high mobility group box 1 (HMGB1) in the pathogenesis of kidney diseases. *Acta Pharm. Sin. B* 6: 183–188. doi:10.1016/j.apsb.2016.02.004
- Chistiakov, D.A., Killingsworth, M.C., Myasoedova, V.A., Orekhov, A.N., Bobryshev, Y. V., 2017. CD68/macrosialin: Not just a histochemical marker.

- Lab. Investig.* 97: 4–13. doi:10.1038/labinvest.2016.116
- Cho, S., Ying, F., Sweeney, G., 2023. Sterile inflammation and the NLRP3 inflammasome in cardiometabolic disease. *Biomed. J.* 46: 100624. doi:10.1016/j.bj.2023.100624
- Cockwell, P., Fisher, L.A., 2020. The global burden of chronic kidney disease. *Lancet* 395: 662–664. doi:10.1016/S0140-6736(19)32977-0
- Cui, H., Li, Hong, Zhang, M., Li, Hongping, Wang, X., Wang, Z., Zhai, W., Chen, X., Cheng, H., Xu, J., Zhao, X., Ding, Z., 2022. Molecular Characterization, Expression, Evolutionary Selection, and Biological Activity Analysis of CD68 Gene from *Megalobrama amblycephala*. *Int. J. Mol. Sci.* 23: 1–18. doi:10.3390/ijms232113133
- Curgali, K., Toth, S., Joncovova, Z., Mareta, M., Kalpakidis, T., Petriskova, I., Kusnier, M., Soltés, J., Svana, M., Caprnda, M., Delev, D., Rodrigo, L., Mechirova, E., Kruzliak, P., 2018. Quercetin protects jejunal mucosa from experimental intestinal ischemia reperfusion injury by activation of CD68 positive cells. *Acta Histochem.* 120: 28–32. doi:10.1016/J.ACTHIS.2017.11.001
- Dagher, P., Hato, T., Mang, H., ... Z.P.-I.J. of, 2016, undefined, n.d. Inhibition of toll-like receptor 4 signaling mitigates microvascular loss but not fibrosis in a model of ischemic acute kidney injury. *mdpi.com* PC Dagher, T Hato, HE Mang, Z Plotkin, QV Richardson, M Massad, E Mai, SE Kuehl *International J. Mol. Sci.* 2016•*mdpi.com*.
- Dominici, M., Le Blanc, K., Mueller, I., Slaper-Cortenbach, I., Marini, F.C., Krause, D.S., Deans, R.J., Keating, A., Prockop, D.J., Horwitz, E.M., 2006. Minimal criteria for defining multipotent mesenchymal stromal cells. The International Society for Cellular Therapy position statement. *Cytotherapy* 8: 315–317. doi:10.1080/14653240600855905
- Dong, Y., Zhang, Q., Wen, J., Chen, T., He, L., Wang, Y., Yin, J., Wu, R., Xue, R., Li, S., Fan, Y., Wang, N., 2019. Ischemic duration and frequency determines AKI-to-CKD progression monitored by dynamic changes of tubular biomarkers in IRI mice. *Front. Physiol.* 10: 1–15. doi:10.3389/fphys.2019.00153
- Eddy, A.A., 2014. Overview of the cellular and molecular basis of kidney fibrosis. *Kidney Int. Suppl.* 4: 2–8. doi:10.1038/kisup.2014.2
- Engel, J.E., Chade, A.R., 2019. Macrophage polarization in chronic kidney disease: A balancing act between renal recovery and decline? *Am. J. Physiol. - Ren. Physiol.* 317: F1409–F1413. doi:10.1152/ajprenal.00380.2019
- Farhadnejad, H., Teymoori, F., Jahromi, M.K., Mokhtari, E., Asghari, G., Mirmiran, P., Azizi, F., 2023. High dietary and lifestyle inflammatory scores are associated with increased risk of chronic kidney disease in Iranian adults. *Nutr. J.* 22: 1–12. doi:10.1186/s12937-023-00835-y
- Feldman, N., Rotter-Maskowitz, A., Okun, E., 2015. DAMPs as mediators of sterile inflammation in aging-related pathologies. *Ageing Res. Rev.* 24: 29–39. doi:10.1016/j.arr.2015.01.003
- Gan, Z.S., Wang, Q.Q., Li, J.H., Wang, X.L., Wang, Y.Z., Du, H.H., 2017. Iron reduces M1 macrophage polarization in RAW264.7 macrophages associated

- with inhibition of STAT1. *Mediators Inflamm.* 2017. doi:10.1155/2017/8570818
- Ghorbani, F., Movassaghpour, A.A., Talebi, M., Yousefi, M., Abbaszadeh, H., 2022. Renoprotective effects of extracellular vesicles: A systematic review. *Gene Reports* 26: 101491. doi:10.1016/j.genrep.2021.101491
- Ginhoux, F., Jung, S., 2014. Monocytes and macrophages: Developmental pathways and tissue homeostasis. *Nat. Rev. Immunol.* 14: 392–404. doi:10.1038/nri3671
- Guo, S., Zhang, F., Chen, Ying, Chen, Yuetao, Shushakova, N., Yao, Y., Zeng, R., Li, J., Lu, X., Chen, R., Haller, H., Gueler, F., Xu, G., Rong, S., 2020. Pre-ischemic renal lavage protects against renal ischemia-reperfusion injury by attenuation of local and systemic inflammatory responses. *FASEB J.* 34: 16307–16318. doi:10.1096/fj.201902943R
- Gyurászová, M., Gurecká, R., Bábíčková, J., Tóthová, L., 2020. Oxidative Stress in the Pathophysiology of Kidney Disease: Implications for Noninvasive Monitoring and Identification of Biomarkers. *Oxid. Med. Cell. Longev.* 2020. doi:10.1155/2020/5478708
- hall john, hall michael, 2020. text book of medical physiology, 14 th edit. ed. Elsevier Health Science.
- Haller, H., 2016. Monocyte chemoattractant protein-1 and the kidney. *Curr. Opin. Nephrol. Hypertens.* 25(1):p: 42–49.
- Han, B.H., Lee, H.K., Jang, S.H., Tai, A.L., Jang, Y.J., Yoon, J.J., Kim, H.Y., Lee, H.S., Lee, Y.J., Kang, D.G., 2021. Effect of geungwe-sinkihwan on renal dysfunction in ischemia/reperfusion-induced acute renal failure mice. *Nutrients* 13: 1–12. doi:10.3390/nu13113859
- Han, J., Zhang, Y., Ge, P., Dakal, T.C., Wen, H., Tang, S., Luo, Y., Yang, Q., Hua, B., Zhang, G., Chen, H., Xu, C., 2023. Exosome-derived CIRP: An amplifier of inflammatory diseases. *Front. Immunol.* 14: 1–12. doi:10.3389/fimmu.2023.1066721
- Hou, H., Horikawa, M., Narita, Y., Jono, H., Kakizoe, Y., Izumi, Y., Kuwabara, T., Mukoyama, M., Saito, H., 2023. Suppression of Indoxyl Sulfate Accumulation Reduces Renal Fibrosis in Sulfotransferase 1a1-Deficient Mice. *Int. J. Mol. Sci.* 24. doi:10.3390/ijms241411329
- Hutchins, A.P., Diez, D., Miranda-Saavedra, D., 2013. The IL-10/STAT3-mediated anti-inflammatory response: Recent developments and future challenges. *Brief. Funct. Genomics* 12: 489–498. doi:10.1093/bfgp/elt028
- J.Gerad, T., 2016. Principles of Anatomy and Physiology.
- Jameson, J, L.J.L., 2013. Harrison’s nephrology and acid-base disorders. McGraw-Hill Medical 2nd ed.
- Jiang, Z., Zhang, J., 2021. Mesenchymal stem cell-derived exosomes containing miR-145-5p reduce inflammation in spinal cord injury by regulating the TLR4/NF-κB signaling pathway. *Cell Cycle* 20: 993–1009. doi:10.1080/15384101.2021.1919825
- Kadatane, S.P., Satariano, M., Massey, M., Mongan, K., Raina, R., 2023. The Role of Inflammation in CKD. *Cells* 12: 1–20. doi:10.3390/cells12121581
- Kausar, S., Yang, L., Abbas, M.N., Hu, X., Zhao, Y., Zhu, Y., Cui, H., 2020.

- Mitochondrial DNA: A key regulator of anti-microbial innate immunity. *Genes (Basel)*. 11. doi:10.3390/genes11010086
- Kezić, A., Stajic, N., Thaïss, F., 2017. Innate immune response in kidney ischemia/reperfusion injury: Potential target for therapy. *J. Immunol. Res.* 2017. doi:10.1155/2017/6305439
- Kim, M.G., Kim, S.C., Ko, Y.S., Lee, H.Y., Jo, S.K., Cho, W., 2015. The role of M2 macrophages in the progression of chronic kidney disease following acute kidney injury. *PLoS One* 10: 1–17. doi:10.1371/journal.pone.0143961
- Kumble, G.P., شريفى, م, สุรัตน์ จงดา, Thuemmler, C., Bai, C., Appelo, J., Tapscott, D., Williams, A.D., Cook, N., Me, G., Epidemic, T.N., นพพงษ์ บุญจิตราดุลย์, Dean, *Acta Univ. Agric. Silvic. Mendelianae Brun.* 53: 1689–1699.
- Lan, T., Dun, R., Yao, D., Wu, F., Qian, Y., Zhou, Y., Zhan, T., Shao, M., Gao, J., Wang, C., 2023. Effects of resveratrol on renal ischemia-reperfusion injury: A systematic review and meta-analysis. *Front. Nutr.* 9. doi:10.3389/fnut.2022.1064507
- Lauralee Sherwood, 2012. Fundamentals of human physiology. Brooks/Cole, Cengage Learning 4th ed.
- Lee, H., Fessler, M.B., Qu, P., Heymann, J., Kopp, J.B., 2020. Macrophage polarization in innate immune responses contributing to pathogenesis of chronic kidney disease. *BMC Nephrol.* 21: 1–13. doi:10.1186/s12882-020-01921-7
- Li, J.R., Ou, Y.C., Wu, C.C., Wang, J. Der, Lin, S.Y., Wang, Y.Y., Chen, W.Y., Chen, C.J., 2019. Ischemic preconditioning improved renal ischemia/reperfusion injury and hyperglycemia. *IUBMB Life* 71: 321–329. doi:10.1002/iub.1972
- Li, L., Wang, R., Jia, Y., Rong, R., Xu, M., Zhu, T., 2019. Exosomes Derived From Mesenchymal Stem Cells Ameliorate Renal Ischemic-Reperfusion Injury Through Inhibiting Inflammation and Cell Apoptosis. *Front. Med.* 6: 1–8. doi:10.3389/fmed.2019.00269
- Li, T., Xia, M., Gao, Y., Chen, Y., Xu, Y., 2015. Human umbilical cord mesenchymal stem cells: an overview of their potential in cell-based therapy. *Expert Opin. Biol. Ther.* 15: 1293–1306. doi:10.1517/14712598.2015.1051528
- Liang, L., Wang, L., Zhou, S., Li, J., Meng, L., Zhang, H., Cui, C., Zhang, C., 2020. Exosomes derived from human umbilical cord mesenchymal stem cells repair injured endometrial epithelial cells. *J. Assist. Reprod. Genet.* 37: 395–403. doi:10.1007/s10815-019-01687-4
- Liu, H., Shen, Y., 2023. Renal Ischemia-reperfusion Injury Attenuated by Exosomes Extracted from Splenic Ischemic Preconditioning Models. *Transplantation* 107: E90–E97. doi:10.1097/TP.0000000000004514
- Ma, T., Li, X., Zhu, Y., Yu, S., Liu, T., Zhang, X., Chen, D., Du, S., Chen, T., Chen, S., Xu, Y., Fan, Q., 2022. Excessive Activation of Notch Signaling in Macrophages Promote Kidney Inflammation, Fibrosis, and Necroptosis. *Front. Immunol.* 13: 1–17. doi:10.3389/fimmu.2022.835879
- Malek, M., Nematbakhsh, M., 2015. Renal ischemia/reperfusion injury; from pathophysiology to treatment. *J. Ren. Inj. Prev.* 4: 20–7.

doi:10.12861/jrip.2015.06

- Mao, L., Wu, D.H., Hu, G.H., Fan, J.H., 2023. TLR4 Enhances Cerebral Ischemia/Reperfusion Injury via Regulating NLRP3 Inflammasome and Autophagy. *Mediators Inflamm.* 2023. doi:10.1155/2023/9335166
- Marote, A., Teixeira, F.G., Mendes-Pinheiro, B., Salgado, A.J., 2016. MSCs-Derived Exosomes: Cell-Secreted Nanovesicles with Regenerative Potential. *Front. Pharmacol.* 7. doi:10.3389/FPHAR.2016.00231
- Mathivanan, S., Fahner, C.J., Reid, G.E., Simpson, R.J., 2012. ExoCarta 2012: Database of exosomal proteins, RNA and lipids. *Nucleic Acids Res.* 40: 1241–1244. doi:10.1093/nar/gkr828
- Meng, X., Wei, M., Wang, D., Qu, X., Zhang, K., Zhang, N., Li, X., 2020. The protective effect of hesperidin against renal ischemia-reperfusion injury involves the TLR-4/NF- κ B/iNOS pathway in rats. *Physiol. Int.* 107: 82–91. doi:10.1556/2060.2020.00003
- Mussbacher, M., Salzmann, M., Brostjan, C., Hoesel, B., Schoergenhofer, C., Datler, H., Hohensinner, P., Basílio, J., Petzelbauer, P., Assinger, A., Schmid, J.A., 2019. Cell type specific roles of nf-kb linking inflammation and thrombosis. *Front. Immunol.* 10: 1–31. doi:10.3389/fimmu.2019.00085
- Nagaishi, K., Mizue, Y., Chikenji, T., Otani, M., Nakano, M., Konari, N., Fujimiya, M., 2016. Mesenchymal stem cell therapy ameliorates diabetic nephropathy via the paracrine effect of renal trophic factors including exosomes. *Sci. Rep.* 6: 1–16. doi:10.1038/srep34842
- Nieuwenhuijs-Moeke, G.J., Pischke, S.E., Berger, S.P., Sanders, J.S.F., Pol, R.A., Struys, M.M.R.F., Ploeg, R.J., Leuvenink, H.G.D., 2020. Ischemia and reperfusion injury in kidney transplantation: Relevant mechanisms in injury and repair. *J. Clin. Med.* 9. doi:10.3390/jcm9010253
- O'Neill, L.A.J., Bowie, A.G., 2007. The family of five: TIR-domain-containing adaptors in Toll-like receptor signalling. *Nat. Rev. Immunol.* 7: 353–364. doi:10.1038/nri2079
- Okusa, M.D., Chertow, G.M., Portilla, D., 2009. The nexus of acute kidney injury, chronic kidney disease, and world kidney day 2009. *Clin. J. Am. Soc. Nephrol.* 4: 520–522. doi:10.2215/CJN.06711208
- Ota, K.I., 2008. Fuel Cells: Past, Present and Future. *IEEJ Trans. Fundam. Mater.* 128: 329–332. doi:10.1541/ieejfms.128.329
- Pasten, C., Alvarado, C., Rocco, J., Contreras, L., Aracena, P., Liberona, J., Suazo, C., Michea, L., Irrarázabal, C.E., 2019. L-NIL prevents the ischemia and reperfusion injury involving TLR-4, GST, clusterin, and NFAT-5 in mice. *Am. J. Physiol. - Ren. Physiol.* 316: F624–F634. doi:10.1152/ajprenal.00398.2018
- Ricardo, S.D., Goor, H. Van, Eddy, A.A., Ricardo, S.D., Goor, H. Van, Eddy, A.A., 2008. Macrophage diversity in renal injury and repair Science in medicine Macrophage diversity in renal injury and repair. *J. Clin. Invest.* 118: 3522–3530. doi:10.1172/JCI36150.3522
- Romanov, Y.A., Svintsitskaya, V.A., Smirnov, V.N., 2003. Searching for Alternative Sources of Postnatal Human Mesenchymal Stem Cells: Candidate MSC-Like Cells from Umbilical Cord. *Stem Cells* 21: 105–110. doi:10.1634/stemcells.21-1-105

- Sanchez-Nio, M.D., Benito-Martin, A., Goncalves, S., Sanz, A.B., Ucerro, A.C., Izquierdo, M.C., Ramos, A.M., Berzal, S., Selgas, R., Ruiz-Ortega, M., Egido, J., Ortiz, A., 2010. TNF superfamily: A growing saga of kidney injury modulators. *Mediators Inflamm.* 2010. doi:10.1155/2010/182958
- Sari, D.C.R., Putri, M.W., Leksono, T.P., Chairunnisa, N., Reynaldi, G.N., Simanjuntak, B.C., Debora, J., Yunus, J., Arfian, N., 2019. Calcitriol ameliorates kidney injury through reducing podocytopathy, tubular injury, inflammation and fibrosis in 5/6 subtotal nephrectomy model in rats. *Kobe J. Med. Sci.* 65: E153–E163.
- Shang, Y., Guan, H., Zhou, F., 2021. Biological Characteristics of Umbilical Cord Mesenchymal Stem Cells and Its Therapeutic Potential for Hematological Disorders. *Front. Cell Dev. Biol.* 9: 1–11. doi:10.3389/fcell.2021.570179
- Shen, B., Liu, J., Zhang, F., Wang, Y., Qin, Y., Zhou, Z., Qiu, J., Fan, Y., 2016. CCR2 Positive Exosome Released by Mesenchymal Stem Cells Suppresses Macrophage Functions and Alleviates Ischemia/Reperfusion-Induced Renal Injury. *Stem Cells Int.* 2016. doi:10.1155/2016/1240301
- Simeone, P., Celia, C., Bologna, G., Ercolino, E., Pierdomenico, L., Cilurzo, F., Grande, R., Diomede, F., Vespa, S., Canonico, B., Guescini, M., Stocchi, V., Lotti, L.V., Guagnano, M.T., Stellin, L., Papa, S., Trubiani, O., Marchisio, M., Miscia, S., Lanuti, P., 2020. Diameters and fluorescence calibration for extracellular vesicle analyses by flow cytometry. *Int. J. Mol. Sci.* 21: 1–15. doi:10.3390/ijms21217885
- Sowah, S.O., Amaama, L.A., Okyere, P., Adoba, P., Afrifa, J., Donkor, I., Ametepe, S., Ephraim, R.K., 2023. Dilemma of Chronic Kidney Disease of Unknown Origin. *Integr. Heal. Res. J.* 1: 54–63. doi:10.47963/ihrj.v1i2.1374
- Squillaro, T., Peluso, G., Galderisi, U., 2016. Clinical trials with mesenchymal stem cells: An update. *Cell Transplant.* 25: 829–848. doi:10.3727/096368915X689622/ASSET/IMAGES/LARGE/10.3727_096368915X689622-FIG3.JPEG
- Tinti, F., Lai, S., Noce, A., Rotondi, S., Marrone, G., Mazzaferro, S., Di Daniele, N., Mitterhofer, A.P., 2021. Chronic Kidney Disease as a Systemic Inflammatory Syndrome: Update on Mechanisms Involved and Potential Treatment. *Life* 2021, Vol. 11, Page 419 11: 419. doi:10.3390/LIFE11050419
- Vallés, P.G., Gil Lorenzo, A.F., Garcia, R.D., Cacciamani, V., Benardon, M.E., Costantino, V.V., 2023. Toll-like Receptor 4 in Acute Kidney Injury. *Int. J. Mol. Sci.* 24. doi:10.3390/ijms24021415
- Vernon, M.A., Mylonas, K.J., Hughes, J., 2010. Macrophages and Renal Fibrosis. *Semin. Nephrol.* 30: 302–317. doi:10.1016/J.SEMNEPHROL.2010.03.004
- Wang, J., Lu, S., Yang, F., Guo, Y., Chen, Z., Yu, N., Yao, L., Huang, J., Fan, W., Xu, Z., Gong, Y., 2021. The role of macrophage polarization and associated mechanisms in regulating the anti-inflammatory action of acupuncture: a literature review and perspectives. *Chinese Med. (United Kingdom)* 16: 1–16. doi:10.1186/S13020-021-00466-7/METRICS
- Wanyan, P., Wang, X., Li, N., Huang, Y., She, Y., Zhang, L., 2023. Mesenchymal stem cells therapy for acute kidney injury: A systematic review with meta-analysis based on rat model. *Front. Pharmacol.* 14: 1–14.

doi:10.3389/fphar.2023.1099056

- Wilson, S., Mone, P., Jankauskas, S.S., Gambardella, J., Santulli, G., 2021. Chronic kidney disease: Definition, updated epidemiology, staging, and mechanisms of increased cardiovascular risk. *J. Clin. Hypertens.* 23: 831–834. doi:10.1111/jch.14186
- Wicherska-pawłowska, K., Wróbel, T., Rybka, J., 2021. Toll-like receptors (Tlrs), nod-like receptors (nlrs) and rig-i-like receptors (rlrs) in innate immunity. tlrs, nlrs and rlrs ligands as immunotherapeutic agents for hematopoietic diseases. *Int. J. Mol. Sci.* 22. doi:10.3390/ijms222413397
- Wong, C.Y., 2021. Current advances of stem cell-based therapy for kidney diseases. *World J. Stem Cells* 13: 914–933. doi:10.4252/wjsc.v13.i7.914
- Xu, H.K., Chen, L.J., Zhou, S.N., Li, Y.F., Xiang, C., 2020. Multifunctional role of microRNAs in mesenchymal stem cell-derived exosomes in treatment of diseases. *World J. Stem Cells* 12: 1237–1438. doi:10.4252/wjsc.v12.i11.1276
- Yaghoubi, Y., Movassaghpour, A.A., Zamani, M., Talebi, M., Mehdizadeh, A., Yousefi, M., 2019. Human umbilical cord mesenchymal stem cells derived-exosomes in diseases treatment. *Life Sci.* 233: 116733. doi:10.1016/J.LFS.2019.116733
- Yu, J., Shen, Y., Luo, J., Jin, J., Li, P., Feng, P., Guan, H., 2023. Upadacitinib inhibits corneal inflammation and neovascularization by suppressing M1 macrophage infiltration in the corneal alkali burn model. *Int. Immunopharmacol.* 116: 109680. doi:10.1016/j.intimp.2023.109680
- Yu, Y., Chen, M., Guo, Q., Shen, L., Liu, X., Pan, J., Zhang, Y., Xu, T., Zhang, D., Wei, G., 2023. Human umbilical cord mesenchymal stem cell exosome-derived miR-874-3p targeting RIPK1/PGAM5 attenuates kidney tubular epithelial cell damage. *Cell. Mol. Biol. Lett.* 28. doi:10.1186/s11658-023-00425-0
- Yun, C.W., Lee, S.H., 2019. Potential and therapeutic efficacy of cell-based therapy using mesenchymal stem cells for acute/chronic kidney disease. *Int. J. Mol. Sci.* 20. doi:10.3390/ijms20071619
- Zhang, B., Shen, L., Shi, H., Pan, Z., Wu, L., Yan, Y., Zhang, X., Mao, F., Qian, H., Xu, W., 2016. Exosomes from Human Umbilical Cord Mesenchymal Stem Cells: Identification, Purification, and Biological Characteristics. *Stem Cells Int.* 2016. doi:10.1155/2016/1929536
- Zhang, J., Li, S., Liu, F., reports, K.Y.-S., 2022, undefined, n.d. Role of CD68 in tumor immunity and prognosis prediction in pan-cancer. *nature.com J Zhang, S Li, F Liu, K Yang Scientific reports, 2022 •nature.com.*
- Zhang, R., Zhu, Y., Li, Y., Liu, W., Yin, L., Yin, S., Ji, C., Hu, Y., Wang, Q., Zhou, X., Chen, J., Xu, W., Qian, H., 2020. Human umbilical cord mesenchymal stem cell exosomes alleviate sepsis-associated acute kidney injury via regulating microRNA-146b expression. *Biotechnol. Lett.* 42: 669–679. doi:10.1007/S10529-020-02831-2/FIGURES/4
- Zhang, W., Wang, Y., Kong, J., Dong, M., Duan, H., Chen, S., 2017. Therapeutic efficacy of neural stem cells originating from umbilical cord-derived mesenchymal stem cells in diabetic retinopathy. *Sci. Rep.* 7: 1–8. doi:10.1038/s41598-017-00298-2

- Zhang, Z., Zou, X., Zhang, R., Xie, Y., Feng, Z., Li, F., Han, J., Sun, H., Ouyang, Q., Hua, S., Lv, B., Hua, T., Liu, Z., Cai, Y., Zou, Y., Tang, Y., Jiang, X., 2021. Human umbilical cord mesenchymal stem cell-derived exosomal miR-146a-5p reduces microglial-mediated neuroinflammation via suppression of the IRAK1/TRAF6 signaling pathway after ischemic stroke. *Aging (Albany, NY)*. 13: 3060–3079. doi:10.18632/aging.202466
- Zhang, Z.W., Wei, P., Zhang, G.J., Yan, J.X., Zhang, S., Liang, J., Wang, X.L., 2022. Intravenous infusion of the exosomes derived from human umbilical cord mesenchymal stem cells enhance neurological recovery after traumatic brain injury via suppressing the NF- κ B pathway. *Open Life Sci.* 17: 189–201. doi:10.1515/biol-2022-0022
- Zhao, H., Perez, J.S., Lu, K., George, A.J.T., Ma, D., 2014. Role of toll-like receptor-4 in renal graft ischemia-reperfusion injury. *Am. J. Physiol. - Ren. Physiol.* 306. doi:10.1152/AJPRENAL.00469.2013
- Zhao, J., Li, X., Hu, J., Chen, F., Qiao, S., Sun, X., Gao, L., Xie, J., Xu, B., 2019. Mesenchymal stromal cell-derived exosomes attenuate myocardial ischaemia-reperfusion injury through miR-182-regulated macrophage polarization. *Cardiovasc. Res.* 115: 1205–1216. doi:10.1093/cvr/cvz040
- Zou, X., Zhang, G., Cheng, Z., Yin, D., Du, T., Ju, G., Miao, S., Liu, G., Lu, M., Zhu, Y., 2014. Microvesicles derived from human Wharton's Jelly mesenchymal stromal cells ameliorate renal ischemia-reperfusion injury in rats by suppressing CX3CL1. *Stem Cell Res. Ther.* 5: 1–13. doi:10.1186/scrt428