



UNIVERSITAS
GADJAH MADA

Hubungan Polimorfisme Gen ER-Beta, Variabel Numbers Of Tandem Repeat (VNTR) Intron 4 Gen CYP 19, dan Mikro-RNA Let-7 B Terkait Kadar Estradiol (E2) Terhadap Folikulogenesis Pada Pasien Endometriosis

Intan Kusumaningtyas, Prof.dr.Djaswadi Dasuki, Sp.OG(K), MPH, Ph.D; Prof.dr. Sofia Mubarika, MMedSc, PhD; dr. / Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

DAFTAR PUSTAKA

- Aerts, J. M. & Bols, P. E. (2010) Ovarian follicular dynamics: a review with emphasis on the bovine species. Part I: Folliculogenesis and pre-antral follicle development. *Reprod Domest Anim*, 45(1): 171-9.
- Ahsan, H., Whittemore, A. S., Chen, Y., Senie, R. T., Hamilton, S. P., Wang, Q., Gurvich, I. & Santella, R. M. (2005) Variants in estrogen-biosynthesis genes CYP17 and CYP19 and breast cancer risk: a family-based genetic association study. *Breast Cancer Res*, 7(1): R71-81.
- Altmäe, S., Haller, K., Peters, M., Saare, M., Hovatta, O., Stavreus-Evers, A., Velthut, A., Karro, H., Metspalu, A. & Salumets, A. (2009) Aromatase gene (CYP19A1) variants, female infertility and ovarian stimulation outcome: a preliminary report. *Reprod Biomed Online*, 18(5): 651-7.
- Agarwal SK, Charles Chapron C , Linda C, Giudice, Marc R, Laufer, Leyland N, Missmer SA, Singh SS⁷, Taylor HS (2020). Clinical diagnosis of endometriosis: a call to action. Am J Obstet Gynecol2019 Apr;220(4):354.e1 354.e12.doi: 10.1016/j.ajog.2018.12.039. Epub 2019 Jan 6.
- Alio, L.; Angioni, S.; Arena, S.; Bartiromo, L.; Bergamini, N.; Berlanda, N.; Bonanni, V.; Bonin, C.; Buggio, L.; Candiani, M.; et al. (2019); Endometriosis: Seeking optimal management in women approaching menopause. *Climacteric* 22, 329–338
- Almog, B., Shehata, F., Sheizaf, B., Tan, S. L., & Tulandi, T. (2011). Effects of ovarian endometrioma on the number of oocytes retrieved for in vitro fertilization. *Fertility and Sterility*, 95(2), 525–527. <https://doi.org/10.1016/j.fertnstert.2010.03.011>
- Altmäe, S., Haller, K., Peters, M., Saare, M., Hovatta, O., Stavreus-Evers, A., Velthut, A., Karro, H., Metspalu, A., & Salumets, A. (2009). Aromatase gene (CYP 19A1) variants, female infertility and ovarian stimulation outcome: A preliminary report. *Reproductive BioMedicine Online*, 18(5), 651–657. [https://doi.org/10.1016/S1472-6483\(10\)60009-0](https://doi.org/10.1016/S1472-6483(10)60009-0)
- Andersen CY, Ezcurra D. Human steroidogenesis: implications for controlled ovarian stimulation with exogenous gonadotropins. *Reprod Biol Endocrinol*. 2014 ;12(1) :128
- Ariviani, F., Annas, J. Y., & Sari, G. M. (2021). Karakteristik Dismenore Pada Pasien Endometriosis. *Jurnal ILMIAH Ilmu Kesehatan*, 9 No 1(1), 50–64.



Arvanitis, D. A., Koumantakis, G. E., Goumenou, A. G., Matalliotakis, I. M., Koumantakis, E. E. & Spandidos, D. A. (2003) CYP1A1, CYP19, and GSTM1 polymorphisms increase the risk of endometriosis. *Fertil Steril*, 79 Suppl 1702-9.

Asghar, T., Yoshida, S., Nakago, S., Morizane, M., Ohara, N., Motoyama, S., Kennedy, S., Barlow, D. & Maruo, T. (2005) Lack of association between endometriosis and the CYP17 MspA1 polymorphism in UK and Japanese populations. *Gynecol Endocrinol*, 20(2): 59-63.

Ashrafi, M., Arabipoor, A., Hemat, M., & Salman-Yazdi, R. (2019). The impact of the localisation of endometriosis lesions on ovarian reserve and assisted reproduction techniques outcomes. *Journal of Obstetrics and Gynaecology : The Journal of the Institute of Obstetrics and Gynaecology*, 39(1), 91–97. <https://doi.org/10.1080/01443615.2018.1465898>

Attar, E., Tokunaga, H., Imir, G., Yilmaz, M. B., Redwine, D., Putman, M., Gurates, B., Attar, R., Yaegashi, N., Hales, D. B. & Bulun, S. E. (2009) Prostaglandin E2 via steroidogenic factor-1 coordinately regulates transcription of steroidogenic genes necessary for estrogen synthesis in endometriosis. *J Clin Endocrinol Metab*, 94(2): 623-31.

Babu, K. A., Reddy, N. G., Deendayal, M., Kennedy, S. & Shivaji, S. (2005) GSTM1, GSTT1 and CYP1A1 detoxification gene polymorphisms and their relationship with advanced stages of endometriosis in South Indian women. *Pharmacogenet Genomics*, 15(3): 167-72.

Ballester, M., Oppenheimer, A., Mathieu d'Argent, E., Touboul, C., Antoine, J.-M., Nisolle, M., & Daraï, E. (2012). Deep infiltrating endometriosis is a determinant factor of cumulative pregnancy rate after intracytoplasmic sperm injection/in vitro fertilization cycles in patients with endometriomas. *Fertility and Sterility*, 97(2), 367–372. <https://doi.org/10.1016/j.fertnstert.2011.11.022>

Ballweg, M. L. (2010) *Endometriosis : The Complete Reference for Taking Charge of Your Health*, New York, NY: McGraw-Hill.

Bartel DP, Chen CZ. Micromanagers of gene expression: the potentially widespread influence of metazoan microRNAs. *Nat Rev Genet* 2004; 5:396–400.

Beddaoui, M.A., Falcone, T., Sharma, R.K., Goldberg, J.M., Attaram, M., Nelson, D.R., Agarwal, A. (2002) Prediction of endometriosis with serum and peritoneal fluid marker: a prospective controlled trial. *Hum Reprod*, 17(2): 426-431

Benksim, A., Elkhoudri, N., Addi, R. A., Baali, A., & Cherkaoui, M. (2018). Difference between Primary and Secondary Infertility in Morocco: Frequencies



UNIVERSITAS
GADJAH MADA

Hubungan Polimorfisme Gen ER-Beta, Variabel Numbers Of Tandem Repeat (VNTR) Intron 4 Gen CYP 19, dan Mikro-RNA Let-7 B Terkait Kadar Estradiol (E2) Terhadap Folikulogenesis Pada Pasien Endometriosis

Intan Kusumaningtyas, Prof.dr.Djaswadi Dasuki, Sp.OG(K), MPH, Ph.D; Prof.dr. Sofia Mubarika, MMedSc, PhD; dr. / Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

and Associated Factors. *International Journal of Fertility & Sterility*, 12(2), 142–146. <https://doi.org/10.22074/ijfs.2018.5188>

Bianco, B., Christofolini, D. M., Mafra, F. A., Brandes, A., Zulli, K., & Barbosa, C. P. (2009). +1730 G/A polymorphism of the estrogen receptor β gene (ER β) may be an important genetic factor predisposing to endometriosis. *Acta Obstetricia et Gynecologica Scandinavica*, 88(12), 1397–1401. <https://doi.org/10.3109/00016340903297168>

Bergqvist, A. & Theorell, T. (2001) Changes in quality of life after hormonal treatment of endometriosis. *Acta Obstet Gynecol Scand*, 80(7): 628-37.

Bjorkman, S., & Taylor, H. S. (2019). MicroRNAs in endometriosis: biological function and emerging biomarker candidates†. *Biology of Reproduction*, 100(5), 1135–1146. <https://doi.org/10.1093/biolre/ioz014>

Bonavina G, Taylor HS. Endometriosis-associated infertility: From pathophysiology to tailored treatment. *Front Endocrinol (Lausanne)*. 2022 Oct 26;13:1020827. doi: 10.3389/fendo.2022.1020827. PMID: 36387918; PMCID: PMC9643365.

Borghese, B., Mondon, F., Noel, J. C., Fayt, I., Mignot, T. M., Vaiman, D. & Chapron, C. (2008) Gene expression profile for ectopic versus eutopic endometrium provides new insights into endometriosis oncogenic potential. *Mol Endocrinol*, 22(11): 2557-62.

Broekmans, F. J. M., de Ziegler, D., Howles, C. M., Gougeon, A., Trew, G., & Olivennes, F. (2010). The antral follicle count: practical recommendations for better standardization. *Fertility and Sterility*, 94(3), 1044–1051. <https://doi.org/10.1016/j.fertnstert.2009.04.040>

Bulun, S. E., Sebastian, S., Takayama, K., Suzuki, T., Sasano, H. & Shozu, M. (2003) The human CYP19 (aromatase P450) gene: update on physiologic roles and genomic organization of promoters. *J Steroid Biochem Mol Biol*, 86(3-5): 219-24.

Bulun, S. E., Utsunomiya, H., Lin, Z., Yin, P., Cheng, Y. H., Pavone, M. E., Tokunaga, H., Trukhacheva, E., Attar, E., Gurates, B., Milad, M. P., Confino, E., Su, E., Reierstad, S. & Xue, Q. (2009) Steroidogenic factor-1 and endometriosis. *Mol Cell Endocrinol*, 300(1-2): 104-8.

Bulun, S. E., Yang, S., Fang, Z., Gurates, B., Tamura, M., Zhou, J. & Sebastian, S. (2001) Role of aromatase in endometrial disease. *J Steroid Biochem Mol Biol*, 79(1-5): 19-25.



Bulun, S. E., Zeitoun, K. M., Takayama, K. & Sasano, H. (2000) Estrogen biosynthesis in endometriosis: molecular basis and clinical relevance. *J Mol Endocrinol*, 25(1): 35-42.

Burney RO, Giudice LC.(2012). Pathogenesis and pathophysiology of endometriosis. *Fertil Steril*; 98:511–9.

Cahill, D., Wardle, P., Maile, L., Harlow, C. & Hull, M. (1995) Pituitary-ovarian dysfunction as a cause for endometriosis-associated and unexplained infertility. *Hum Reprod*, 10:3142-3146.

Cahill, D. J., Wardle, P. G., Harlow, C. R., Hunt, L. P. & Hull, M. G. (2000) Expected contribution to serum oestradiol from individual ovarian follicles in unstimulated cycles. *Hum Reprod*, 15(9): 1909-12.

Cai, Z., Kwintkiewicz, J., Young, M. E. & Stocco, C. (2007) Prostaglandin E2 increases cyp19 expression in rat granulosa cells: implication of GATA-4. *Mol Cell Endocrinol*, 263(1-2): 181-9.

Chantalat, E., Valera, M.-C., Vaysse, C., Noirrit, E., Rusidze, M., Weyl, A., Vergriete, K., Buscail, E., Lluel, P., Fontaine, C., Arnal, J.-F., & Lenfant, F. (2020). Estrogen Receptors and Endometriosis. *International Journal of Molecular Sciences*, 21(8). <https://doi.org/10.3390/ijms21082815>

Chauvin, S., Cohen-Tannoudji, J., & Guigon, C. J. (2022). Estradiol Signaling at the Heart of Folliculogenesis: Its Potential Dereulation in Human Ovarian Pathologies. *International Journal of Molecular Sciences*, 23(1). <https://doi.org/10.3390/ijms23010512>

Chen, Y.-J., Lee, M.-T., Yao, H.-C., Hsiao, P.-W., Ke, F.-C. & Hwang, J.-J. (2008) Crucial role of estrogen receptor- α interaction with transcription coregulators in follicle-stimulating hormone and transforming growth factor β 1 up-regulation of steroidogenesis in rat ovarian granulosa cells. *Endocrinology* 149(9): 4658-4668.

Cho S, Mutlu L, Zhou Y, Taylor HS. Aromatase inhibitor regulates let-7 expression and let-7f-induced cell migration in endometrial cells from women with endometriosis. *Fertil Steril*. 2016; 106:673–80

Cimmino, A., Calin, G. A., Fabbri, M., Iorio, M. V., Ferracin, M., Shimizu, M., Wojcik, S. E., Aqeilan, R. I., Zupo, S., Dono, M., Rassenti, L., Alder, H., Volinia, S., Liu, C.-G., Kipps, T. J., Negrini, M., & Croce, C. M. (2005). miR-15 and miR-16 induce apoptosis by targeting BCL2. *Proceedings of the National Academy of Sciences of the United States of America*, 102(39), 13944–13949. <https://doi.org/10.1073/pnas.0506654102>



Cosar E, Mamillapalli R, Ersoy GS, Cho S, Seifer B, Taylor HS. Serum microRNAs as diagnostic markers of endometriosis: a comprehensive array-based analysis. *Fertil Steril* 2016; 106:402–409

Couse, J. F., Lindzey, J., Grandien, K., Gustafsson, J. A., & Korach, K. S. (1997). Tissue distribution and quantitative analysis of estrogen receptor-alpha (ERalpha) and estrogen receptor-beta (ERbeta) messenger ribonucleic acid in the wild-type and ERalpha-knockout mouse. *Endocrinology*, 138(11), 4613–4621. <https://doi.org/10.1210/endo.138.11.5496>

Critchley, H. O. D., Henderson, T. A., Kelly, R. W., Scobie, G. S., Evans, L. R., Groome, N. P., & Saunders, P. T. K. (2002). Wild-type estrogen receptor (ERbeta1) and the splice variant (ERbetacx/beta2) are both expressed within the human endometrium throughout the normal menstrual cycle. *The Journal of Clinical Endocrinology and Metabolism*, 87(11), 5265–5273. <https://doi.org/10.1210/jc.2002-020502>

Dai E, Liu S, Khali K (2019). The Structure and Function of Estrogen Receptor β : Essential Roles in Gene Regulation. *The FASEB Journal*. Volume33, IssueS1

Dassen, H., Punyadeera, C., Kamps, R., Delvoux, B., Van Langendonck, A., Donnez, J., Husen, B., Thole, H., Dunselman, G. & Groothuis, P. (2007) Estrogen metabolizing enzymes in endometrium and endometriosis. *Hum Reprod*, 22(12): 3148-3158.

de Almeida, B. C., Dos Anjos, L. G., Uno, M., Cunha, I. W. da, Soares, F. A., Baiocchi, G., Baracat, E. C., & Carvalho, K. C. (2019). Let-7 miRNA's Expression Profile and Its Potential Prognostic Role in Uterine Leiomyosarcoma. *Cells*, 8(11). <https://doi.org/10.3390/cells8111452>

Dialyna, I., Tzanakakis, G., Dolapsakis, G., & Tsatsakis, A. (2004). A tetranucleotide repeat polymorphism in the CYP19 gene and breast cancer susceptibility in a Greek population exposed and not exposed to pesticides. *Toxicology Letters*, 151(1), 267–271. <https://doi.org/10.1016/j.toxlet.2004.01.024>

Donnez J.(2012) Endometriosis: enigmatic in the pathogenesis and controversial in its therapy. *Fertil Steril*; 98:509–10.

Dunselman GA, Vermeulen N, Becker C, et al (2014). ESHRE guideline: management of women with endometriosis. *Hum Reprod*; 29: 400-12.

Eldafira, E., Prasasty, V. D., Abinawanto, A., Syahfirdi, L., & Pujiyanto, D. A. (2021). Polymorphisms of Estrogen Receptor- α and Estrogen Receptor- β Genes and its Expression in Endometriosis. *Turkish Journal of Pharmaceutical Sciences*, 18(1), 91–95. <https://doi.org/10.4274/tjps.galenos.2019.94914>



- Elvin, J. A., Clark, A. T., Wang, P., Wolfman, N. M. & Matzuk, M. M. (1999) Paracrine actions of growth differentiation factor-9 in the mammalian ovary. *Mol Endocrinol*, 13(6): 1035-48.
- Esencan, E., Beroukhim, G., & Seifer, D. B. (2022). Age-related changes in Folliculogenesis and potential modifiers to improve fertility outcomes - A narrative review. *Reproductive Biology and Endocrinology*, 20(1), 1–18. <https://doi.org/10.1186/s12958-022-01033-x>
- Ewen, K. R., Bahlo, M., Treloar, S. A., Levinson, D. F., Mowry, B., Barlow, J. W. & Foote, S. J. (2000) Identification and analysis of error types in high-throughput genotyping. *Am J Hum Genet*, 67(3): 727-36.
- Falconer, H., D'Hooghe, T. & Fried, G. (2007) Endometriosis and genetic polymorphisms. *Obstet Gynecol Surv*, 62(9): 616-28.
- Feferkorn, I., Suarthana, E., Kigloo, H. N., Abow-Mohamed, I., Golyari, Y., & Tulandi, T. (2023). Combined effects of age and endometriosis on ovarian reserve in women with infertility. *International Journal of Gynaecology and Obstetrics: The Official Organ of the International Federation of Gynaecology and Obstetrics*, 161(1), 129–136. <https://doi.org/10.1002/ijgo.14519>
- Fujii, S. (1991) Secondary mullerian system and endometriosis. *Am J Obstet Gynecol*, 165(1): 219-25.
- Giudice, L. C. & Kao, L. C. (2004) Endometriosis. *Lancet*, 364:1789-1799.
- Giudice, L.C. (2010). Clinical practice. Endometriosis. *N. Engl. J. Med.* 362, 2389–2398.
- Gomez EG, Ricardo E, Martinez V, Mayoral CR, Cruz-Orosco OP, Arroyo IC, Cerbon M, (2020). Regulation of Inflammation Pathways and Inflammasome by Sex Steroid Hormones in Endometriosis. *Endocrinol.*, 29 January 2020 <https://doi.org/10.3389/fendo.2019.00935>
- Gong, X. & McGee, E. A. (2009) Smad3 is required for normal follicular follicle-stimulating hormone responsiveness in the mouse. *Biol Reprod*, 81(4): 730-8.
- Gonzalez-Fernandez, R., Pena, O., Hernandez, J., Martin-Vasallo, P., Palumbo, A. & Avila, J. (2011) Patients with endometriosis and patients with poor ovarian reserve have abnormal follicle-stimulating hormone receptor signaling pathways. *Fertil Steril*, 95(7): 2373-8.
- Grechukhina, O., Petracco, R., Popkhadze, S., Massasa, E., Paranjape, T., Chan, E., Flores, I., Weidhaas, J. B., & Taylor, H. S. (2012). A polymorphism in a let-7



UNIVERSITAS
GADJAH MADA

Hubungan Polimorfisme Gen ER-Beta, Variabel Numbers Of Tandem Repeat (VNTR) Intron 4 Gen CYP 19, dan Mikro-RNA Let-7 B Terkait Kadar Estradiol (E2) Terhadap Folikulogenesis Pada Pasien Endometriosis

Intan Kusumaningtyas, Prof.dr.Djaswadi Dasuki, Sp.OG(K), MPH, Ph.D; Prof.dr. Sofia Mubarika, MMedSc, PhD; dr. / Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

microRNA binding site of KRAS in women with endometriosis. *EMBO Molecular Medicine*, 4(3), 206–217. <https://doi.org/10.1002/emmm.201100200>

Gregory, S. J., Lacza, C. T., Detz, A. A., Xu, S., Petrillo, L. A. & Kaiser, U. B. (2005) Synergy between activin A and gonadotropin-releasing hormone in transcriptional activation of the rat follicle-stimulating hormone-beta gene. *Mol Endocrinol*, 19(1): 237-54.

Grijters, M. J. G., Visser, J. A., Durlinger, A. L. L., & Themmen, A. P. N. (2003). Anti-Müllerian hormone and its role in ovarian function. *Molecular and Cellular Endocrinology*, 211(1–2), 85–90. <https://doi.org/10.1016/j.mce.2003.09.024>

Gu, C. L., Zhao, L. Y., Huang, K., Fan, W. S., Li, L. A., Ye, M. X., Han, W. D., & Meng, Y. G. (2016). Association between CYP19 polymorphisms and endometriosis risk: A meta-analysis. *International Journal of Clinical and Experimental Medicine*, 9(6), 10706–10716.

Guo, Y., Yan, K., Fang, J., Qu, Q., Zhou, M., & Chen, F. (2013). Let-7b expression determines response to chemotherapy through the regulation of cyclin D1 in glioblastoma. *Journal of Experimental & Clinical Cancer Research : CR*, 32(1), 41. <https://doi.org/10.1186/1756-9966-32-41>

Guo, S. W. (2006) Association of endometriosis risk and genetic polymorphisms involving sex steroid biosynthesis and their receptors: a meta-analysis. *Gynecol Obstet Invest*, 61(2): 90-105.

Guo R, Zheng N, Ding S, Zheng Y, Feng L (2014). Associations between estrogen receptor-beta polymorphisms and endometriosis risk: a meta-analysis *Diagn Pathol.* ; 9: 184. Published online 2014 Sep 26. doi: 10.1186/s13000-014-0184-x PMCID: PMC4179845

Gupta, S., Goldberg, J. M., Aziz, N., Goldberg, E., Krajcir, N. & Agarwal, A. (2008) Pathogenic mechanisms in endometriosis-associated infertility. *Fertil Steril*, 90(2): 247-57.

Haiman, C. A., Hankinson, S. E., Spiegelman, D., De Vivo, I., Colditz, G. A., Willett, W. C., Speizer, F. E. & Hunter, D. J. (2000) A tetranucleotide repeat polymorphism in CYP19 and breast cancer risk. *Int J Cancer*, 87(2): 204-10.

Halis, G., & Arici, A. (2004). Endometriosis and inflammation in infertility. *Annals of the New York Academy of Sciences*, 1034, 300–315. <https://doi.org/10.1196/annals.1335.032>

Healey, C. S., Dunning, A. M., Durocher, F., Teare, D., Pharoah, P. D., Luben, R. N., Easton, D. F., & Ponder, B. A. (2000). Polymorphisms in the human aromatase cytochrome P450 gene (CYP19) and breast cancer risk. *Carcinogenesis*, 21(2),



UNIVERSITAS
GADJAH MADA

Hubungan Polimorfisme Gen ER-Beta, Variabel Numbers Of Tandem Repeat (VNTR) Intron 4 Gen CYP 19, dan Mikro-RNA Let-7 B Terkait Kadar Estradiol (E2) Terhadap Folikulogenesis Pada Pasien Endometriosis

Intan Kusumaningtyas, Prof.dr.Djaswadi Dasuki, Sp.OG(K), MPH, Ph.D; Prof.dr. Sofia Mubarika, MMedSc, PhD; dr. / Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

189–193. <https://doi.org/10.1093/carcin/21.2.189>

Han, S. J., Lee, J. E., Cho, Y. J., Park, M. J., & O’Malley, B. W. (2019). Genomic Function of Estrogen Receptor β in Endometriosis. *Endocrinology*, 160(11), 2495–2516. <https://doi.org/10.1210/en.2019-00442>

Han, D. F., Zhou, X., Hu, M. B., Xie, W., Mao, Z. F., Chen, D. E., Liu, F. & Zheng, F. (2005) Polymorphisms of estrogen-metabolizing genes and breast cancer risk: a multigenic study. *Chin Med J (Engl)*, 118(18): 1507-16.

Han SJ, Jung SY, Wu S-P, et al.(2015) Estrogen receptor β modulates apoptosis complexes and the inflammasome to drive the pathogenesis of endometriosis. *Cell*; 163:960-74.

Hassan MQ, Tye CE, Stein GS, Lian JB. Non-coding RNAs: epigenetic regulators of bone development and homeostasis. *Bone*. 2015;81: 746-756.

Haydardedeoglu B, Zeyneloglu HB (2016). The Impact of Endometriosis on Fertility. *Sage Journal* First Published September 12 (2016).

Hediger, M. L., Hartnett, H. J. & Louis, G. M. (2005) Association of endometriosis with body size and figure. *Fertil Steril*, 84(5): 1366-74.

Healey, C. S., Dunning, A. M., Durocher, F., Teare, D., Pharoah, P. D., Luben, R. N., Easton, D. F., & Ponder, B. A. (2000). Polymorphisms in the human aromatase cytochrome P450 gene (CYP19) and breast cancer risk. *Carcinogenesis*, 21(2), 189–193. <https://doi.org/10.1093/carcin/21.2.189>

Heilier, J. F., Donnez, J., Defrere, S., Van Kerckhove, V., Donnez, O. & Lison, D. (2006) Serum dioxin-like compounds and aromatase (CYP19) expression in endometriotic tissues. *Toxicol Lett*, 167(3): 238-44.

Hendarto, H. (2007). Profil TNF ζ GDF9 dan Hyaluronan pada gangguan folikulogenesis sebagai gambaran penurunan kualitas oosit pasien infertil dengan endometriosis

Horikawa, T., Nakagawa, K., Ohgi, S., Kojima, R., Nakashima, A., Ito, M., Takahashi, Y. & Saito, H. (2008) The frequency of ovulation from the affected ovary decreases following laparoscopic cystectomy in infertile women with unilateral endometrioma during a natural cycle. *J Assist Reprod Genet*, 25(6): 239-44.

Hosseini1 E, Mehraein1 F, Shahhoseini M, Karimian L, Nikmard1 F, Ashrafi M, Afsharian P, Aflatoonian R(2016). Epigenetic alterations of CYP19A1 gene in Cumulus cells and its relevance to infertility in endometriosis *J Assist Reprod Genet* 33:1105–1113



Hsieh, Y. Y., Chang, C. C., Tsai, F. J., Lin, C. C. & Tsai, C. H. (2004) Cytochrome P450c17alpha 5'-untranslated region *T/C polymorphism in endometriosis. *J Genet*, 83(2): 189-92.

Hu, X., Zhou, Y., Feng, Q., Wang, R., Su, L., Long, J., & Wei, B. (2012). Association of endometriosis risk and genetic polymorphisms involving biosynthesis of sex steroids and their receptors: an updating meta-analysis. *European Journal of Obstetrics, Gynecology, and Reproductive Biology*, 164(1), 1–9. <https://doi.org/10.1016/j.ejogrb.2012.05.008>

Hur, S. E., Lee, S., Lee, J. Y., Moon, H.-S., Kim, H. L. & Chung, H. W. (2007) Polymorphisms and haplotypes of the gene encoding the estrogen-metabolizing CYP19 gene in Korean women: no association with advanced-stage endometriosis. *Journal of Human Genetics*, 52(9): 703-711.

Hwang HW, Mendell JT. MicroRNAs in cell proliferation, cell death, and tumorigenesis. *Br J Cancer*. 2006;94:776-780. 9.

Ignar-Trowbridge DM, Nelson KG, Bidwell MC, Curtis SW, Wasburhn TF, McLachlan JA, Korach KS. Coupling of dual signaling pathways: epidermal growth factor action involves the estrogen receptor. *Proc Natl Acad Sci USA* 89: 4658–4662, 1992.

Inal, Z. O., Engin Ustun, Y., Yilmaz, N., Aktulay, A., Bardakci, Y., & Gulerman, C. (2019). Does the anti-Müllerian hormone truly reflect ovarian response in women with endometrioma? *Journal of Obstetrics and Gynaecology: The Journal of the Institute of Obstetrics and Gynaecology*, 39(4), 516–521. <https://doi.org/10.1080/01443615.2018.1533542>

Inyawilert, W., Fu, T.-Y., Lin, C.-T., & Tang, P.-C. (2015). Let-7-mediated suppression of mucin 1 expression in the mouse uterus during embryo implantation. *The Journal of Reproduction and Development*, 61(2), 138–144. <https://doi.org/10.1262/jrd.2014-106>

Izumi G , Koga K, Takamura M, Makabe T, Satake E, Takeuchi A, TaguchiA , Urata Y, Fujii T and Osuga Y (2018). Involvement of immune cells in the pathogenesis of endometriosis. *Obstet. Gynaecol. Res.* Vol. 44, No. 2: 191–198.

Jacoeb, T. Z. & Hadisaputra, W. (2009) *Penangan Endometritis: Panduan Klinis dan Algoritma*, Jakarta: Sagung Seto.

Jeppesen JV, Kristensen SG, Nielsen ME, Humaidan P, Dal Canto M, Fadini R, Schmidt KT, Ernst E, Yding Andersen C (2012): LH-receptor gene expression in human granulosa and cumulus cells from antral and preovulatory follicles. *J Clin Endocrinol Metab* 97:E1524–E1531.



UNIVERSITAS
GADJAH MADA

Hubungan Polimorfisme Gen ER-Beta, Variabel Numbers Of Tandem Repeat (VNTR) Intron 4 Gen CYP 19, dan Mikro-RNA Let-7 B Terkait Kadar Estradiol (E2) Terhadap Folikulogenesis Pada Pasien Endometriosis

Intan Kusumaningtyas, Prof.dr.Djaswadi Dasuki, Sp.OG(K), MPH, Ph.D; Prof.dr. Sofia Mubarika, MMedSc, PhD; dr. / Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Juo, S. H., Wang, T. N., Lee, J. N., Wu, M. T., Long, C. Y. & Tsai, E. M. (2006) CYP17, CYP1A1 and COMT polymorphisms and the risk of adenomyosis and endometriosis in Taiwanese women. *Hum Reprod*, 21(6): 1498-502.

Kado, N., Kitawaki, J., Obayashi, H., Ishihara, H., Koshiba, H., Kusuki, I., Tsukamoto, K., Hasegawa, G., Nakamura, N., Yoshikawa, T. & Honjo, H. (2002) Association of the CYP17 gene and CYP19 gene polymorphisms with risk of endometriosis in Japanese women. *Hum Reprod*, 17:897-902.

Kennedy, S., Bergqvist, A., Chapron, C., D'Hooghe, T., Dunselman, G., Greb, R., Hummelshoj, L., Prentice, A. & Saridogan, E. (2005) ESHRE guideline for the diagnosis and treatment of endometriosis. *Hum Reprod*, 20(10): 2698-704.

Kennedy, S., Hadfield, R., Westbrook, C., Weeks, D. E., Barlow, D. & Golding, S. (1998) Magnetic resonance imaging to assess familial risk in relatives of women with endometriosis. *Lancet*, 352(9138): 1440-1.

Keckstein, J., Saridogan, E., Ulrich, U. A., Sillem, M., Oppelt, P., Schwepppe, K. W., Krentel, H., Janschek, E., Exacoustos, C., Malzoni, M., Mueller, M., Roman, H., Condous, G., Forman, A., Jansen, F. W., Bokor, A., Simedrea, V., & Hudelist, G. (2021). The #Enzian classification: A comprehensive non-invasive and surgical description system for endometriosis. *Acta Obstetricia et Gynecologica Scandinavica*, 100(7), 1165–1175. <https://doi.org/10.1111/aogs.14099>

Kitajima, M., Matsumoto, K., Kajimura, I., Harada, A., Miyashita, N., Matsumura, A., Kitajima, Y., & Miura, K. (2021). The Effects of Endometriosis on Ovarian Functions. *Endocrines*, 2(2), 142–149. <https://doi.org/10.3390/endocrines2020014>

Komatsu K and Satoru Masubuchi S, (2017). Observation of the dynamics of follicular development in the ovary *Volume16, Issue1 Reprod Med Biol*; 16: 21–2

Kitawaki, J., Noguchi, T., Amatsu, T., Maeda, K., Tsukamoto, K., Yamamoto, T., Fushiki, S., Osawa, Y. & Honjo, H. (1997) Expression of aromatase cytochrome P450 protein and messenger ribonucleic acid in human endometriotic and adenomyotic tissues but not in normal endometrium. *Biol Reprod*, 57(3): 514-9.

Kleinbaum, D. G., Sullivan, K. & Barker, N. (2003) *ActivEpi Companion Textbook: A supplement for use with the ActivEpi CD-ROM*, New York: Springer.

Knight, P. G. & Glister, C. (2006) TGF-beta superfamily members and ovarian follicle development. *Reproduction*, 132(2): 191-206.

Krege, J. H., Hodgin, J. B., Couse, J. F., Enmark, E., Warner, M., Mahler, J. F., Sar, M., Korach, K. S., Gustafsson, J. A., & Smithies, O. (1998). Generation and reproductive phenotypes of mice lacking estrogen receptor beta. *Proceedings of*



UNIVERSITAS
GADJAH MADA

Hubungan Polimorfisme Gen ER-Beta, Variabel Numbers Of Tandem Repeat (VNTR) Intron 4 Gen CYP 19, dan Mikro-RNA Let-7 B Terkait Kadar Estradiol (E2) Terhadap Folikulogenesis Pada Pasien Endometriosis

Intan Kusumaningtyas, Prof.dr.Djaswadi Dasuki, Sp.OG(K), MPH, Ph.D; Prof.dr. Sofia Mubarika, MMedSc, PhD; dr. / Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

the National Academy of Sciences of the United States of America, 95(26), 15677–15682. <https://doi.org/10.1073/pnas.95.26.15677>

Kristensen, V. N., Andersen, T. I., Lindblom, A., Erikstein, B., Magnus, P. & Borresen-Dale, A. L. (1998) A rare CYP19 (aromatase) variant may increase the risk of breast cancer. *Pharmacogenetics*, 8(1): 43-8.

Lamp, M., Peters, M., Reinmaa, E., Haller-Kikkatalo, K., Kaart, T., Kadastik, Ü., Karro, H., Metspalu, A., & Salumets, A. (2011). Polymorphisms in ESR1, ESR2 and HSD17B1 genes are associated with fertility status in endometriosis. *Gynecological Endocrinology*, 27(6), 425–433. <https://doi.org/10.3109/09513590.2010.495434>

Lazaros, L., Xita, N., Kaponis, A., Hatzi, E., Plachouras, N., Sofikitis, N., Zikopoulos, K. & Georgiou, I. (2011) The association of aromatase (CYP19) gene variants with sperm concentration and motility. *Asian J Androl*, 13(2): 292-7.

Lagos-Quintana M, Rauhut R, Lendeckel W, Tuschl T. Identification of novel genes coding for small expressed RNAs. *Science* 2001; 294:853– 858.

Lebovic, D. I., Mueller, M. D. & Taylor, R. N. (2001) Immunobiology of endometriosis. *Fertil Steril*, 75(1): 1-10.

Lee, G. H., Kim, S. H., Choi, Y. M., Suh, C. S., Kim, J. G., & Moon, S. Y. (2007). Estrogen receptor beta gene +1730 G/A polymorphism in women with endometriosis. *Fertility and Sterility*, 88(4), 785–788. <https://doi.org/10.1016/j.fertnstert.2006.12.032>

Lee RC, Feinbaum RL, Ambros V. The *C. elegans* heterochronic gene lin-4 encodes small RNAs with antisense complementarity to lin-14. *Cell* 1993; 75:843–854.

Lemos, N. A., Arbo, E., Scalco, R., Weiler, E., Rosa, V., & Cunha-Filho, J. S. (2008). Decreased anti-Müllerian hormone and altered ovarian follicular cohort in infertile patients with mild/minimal endometriosis. *Fertility and Sterility*, 89(5), 1064–1068. <https://doi.org/10.1016/j.fertnstert.2007.04.048>

Lessey BA, Kim JJ. (2017). Endometrial receptivity in the eutopic endometrium of women with endometriosis: it is affected, and let me show you why. *Fertil Steril*. 108:19–27. doi: 10.1016/j.fertnstert.2017.05.031

Liaqat S, Hasnain S, MuzammilS, Sumreen Hayat S.(2015). Polymorphism Analysis In Estrogen Receptors Alpha and Beta Genes and Their Association With Infertile Population In Pakistan. *EXCLI Journal* 14:1085-1094

Liu, K., Rajareddy, S., Liu, L., Jagarlamudi, K., & Boman, K. (2006). Control of mammalian oocyte growth and early follicular development by the oocyte PI3



UNIVERSITAS
GADJAH MADA

Hubungan Polimorfisme Gen ER-Beta, Variabel Numbers Of Tandem Repeat (VNTR) Intron 4 Gen CYP 19, dan Mikro-RNA Let-7 B Terkait Kadar Estradiol (E2) Terhadap Folikulogenesis Pada Pasien Endometriosis

Intan Kusumaningtyas, Prof.dr.Djaswadi Dasuki, Sp.OG(K), MPH, Ph.D; Prof.dr. Sofia Mubarika, MMedSc, PhD; dr. / Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

kinase pathway: New roles for an old timer. *Developmental Biology*, 299, 1–11.

Lima ML, Martins WP, Coelho Neto MA, Nastri CO, Ferriani RA, Navaro PA (2015). Assessment of ovarian reserve by antral follicle count in ovaries with endometrioma. *Ultrasound Obstet*; 46: 239–242

Lurie G, Wilkens LR, Thompson PJ, McDuffie KE, Carney ME, Terada KY, Goodman MT. Genetic polymorphisms in the estrogen receptor beta (ESR2) gene and the risk of epithelial ovarian carcinoma. *Cancer Causes Control*. 2009 Feb;20(1):47-55. doi: 10.1007/s10552-008-9216-8. Epub 2008 Aug 15. PMID: 18704709; PMCID: PMC2663411.

Mabuchi, Y., Yamoto, M., Minami, S. & Umesaki, N. (2010) Immunohistochemical localization of inhibin and activin subunits, activin receptors and Smads in ovarian endometriosis. *Int J Mol Med*, 25(1): 17-23.

Macer, M. L., & Taylor, H. S. (2012). Endometriosis and infertility: a review of the pathogenesis and treatment of endometriosis-associated infertility. *Obstetrics and Gynecology Clinics of North America*, 39(4), 535–549. <https://doi.org/10.1016/j.ogc.2012.10.002>

Marcellin, L., Santulli, P., Pinzauti, S., Bourdon, M., Lamau, M. C., Borghese, B., Petraglia, F., & Chapron, C. (2019). Age at menarche does not correlate with the endometriosis phenotype. *PloS One*, 14(7), e0219497. <https://doi.org/10.1371/journal.pone.0219497>

Mahadevan, M. M., Trounson, A. O. & Leeton, J. F. (1983) The relationship of tubal blockage, infertility of unknown cause, suspected male infertility, and endometriosis to success of in-vitro fertilisation and embryo transfer. *Fertil Steril*, 40:755-762.

Mahmood, T. A. & Templeton, A. (1991) Folliculogenesis and ovulation in infertile women with mild endometriosis. *Hum Reprod*, 6:227-231.

Macer ML, Taylor HS. Endometriosis and infertility: a review of the pathogenesis and treatment of endometriosis-associated infertility. *Obstet Gynecol Clin North Am* 2012; 39:535–549.

Matsuda F, Inoue N, Manabe N, Ohkura S. (2012). Follicular growth and atresia in mammalian ovaries: regulation by survival and death of granulosa cells. *J Reprod Dev* ;58:44–50.

Matsuzaki, S., & Schubert, B. (2010). Oxidative stress status in normal ovarian cortex surrounding ovarian endometriosis. *Fertility and Sterility*, 93(7), 2431–2432. <https://doi.org/https://doi.org/10.1016/j.fertnstert.2009.08.068>



McLaughlin, E. A. & McIver, S. C. (2009) Awakening the oocyte: controlling primordial follicle development. *Reproduction*, 137(1): 1-11.

Miyoshi, T., Otsuka, F., Suzuki, J., Takeda, M., Inagaki, K., Kano, Y., Otani, H., Mimura, Y., Ogura, T. & Makino, H. (2006) Mutual regulation of follicle-stimulating hormone signaling and bone morphogenetic protein system in human granulosa cells. *Biol Reprod*, 74(6): 1073-82.

Miyoshi, Y., Ando, A., Hasegawa, S., Ishitobi, M., Yamamura, J., Irahara, N., Tanji, Y., Taguchi, T., Tamaki, Y., & Noguchi, S. (2003). Association of genetic polymorphisms in CYP19 and CYP1A1 with the oestrogen receptor-positive breast cancer risk. *European Journal of Cancer (Oxford, England : 1990)*, 39(17), 2531–2537. <https://doi.org/10.1016/j.ejca.2003.08.017>

Miller JE, Ahn SO, Monsanto SP, Khalaj K, Koti M, Tayade C; 2017 Implications of immune dysfunction on endometriosis associated infertility *Oncotarget* ; 24;8(4):7138-7147.

Mohiyiddeen, L., Newman, W. G., McBurney, H., Mulugeta, B., Roberts, S. A. & Nardo, L. G. (2012) Follicle-stimulating hormone receptor gene polymorphisms are not associated with ovarian reserve markers. *Fertil Steril*, 97(3): 677-81.

Montgomery, G. W., Nyholt, D. R., Zhao, Z. Z., Treloar, S. A., Painter, J. N., Missmer, S. A., Kennedy, S. H. & Zondervan, K. T. (2008) The search for genes contributing to endometriosis risk. *Hum Reprod Update*, 14(5): 447-57.

Moustafa, S., Burn, M., Mamillapalli, R., Nematian, S., Flores, V., & Taylor, H. S. (2020). Accurate diagnosis of endometriosis using serum microRNAs. *American Journal of Obstetrics and Gynecology*, 223(4), 557.e1-557.e11. <https://doi.org/10.1016/j.ajog.2020.02.050>

Mutlu, M. F., & Erdem, A. (2012). Evaluation of ovarian reserve in infertile patients. *Journal of the Turkish German Gynecological Association*, 13(3), 196–203. <https://doi.org/10.5152/jtgga.2012.28>

Murphy, A. A., Green, W. R., Bobbie, D., dela Cruz, Z. C. & Rock, J. A. (1986) Unsuspected endometriosis documented by scanning electron microscopy in visually normal peritoneum. *Fertil Steril*, 46(3): 522-4.

Muzii, L., Di Tucci, C., Di Feliciantonio, M., Galati, G., Di Donato, V., Musella, A., Palaia, I., & Panici, P. B. (2018). Antimüllerian hormone is reduced in the presence of ovarian endometriomas: a systematic review and meta-analysis. *Fertility and Sterility*, 110(5), 932-940.e1. <https://doi.org/10.1016/j.fertnstert.2018.06.025>



UNIVERSITAS
GADJAH MADA

Hubungan Polimorfisme Gen ER-Beta, Variabel Numbers Of Tandem Repeat (VNTR) Intron 4 Gen CYP 19, dan Mikro-RNA Let-7 B Terkait Kadar Estradiol (E2) Terhadap Folikulogenesis Pada Pasien Endometriosis

Intan Kusumaningtyas, Prof.dr.Djaswadi Dasuki, Sp.OG(K), MPH, Ph.D; Prof.dr. Sofia Mubarika, MMedSc, PhD; dr. / Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Nakahara, K., Saito, H., Saito, T., Ito, M., Ohta, N., Takahashi, T. & Hiroi, M. (1997)

The incidence of apoptotic bodies in membrana granulosa can predict prognosis of ova from patients participating in in vitro fertilization programs. *Fertil Steril*, 68(2): 312-7.

Nematian, S. E., Mamillapalli, R., Kadakia, T. S., Majidi Zolbin, M., Moustafa, S., & Taylor, H. S. (2018). Systemic Inflammation Induced by microRNAs: Endometriosis-Derived Alterations in Circulating microRNA 125b-5p and Let-7b-5p Regulate Macrophage Cytokine Production. *The Journal of Clinical Endocrinology and Metabolism*, 103(1), 64–74. <https://doi.org/10.1210/jc.2017-01199>

Nikolaou, D. (2008) How old are your eggs? *Current Opinion in Obstetrics & Gynecology*, 20(6): 540-544.

Nilsson S, Makela S, Treuter E, Tujague M, Thomsen J (2020). Mechanisms of Estrogen Action journals.physiology.org/journal/physrev (036.072.214.111) on September 13.

Nnoaham, K. E., Webster, P., Kumbang, J., Kennedy, S. H., & Zondervan, K. T. (2012). Is early age at menarche a risk factor for endometriosis? A systematic review and meta-analysis of case-control studies. *Fertility and Sterility*, 98(3), 702-712.e6. <https://doi.org/10.1016/j.fertnstert.2012.05.035>

Noel, J. C., Borghese, B., Vaiman, D., Fayt, I., Anaf, V. & Chapron, C. (2010) Steroidogenic factor-1 expression in ovarian endometriosis. *Appl Immunohistochem Mol Morphol*, 18(3): 258-61.

Nussey, S. S. & Whitehead, S. A. (2001) *Endocrinology: An Integrated Approach*, London: Sage.

Olive, D. L. & Pritts, E. A. (2001) Treatment of endometriosis. *N Engl J Med*, 345(4): 266-75.

Olson, J. E., Ingle, J. N., Ma, C. X., Pelleymounter, L. L., Schaid, D. J., Pankratz, V. S., Vierkant, R. A., Fredericksen, Z. S., Wu, Y., Couch, F. J., Vachon, C. M., Sellers, T. A., & Weinshilboum, R. M. (2007). A comprehensive examination of CYP19 variation and risk of breast cancer using two haplotype-tagging approaches. *Breast Cancer Research and Treatment*, 102(2), 237–247. <https://doi.org/10.1007/s10549-006-9324-7>

Papaleo, E., Ottolina, J., Viganò, P., Brigante, C., Marsiglio, E., De Michele, F., & Candiani, M. (2011). Deep pelvic endometriosis negatively affects ovarian reserve and the number of oocytes retrieved for in vitro fertilization. *Acta*



Obstetricia et Gynecologica Scandinavica, 90(8), 878–884.
<https://doi.org/10.1111/j.1600-0412.2011.01161.x>

Papari, E., Noruzinia, M., Kashani, L., & Foster, W. G. (2020). Identification of candidate microRNA markers of endometriosis with the use of next-generation sequencing and quantitative real-time polymerase chain reaction. *Fertility and Sterility*, 113(6), 1232–1241. <https://doi.org/10.1016/j.fertnstert.2020.01.026>

Paskulin, D. D., Cunha-Filho, J. S., Paskulin, L. D., Souza, C. A. B., & Ashton-Prolla, P. (2013). ESR1 rs9340799 is associated with endometriosis-related infertility and in vitro fertilization failure. *Disease Markers*, 35(6), 907–913. <https://doi.org/10.1155/2013/796290>

Pasquinelli AE, Reinhart BJ, Slack F, Martindale MQ, Kuroda MI, Maller B, Hayward DC, Ball EE, Degnan B, Muller P, Spring J, Srinivasan A et al. Conservation of the sequence and temporal expression of let-7 heterochronic regulatory RNA. *Nature* 2000; 408:86–89.

Panghiyangani R, Soeharso P, Andrijono, Suryandari DA, Wiweko B, Kurniati M, Pujianto DA (2020). CYP19A1 gene expression in patien with polycystic ovarian syndrom, *J Hum Reprod Sc*; 13:100-3

Pellegrini, C., Gori, I., Achtari, C., Hornung, D., Chardonnens, E., Wunder, D., Fiche, M., & Canny, G. O. (2012). The expression of estrogen receptors as well as GREB1, c-MYC, and cyclin D1, estrogen-regulated genes implicated in proliferation, is increased in peritoneal endometriosis. *Fertility and Sterility*, 98(5), 1200–1208. <https://doi.org/10.1016/j.fertnstert.2012.06.056>

Picton, H. M., Harris, S. E., Muruvi, W. & Chambers, E. L. (2008) The in vitro growth and maturation of follicles. *Reproduction*, 136(6): 703-15.

Ponikwicka-Tyszko, D., Chrusciel, M., Stelmaszewska, J., Bernaczyk, P., Sztachelska, M., Sidorkiewicz, I., Doroszko, M., Tomaszewski, J., Tapanainen, J. S., Huhtaniemi, I., Wolczynski, S., & Rahman, N. A. (2016). Functional Expression of FSH Receptor in Endometriotic Lesions. *The Journal of Clinical Endocrinology & Metabolism*, 101(7), 2905–2914. <https://doi.org/10.1210/jc.2016-1014>

Rizner, T. L. (2009) Estrogen metabolism and action in endometriosis. *Mol Cell Endocrinol*, 307(1-2): 8-18.

Roush S, Slack FJ. The let-7 family of microRNAs. *Trends Cell Biol* 2008; 18:505-516.

Russell, D. L., Doyle, K. M., Gonzales-Robayna, I., Pipaon, C. & Richards, J. S. (2003). Egr-1 induction in rat granulosa cells by follicle-stimulating hormone



UNIVERSITAS
GADJAH MADA

Hubungan Polimorfisme Gen ER-Beta, Variabel Numbers Of Tandem Repeat (VNTR) Intron 4 Gen CYP 19, dan Mikro-RNA Let-7 B Terkait Kadar Estradiol (E2) Terhadap Folikulogenesis Pada Pasien Endometriosis

Intan Kusumaningtyas, Prof.dr.Djaswadi Dasuki, Sp.OG(K), MPH, Ph.D; Prof.dr. Sofia Mubarika, MMedSc, PhD; dr. / Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

and luteinizing hormone: combinatorial regulation by transcription factors cyclic adenosine 3',5'-monophosphate regulatory element binding protein, serum response factor, sp1, and early growth response factor-1. *Mol Endocrinol*, 17(4): 520-33.

Saito, H., Seino, T., Kaneko, T., Nakahara, K., Toya, M. & Kurachi, H. (2002) Endometriosis and oocyte quality. *Gynecol Obstet Invest*, 53 Suppl 146-51.

Sahin C, Mamillapalli R, Yi KW, Taylor HS. microRNA Let-7b: a novel treatment for endometriosis. *J Cell Mol Med* 2018; 22:5346– 5353

Sanchez, A. M., Viganò, P., Somigliana, E., Panina-Bordignon, P., Vercellini, P., & Candiani, M. (2014). The distinguishing cellular and molecular features of the endometriotic ovarian cyst: from pathophysiology to the potential endometrioma-mediated damage to the ovary. *Human Reproduction Update*, 20(2), 217–230. <https://doi.org/10.1093/humupd/dmt053>

Schwarzenbach H, Nishida N, Calin GA, Pantel K. Clinical relevance of circulating cell-free microRNAs in cancer. *Nat Rev Clin Oncol* 2014; 11:145–156.

Seifer, B. J., Su, D., & Taylor, H. S. (2017). Circulating miRNAs in Murine Experimental Endometriosis. *Reproductive Sciences (Thousand Oaks, Calif.)*, 24(3), 376–381. <https://doi.org/10.1177/1933719116667228>

Shafrir AL, Farland LV, Shah DK, et al. Risk for and consequences of endometriosis: a critical epidemiologic review. *Best Pract Res Clin Obstet Gynaecol* 2018;51: 1-15.

Simon, A. & Laufer, N. (1993) Unexplained infertility: a reappraisal. *Ass Reprod Rev*, 326-36.

Simpson, J. L., Elias, S., Malinak, L. R. & Buttram, V. C., Jr. (1980) Heritable aspects of endometriosis. I. Genetic studies. *Am J Obstet Gynecol*, 137(3): 327-31.

Smith, L. P., Williams, C. D., Doyle, J. O., Closshey, W. B., Brix, W. K. & Pastore, L. M. (2007) Effect of endometrioma cyst fluid exposure on peritoneal adhesion formation in a rabbit model. *Fertil Steril*, 87(5): 1173-9.

Singh AK, Dutta M, Chattopadhyay R, Chakravarty B, Chaudhury K (2016); Intrafollicular interleukin-8, interleukin-12, and adrenomedullin are the promising prognostic markers of oocyte and embryo quality in women with endometriosis *J Assist Reprod Genet.*; 33(10):1363-1372

Smuc, T., Pucelj, M. R., Sinkovec, J., Husen, B., Thole, H. & Lanisnik Rizner, T. (2007) Expression analysis of the genes involved in estradiol and progesterone action in human ovarian endometriosis. *Gynecol Endocrinol*, 23(2): 105-11.



Sanchez1 AM, Vanni VS, Bartiromo L, Papaleo1E, Zilberberg E, Candiani M, Orvieto R, Viganò1 P. (2017) Is the oocyte quality affected by endometriosis? A review of the literature *Journal of Ovarian Research* 10:43 DOI 10.1186/s13048-017-0341-4 Sun X, Liu J, Xu C, Tang SC, Ren H. The insights of Let-7 miRNAs in oncogenesis and stem cell potency. *J Cell Mol Med* 2016; 20:1779–1788

Suzuki, T., Izumi, S., Matsubayashi, H., Awaji, H., Yoshikata, K. & Makino, T. (2005) Impact of ovarian endometrioma on oocytes and pregnancy outcome in in vitro fertilization. *Fertil Steril*, 83(4): 908-13.

Takahashi, K., Nagata, H. & Kitao, M. (1989) Clinical usefulness of determination of 1009 estradiol levels in the menstrual blood for patients with endometriosis. *Nippon 1010 Sanka Fujinka Gakkai Zasshi*, 411849-1850.

Tian, Z., Zhang, Y., Zhang, C., Wang, Y., & Zhu, H.-L. (2021). Antral follicle count is reduced in the presence of endometriosis: a systematic review and meta-analysis. *Reproductive Biomedicine Online*, 42(1), 237–247. <https://doi.org/10.1016/j.rbmo.2020.09.014>

Tomic, D., Miller, K. P., Kenny, H. A., Woodruff, T. K., Hoyer, P. & Flaws, J. A. (2004) Ovarian follicle development requires Smad3. *Mol Endocrinol*, 18(9): 2224-40.

Toya, M., Saito, H., Ohta, N., Saito, T., Kaneko, T. & Hiroi, M. (2000) Moderate and severe endometriosis is associated with alterations in the cell cycle of granulosa cells in patients undergoing in vitro fertilization and embryo transfer. *Fertility and Sterility*, 73(2): 344-350.

Trukhacheva, E., Lin, Z., Reierstad, S., Cheng, Y. H., Milad, M. & Bulun, S. E. (2009) Estrogen receptor (ER) beta regulates ERalpha expression in stromal cells derived from ovarian endometriosis. *J Clin Endocrinol Metab*, 94(2): 615-22.

Tsuchiya, M., Nakao, H., Katoh, T., Sasaki, H., Hiroshima, M., Tanaka, T., Matsunaga, T., Hanaoka, T., Tsugane, S. & Ikenoue, T. (2005) Association between endometriosis and genetic polymorphisms of the estradiol-synthesizing enzyme genes HSD17B1 and CYP19. *Hum Reprod*, 20(4): 974-8.

Tummon, I. S., Maclin, V. M., Radwanska, E., Binor, Z. & Dmowski, W. P. (1988) Occult ovulatory dysfunction in women with minimal endometriosis or unexplained infertility. *Fertil Steril*, 50(5): 716-20.

Tuttlies, J., Ulrich, U., Possover, M., Schweppe, K. W., Wustlich, M., Buchweitz, O., Greb, R., Kandolf, O., Mangold, R., Masetti, W., Neis, K., Rauter, G., Reeka, N., Richter, O., Schindler, A. E., Sillem, M., Terruhn, V., Tinneberg, H R, F., & Keckstein. (2005). ENZIAN-Score, eine Klassifikation der tief infiltrierenden



UNIVERSITAS
GADJAH MADA

Hubungan Polimorfisme Gen ER-Beta, Variabel Numbers Of Tandem Repeat (VNTR) Intron 4 Gen CYP 19, dan Mikro-RNA Let-7 B Terkait Kadar Estradiol (E2) Terhadap Folikulogenesis Pada Pasien Endometriosis

Intan Kusumaningtyas, Prof.dr.Djaswadi Dasuki, Sp.OG(K), MPH, Ph.D; Prof.dr. Sofia Mubarika, MMedSc, PhD; dr. / Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Endometriose TT - ENZIAN-Score, a classification of Deep Infiltrating Endometriosis. *Zentralbl Gynakol*, 127(05), 275–281. <https://doi.org/10.1055/s-2005-836904>

Uncu, G., Kasapoglu, I., Ozerkan, K., Seyhan, A., Oral Yilmaztepe, A., & Ata, B. (2013). Prospective assessment of the impact of endometriomas and their removal on ovarian reserve and determinants of the rate of decline in ovarian reserve. *Human Reproduction (Oxford, England)*, 28(8), 2140–2145. <https://doi.org/10.1093/humrep/det123>

Vercellini, P., Fedele, L., Aimi, G., De Giorgi, O., Consonni, D. & Crosignani, P. G. (2006) Reproductive performance, pain recurrence and disease relapse after conservative surgical treatment for endometriosis: the predictive value of the current classification system. *Hum Reprod*, 21(10): 2679-85.

Verpoest, W., Harlow, C., Cahill, D. & MGR, H. (2000) Effect of quality of LH-surge on fertilisation of oocytes. *Fertility and Sterility*, 73(1): 75-77.

Wang, Ledan, Lu, X., Wang, D., Qu, W., Li, W., Xu, X., Huang, Q., Han, X., & Lv, J. (2014). CYP19 gene variant confers susceptibility to endometriosis-associated infertility in Chinese women. *Experimental & Molecular Medicine*, 46(6), e103. <https://doi.org/10.1038/emm.2014.31>

Wang, Liewei, Ellsworth, K. A., Moon, I., Pelleymounter, L. L., Eckloff, B. W., Martin, Y. N., Fridley, B. L., Jenkins, G. D., Batzler, A., Suman, V. J., Ravi, S., Dixon, J. M., Miller, W. R., Wieben, E. D., Buzdar, A., Weinshilboum, R. M., & Ingle, J. N. (2010). Functional genetic polymorphisms in the aromatase gene CYP19 vary the response of breast cancer patients to neoadjuvant therapy with aromatase inhibitors. *Cancer Research*, 70(1), 319–328. <https://doi.org/10.1158/0008-5472.CAN-09-3224>

Wang, Z.; Yoshida, S.; Negoro, K.; Kennedy, S.; Barlow, D.; Maruo, T.

Polymorphisms in the estrogen receptor beta gene but not estrogen receptor alpha gene affect the risk of developing endometriosis in a Japanese population. *Fertil. Steril.* 2004, 81, 1650–1656

Warsy, A. S., Almukaynizi, F. B., AlDaihan, S., Alam, S., & Daghastani, M. (2017). *Genetic Polymorphisms in Aromatase (CYP19) Gene and Cancer* (N. R. Parine (ed.); p. Ch. 2). IntechOpen. <https://doi.org/10.5772/intechopen.69208>



UNIVERSITAS
GADJAH MADA

Hubungan Polimorfisme Gen ER-Beta, Variabel Numbers Of Tandem Repeat (VNTR) Intron 4 Gen CYP 19, dan Mikro-RNA Let-7 B Terkait Kadar Estradiol (E2) Terhadap Folikulogenesis Pada Pasien Endometriosis

Intan Kusumaningtyas, Prof.dr.Djaswadi Dasuki, Sp.OG(K), MPH, Ph.D; Prof.dr. Sofia Mubarika, MMedSc, PhD; dr. / Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Wasson MN (2019). Chronic pelvic pain due to postmenopausal endometriosis. *J Minim Invasive Gynecol.* doi: 10.1016/j.jmig.2019.08.015. [Epub ahead of print].

Wehbi, V., Tranchant, T., Durand, G., Musnier, A., Decourtey, J., Piketty, V., Butnev, V. Y., Bousfield, G. R., Crepieux, P., Maurel, M. C. & Reiter, E. (2010) Partially deglycosylated equine LH preferentially activates beta-arrestin-dependent signaling at the follicle-stimulating hormone receptor. *Mol Endocrinol*, 24(3): 561-73.

Wei, M., Cheng, Y., Bu, H., Zhao, Y., & Zhao, W. (2016). Length of Menstrual Cycle and Risk of Endometriosis: A Meta-Analysis of 11 Case-Control Studies. *Medicine*, 95(9), e2922. <https://doi.org/10.1097/MD.0000000000002922>

WHO (2004) Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies. *The Lancet*, 363157-163.

Wu, M. H., Shoji, Y., Chuang, P. C. & Tsai, S. J. (2007) Endometriosis: disease pathophysiology and the role of prostaglandins. *Expert Rev Mol Med*, 9(2): 1-20.

Wu MH, Hsiao KY, Tsai SJ (2015), The Asia-Pacific Association for Gynecologic Endoscopy and Minimally Invasive Therapy Science Direct Gynecology and Minimally Invasive Therapy journal homepage: www.e-gmit.com <http://dx.doi.org/10.1016/j.gmit.2015.05.001> 2213-3070

Xing, D., Feng, W., Miller, A. P., Weathington, N. M., Chen, Y. F., Novak, L., Blalock, J. E. & Oparil, S. (2007) Estrogen modulates TNF-alpha-induced inflammatory responses in rat aortic smooth muscle cells through estrogen receptor-beta activation. *Am J Physiol Heart Circ Physiol*, 292(6): H2607-12.

Xita, N., Georgiou, I., Lazaros, L., Psofaki, V., Kolios, G. & Tsatsoulis, A. (2008) The synergistic effect of sex hormone-binding globulin and aromatase genes on polycystic ovary syndrome phenotype. *Eur J Endocrinol*, 158(6): 861-5.

Xu, L., Kang, Y., Col, S. & Massague, J. (2002) Smad2 nucleocytoplasmic shuttling by nucleoporins CAN/Nup214 and Nup153 feeds TGFbeta signaling complexes in the cytoplasm and nucleus. *Mol Cell*, 10(2): 271-82.

Yao, G., Yin, M., Lian, J., Tian, H., Liu, L., Li, X. & Sun, F. (2010) MicroRNA-224 is involved in transforming growth factor-beta-mediated mouse granulosa cell proliferation and granulosa cell function by targeting Smad4. *Mol Endocrinol*, 24(3): 540-51.

Yılmaz Hanege, B., Güler Çekiç, S., & Ata, B. (2019). Endometrioma and ovarian



UNIVERSITAS
GADJAH MADA

Hubungan Polimorfisme Gen ER-Beta, Variabel Numbers Of Tandem Repeat (VNTR) Intron 4 Gen CYP 19, dan Mikro-RNA Let-7 B Terkait Kadar Estradiol (E2) Terhadap Folikulogenesis Pada Pasien Endometriosis

Intan Kusumaningtyas, Prof.dr.Djaswadi Dasuki, Sp.OG(K), MPH, Ph.D; Prof.dr. Sofia Mubarika, MMedSc, PhD; dr. / Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

reserve: effects of endometrioma per se and its surgical treatment on the ovarian reserve. *Facts, Views & Vision in ObGyn*, 11(2), 151–157.

Zeitoun, K. M. & Bulun, S. E. (1999) Aromatase: a key molecule in the pathophysiology of endometriosis and a therapeutic target. *Fertil Steril*, 72(6): 961-9.

Zhang, H., & Liu, K. (2015). Cellular and molecular regulation of the activation of mammalian primordial follicles: somatic cells initiate follicle activation in adulthood. *Human Reproduction Update*, 21(6), 779–786. <https://doi.org/10.1093/humupd/dmv037>

Zondervan, K. T., Treloar, S. A., Lin, J., Weeks, D. E., Nyholt, D. R., Mangion, J., MacKay, I. J., Cardon, L. R., Martin, N. G., Kennedy, S. H. & Montgomery, G. W. (2007) Significant evidence of one or more susceptibility loci for endometriosis with near-Mendelian inheritance on chromosome 7p13-15. *Hum Reprod*, 22(3): 717-28.

Zulli, K., Bianco, B., Mafra, F. A., Teles, J. S., Christofolini, D. M., & Barbosa, C. P. (2010). Polymorphism of the estrogen receptor β gene is related to infertility and infertility-associated endometriosis. *Arquivos Brasileiros de Endocrinologia & Metabologia*, 54(6), 567–571. <https://doi.org/10.1590/s0004-27302010000600010>