

DAFTAR PUSTAKA

- Adriawan, I. R. (2014). *EVALUASI EFEK ANTI-DIABETES MELITUS EKSTRAK TERPURIKASI *Andrographis paniculata* (Burm.*
- Akihisa, T., Yasukawa, K., Yamaura, M., Ukiya, M., Kimura, Y., Shimizu, N., & Arai, K. (2000). Triterpene Alcohol and Sterol Ferulates from Rice Bran and Their Anti-inflammatory Effects. *Journal of Agricultural and Food Chemistry*, 48(6), 2313–2319. <https://doi.org/10.1021/jf000135o>
- Alberti, K. G. M. M., Eckel, R. H., Grundy, S. M., Zimmet, P. Z., Cleeman, J. I., Donato, K. A., Fruchart, J.-C., James, W. P. T., Loria, C. M., & Smith, S. C. (2009). Harmonizing the Metabolic Syndrome: A Joint Interim Statement of the International Diabetes Federation Task Force on Epidemiology and Prevention; National Heart, Lung, and Blood Institute; American Heart Association; World Heart Federation; International Atherosclerosis Society; and International Association for the Study of Obesity. *Circulation*, 120(16), 1640–1645. <https://doi.org/10.1161/CIRCULATIONAHA.109.192644>
- Altuner, F. (2020). DETERMINATION OF THE EFFECT OF SALT (NaCl) STRESS ON GERMINATION OF OAT (*AVENA SATIVA* L.) SEEDS PRETREATED WITH GIBBERELIC ACID. *Fresenius Environmental Bulletin*, 29(12).
- American Diabetes Association. (2021). *Standards of Medical Care in Diabetes—2021* Abridged for Primary Care Providers. *Clinical Diabetes*, 39(1), 14–43. <https://doi.org/10.2337/cd21-as01>
- Andrikopoulos, S., Blair, A. R., Deluca, N., Fam, B. C., & Proietto, J. (2008). Evaluating the glucose tolerance test in mice. *American Journal of Physiology-Endocrinology and Metabolism*, 295(6), E1323–E1332. <https://doi.org/10.1152/ajpendo.90617.2008>
- Ballini, E., Berruyer, R., Morel, J.-B., Lebrun, M.-H., Nottéghem, J.-L., & Tharreau, D. (2007). Modern Elite Rice Varieties of the “Green Revolution” Have Retained a Large Introgression from Wild Rice around the Pi33 Rice Blast Resistance Locus. *New Phytologist*, 175(2), 340–350.
- Barber, T. M., Kabisch, S., Pfeiffer, A. F. H., & Weickert, M. O. (2020). The Health Benefits of Dietary Fibre. *Nutrients*, 12(10), 3209. <https://doi.org/10.3390/nu12103209>
- Barham, D., & Trinder, P. (1972). An improved colour reagent for the determination of blood glucose by the oxidase system. *The Analyst*, 97(1151), 142. <https://doi.org/10.1039/an9729700142>
- Barik, S. K., Russell, W. R., Moar, K. M., Cruickshank, M., Scobbie, L., Duncan, G., & Hoggard, N. (2020). The anthocyanins in black currants regulate postprandial hyperglycaemia primarily by inhibiting α -glucosidase while other phenolics modulate salivary α -amylase, glucose uptake and sugar transporters. *The Journal of Nutritional Biochemistry*, 78, 108325. <https://doi.org/10.1016/j.jnutbio.2019.108325>
- Beaulieu, J. C., Moreau, R. A., Powell, M. J., & Obando-Ulloa, J. M. (2022). Lipid Profiles in Preliminary Germinated Brown Rice Beverages

- Compared to Non-Germinated Brown and White Rice Beverages. *Foods*, 11(2), 220. <https://doi.org/10.3390/foods11020220>
- Ben-Haroush, A., Yogev, Y., & Hod, M. (2003). Association with Type 2 diabetes.
- Borai, A., Livingstone, C., Kaddam, I., & Ferns, G. (2011). Selection of the appropriate method for the assessment of insulin resistance. *BMC Medical Research Methodology*, 11(1), 158. <https://doi.org/10.1186/1471-2288-11-158>
- Bösenberg, L. H., & van Zyl, D. G. (2008). The mechanism of action of oral antidiabetic drugs: A review of recent literature. *Journal of Endocrinology, Metabolism and Diabetes of South Africa*, 13(3), 80–88. <https://doi.org/10.1080/22201009.2008.10872177>
- Bown, A. W., MacGregor, K. B., & Shelp, B. J. (2006). Gamma-aminobutyrate: Defense against invertebrate pests? *Trends in Plant Science*, 11(9), 424–427. <https://doi.org/10.1016/j.tplants.2006.07.002>
- Canfora, E. E., Meex, R. C. R., Venema, K., & Blaak, E. E. (2019). Gut microbial metabolites in obesity, NAFLD and T2DM. *Nature Reviews Endocrinology*, 15(5), 261–273. <https://doi.org/10.1038/s41574-019-0156-z>
- Cani, P. D., Lecourt, E., Dewulf, E. M., Sohet, F. M., Pachikian, B. D., Naslain, D., Backer, F. D., Neyrinck, A. M., & Delzenne, N. M. (2009). Gut microbiota fermentation of prebiotics increases satietogenic and incretin gut peptide production with consequences for appetite sensation and glucose response after a meal 1–3.
- Chen, C., You, L.-J., Huang, Q., Fu, X., Zhang, B., Liu, R.-H., & Li, C. (2018). Modulation of gut microbiota by mulberry fruit polysaccharide treatment of obese diabetic db / db mice. *Food & Function*, 9(7), 3732–3742. <https://doi.org/10.1039/C7FO01346A>
- Chen, H., Sullivan, G., Yue, L. Q., Katz, A., & Quon, M. J. (2003). QUICKI is a useful index of insulin sensitivity in subjects with hypertension. *American Journal of Physiology-Endocrinology and Metabolism*, 284(4), E804–E812. <https://doi.org/10.1152/ajpendo.00330.2002>
- Cheng, H.-H. (1993). Total dietary fiber content of polished, brown and bran types of Japonica and Indica rice in Taiwan: Resulting physiological effects of consumption. *Nutrition Research*, 13(1), 93–101. [https://doi.org/10.1016/S0271-5317\(05\)80660-8](https://doi.org/10.1016/S0271-5317(05)80660-8)
- Cheng, L., Zhang, X., Hong, Y., Li, Z., Li, C., & Gu, Z. (2017). Characterisation of physicochemical and functional properties of soluble dietary fibre from potato pulp obtained by enzyme-assisted extraction. *International Journal of Biological Macromolecules*, 101, 1004–1011. <https://doi.org/10.1016/j.ijbiomac.2017.03.156>
- Cho, D.-H., & Lim, S.-T. (2016). Germinated brown rice and its bio-functional compounds. *Food Chemistry*, 196, 259–271. <https://doi.org/10.1016/j.foodchem.2015.09.025>
- Christensen, D. P., Dahllöf, M., Lundh, M., Rasmussen, D. N., Nielsen, M. D., Billestrup, N., Grunnet, L. G., & Mandrup-Poulsen, T. (2011). Histone

- Deacetylase (HDAC) Inhibition as a Novel Treatment for Diabetes Mellitus. *Molecular Medicine*, 17(5–6), 378–390. <https://doi.org/10.2119/molmed.2011.00021>
- Christiansen, C. B., Gabe, M. B. N., Svendsen, B., Dragsted, L. O., Rosenkilde, M. M., & Holst, J. J. (2018). The impact of short-chain fatty acids on GLP-1 and PYY secretion from the isolated perfused rat colon. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, 315(1), G53–G65. <https://doi.org/10.1152/ajpgi.00346.2017>
- Comas-Basté, O., Sánchez-Pérez, S., Veciana-Nogués, M. T., Latorre-Moratalla, M., & Vidal-Carou, M. del C. (2020). Histamine Intolerance: The Current State of the Art. *Biomolecules*, 10(8), 1181. <https://doi.org/10.3390/biom10081181>
- Czech, M. P. (2017). Insulin action and resistance in obesity and type 2 diabetes. *Nature Medicine*, 23(7), 804–814. <https://doi.org/10.1038/nm.4350>
- Deeds, M. C., Anderson, J. M., Armstrong, A. S., Gastineau, D. A., Hiddinga, H. J., Jahangir, A., Eberhardt, N. L., & Kudva, Y. C. (2011). Single dose streptozotocin-induced diabetes: Considerations for study design in islet transplantation models. *Laboratory Animals*, 45(3), 131–140. <https://doi.org/10.1258/la.2010.010090>
- DiPiro, J. T. (2005). *Pharmacotherapy: A pathophysiologic approach* (6th ed). McGraw-Hill.
- Fan, Y., & Pedersen, O. (2021). Gut microbiota in human metabolic health and disease. *Nature Reviews Microbiology*, 19(1), 55–71. <https://doi.org/10.1038/s41579-020-0433-9>
- Fan, Z. (2024). Characterization of glucose/non-glucose-tolerant β -glucosidases from the metatranscriptome in compost. *Process Biochemistry*.
- Fernando, B. (2013). Rice as a Source of Fibre. *Rice Research: Open Access*, 1(2). <https://doi.org/10.4172/jrr.1000e101>
- Fonseca, V. A. (2009). Defining and Characterizing the Progression of Type 2 Diabetes. *Diabetes Care*, 32(suppl_2), S151–S156. <https://doi.org/10.2337/dc09-S301>
- Fraser-Reid, B. O., Tatsuta, K., & Thiem, J. (2008). *Glycoscience: Chemistry and Chemical Biology*. Springer Berlin Heidelberg Springer e-books.
- Gill, S. K., Rossi, M., Bajka, B., & Whelan, K. (2021). Dietary fibre in gastrointestinal health and disease. *Nature Reviews Gastroenterology & Hepatology*, 18(2), 101–116. <https://doi.org/10.1038/s41575-020-00375-4>
- Gong, E. S., Luo, S. J., Li, T., Liu, C. M., Zhang, G. W., Chen, J., Zeng, Z. C., & Liu, R. H. (2017). Phytochemical profiles and antioxidant activity of brown rice varieties. *Food Chemistry*, 227, 432–443. <https://doi.org/10.1016/j.foodchem.2017.01.093>
- Gregor, M. F., & Hotamisligil, G. S. (2011). Inflammatory Mechanisms in Obesity. *Annual Review of Immunology*, 29(1), 415–445. <https://doi.org/10.1146/annurev-immunol-031210-101322>
- Gupta, R., & Sharma, S. (2012). Effect of germinated <i>Glycine max</i> seeds on glycemic control in STZ+NAD induced type 2 diabetic models: A preliminary study. *Journal of Experimental and*

- Integrative Medicine*, 2(2), 155.
<https://doi.org/10.5455/jeim.020112.or.021>
- Hagiwara, H., Seki, T., & Ariga, T. (2004). The Effect of Pre-germinated Brown Rice Intake on Blood Glucose and PAI-1 Levels in Streptozotocin-induced Diabetic Rats. *Bioscience, Biotechnology, and Biochemistry*, 68(2), 444–447. <https://doi.org/10.1271/bbb.68.444>
- Hall, J. E., & Guyton, A. C. (2011). *Guyton and Hall textbook of medical physiology* (12th ed). Saunders/Elsevier.
- He, Y., Wang, B., Wen, L., Wang, F., Yu, H., Chen, D., Su, X., & Zhang, C. (2022). Effects of dietary fiber on human health. *Food Science and Human Wellness*, 11(1), 1–10. <https://doi.org/10.1016/j.fshw.2021.07.001>
- Hemalatha, P., Bomzan, D. P., Sathyendra Rao, B. V., & Sreerama, Y. N. (2016). Distribution of phenolic antioxidants in whole and milled fractions of quinoa and their inhibitory effects on α -amylase and α -glucosidase activities. *Food Chemistry*, 199, 330–338. <https://doi.org/10.1016/j.foodchem.2015.12.025>
- Holscher, H. D. (2017). Dietary fiber and prebiotics and the gastrointestinal microbiota. *Gut Microbes*, 8(2), 172–184. <https://doi.org/10.1080/19490976.2017.1290756>
- Hsu, T.-F., Kise, M., Wang, M.-F., Ito, Y., Yang, M.-D., Aoto, H., Yoshihara, R., Yokoyama, J., Kunii, D., & Yamamoto, S. (2008). Effects of Pre-Germinated Brown Rice on Blood Glucose and Lipid Levels in Free-Living Patients with Impaired Fasting Glucose or Type 2 Diabetes. *Journal of Nutritional Science and Vitaminology*, 54(2), 163–168. <https://doi.org/10.3177/jnsv.54.163>
- Ighodaro, O. M., & Akinloye, O. A. (2017). Anti-diabetic potential of Sapium ellipticum (Hochst) Pax leaf extract in Streptozotocin(STZ)-induced diabetic Wistar rats. *BMC Complementary and Alternative Medicine*, 17(1), 525. <https://doi.org/10.1186/s12906-017-2013-8>
- Islam, Md. S., & Wilson, R. D. (2012). Experimentally Induced Rodent Models of Type 2 Diabetes. In H.-G. Joost, H. Al-Hasani, & A. Schürmann (Eds.), *Animal Models in Diabetes Research* (Vol. 933, pp. 161–174). Humana Press. https://doi.org/10.1007/978-1-62703-068-7_10
- Ito, Y., Mizukuchi, A., Kise, M., Aoto, H., Yamamoto, S., Yoshihara, R., & Yokoyama, J. (2005). Postprandial blood glucose and insulin responses to pre-germinated brown rice in healthy subjects. *The Journal of Medical Investigation*, 52(3–4), 159–164. <https://doi.org/10.2152/jmi.52.159>
- Jayadeep, A., & Malleshi, N. G. (2011). Nutrients, composition of tocotrienols, tocopherols, and γ -oryzanol, and antioxidant activity in brown rice before and after biotransformation Nutrientes, composición de tocotrienoles, tocoferoles y γ -oryzanol, y actividad antioxidante del arroz integral antes y después de la biotransformación. *CyTA - Journal of Food*, 9(1), 82–87. <https://doi.org/10.1080/19476331003686866>
- Ji, X., Hou, C., Zhang, X., Han, L., Yin, S., Peng, Q., & Wang, M. (2019). Microbiome-metabolomic analysis of the impact of Zizyphus jujuba cv. Muzao polysaccharides consumption on colorectal cancer mice fecal

- microbiota and metabolites. *International Journal of Biological Macromolecules*, 131, 1067–1076. <https://doi.org/10.1016/j.ijbiomac.2019.03.175>
- Jiamyangyuen, S., & Ooraikul, B. (2008). *The physico-chemical, eating and sensorial properties of germinated brown rice*.
- Kashtoh, H., & Baek, K.-H. (2023). New Insights into the Latest Advancement in α -Amylase Inhibitors of Plant Origin with Anti-Diabetic Effects. *Plants*, 12(16), 2944. <https://doi.org/10.3390/plants12162944>
- Katsuki, A., Sumida, Y., Gabazza, E. C., Murashima, S., Furuta, M., Araki-Sasaki, R., Hori, Y., Yano, Y., & Adachi, Y. (2001). Homeostasis Model Assessment Is a Reliable Indicator of Insulin Resistance During Follow-up of Patients With Type 2 Diabetes. *Diabetes Care*, 24(2), 362–365. <https://doi.org/10.2337/diacare.24.2.362>
- Khan, S., & Jena, G. (2014a). Sodium butyrate, a HDAC inhibitor ameliorates eNOS, iNOS and TGF- β 1-induced fibrogenesis, apoptosis and DNA damage in the kidney of juvenile diabetic rats. *Food and Chemical Toxicology*, 73, 127–139. <https://doi.org/10.1016/j.fct.2014.08.010>
- Khan, S., & Jena, G. (2015). The role of butyrate, a histone deacetylase inhibitor in diabetes mellitus: Experimental evidence for therapeutic intervention. *Epigenomics*, 7(4), 669–680. <https://doi.org/10.2217/epi.15.20>
- Khan, S., & Jena, G. (2016). Sodium butyrate reduces insulin-resistance, fat accumulation and dyslipidemia in type-2 diabetic rat: A comparative study with metformin. *Chemico-Biological Interactions*, 254, 124–134. <https://doi.org/10.1016/j.cbi.2016.06.007>
- Khan, S., & Jena, G. B. (2014b). Protective role of sodium butyrate, a HDAC inhibitor on beta-cell proliferation, function and glucose homeostasis through modulation of p38/ERK MAPK and apoptotic pathways: Study in juvenile diabetic rat. *Chemico-Biological Interactions*, 213, 1–12. <https://doi.org/10.1016/j.cbi.2014.02.001>
- Khunkaew, S., Fernandez, R., & Sim, J. (2019). Health-related quality of life among adults living with diabetic foot ulcers: A meta-analysis. *Quality of Life Research*, 28(6), 1413–1427. <https://doi.org/10.1007/s11136-018-2082-2>
- Khush, G. S. (2005). *IR varieties and their impact*. International Rice Research Institute.
- Kim, K.-T., Rioux, L.-E., & Turgeon, S. L. (2014). Alpha-amylase and alpha-glucosidase inhibition is differentially modulated by fucoidan obtained from *Fucus vesiculosus* and *Ascophyllum nodosum*. *Phytochemistry*, 98, 27–33. <https://doi.org/10.1016/j.phytochem.2013.12.003>
- Kim, M. Y., Lee, S. H., Jang, G. Y., Park, H. J., Meishan, L., Kim, S., Lee, Y. R., Lee, J., & Jeong, H. S. (2013). Enzyme Inhibition Activities of Ethanol Extracts from Germinating Rough Rice (*Oryza sativar* L.). *Journal of the Korean Society of Food Science and Nutrition*, 42(6), 917–923. <https://doi.org/10.3746/jkfn.2013.42.6.917>

- Koopmans, H. S., & Pi-Sunyer, F. X. (1986). Large changes in food intake in diabetic rats fed high-fat and low-fat diets. *Brain Research Bulletin*, *17*(6), 861–871. [https://doi.org/10.1016/0361-9230\(86\)90100-0](https://doi.org/10.1016/0361-9230(86)90100-0)
- Kotowaroo, M. I., Mahomoodally, M. F., Gurib-Fakim, A., & Subratty, A. H. (2006). Screening of traditional antidiabetic medicinal plants of mauritius for possible α -amylase inhibitory effects *in vitro*. *Phytotherapy Research*, *20*(3), 228–231. <https://doi.org/10.1002/ptr.1839>
- Kozuka, C., Yabiku, K., Sunagawa, S., Ueda, R., Taira, S., Ohshiro, H., Ikema, T., Yamakawa, K., Higa, M., Tanaka, H., Takayama, C., Matsushita, M., Oyadomari, S., Shimabukuro, M., & Masuzaki, H. (2012). *Brown Rice and Its Component, g-Oryzanol, Attenuate the Preference for High-Fat Diet by Decreasing Hypothalamic Endoplasmic Reticulum Stress in Mice*.
- Kumar, V., Prakash, O., Kumar, S., & Narwal, S. (2011). α -glucosidase inhibitors from plants: A natural approach to treat diabetes. *Pharmacognosy Reviews*, *5*(9), 19. <https://doi.org/10.4103/0973-7847.79096>
- Lee, J.-S., Sreenivasulu, N., Hamilton, R. S., & Kohli, A. (2019). Brown Rice, a Diet Rich in Health Promoting Properties. *Journal of Nutritional Science and Vitaminology*, *65*(Supplement), S26–S28. <https://doi.org/10.3177/jnsv.65.S26>
- Lemmens, E., Moroni, A. V., Pagand, J., Heirbaut, P., Ritala, A., Karlen, Y., L , K., Van den Broeck, H. C., Brouns, F. J. P. H., De Brier, N., & Delcour, J. A. (2019). Impact of Cereal Seed Sprouting on Its Nutritional and Technological Properties: A Critical Review. *Comprehensive Reviews in Food Science and Food Safety*, *18*(1), 305–328. <https://doi.org/10.1111/1541-4337.12414>
- Lerma-García, M. J., Herrero-Martínez, J. M., Simó-Alfonso, E. F., Mendonça, C. R. B., & Ramis-Ramos, G. (2009). Composition, industrial processing and applications of rice bran γ -oryzanol. *Food Chemistry*, *115*(2), 389–404. <https://doi.org/10.1016/j.foodchem.2009.01.063>
- Li, K., Yao, F., Du, J., Deng, X., & Li, C. (2018). Persimmon Tannin Decreased the Glycemic Response through Decreasing the Digestibility of Starch and Inhibiting α -Amylase, α -Glucosidase, and Intestinal Glucose Uptake. *Journal of Agricultural and Food Chemistry*, *66*(7), 1629–1637. <https://doi.org/10.1021/acs.jafc.7b05833>
- Li, X., Bai, Y., Jin, Z., & Svensson, B. (2022). Food-derived non-phenolic α -amylase and α -glucosidase inhibitors for controlling starch digestion rate and guiding diabetes-friendly recipes. *LWT*, *153*, 112455. <https://doi.org/10.1016/j.lwt.2021.112455>
- Lumeng, C. N., & Saltiel, A. R. (2011). Inflammatory links between obesity and metabolic disease. *Journal of Clinical Investigation*, *121*(6), 2111–2117. <https://doi.org/10.1172/JCI57132>
- Luo, X., Wang, Y., Li, Q., Wang, D., Xing, C., Zhang, L., Xu, T., Fang, F., & Wang, F. (2018). Accumulating mechanism of γ -aminobutyric acid in soybean (*Glycine max* L.) during germination. *International Journal of Food Science & Technology*, *53*(1), 106–111. <https://doi.org/10.1111/ijfs.13563>

- Magliano, D. J., Sacre, J. W., Harding, J. L., Gregg, E. W., Zimmet, P. Z., & Shaw, J. E. (2020). Young-onset type 2 diabetes mellitus—Implications for morbidity and mortality. *Nature Reviews Endocrinology*, *16*(6), 321–331. <https://doi.org/10.1038/s41574-020-0334-z>
- Makki, K., Deehan, E. C., Walter, J., & Bäckhed, F. (2018). The Impact of Dietary Fiber on Gut Microbiota in Host Health and Disease. *Cell Host & Microbe*, *23*(6), 705–715. <https://doi.org/10.1016/j.chom.2018.05.012>
- Malik, V. S., Sudha, V., Wedick, N. M., RamyaBai, M., Vijayalakshmi, P., LakshmiPriya, N., Gayathri, R., Kokila, A., Jones, C., Hong, B., Li, R., Krishnaswamy, K., Anjana, R. M., Spiegelman, D., Willett, W. C., Hu, F. B., & Mohan, V. (2019). Substituting brown rice for white rice on diabetes risk factors in India: A randomised controlled trial. *British Journal of Nutrition*, *121*(12), 1389–1397. <https://doi.org/10.1017/S000711451900076X>
- Masiello, P. (2006). Animal models of type 2 diabetes with reduced pancreatic β -cell mass. *The International Journal of Biochemistry & Cell Biology*, *38*(5–6), 873–893. <https://doi.org/10.1016/j.biocel.2005.09.007>
- Masiello, P., Broca, C., Gross, R., Roye, M., Manteghetti, M., Hillaire-Buys, D., Novelli, M., & Ribes, G. (1998). *Development of a New Model in Adult Rats Administered Streptozotocin and Nicotinamide*. 47.
- Matthews, D. R., Hosker, J. R., Rudenski, A. S., Naylor, B. A., Treacher, D. F., Turner, R. C., & Research Laboratories, D. (1985). *Homeostasis model assessment: Insulin resistance and β -cell function from fasting plasma glucose and insulin concentrations in man*.
- Mekky, R. H., Thabet, M. M., Rodríguez-Pérez, C., Elnaggar, D. M. Y., Mahrous, E. A., Segura-Carretero, A., & Abdel-Sattar, E. (2020). Comparative metabolite profiling and antioxidant potentials of seeds and sprouts of three Egyptian cultivars of *Vicia faba* L. *Food Research International*, *136*, 109537. <https://doi.org/10.1016/j.foodres.2020.109537>
- Meng, X., Liu, F., Xiao, Y., Cao, J., Wang, M., & Duan, X. (2019). Alterations in physicochemical and functional properties of buckwheat straw insoluble dietary fiber by alkaline hydrogen peroxide treatment. *Food Chemistry: X*, *3*, 100029. <https://doi.org/10.1016/j.fochx.2019.100029>
- Moller, D. E., & Kaufman, K. D. (2005). Metabolic Syndrome: A Clinical and Molecular Perspective. *Annual Review of Medicine*, *56*(1), 45–62. <https://doi.org/10.1146/annurev.med.56.082103.104751>
- Moongngarm, A. (2010). *Influence of Germination Conditions on Starch, Physicochemical Properties, and Microscopic Structure of Rice Flour*.
- Mora-Escobedo, R. (1989). *Germination of Amaranth Seeds: Effects on Nutrient Composition and Color*.
- Muhlshoh, A., Wasita, B., & Patriado Nuhriawangsa, A. M. (2019). Antidiabetic effect of *Centella asiatica* extract (whole plant) in streptozotocin nicotinamide-induced diabetic rats. *Jurnal Gizi Dan Dietetik Indonesia (Indonesian Journal of Nutrition and Dietetics)*, *6*(1), 14. [https://doi.org/10.21927/ijnd.2018.6\(1\).14-22](https://doi.org/10.21927/ijnd.2018.6(1).14-22)

- Nesti, D. R., & Baidlowi, A. (2017). Profil Glukosa Darah, Lipid dan Visualisasi Pulau Langerhans sebagai Imunoreaktor Insulin dan Glukagon pada Pankreas Tikus (*rattus norvegicus*) Obesitas Menggunakan Teknik Immunohistokimia. *Jurnal Nasional Teknologi Terapan (JNTT)*, 1(1), 24. <https://doi.org/10.22146/jntt.34083>
- Ohtsubo, K., Suzuki, K., Yasui, Y., & Kasumi, T. (2005). Bio-functional components in the processed pre-germinated brown rice by a twin-screw extruder. *Journal of Food Composition and Analysis*, 18(4), 303–316. <https://doi.org/10.1016/j.jfca.2004.10.003>
- Ou, S., Kwok, K., Li, Y., & Fu, L. (2001). In Vitro Study of Possible Role of Dietary Fiber in Lowering Postprandial Serum Glucose. *Journal of Agricultural and Food Chemistry*, 49(2), 1026–1029. <https://doi.org/10.1021/jf000574n>
- Papathanasopoulos, A., & Camilleri, M. (2010). Dietary Fiber Supplements: Effects in Obesity and Metabolic Syndrome and Relationship to Gastrointestinal Functions. *Gastroenterology*, 138(1), 65-72.e2. <https://doi.org/10.1053/j.gastro.2009.11.045>
- Paucar-Menacho, L. M., Martínez-Villaluenga, C., Dueñas, M., Frias, J., & Peñas, E. (2017). Optimization of germination time and temperature to maximize the content of bioactive compounds and the antioxidant activity of purple corn (*Zea mays* L.) by response surface methodology. *LWT - Food Science and Technology*, 76, 236–244. <https://doi.org/10.1016/j.lwt.2016.07.064>
- Penno, G., Solini, A., Orsi, E., Bonora, E., Fondelli, C., Trevisan, R., Vedovato, M., Cavalot, F., Zerbini, G., Lamacchia, O., Nicolucci, A., & Pugliese, G. (2021). Insulin resistance, diabetic kidney disease, and all-cause mortality in individuals with type 2 diabetes: A prospective cohort study. *BMC Medicine*, 19(1), 66. <https://doi.org/10.1186/s12916-021-01936-3>
- Raninen, K., Lappi, J., Mykkänen, H., & Poutanen, K. (2011). Dietary fiber type reflects physiological functionality: Comparison of grain fiber, inulin, and polydextrose: Nutrition Reviews® Vol. 69(1): ••••. *Nutrition Reviews*, 69(1), 9–21. <https://doi.org/10.1111/j.1753-4887.2010.00358.x>
- Rao, R. S. P., & Muralikrishna, G. (2004). Non-starch polysaccharide–phenolic acid complexes from native and germinated cereals and millet. *Food Chemistry*, 84(4), 527–531. [https://doi.org/10.1016/S0308-8146\(03\)00274-7](https://doi.org/10.1016/S0308-8146(03)00274-7)
- Rong, N., Ausman, L. M., & Nicolosi, R. J. (1997). Oryzanol decreases cholesterol absorption and aortic fatty streaks in hamsters. *Lipids*, 32(3), 303–309. <https://doi.org/10.1007/s11745-997-0037-9>
- Sakinah, E. N. (2017). The role of Cholecalciferol in the Improvement of Insulin Resistance in Diabetic Mice Model. *Journal of Agromedicine and Medical Sciences*, 3(3), 24. <https://doi.org/10.19184/ams.v3i3.6146>
- Saleh, A. S. M., Wang, P., Wang, N., Yang, L., & Xiao, Z. (2019). Brown Rice Versus White Rice: Nutritional Quality, Potential Health Benefits, Development of Food Products, and Preservation Technologies. *Comprehensive Reviews in Food Science and Food Safety*, 18(4), 1070–1096. <https://doi.org/10.1111/1541-4337.12449>

- Sánchez, A., & Vázquez, A. (2017). Bioactive peptides: A review. *Food Quality and Safety*, 1(1), 29–46. <https://doi.org/10.1093/fqs/fyx006>
- Seki, T., Nagase, R., Torimitsu, M., Yanagi, M., Ito, Y., Kise, M., Mizukuchi, A., Fujimura, N., Hayamizu, K., & Ariga, T. (2005). Insoluble Fiber Is a Major Constituent Responsible for Lowering the Post-Prandial Blood Glucose Concentration in the Pre-Germinated Brown Rice. *Biological and Pharmaceutical Bulletin*, 28(8), 1539–1541. <https://doi.org/10.1248/bpb.28.1539>
- Shah, S. A., Zeb, A., Masood, T., Noreen, N., Abbas, S. J., Samiullah, M., Alim, A., & Muhammad, A. (2011). *Effects of sprouting time on biochemical and nutritional qualities of Mungbean varieties.*
- Sharma, B., & Singh, N. (2011). Attenuation of vascular dementia by sodium butyrate in streptozotocin diabetic rats. *Psychopharmacology*, 215(4), 677–687. <https://doi.org/10.1007/s00213-011-2164-0>
- Shelp, B. J., Bozzo, G. G., Trobacher, C. P., Zarei, A., Deyman, K. L., & Brikis, C. J. (2012). Hypothesis/review: Contribution of putrescine to 4-aminobutyrate (GABA) production in response to abiotic stress. *Plant Science*, 193–194, 130–135. <https://doi.org/10.1016/j.plantsci.2012.06.001>
- Shinde, J., Taldone, T., Barletta, M., Kunaparaju, N., Hu, B., Kumar, S., Placido, J., & Zito, S. W. (2008). α -Glucosidase inhibitory activity of *Syzygium cumini* (Linn.) Skeels seed kernel in vitro and in Goto–Kakizaki (GK) rats. *Carbohydrate Research*, 343(7), 1278–1281. <https://doi.org/10.1016/j.carres.2008.03.003>
- Son, M. J., Rico, C. W., Nam, S. H., & Kang, M. Y. (2011). Effect of Oryzanol and Ferulic Acid on the Glucose Metabolism of Mice Fed with a High-Fat Diet. *Journal of Food Science*, 76(1). <https://doi.org/10.1111/j.1750-3841.2010.01907.x>
- Suprihatno, B. (2007). *Deskripsi varietas padi.* Badan Penelitian dan Pengembangan Pertanian, Balai Besar Penelitian Tanaman Padi.
- Sutjahjo, A. (2018). ADIPONEKTIN HIGH MOLECULAR WEIGHT DAN KEKAKUAN VASKULAR DI PENYAKIT DIABETES MELITUS TIPE 2 TERKAIT GABUNGAN GLIMEPIRIDE METFORMIN DOSIS TETAP. *INDONESIAN JOURNAL OF CLINICAL PATHOLOGY AND MEDICAL LABORATORY*, 21(2), 120–124. <https://doi.org/10.24293/ijcpml.v21i2.1089>
- Tahapary, D. L., Pratishita, L. B., Fitri, N. A., Marcella, C., Wafa, S., Kurniawan, F., Rizka, A., Tarigan, T. J. E., Harbuwono, D. S., Purnamasari, D., & Soewondo, P. (2022). Challenges in the diagnosis of insulin resistance: Focusing on the role of HOMA-IR and Tryglyceride/glucose index. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*, 16(8), 102581. <https://doi.org/10.1016/j.dsx.2022.102581>
- Tan, J. K., Macia, L., & Mackay, C. R. (2023). Dietary fiber and SCFAs in the regulation of mucosal immunity. *Journal of Allergy and Clinical Immunology*, 151(2), 361–370. <https://doi.org/10.1016/j.jaci.2022.11.007>
- Torimitsu, M., Nagase, R., Yanagi, M., Homma, M., Sasai, Y., Ito, Y., Hayamizu, K., Nonaka, S., Hosono, T., Kise, M., Seki, T., & Ariga, T. (2010).

- Replacing White Rice with Pre-Germinated Brown Rice Mildly Ameliorates Hyperglycemia and Imbalance of Adipocytokine Levels in Type 2 Diabetes Model Rats. *Journal of Nutritional Science and Vitaminology*, 56(5), 287–292. <https://doi.org/10.3177/jnsv.56.287>
- Ukpong, E. S., Onyeka, E. U., & Oladeji, B. S. (2023). Bioactive compounds, nutrients and pasting properties of parboiled milled rice, brown rice and germinated brown rice of selected cultivars and the effects of germination durations. *Food Chemistry Advances*, 2, 100234. <https://doi.org/10.1016/j.focha.2023.100234>
- Van Hung, P., Hoang Yen, N. T., Lan Phi, N. T., Ha Tien, N. P., & Thu Trung, N. T. (2020). Nutritional composition, enzyme activities and bioactive compounds of mung bean (*Vigna radiata* L.) germinated under dark and light conditions. *LWT*, 133, 110100. <https://doi.org/10.1016/j.lwt.2020.110100>
- von Deneen, K. M., & Garstka, M. A. (2022). Neuroimaging perspective in targeted treatment for type 2 diabetes melitus and sleep disorders. *Intelligent Medicine*, 2(4), 209–220. <https://doi.org/10.1016/j.imed.2022.05.003>
- Wang, K., Li, M., Han, Q., Fu, R., & Ni, Y. (2021). Inhibition of α -amylase activity by insoluble and soluble dietary fibers from kiwifruit (*Actinidia deliciosa*). *Food Bioscience*, 42, 101057. <https://doi.org/10.1016/j.fbio.2021.101057>
- Wang, Y., Guan, M., Zhao, X., & Li, X. (2018). Effects of garlic polysaccharide on alcoholic liver fibrosis and intestinal microflora in mice. *Pharmaceutical Biology*, 56(1), 325–332. <https://doi.org/10.1080/13880209.2018.1479868>
- Wang, Y., Xiang, L., Wang, C., Tang, C., & He, X. (2013). Antidiabetic and Antioxidant Effects and Phytochemicals of Mulberry Fruit (*Morus alba* L.) Polyphenol Enhanced Extract. *PLoS ONE*, 8(7), e71144. <https://doi.org/10.1371/journal.pone.0071144>
- Watanabe, M., Maeda, T., Tsukahara, K., Kayahara, H., & Morita, N. (2004). Application of Pregerminated Brown Rice for Breadmaking. *Cereal Chemistry*, 81(4), 450–455. <https://doi.org/10.1094/CCHEM.2004.81.4.450>
- Weickert, M. O., & Pfeiffer, A. F. (2018). Impact of Dietary Fiber Consumption on Insulin Resistance and the Prevention of Type 2 Diabetes. *The Journal of Nutrition*, 148(1), 7–12. <https://doi.org/10.1093/jn/nxx008>
- Williams, B. A., Mikkelsen, D., Flanagan, B. M., & Gidley, M. J. (2019). “Dietary fibre”: Moving beyond the “soluble/insoluble” classification for monogastric nutrition, with an emphasis on humans and pigs. *Journal of Animal Science and Biotechnology*, 10(1), 45. <https://doi.org/10.1186/s40104-019-0350-9>
- Wilson, T. A., Nicolosi, R. J., Woolfrey, B., & Kritchevsky, D. (2007). Rice bran oil and oryzanol reduce plasma lipid and lipoprotein cholesterol concentrations and aortic cholesterol ester accumulation to a greater extent than ferulic acid in hypercholesterolemic hamsters. *The Journal of*

- Nutritional Biochemistry*, 18(2), 105–112.
<https://doi.org/10.1016/j.jnutbio.2006.03.006>
- Wu, F., Yang, N., Touré, A., Jin, Z., & Xu, X. (2013). Germinated Brown Rice and Its Role in Human Health. *Critical Reviews in Food Science and Nutrition*, 53(5), 451–463. <https://doi.org/10.1080/10408398.2010.542259>
- Xia, Q., Green, B. D., Zhu, Z., Li, Y., Gharibzahedi, S. M. T., Roohinejad, S., & Barba, F. J. (2019). Innovative processing techniques for altering the physicochemical properties of wholegrain brown rice (*Oryza sativa* L.) – opportunities for enhancing food quality and health attributes. *Critical Reviews in Food Science and Nutrition*, 59(20), 3349–3370. <https://doi.org/10.1080/10408398.2018.1491829>
- Xiong, M., Zheng, S., Bai, T., Chen, D., Qin, W., Zhang, Q., Lin, D., Liu, Y., Liu, A., Huang, Z., & Chen, H. (2022). The difference among structure, physicochemical and functional properties of dietary fiber extracted from triticale and hull-less barley. *LWT*, 154, 112771. <https://doi.org/10.1016/j.lwt.2021.112771>
- Xu, J.-G., & Hu, Q.-P. (2014). Changes in γ -aminobutyric acid content and related enzyme activities in Jindou 25 soybean (*Glycine max* L.) seeds during germination. *LWT - Food Science and Technology*, 55(1), 341–346. <https://doi.org/10.1016/j.lwt.2013.08.008>
- Yan, S., Shi, R., Li, L., Ma, S., Zhang, H., Ye, J., Wang, J., Pan, J., Wang, Q., Jin, X., Liu, X., & Liu, Z. (2019). Mannan Oligosaccharide Suppresses Lipid Accumulation and Appetite in Western-Diet-Induced Obese Mice Via Reshaping Gut Microbiome and Enhancing Short-Chain Fatty Acids Production. *Molecular Nutrition & Food Research*, 63(23), 1900521. <https://doi.org/10.1002/mnfr.201900521>
- Yang, R., Guo, Q., & Gu, Z. (2013). GABA shunt and polyamine degradation pathway on γ -aminobutyric acid accumulation in germinating fava bean (*Vicia faba* L.) under hypoxia. *Food Chemistry*, 136(1), 152–159. <https://doi.org/10.1016/j.foodchem.2012.08.008>
- Yongqi, H., Jia, Z., Defeng, F., Zhibo, H., Jiaming, L., Yufei, Z., Jinping, C., Jifeng, Y., & Zhoufei, W. (2020). RNA-Seq Study Reveals AP2-Domain-Containing Signalling Regulators Involved in Initial Imbibition of Seed Germination in Rice. *Rice Science*, 27(4), 302–314. <https://doi.org/10.1016/j.rsci.2020.05.006>
- Yoshimizu, M., Tajima, Y., Matsuzawa, F., Aikawa, S., Iwamoto, K., Kobayashi, T., Edmunds, T., Fujishima, K., Tsuji, D., Itoh, K., Ikeita, M., Kawashima, I., Sugawara, K., Ohyanagi, N., Suzuki, T., Togawa, T., Ohno, K., & Sakuraba, H. (2008). Binding parameters and thermodynamics of the interaction of imino sugars with a recombinant human acid α -glucosidase (alglucosidase alfa): Insight into the complex formation mechanism. *Clinica Chimica Acta*, 391(1–2), 68–73. <https://doi.org/10.1016/j.cca.2008.02.014>
- Zahra, N., & Jabeen, S. (2020). Brown Rice as Useful Nutritional Source. *Pakistan Journal of Agricultural Research*, 33(3). <https://doi.org/10.17582/journal.pjar/2020/33.3.445.453>

- Zamzuri, M., Ammar I. A., Mansor, J., Nurumal, S. R., Jamhari, M. N., Arifin, M. A., & Nawi, A. M. (2023). Herbal antioxidants as tertiary prevention against cardiovascular complications in type 2 diabetes mellitus: A systematic review. *Journal of Herbal Medicine*, *37*, 100621. <https://doi.org/10.1016/j.hermed.2022.100621>
- Zhang, G., Wang, D., Ding, Y., Zhang, J., Ding, Y., & Lyu, F. (2024). Effect and mechanism of insoluble dietary fiber on postprandial blood sugar regulation. *Trends in Food Science & Technology*, *146*, 104354. <https://doi.org/10.1016/j.tifs.2024.104354>
- Zhang, J., He, Z., Tian, H., Zhu, G., & Peng, X. (2007). Identification of aluminium-responsive genes in rice cultivars with different aluminium sensitivities. *Journal of Experimental Botany*, *58*(8), 2269–2278. <https://doi.org/10.1093/jxb/erm110>
- Zhang, Y., Yang, Z., Liu, G., Wu, Y., & Ouyang, J. (2020). Inhibitory effect of chestnut (*Castanea mollissima* Blume) inner skin extract on the activity of α -amylase, α -glucosidase, dipeptidyl peptidase IV and in vitro digestibility of starches. *Food Chemistry*, *324*, 126847. <https://doi.org/10.1016/j.foodchem.2020.126847>
- Zheng, Y., Liu, S., Xie, J., Chen, Y., Dong, R., Zhang, X., Liu, S., Xie, J., Hu, X., & Yu, Q. (2020). Antioxidant, α -amylase and α -glucosidase inhibitory activities of bound polyphenols extracted from mung bean skin dietary fiber. *LWT*, *132*, 109943. <https://doi.org/10.1016/j.lwt.2020.109943>
- Zheng, Y., Xu, B., Shi, P., Tian, H., Li, Y., Wang, X., Wu, S., & Liang, P. (2022). The influences of acetylation, hydroxypropylation, enzymatic hydrolysis and crosslinking on improved adsorption capacities and in vitro hypoglycemic properties of millet bran dietary fibre. *Food Chemistry*, *368*, 130883. <https://doi.org/10.1016/j.foodchem.2021.130883>