

DAFTAR PUSTAKA

- Afriliana, A., Pratiwi, D., Giyarto, Belgis, M., Harada, H., Yushiharu, M., & Taizo, M. (2019). Volatile Compounds Changes in Unfermented Robusta Coffee by Re-Fermentation Using Commercial Kefir. *Nutrition & Food Science International Journal*, 8(4). <https://doi.org/10.19080/nfsij.2019.08.555745>
- Aklimawati, L., & Surip Mawardi, dan. (2014). Karakteristik Mutu dan Agribisnis Kopi Robusta di Lereng Gunung Tambora Sumbawa. *Pelita Perkebunan*, 30(2), 159–180.
- Alam, I., Warkoyo, W., & Siskawardani, D. D. (2023). Karakteristik Tingkat Kematangan Buah Kopi Robusta (*Coffea canephora* A. Froehner) dan Buah Kopi Arabika (*Coffea arabica* Linnaeus) Terhadap Mutu dan Cita Rasa Seduhan Kopi. *Food Technology and Halal Science Journal*, 5(2), 169–185. <https://doi.org/10.22219/fths.v5i2.21925>
- Ames, J. M. (1992). The Maillard Reaction. In B. J. F. Hudson (Ed.), *Biochemistry of Food Proteins* (pp. 99–153). Springer US. https://doi.org/10.1007/978-1-4684-9895-0_4
- Asefi, N., Ebrahimzadegan, S., Maleki, R., & Seiedlou-Heris, S. S. (2023). Effects of roasting on alkylpyrazin compounds and properties of cocoa powder. *Journal of Food Science and Technology*, 60(2), 572–580. <https://doi.org/10.1007/s13197-022-05640-9>
- Aurelia, S., Abirrania S, L., Hariyadi, T., Kimia, J. T., Bandung, N., & 40012, B. (2021). *Prosiding The 12 th Industrial Research Workshop and National Seminar Bandung*. 4–5.
- Ayalign Beyene, A., & Sabally, K. (2013). *Determination of Chlorogenic Acids (CGA) in Coffee Beans using HPLC Biomarkers of Chronic Fatigue Syndrome View project potatoes invitro digestion and nutrional profiling View project*. www.usa-journals.com,
- Badan Pusat Statistik. (2021). *2021 - BPS Statistik Kopi Indonesia 2020*.
- Badan Standardisasi Nasional. (2004). *SNI 01-3542-2004 Kopi Bubuk*.
- Badan Standardisasi Nasional. (2008). *SNI 01-2907-2008 Biji kopi*.
- Bastian, F., Hutabarat, O. S., Dirpan, A., Nainu, F., Harapan, H., Emran, T. Bin, & Simal-Gandara, J. (2021). From plantation to cup: Changes in bioactive compounds during coffee processing. In *Foods* (Vol. 10, Issue 11). MDPI. <https://doi.org/10.3390/foods10112827>
- Budiman, I., Wahyudi, F., Meilina, H., & Teknik Kimia, J. (2021). Studi Fermentasi Biji Kopi Menggunakan Enzim Proteolitik. *Serambi Engineering*, VI(4).

- Budiyanto, Izahar, T., & Uker, D. (2021). Physical Characteristics of Coffee Beans and Quality of Ground Coffee Sintaro 2 and Sintaro 3 with Various Roast Levels. *Jurnal Agroindustri*, 11(1), 54–71. <https://doi.org/10.31186/j.agroind.11.1.54-71>
- Buffo, R. A., & Cardelli-Freire, C. (2004). Coffee flavour: An overview. In *Flavour and Fragrance Journal* (Vol. 19, Issue 2, pp. 99–104). <https://doi.org/10.1002/ffj.1325>
- Caporaso, N., Whitworth, M. B., Cui, C., & Fisk, I. D. (2018). Variability of single bean coffee volatile compounds of Arabica and robusta roasted coffees analysed by SPME-GC-MS. *Food Research International*, 108, 628–640. <https://doi.org/10.1016/j.foodres.2018.03.077>
- Clarke, R. J., & Macrae, R. (1985). *Coffee Volume 1: Chemistry* (R. J. Clarke & R. Macrae, Eds.; Vol. 1). Elsevier.
- Craig, A. P., Franca, A. S., & Oliveira, L. S. (2011). Discrimination between Immature and Mature Green Coffees by Attenuated Total Reflectance and Diffuse Reflectance Fourier Transform Infrared Spectroscopy. *Journal of Food Science*, 76(8), C1162–C1168. <https://doi.org/https://doi.org/10.1111/j.1750-3841.2011.02359.x>
- de Melo Pereira, G. V., de Carvalho Neto, D. P., Magalhães Júnior, A. I., Vásquez, Z. S., Medeiros, A. B. P., Vandenberghe, L. P. S., & Soccol, C. R. (2019). Exploring the impacts of postharvest processing on the aroma formation of coffee beans – A review. In *Food Chemistry* (Vol. 272, pp. 441–452). Elsevier Ltd. <https://doi.org/10.1016/j.foodchem.2018.08.061>
- Diviš, P., Pořízka, J., & Křikala, J. (2019). The effect of coffee beans roasting on its chemical composition. *Potravinarstvo*, 13, 344–350. <https://doi.org/10.5219/1062>
- Evangelista, S. R., Silva, C. F., Miguel, M. G. P. da C., Cordeiro, C. de S., Pinheiro, A. C. M., Duarte, W. F., & Schwan, R. F. (2014). Improvement of coffee beverage quality by using selected yeasts strains during the fermentation in dry process. *Food Research International*, 61, 183–195. <https://doi.org/https://doi.org/10.1016/j.foodres.2013.11.033>
- F. A. Settle, ed. (1998). Handbook of Instrumental Techniques for Analytical Chemistry. *Journal of Liquid Chromatography & Related Technologies*, 21(19), 3072–3076. <https://doi.org/10.1080/10826079808006889>
- Fadri, R. A., Sayuti, K., Nazir, N., & Suliansyah, I. (2019). Review Proses Penyangraian Kopi dan Terbentuknya Akrilamida yang Berhubungan Dengan Kesehatan. *Journal of Applied Agricultural Science and Technology*, 3(1), 129–145. <https://doi.org/10.32530/jaast.v3i1.82>

- Fajriana, N. H., & Fajriati, I. (2018). Analisis Kadar Kafein Kopi Arabika (*Coffea Arabica* L.) Pada Variasi Temperatur Sangrai Secara Spektrofotometri Ultra Violet. In *Analit: Analytical and Environmental Chemistry* (Vol. 3, Issue 02).
- Figueroa Campos, G. A., Kruizenga, J. G. K. T., Sagu, S. T., Schwarz, S., Homann, T., Taubert, A., & Rawel, H. M. (2022). Effect of the Post-Harvest Processing on Protein Modification in Green Coffee Beans by Phenolic Compounds. *Foods*, 11(2). <https://doi.org/10.3390/foods11020159>
- Fitri, Laga, A., Dwyana, Z., & Tawali, A. B. (2021). Composition of amino acids and fatty acids on luwak coffee processing. *Food Research*, 5(3), 60–64. [https://doi.org/10.26656/fr.2017.5\(3\).637](https://doi.org/10.26656/fr.2017.5(3).637)
- Flament, I. (2002). *Coffee Flavor Chemistry*. Wiley.
- Galarza, G., & Figueroa, J. G. (2022). Volatile Compound Characterization of Coffee (*Coffea arabica*) Processed at Different Fermentation Times Using SPME–GC–MS. *Molecules*, 27(6). <https://doi.org/10.3390/molecules27062004>
- Gamarra, F. M. C., Santana, J. C. C., Llanos, S. A. V., Pérez, J. A. H., Flausino, F. R., Quispe, A. P. B., Mendoza, P. C., Vanalle, R. M., Carreño-Farfan, C., Berssaneti, F. T., de Souza, R. R., & Tambourgi, E. B. (2022). High Retention and Purification of Bromelain Enzyme (*Ananas comosus* L. Merrill) from Pineapple Juice Using Plain and Hollow Polymeric Membranes Techniques. *Polymers*, 14(2). <https://doi.org/10.3390/polym14020264>
- Geromel, C., Ferreira, L. P., Guerreiro, S. M. C., Cavalari, A. A., Pot, D., Pereira, L. F. P., Leroy, T., Vieira, L. G. E., Mazzafera, P., & Marraccini, P. (2006). Biochemical and genomic analysis of sucrose metabolism during coffee (*Coffea arabica*) fruit development. *Journal of Experimental Botany*, 57(12), 3243–3258. <https://doi.org/10.1093/jxb/erl084>
- Ghosh, P., & Venkatachalapathy, N. (2014). *Processing and Drying of Coffee-A Review*. <https://www.researchgate.net/publication/269986518>
- Grzelczyk, J., Fiurasek, P., Kakkar, A., & Budryn, G. (2022). Evaluation of the thermal stability of bioactive compounds in coffee beans and their fractions modified in the roasting process. *Food Chemistry*, 387. <https://doi.org/10.1016/j.foodchem.2022.132888>
- Handayani, R., & Muchlis, F. (2021). Review: Manfaat Asam Klorogenat dari Biji Kopi (*Coffea*) Sebagai Bahan Baku Kosmetik. *Jurnal Ilmiah Farmasi FITOFARMAKA*, 11(1), 43–50. <https://doi.org/10.33751/jf.v11i1.2357>
- Happyana, N., Hermawati, E., Syah, Y. M., & Hakim, E. H. (2020). Metabolite profile evaluation of Indonesian roasted robusta coffees by 1h nmr technique and chemometrics. *Indonesian Journal of Chemistry*, 20(4), 850–857. <https://doi.org/10.22146/IJC.46492>

- Hu, G., Peng, X., Wang, X., Li, X., Li, X., & Qiu, M. (2020). Excavation of coffee maturity markers and further research on their changes in coffee cherries of different maturity. *Food Research International*, 132. <https://doi.org/10.1016/j.foodres.2020.109121>
- Husniati, H., & Oktiani, D. (2019). Chlorogenic Acid Isolation from Coffee as Affected by the Homogeneity of Cherry Maturity. *Edition Pelita Perkebunan*, 35(2), 119–124.
- Hustiany, Rini. (2016). *Reaksi Maillard Pembentuk Citarasa dan Warna Pada Produk Pangan* (1st ed., Vol. 1). Lambung Mangkurat University Press. <https://www.researchgate.net/publication/342802067>
- International Commission on Illumination (CIE). (2008). *Colorimetry - Part 4: CIE 1976 L*a*b* Colour space (ISO 11664-4: 2008)*.
- Iriondo-DeHond, A., Rodríguez Casas, A., & del Castillo, M. D. (2021). Interest of Coffee Melanoidins as Sustainable Healthier Food Ingredients. *Frontiers in Nutrition*, 8. <https://www.frontiersin.org/articles/10.3389/fnut.2021.730343>
- Isnidayu, A. V., Sukartiko, A. C., & Ainuri, M. (2020). Indikator Atribut Sensori Kopi Specialty Asal Jawa Barat Berbasis Komponen Biokimia. *Jurnal Tanaman Industri Dan Penyegar*, 7(1), 1. <https://doi.org/10.21082/jtidp.v7n1.2020.p1-8>
- Kalschne, D. L., Viegas, M. C., De Conti, A. J., Corso, M. P., & Benassi, M. de T. (2018). Steam pressure treatment of defective Coffea canephora beans improves the volatile profile and sensory acceptance of roasted coffee blends. *Food Research International*, 105, 393–402. <https://doi.org/10.1016/J.FOODRES.2017.11.017>
- Klingel, T., Kremer, J. I., Gottstein, V., de Rezende, T., Schwarz, S., & Lachenmeier, D. W. (2020). A Review of Coffee By-Products Including Leaf, Flower, Cherry, Husk, Silver Skin, and Spent Grounds as Novel Foods within the European Union. *Foods*, 9(5). <https://doi.org/10.3390/foods9050665>
- Kraehenbuehl, K., Page-Zoerkler, N., Mauroux, O., Gartenmann, K., Blank, I., & Bel-Rhliid, R. (2017). Selective enzymatic hydrolysis of chlorogenic acid lactones in a model system and in a coffee extract. Application to reduction of coffee bitterness. *Food Chemistry*, 218, 9–14. <https://doi.org/10.1016/J.FOODCHEM.2016.09.055>
- Kreuml, M. T. L., Majchrzak, D., Ploederl, B., & Koenig, J. (2013). Changes in sensory quality characteristics of coffee during storage. *Food Science and Nutrition*, 1(4), 267–272. <https://doi.org/10.1002/fsn3.35>
- Kuncoro, S., Sutiarso, L., Karyadi, J. N. W., & Masithoh, R. E. (2018). Kinetika Reaksi Penurunan Kafein dan Asam Klorogenat Biji Kopi Robusta melalui Pengukusan Sistem Tertutup. *Agritech*, 38(1), 105. <https://doi.org/10.22146/agritech.26469>

- Laukaleja, I., & Koppel, K. (2021). Aroma active compound perception in differently roasted and brewed coffees by gas chromatography–olfactometry. *Journal of Sensory Studies*, 36(6). <https://doi.org/10.1111/joss.12708>
- Lemos, M. F., de Andrade Salustriano, N., de Souza Costa, M. M., Lirio, K., da Fonseca, A. F. A., Pacheco, H. P., Endringer, D. C., Fronza, M., & Scherer, R. (2022). Chlorogenic acid and caffeine contents and anti-inflammatory and antioxidant activities of green beans of conilon and arabica coffees harvested with different degrees of maturation. *Journal of Saudi Chemical Society*, 26(3), 101467. <https://doi.org/https://doi.org/10.1016/j.jscs.2022.101467>
- Liu, C., Yang, N., Yang, Q., Ayed, C., Linforth, R., & Fisk, I. D. (2019). Enhancing Robusta coffee aroma by modifying flavour precursors in the green coffee bean. *Food Chemistry*, 281, 8–17. <https://doi.org/10.1016/j.foodchem.2018.12.080>
- Liu, C., Yang, Q., Linforth, R., Fisk, I. D., & Yang, N. (2019). Modifying Robusta coffee aroma by green bean chemical pre-treatment. *Food Chemistry*, 272, 251–257. <https://doi.org/10.1016/j.foodchem.2018.07.226>
- Mancha Agresti, P. D. C., Franca, A. S., Oliveira, L. S., & Augusti, R. (2008). Discrimination between defective and non-defective Brazilian coffee beans by their volatile profile. *Food Chemistry*, 106(2), 787–796. <https://doi.org/10.1016/j.foodchem.2007.06.019>
- Mathur, R., Navya, P. N., Basavaraj, K., & Murthy, P. S. (2015). Bioprocess of robusta cherry coffee with polyphenol oxidase and quality enhancement. *European Food Research and Technology*, 240(2), 319–325. <https://doi.org/10.1007/s00217-014-2331-8>
- Mayrowani, H. (2013). Kebijakan Penyediaan Teknologi Pascapanen Kopi dan Masalah Pengembangannya. *Forum Penelitian Agro Ekonomi*, 31(1), 31–49.
- Mazzafera, P. (1999). Chemical composition of defective coffee beans. *Food Chemistry*, 64, 547–554. [https://doi.org/10.1016/S0308-8146\(98\)00167-8](https://doi.org/10.1016/S0308-8146(98)00167-8)
- Moreira, A. S. P., Nunes, F. M., Domingues, M. R., & Coimbra, M. A. (2012). Coffee melanoidins: structures, mechanisms of formation and potential health impacts. *Food & Function*, 3(9), 903–915. <https://doi.org/10.1039/C2FO30048F>
- Mortzfeld, F. B., Hashem, C., Vranková, K., Winkler, M., & Rudroff, F. (2020). Pyrazines: Synthesis and Industrial Application of these Valuable Flavor and Fragrance Compounds. *Biotechnology Journal*, 15(11), 2000064. <https://doi.org/https://doi.org/10.1002/biot.202000064>
- Mulyara, B. (2019). *Perlakuan Fermentasi Pada Proses Pengolahan Kering dan Semi Kering Kopi Arabika (Coffea arabica) Gayo Varietas Ateng Super Terhadap Profil Senyawa Volatil, Non Volatil, dan Karakteristik Sensoris* [Thesis]. Gadjah Mada University.

- Oktadina, F. D. (2013). *Pemanfaatan Nanas (Ananas Comosus L. Merr) Untuk Penurunan Kadar Kafein dan Perbaikan Citarasa Kopi (Coffea Sp) Dalam Pembuatan Kopi Bubuk* [Skripsi]. Brawijaya University.
- Osorio Pérez, V., Matallana Pérez, L. G., Fernandez-Alduenda, M. R., Alvarez Barreto, C. I., Gallego Agudelo, C. P., & Montoya Restrepo, E. C. (2023). Chemical Composition and Sensory Quality of Coffee Fruits at Different Stages of Maturity. *Agronomy*, 13(2), 341. <https://doi.org/10.3390/agronomy13020341>
- Pemerintah Daerah Lampung Barat. (2018). *Rencana Pembangunan Jangka Menengah Daerah (RPJMD) Kabupaten Lampung Barat 2017-2022*.
- Pramadika, R. P., Kusnadi, J., & Wijayanti, S. D. (2016). Dekafeinasi Kopi Robusta Enzimatis (Coffea canephora L.) Dengan Enzim Bromelin Kasar dari Ekstrak Buah Nanas (Ananas Comosus Var Comosus) (Kajian Konsentrasi Enzim dan Lama Proses Enzimatis) [Skripsi]. *Jurnal Pangan Dan Agroindustri*, 4(4). <http://repository.ub.ac.id/id/eprint/150570/17/Untitled.pdf>
- Putri, M. K., & Dellima, B. R. E. M. (2022). Analisis Kadar Kafein dalam Green Bean dan Roasted Bean Kopi Robusta (Coffea canephora) Temanggung Menggunakan Spektrofotometer UV. *Jurnal Sains Dan Kesehatan*, 4(6), 577–584. <https://doi.org/10.25026/jsk.v4i6.1253>
- Rabelo, M. H. S., Borém, F. M., Lima, R. R. de, Alves, A. P. de C., Pinheiro, A. C. M., Ribeiro, D. E., Santos, C. M. dos, & Pereira, R. G. F. A. (2021). Impacts of quaker beans over sensory characteristics and volatile composition of specialty natural coffees. *Food Chemistry*, 342. <https://doi.org/10.1016/j.foodchem.2020.128304>
- Rahardjo, P. (2013). *Kopi: Panduan budidaya dan pengolahan kopi Arabica dan Robusta: Vol. I*. Penebar Swadaya.
- Rakha Pradipta Virhananda, M., Suroso, E., Nurainy, F., Satyajaya Jurusan Teknologi Hasil Pertanian, W., Pertanian, F., & Lampung, U. (2022). Analysis of Chlorogenic Acid and Caffeine Levels Based on Differences in Planting Locations and Roasting Temperatures in Robusta Coffee (C. Canephora Pierre). *Agroindustri Berkelanjutan*, 1(2), 245.
- Ribeiro, L. S., Miguel, M. G. da C. P., Evangelista, S. R., Martins, P. M. M., van Mullem, J., Belizario, M. H., & Schwan, R. F. (2017). Behavior of yeast inoculated during semi-dry coffee fermentation and the effect on chemical and sensorial properties of the final beverage. *Food Research International*, 92, 26–32. <https://doi.org/10.1016/j.foodres.2016.12.011>
- Saripah, Aini, A. F., Manfaati, R., & Hariyadi, T. (2021). *Prosiding The 12 th Industrial Research Workshop and National Seminar Bandung*. 4–5.
- Seninde, D. R., & Chambers, E. (2020). Coffee flavor: A review. In *Beverages* (Vol. 6, Issue 3, pp. 1–25). MDPI AG. <https://doi.org/10.3390/beverages6030044>

- Setyani, S., Subeki, & Henrica Agustina Grace. (2017). Karakteristik Sensori Kopi. *Seminar Nasional Perhimpunan Ahli Teknologi Pangan Indonesia (PATPI)*, 98–107.
- Setyani, S., Subeki, S., & Grace, H. A. (2018). Evaluasi Nilai Cacat dan Cita Rasa Kopi Robusta (*Coffea Canephora* L.) yang Diproduksi IKM Kopi di Kabupaten Tanggamus. *Jurnal Teknologi & Industri Hasil Pertanian*, 23(2), 103. <https://doi.org/10.23960/jtihp.v23i2.103-114>
- Sitepu, D. E. M. (2017). *Penentuan Aktivitas Spesifik Enzim Bromelin yang Diisolasi dari Bonggol Nenas (Ananas Comosus L.)*. North Sumatera University.
- Sonklin, C., Laohakunjit, N., Kerdchoechuen, O., & Ratanakhanokchai, K. (2018a). Volatile flavour compounds, sensory characteristics and antioxidant activities of mungbean meal protein hydrolysed by bromelain. *Journal of Food Science and Technology*, 55(1), 265–277. <https://doi.org/10.1007/s13197-017-2935-7>
- Specialty Coffee Association. (2015, December 15). *Cupping Protocols & Best Practices*. <https://sca.coffee/research/protocols-best-practices>
- Speer, K., & Kölling-Speer, I. (2006). The lipid fraction of the coffee bean. In *Braz. J. Plant Physiol* (Vol. 18, Issue 1).
- Sunarharum, W. B., Williams, D. J., & Smyth, H. E. (2014). Complexity of coffee flavor: A compositional and sensory perspective. In *Food Research International* (Vol. 62, pp. 315–325). Elsevier Ltd. <https://doi.org/10.1016/j.foodres.2014.02.030>
- Sutarsi, Rhoisida, E., & Taruna, I. (2016, October). *Penentuan Tingkat Sangrai Kopi Berdasarkan Sifat Fisik Kimia Menggunakan Mesin Penyangrai Tipe Rotari*. Seminar Nasional APTA, 307–312
- Tarigan, E. B., Wardiana, E., Hilmi, Y. S., & Komarudin, N. A. (2022). The changes in chemical properties of coffee during roasting: A review. *IOP Conference Series: Earth and Environmental Science*, 974(1), 012115. <https://doi.org/10.1088/1755-1315/974/1/012115>
- The Good Scents Company. (2023, April 30). *The Good Scents Company Information System*. <http://www.thegoodscentscompany.com/>
- Thompson, O. (2020, August 1). *Using Sight to Determine Degree of Roast*. <https://library.sweetmarias.com/using-sight-to-determine-degree-of-roast/>
- Toci, A. T., & Farah, A. (2008). Volatile compounds as potential defective coffee beans' markers. *Food Chemistry*, 108(3), 1133–1141. <https://doi.org/10.1016/j.foodchem.2007.11.064>
- Towaha, J., Aunillah, A., Purwanto, E. H., & Supriadi, H. (2014). Pengaruh Elevasi dan Pengolahan terhadap Kandungan Kimia dan Citarasa Kopi Robusta

- Lampung. *Jurnal Tanaman Industri Dan Penyegar*, 1(1), 57.
<https://doi.org/10.21082/jtidp.v1n1.2014.p57-62>
- Towaha, J., & Rubiyo. (2016). *Mutu Fisik Biji dan Citarasa Kopi Arabika Hasil Fermentasi Mikrob Probiotik Asal Pencernaan Luwak*.
- Varilla, C., Marcone, M., Paiva, L., & Baptista, J. (2021). Bromelain, a Group of Pineapple Proteolytic Complex Enzymes (*Ananas comosus*) and Their Possible Therapeutic and Clinical Effects. A Summary. *Foods*, 10(10).
<https://doi.org/10.3390/foods10102249>
- Velásquez, S., & Banchón, C. (2023). Influence of pre-and post-harvest factors on the organoleptic and physicochemical quality of coffee: a short review. In *Journal of Food Science and Technology* (Vol. 60, Issue 10, pp. 2526–2538). Springer. <https://doi.org/10.1007/s13197-022-05569-z>
- Velásquez, S., Peña, N., Bohórquez, J. C., Gutierrez, N., & Sacks, G. L. (2019). Volatile and sensory characterization of roast coffees – Effects of cherry maturity. *Food Chemistry*, 274, 137–145.
<https://doi.org/10.1016/j.foodchem.2018.08.127>
- Wolfrom, M. L., Cavalieri, L. F., & Cavalieri, D. K. (1947). Chemical Interactions of Amino Compounds and Sugars. II.1 Methylation Experiments^{2,3}. *Journal of the American Chemical Society*, 69(10), 2411–2413.
<https://doi.org/10.1021/ja01202a049>
- Wu, H., Gu, J., BK, A., Nawaz, M. A., Barrow, C. J., Dunshea, F. R., & Suleria, H. A. R. (2022). Effect of processing on bioaccessibility and bioavailability - of bioactive compounds in coffee beans. *Food Bioscience*, 46.
<https://doi.org/10.1016/j.fbio.2021.101373>
- Zhang, K., Cheng, J., Hong, Q., Dong, W., Chen, X., Wu, G., & Zhang, Z. (2022). Identification of changes in the volatile compounds of robusta coffee beans during drying based on HS-SPME/GC-MS and E-nose analyses with the aid of chemometrics. *LWT*, 161, 113317.
<https://doi.org/https://doi.org/10.1016/j.lwt.2022.113317>