



DAFTAR PUSTAKA

- [1] U. T. V. Nguyen, A. Bhuiyan, L. A. F. Park, and K. Ramamohanarao, “An effective retinal blood vessel segmentation method using multi-scale line detection,” *Pattern Recognition*, vol. 46, no. 3, pp. 703–715, 2013, doi: 10.1016/j.patcog.2012.08.009.
- [2] IDF, “IDF diabetes atlas, 10th Ed.” International Diabetes Foundation, 2021. [Online]. Available: https://diabetesatlas.org/idfawp/resource-files/2021/07/IDF_Atlas_10th_Edition_2021.pdf
- [3] SNEC, “Diabetes Retinopati,” Singapore National Eye Centre. [Online]. Available: <http://www.s nec.com.sg/about/international/menuutama/kondisimataandperawan/common-problems/Pages/Diabetic-Retinopathy.aspx>
- [4] IDF and F. Hollow, “Diabetes eye health: a guide for health care professionals.,” International Diabetes Federation, Brussels, Belgium, 2015.
- [5] M. B. Sasongko *et al.*, “Prevalence of diabetic retinopathy and blindness in Indonesian adults with type 2 diabetes,” *The American Journal of Ophthalmology*, vol. 181, no. September 2017, pp. 79–87, 2017, doi: 10.1016/j.ajo.2017.06.019.
- [6] R. Sitompul, “Retinopati diabetik,” *J Indon Med Assoc*, vol. 61, no. 8, pp. 337–341, 2011.
- [7] M. Niemeijer, B. van Ginneken, J. Staal, M. S. A. Suttorp-Schulten, and M. D. Abràmoff, “Automatic detection of red lesions in digital color fundus photographs,” *IEEE Transactions on Medical Imaging*, vol. 24, no. 5, pp. 584–592, 2005, doi: 10.1109/TMI.2005.843738.
- [8] M. R. K. Mookiah, U. R. Acharya, C. K. Chua, C. M. Lim, E. Y. K. Ng, and A. Laude, “Computer-aided diagnosis of diabetic retinopathy: a review,” *Computers in Biology and Medicine Journal*, vol. 43, pp. 2136–2155, 2013, doi: 10.1016/j.combiomed.2013.10.007.
- [9] M. B. Sasongko, “Implementasi skrining berbasis tele-oftalmologi untuk menurunkan beban retinopati diabetika dan kebutaan akibat diabetes di Indonesia,” presented at the Pidato Pengukuhan Jabatan Guru Besar, Universitas Gadjah Mada, Yogyakarta, 2023.
- [10] S. S. Kar and S. P. Maity, “Blood vessel extraction with optic disc removal in retinal images,” in *Proc. of the 2015 IEEE 8th International Conf. on Advances*



in Pattern Recognition (ICAPR), Kolkata, India: IEEE Xplore, 2015, pp. 1–6.
doi: 10.1109/ICAPR.2015.7050689.

- [11] S. S. A. Hassan, D. B. L. Bong, and M. Premseenthil, “Detection of neovascularization in diabetic retinopathy,” *Journal of Digital Imaging*, vol. 25, pp. 437–444, 2012, doi: 10.1007/s10278-011-9418-6.
- [12] S. Yu, D. Xiao, and Y. Kanagasingam, “Automatic detection of neovascularization on optic disk region with feature extraction and support vector machine,” in *Proc. of the 2016 38th Annual International Conf. of the IEEE Engineering in Medicine and Biology Society (EMBC)*, Orlando, USA: IEEE Xplore, 2016, pp. 1324–1327. doi: 10.1109/EMBC.2016.7590951.
- [13] S. Sanjeeewani, A. K. Yadav, M. Akbar, M. Kumar, and D. Yadav, “Retinal blood vessel segmentation using a deep learning method based on modified U-NET model,” *TechRxiv*, no. Preprint, 2021, doi: 10.36227/techrxiv.16653238.v1.
- [14] A. A. Abdulsahib, M. A. Mahmoud, M. A. Mohammed, H. H. Rasheed, S. A. Mostafa, and M. S. Maashi, “Comprehensive review of retinal blood vessel segmentation and classification techniques: intelligent solutions for green computing in medical images, current challenges, open issues, and knowledge gaps in fundus medical images,” *Network Modeling and Analysis in Health Informatics and Bioinformatics*, vol. 10, no. 20, 2021, doi: 10.1007/s13721-021-00294-7.
- [15] S. K. Saroj, R. Kumar, and N. P. Singh, “Fréchet PDF based Matched Filter Approach for Retinal Blood Vessels Segmentation,” *Computer Methods and Programs in Biomedicine*, vol. 194, no. 105490, pp. 1–17, 2020, doi: 10.1016/j.cmpb.2020.105490.
- [16] I. Goodfellow, Y. Bengio, and A. Courville, *Deep Learning*. Massachusetts: MIT Press, 2016. [Online]. Available: <https://www.deeplearningbook.org/>
- [17] Z. Salahuddin, H. C. Woodruff, A. Chatterjee, and P. Lambin, “Transparency of deep neural networks for medical image analysis: A review of interpretability methods,” *Computers in Biology and Medicine*, vol. 140, no. 105111, pp. 1–18, 2022, doi: 10.1016/j.combiomed.2021.105111.
- [18] A. Krizhevsky, I. Sutskever, and G. E. Hinton, “ImageNet classification with deep convolutional neural networks,” *Communications of the ACM*, vol. 60, no. 6, pp. 84–90, 2017, doi: 10.1145/3065386.
- [19] D. S. W. Ting *et al.*, “Development and Validation of a Deep Learning System for Diabetic Retinopathy and Related Eye Diseases Using Retinal Images From Multiethnic Populations With Diabetes,” *Journal of the American Medical*



Association, vol. 318, no. 22, pp. 2211–2223, 2017, doi: 10.1001/jama.2017.18152.

- [20] R. A. Welikala *et al.*, “Automated detection of proliferative diabetic retinopathy using a modified line operator and dual classification,” *Computer Methods and Programs in Biomedicine*, vol. 114, no. 2014, pp. 247–261, 2014, doi: 10.1016/j.cmpb.2014.02.010.
- [21] Sonali, S. Sahu, A. K. Singh, S. P. Ghrera, and M. Elhoseny, “An approach for de-noising and contrast enhancement of retinal fundus image using CLAHE,” *Optics & Laser Technology*, vol. 110, no. 2019, pp. 87–98, 2019, doi: 10.1016/j.optlastec.2018.06.061.
- [22] A. Buades, B. Coll, and J.-M. Morel, “A non-local algorithm for image denoising,” in *Proc. of the 2005 IEEE Computer Society Conference on Computer Vision and Pattern Recognition (CVPR'05)*, San Diego, USA: IEEE Xplore, pp. 60–65, 2005, doi: 10.1109/CVPR.2005.38.
- [23] S. Fazli, S. Samadi, and P. Nadirkhanlou, “A novel retinal vessel segmentation based on local adaptive histogram equalization,” in *Proc. of the 2013 IEEE 8th Iranian Conf. on Machine Vision and Image Processing (MVIP)*, Zanjan, Iran: IEEE Xplore, pp. 131–135, 2013, doi: 10.1109/IranianMVIP.2013.6779964.
- [24] C. Y. Lu *et al.*, “Vessel enhancement of low quality fundus image using mathematical morphology and combination of gabor and matched filter,” in *Proc. of the 2016 IEEE International Conf. on Wavelet Analysis and Pattern Recognition (ICWAPR)*, Jeju, South Korea: IEEE Xplore, pp. 168–173, 2016, doi: 10.1109/ICWAPR.2016.7731638.
- [25] R. C. Gonzales and R. E. Woods, *Digital Image Processing*, 4th. Ed. New York, USA: Pearson, 2018.
- [26] A. Budai, R. Bock, A. Maier, J. Hornegger, and G. Michelson, “Robust vessel segmentation in fundus images,” *International Journal of Biomedical Imaging*, vol. 2013, pp. 1–11, 2013, doi: 10.1155/2013/154860.
- [27] M. Suthar, H. Asghari, and B. Jalali, “Feature Enhancement in Visually Impaired Images,” *IEEE Access*, vol. 6, pp. 1407–1415, 2018, doi: 10.1109/access.2017.2779107.
- [28] M. H. Asghari and B. Jalali, “Physics-Inspired Image Edge Detection,” in *Proc. of the 2014 IEEE Global Conf. on Signal and Information Processing (GlobalSIP)*, Atlanta, USA: IEEE Xplore, pp. 293–296, 2014, doi: 10.1109/GlobalSIP.2014.7032125.



- [29] M. H. Asghari and B. Jalali, “Edge detection in digital images using dispersive phase stretch transform,” *International Journal of Biomedical Imaging*, no. 687819, pp. 1–6, 2015, doi: 10.1155/2015/687819.
- [30] W. Wang, Y. Jia, Q. Wang, and P. Xu, “An image enhancement algorithm based on fractional-order phase stretch transform and relative total variation,” *Computational Intelligence and Neuroscience*, vol. 2021, pp. 1–10, 2021, doi: 10.1155/2021/8818331.
- [31] P. Xu, Z. Zhou, H. Shi, and Z. Geng, “Anisotropic phase stretch transform-based algorithm for segmentation of activated sludge phase-contrast microscopic image,” *IEEE Access*, vol. 10, pp. 39518–39532, 2022, doi: 10.1109/ACCESS.2022.3166603.
- [32] C. Wang and Y. Li, “Blood vessel segmentation from retinal images,” in *Proc. of the 2020 IEEE 20th International Conf. on Bioinformatics and Bioengineering (BIBE)*, Cincinnati, USA: IEEE Xplore, 2020, pp. 759–766. doi: 10.1109/BIBE50027.2020.00129.
- [33] K. B. Khan, M. S. Siddique, M. Ahmad, and M. Mazzara, “A Hybrid Unsupervised Approach for Retinal Vessel Segmentation,” *BioMed Research International*, vol. 2020, no. 8365783, pp. 1–20, 2020, doi: 10.1155/2020/8365783.
- [34] M. Challoob and Y. Gao, “A Local Flow Phase Stretch Transform for Robust Retinal Vessel Detection,” in *Advanced Concepts for Intelligent Vision Systems*, in Lecture Notes in Computer Science, no. 12002, Switzerland: Springer Nature, pp. 251–261, 2020, doi: 10.1007/978-3-030-40605-9_22.
- [35] J. Gao, G. Chen, and W. Lin, “An effective retinal blood vessel segmentation by using automatic random walks based on centerline extraction,” *BioMed Research International*, vol. 2020, pp. 1–11, 2020, doi: 10.1155/2020/7352129.
- [36] N. Tamim, M. Elshrkawey, G. Abdel Azim, and H. Nassar, “Retinal Blood Vessel Segmentation Using Hybrid Features and Multi-Layer Perceptron Neural Networks,” *Symmetry*, vol. 12, no. 6, p. 894, 2020, doi: 10.3390/sym12060894.
- [37] A. Ali, A. Hussain, W. M. D. W. Zaki, W. H. W. A. Halim, W. N. M. Isa, and N. Hashim, “Improved retinal vessel segmentation using the enhanced pre-processing method for high resolution fundus images,” *F1000Research*, pp. 1–9, 2021, doi: 10.12688/f1000research.73397.1.
- [38] Erwin and T. Yuningsih, “Detection of blood vessels in optic disc with maximum principal curvature and wolf thresholding algorithms for vessel segmentation and prewitt edge detection and circular hough transform for optic



disc detection,” *Iranian Journal of Science and Technology, Transactions of Electrical Engineering*, vol. 45, no. 2, pp. 435–446, 2021, doi: 10.1007/s40998-020-00367-9.

- [39] O. Ramos-Soto *et al.*, “An Efficient Retinal Blood Vessel Segmentation in Eye Fundus Images by Using Optimized Top-Hat and Homomorphic Filtering,” *Computer Methods and Programs in Biomedicine*, vol. 201, no. 105949, pp. 1–13, 2021, doi: 10.1016/j.cmpb.2021.105949.
- [40] M. Tavakoli, A. Mehdizadeh, R. Pourreza Shahri, and J. Dehmeshki, “Unsupervised automated retinal vessel segmentation based on Radon line detector and morphological reconstruction,” *IET Image Processing*, vol. 15, no. 7, pp. 1484–1498, 2021, doi: 10.1049/ipr2.12119.
- [41] F. Tian, Y. Li, J. Wang, and W. Chen, “Blood Vessel Segmentation of Fundus Retinal Images Based on Improved Frangi and Mathematical Morphology,” *Computational and Mathematical Methods in Medicine*, no. 4761517, pp. 1–11, 2021, doi: 10.1155/2021/4761517.
- [42] S. Madathil and S. Padannayil, “MC-DMD: A data-driven method for blood vessel enhancement in retinal images using morphological closing and dynamic mode decomposition,” *Journal of King Saud University - Computer and Information Sciences*, vol. 34, no. 8, pp. 5223–5239, 2022, doi: 10.1016/j.jksuci.2022.06.002.
- [43] M. Shabani and H. Pourghassem, “An active contour model using matched filter and Hessian matrix for retinal vessels segmentation,” *Turkish Journal of Electrical Engineering & Computer Sciences*, vol. 30, pp. 295–311, 2022, doi: 10.3906/elk-2106-3.
- [44] K. S. Kumar and N. P. Singh, “Segmentation of retinal blood vessel using generalized extreme value probability distribution function(pdf)-based matched filter approach,” *Pattern Analysis and Applications*, vol. 13, no. 1, pp. 307–332, 2023, doi: 10.1007/s10044-022-01108-w.
- [45] R. Sidhu, J. Sachdeva, and D. Katoch, “Segmentation of retinal blood vessels by a novel hybrid technique- Principal Component Analysis (PCA) and Contrast Limited Adaptive Histogram Equalization (CLAHE),” *Microvascular Research*, vol. 148, no. 104477, pp. 1–19, 2023, doi: 10.1016/j.mvr.2023.104477.
- [46] J. Sreemathy, A. Arun, M. Aruna, and P. Vigneshwaran, “An optimal approach to detect retinal diseases by performing segmentation of retinal blood vessels using image processing,” *Soft Comput*, vol. 27, no. 15, pp. 10999–11011, 2023, doi: 10.1007/s00500-023-08526-w.



- [47] J. Cervantes, J. Cervantes, F. García-Lamont, A. Yee-Rendon, J. E. Cabrera, and L. D. Jalili, “A comprehensive survey on segmentation techniques for retinal vessel segmentation,” *Neurocomputing*, vol. 556, no. 126626, pp. 1–29, 2023, doi: 10.1016/j.neucom.2023.126626.
- [48] J. Wang, Y. J. Li, and K. F. Yang, “Retinal fundus image enhancement with image decomposition and visual adaptation,” *Computers in Biology and Medicine*, vol. 128, no. 104116, pp. 1–9, 2021, doi: 10.1016/j.combiomed.2020.104116.
- [49] H. Abdushkour *et al.*, “Enhancing fine retinal vessel segmentation: Morphological reconstruction and double thresholds filtering strategy,” *PLoS ONE*, vol. 18, no. 7, pp. 1–27, 2023, doi: 10.1371/journal.pone.0288792.
- [50] C. V. Ilioudis, C. Clemente, M. H. Asghari, B. Jalali, and J. J. Soraghan, “Edge detection in SAR images using phase stretch transform,” in *Proc. of the 2016 IET International Conf. on Intelligent Signal Processing*, London, UK: IEEE Xplore, pp. 1–5, 2016, 10.1049/cp.2015.1786.
- [51] H. Asghari, O. Hadar, and B. Jalali, “Application of phase stretch transform to plate license identification under blur and noise conditions,” in *Proceedings of the 2016 SPIE Optical Engineering and Applications*, San Diego, USA: SPIE - The international society for optics and photonics, 2016. doi: 10.1117/12.2237422.
- [52] M. Suthar, A. Mahjoubfar, K. Seals, E. W. Lee, and B. Jalaii, “Diagnostic tool for pneumothorax,” in *2016 IEEE Photonics Society Summer Topical Meeting Series (SUM)*, Newport Beach, CA, USA: IEEE, pp. 218–219, 2016, doi: 10.1109/PHOSST.2016.7548806.
- [53] R. B. Q. Ang, H. Nisar, M. B. Khan, and C. Y. Tsai, “Image Segmentation of Activated Sludge Phase Contrast Images Using Phase Stretch Transform,” *Microscopy*, vol. 68, no. 2, pp. 144–158, 2019, doi: 10.1093/jmicro/dfy134.
- [54] M. Suthar and B. Jalali, “Phase-Stretch Adaptive Gradient-Field Extractor (PAGE),” in *Coding Theory*, London, UK: IntechOpen, 2020, pp. 1–16. [Online]. Available: <http://dx.doi.org/10.5772/intechopen.90361>
- [55] Y. Zhou, C. MacPhee, M. Suthar, and B. Jalali, “PhyCV: the first physics-inspired computer vision library,” in *AI and Optical Data Sciences IV*, K. Kitayama and B. Jalali, Eds., San Francisco, United States: SPIE, p. 75, 2023, doi: 10.1117/12.2649546.
- [56] R. J. Chalakkal, W. H. Abdulla, and S. C. Hong, “Fundus retinal image analyses for screening and diagnosing diabetic retinopathy, macular edema, and glaucoma disorders,” in *Diabetes and Fundus OCT*, vol. 1, in Computer-



Assisted Diagnosis, vol. 1. , Elsevier, 2020, doi: 10.1016/B978-0-12-817440-1.00003-6.

- [57] S. Moccia, E. De Momi, S. El Hadji, and L. S. Mattos, “Blood vessel segmentation algorithms - review of methods, datasets and evaluation metrics,” *Computer Methods and Programs in Biomedicine*, vol. 158, no. 2018, pp. 71–91, 2018, doi: 10.1016/j.cmpb.2018.02.001.
- [58] J. W. Y. Yau *et al.*, “Global prevalence and major risk factors of diabetic retinopathy,” *Diabetes Care*, vol. 35, no. 3, pp. 556–564, 2012, doi: 10.2337/dc11-1909.
- [59] ICO, “Guidelines for Diabetic Eye Care.” International Council of Ophtalmology, San Francisco, California, 2017.
- [60] M. B. Sasongko *et al.*, “Alterations in retinal microvascular geometry in young type 1 diabetes,” *Diabetes Care*, vol. 33, no. 6, pp. 1331–1336, 2010, doi: 10.2337/dc10-0055.
- [61] D. Wong, “Fundus photography and fluorescein angiography,” *Journal of Ophthalmic Photography*, vol. 2, no. 1, pp. 37–45, 1979.
- [62] J. C. Russ, *The Image Processing Handbook*, 4th Ed. Boca Raton, Florida: CRC Press, 2002.
- [63] S. Yu, D. Xiao, and Y. Kanagasingam, “Machine Learning Based Automatic Neovascularization Detection on Optic Disc Region,” *IEEE Journal of Biomedical and Health Informatics*, vol. 22, no. 3, pp. 886–894, 2018, doi: 10.1109/JBHI.2017.2710201.
- [64] K. Zuiderveld, “Contrast limited adaptive histogram equalization,” in *Graphic Gems IV*, San Diego, USA: Academic Press Professional, 1994, pp. 474–485. [Online]. Available: <https://dl.acm.org/doi/10.5555/180895.180940>
- [65] S. Joshi and P. T. Karule, “Review of preprocessing techniques for fundus image analysis,” *Advances in Modelling and Analysis B*, vol. 60, no. 3, pp. 593–612, 2018, doi: 10.18280/ama_b.600306.
- [66] H. Huang, H. Ma, H. J. W. van Triest, Y. Wei, and W. Qian, “Automatic detection of neovascularization in retinal images using extreme learning machine,” *Neurocomputing*, vol. 277, pp. 218–227, 2018, doi: 10.1016/j.neucom.2017.03.093.
- [67] A. Ahmad, A. Mansoor, R. Mumtaz, M. Khan, and S. H. Mirza, “Image processing and classification in diabetic retinopathy: a review,” in *Proc. of the 2014 IEEE 5th European Workshop on Visual Information Processing*



- (EUVIP), Paris, France: IEEE Xplore, pp. 1–6, 2014, doi: 10.1109/EUVIP.2014.7018362.
- [68] R. Besenczi, J. Toth, and A. Hajdu, “A review on automatic analysis techniques for color fundus photographs,” *Comput Struct Biotechnol J.*, vol. 14, pp. 371–384, 2015, doi: 10.1016/j.csbj.2016.10.001.
- [69] P. Stathis, E. Kavallieratou, and N. Papamarkos, “An evaluation technique for binarization algorithms,” *Journal of Universal Computer Science*, vol. 14, no. 18, pp. 3011–3030, 2008, doi: 10.3217/jucs-014-18-3011.
- [70] N. Otsu, “A threshold selection method from gray-level histograms,” *IEEE Transactions on Systems, Man, and Cybernetics*, vol. 9, no. 1, pp. 62–66, 1979, doi: 10.1109/TSMC.1979.4310076.
- [71] N. Chaki, S. H. Shaikh, and K. Saeed, “A comprehensive survey on image binarization techniques,” in *Studies in Computational Intelligence. Exploring Image Binarization Techniques*, vol. 560, New Delhi: Springer, 2014, pp. 5–15. [Online]. Available: https://link.springer.com/chapter/10.1007/978-81-322-1907-1_2
- [72] K. Thiruvenkadam, N. Perumal, and V. Indhu, “A comparative study on thresholding techniques for gray image binarization,” *International Journal of Advanced Research in Computer Science*, vol. 8, no. 7, pp. 1168–1172, 2017, doi: 10.26483/ijarcs.v8i7.4510.
- [73] K. Kipli *et al.*, “A review on the extraction of quantitative retinal microvascular image feature,” *Computational and Mathematical Methods in Medicine*, vol. 2018, no. Article ID 4019538, p. 21 pages, 2018, doi: 10.1155/2018/4019538.
- [74] S. Roychowdhury, D. D. Koozekanani, and K. K. Parhi, “Blood vessel segmentation of fundus images by major vessel extraction and sub-image classification,” *IEEE Journal of Biomedical and Health Informatics*, vol. 19, no. 3, pp. 1118–1128, 2015, doi: 10.1109/JBHI.2014.2335617.
- [75] M. Sofka and C. V. Stewart, “Retinal vessel centerline extraction using multiscale matched filters, confidence and edge measures,” *IEEE Transactions on Medical Imaging*, vol. 25, no. 12, pp. 1531–1546, 2006, doi: 10.1109/TMI.2006.884190.
- [76] M. M. Fraz *et al.*, “Blood Vessel Segmentation Methodologies in Retinal Images – A Survey,” *Computer Methods and Programs in Biomedicine*, vol. 108, no. 1, pp. 407–433, 2012, doi: 10.1016/j.cmpb.2012.03.009.
- [77] P. Vostatek, E. Claridge, H. Uusitalo, M. Hauta-Kasari, P. Falt, and L. Lensu, “Performance Comparison of Publicly Available Retinal Blood Vessel



- Segmentation Methods," *Computerized Medical Imaging and Graphics*, vol. 55, pp. 2–12, 2017, doi: 10.1016/j.compmedimag.2016.07.005.
- [78] J. V. B. Soares, J. J. G. Leandro, R. M. Cesar Jr., H. F. Jelinek, and M. J. Cree, "Retinal vessel segmentation using the 2-D Gabor wavelet and supervised classification," *IEEE Transactions on Medical Imaging*, vol. 25, no. 9, pp. 1214–1222, 2006, doi: 10.1109/TMI.2006.879967.
- [79] G. Azzopardi, N. Strisciuglio, M. Vento, and N. Petkov, "Trainable COSFIRE filters for vessel delineation with application to retinal images," *Medical Image Analysis*, vol. 19, no. 1, pp. 46–57, 2015, doi: 10.1016/j.media.2014.08.002.
- [80] P. Bankhead, C. N. Scholfield, J. G. McGeown, and T. M. Curtis, "Fast retinal vessel detection and measurement using wavelets and edge location refinement," *PLoS ONE*, vol. 7, no. 3, 2012, doi: 10.1371/journal.pone.0032435.
- [81] Erwin, R. Zulfahmi, D. S. Noviyanti, G. R. Utami, A. N. Harison, and P. S. Agung, "Improved image quality retinal fundus with contrast limited adaptive histogram equalization and filter variation," in *Proc. of the 2019 International Conference on Informatics, Multimedia, Cyber and Information System (ICIMCIS)*, Jakarta, Indonesia: IEEE Xplore, pp. 49–54, 2019, doi: 10.1109/ICIMCIS48181.2019.8985198.
- [82] P. Patidar and S. Srivastava, "Image de-noising by various filters for different noise," *International Journal of Computer Applications*, vol. 9, no. 4, pp. 45–50, 2010, doi: 10.5120/1370-1846.
- [83] A. Ali, W. M. D. Wan Zaki, and A. Hussain, "Retinal blood vessel segmentation from retinal image using B-COSFIRE and adaptive thresholding," *Indonesian Journal of Electrical Engineering and Computer Science*, vol. 13, no. 3, pp. 1199–1207, 2019, doi: 10.11591/ijeecs.v13.i3.
- [84] C. McGhee *et al.*, "Ophthalmology and Eye Disease, Overview of 4th and 5th year course." School of Medicine, Faculty of Medical and Health Sciences, The University of Auckland, New Zealand, 2016.
- [85] H. Kolb, R. Nelson, E. Fernandez, and B. Jones, "Simple Anatomy of The Retina," Webvision - The Organization of the Retina and Visual System. Accessed: Jan. 10, 2023. [Online]. Available: <https://webvision.med.utah.edu/book/part-i-foundations/simple-anatomy-of-the-retina/>
- [86] D. Chauhan, "About Retinal Blood Vessels," Retina Doctor. Accessed: Feb. 27, 2019. [Online]. Available: <http://www.retinadoctor.com.au/about-the-eye/the-retinal-blood-vessels/>



- [87] T. Gevers, A. Gijsenij, J. van de Weijer, and J. M. Geusebroek, *Color in Computer Vision. Fundamentals and Applications*. New Jersey: John Wiley & Sons, Inc., 2012.
- [88] R. C. Gonzales and R. E. Woods, *Digital Image Processing*, 3rd. New Jersey, USA: Prentice-Hall, Inc., 2007.
- [89] M. Nixon and A. Aguado, *Feature Extraction and Image Processing*. New Delhi: Newnes - Elsevier, 2002.
- [90] F. Y. Shih, *Image Processing and Pattern Recognition: Fundamentals and Techniques*. New Jersey: Wiley and Sons, Inc., 2010.
- [91] S. M. Pizer *et al.*, “Adaptive histogram equalization and its variations,” *Computer Vision, Graphics, and Image Processing*, vol. 39, pp. 355–368, 1987, doi: 10.1016/S0734-189X(87)80186-X.
- [92] A. M. Reza, “Realization of the contrast limited adaptive histogram equalization (CLAHE) for real-time image enhancement,” *Journal of VLSI Signal Processing Systems*, vol. 38, no. 1, pp. 35–44, 2004, doi: 10.5555/992362.2845017.
- [93] M. Petrou and C. Petrou, *Image Processing: The Fundamentals*, 2nd ed. Chichester, UK: John Wiley & Sons, Ltd, 2010.
- [94] A. Field, *Discovering Statistics Using IBM SPSS Statistics*, 5th Ed. California: SAGE Publisher, 2017.
- [95] W. J. Conover, *Practical nonparametric statistics*, 3rd ed. New York, USA: John Wiley & Sons, Inc., 1999.
- [96] R. Sundaram, K. S. Ravichandran, P. Jayaraman, and B. Venkatraman, “Extraction of blood vessels in fundus images of retina through hybrid segmentation approach,” *Mathematics*, vol. 7, no. 169, pp. 1–17, 2019, doi: 10.3390/math7020169.
- [97] K. Firdausy, O. Wahyunggoro, H. A. Nugroho, M. B. Sasongko, and R. Hidayat, “Impact of different degree of smoothing on non-local means based filter for retinal vessel modeling,” in *Proc. of the 2019 IEEE 5th International Conf. on Science in Information Technology (ICSITech 2019)*, Yogyakarta, Indonesia: IEEE Xplore, pp. 118–122, 2019, doi: 10.1109/ICSITech46713.2019.8987555.
- [98] Budiyono, *Statistika untuk penelitian*, 2nd Ed. Surakarta: UNS Press, 2016.



- [99] P. Konatham, M. Venigalla, L. P. Amaraneni, and K. S. Vani, “Automatic detection of optic disc for diabetic retinopathy,” *International Journal of Innovative Technology and Exploring Engineering*, vol. 9, no. 7, pp. 1013–1015, 2020, doi: 10.35940/ijitee.F4390.059720.
- [100] J. Darvish and M. Ezoji, “Morphological exudate detection in retinal images using PCA-based optic disc removal,” *Journal of AI and Data Mining*, vol. 7, no. 4, pp. 487–493, 2019, doi: 10.22044/jadm.2019.1488.