

ACR-O-RADS-MRI-Lexicon. <https://www.acr.org/Clinical-Resources/Reporting-and-Data-Systems/O-Rads#MRI>. Accessed November 3, 2023

Amor F, Vaccaro H, Alcazar JL, Leon M, Craig JM, Martinez J. (2009) *Gynecologic imaging reporting and data system: A new proposal for classifying adnexal masses on the basis of sonographic findings*. J Ultrasound Med. ;28(3):285-291

Andreotti RF, Timmerman D, Strachowski LM, et al. (2020) *O-RADS US risk stratification and management system: A consensus guideline from the ACR ovarian- adnexal reporting and data system committee*. Radiology. 294(1): 168-185.

Andreotti RF, Timmerman D, Benacerraf BR, et al. (2018) *Ovarian-adnexal reporting lexicon for ultrasound: A white paper of the ACR ovarianadnexal reporting and data system committee*. J Am Coll Radiol; 15:1415-1429.

Bell DA. (2005) *Origins and molecular pathology of ovarian cancer*. Modern Pathol. ;18(S2):S19. doi: 10.1038/modpathol.3800306)

Bray F, Ferlay J, Soerjomataram I, Siegel RL, Torre LA, Jemal A. (2018) *Global cancer statistics 2018: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries*. CA Cancer J Clin. 2018;68(6):394–424)

Dahlan, M.S. (2010) Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan. 3<sup>rd</sup> ed. *Epidemiologi Indonesia*, 76- 80

Erickson BK, Conner MG, Landen CN Jr. (2013). The role of fallopian tube in the origin of ovarian cancer. *Am J Obstet Gynecol*. ;209:409–14

Forstner R, Thomassin-Naggara I, Cunha TM, et al. (2017) *ESUR recommendations for MR imaging of the sonographically indeterminate adneksal mass: an update*. Eur Radiol 27(6):2248–2257. [Published correction appears in Eur Radiol 2017;27(6):2258.]

Gross AL, Kurman RJ, Vang R, Shih IeM, Visvanathan K. ( 2010) .Precursor lesion of high grade serous ovarian carcinoma: morphological and molecular characteristics. *J Oncol*.;2010:126295

Gupta A, Jha P, Baran TM, et al. (2022) *Ovarian cancer detection in average-risk women: Classic- versus nonclassic-appearing adnexal lesions at US*. Radiology. 2022;303:212338-212610

J. Prat, E. D'Angelo, I. Espinosa. (2018) *Ovarian carcinomas: at least five different diseases with distinct histological features and molecular genetics*, Hum. Pathol. 80 11–27

Jha P, Gupta A, Baran TM, et al. (2022) *Diagnostic performance of the ovarian-adnexal reporting and data system (O-RADS) ultrasound risk score in women in the United States*. JAMA Netw Open 2022;5: e2216370.

Johansson Å, Schmitz D, Höglund J, Hadizadeh F, Karlsson T, Ek WE. Investigating the Effect of Estradiol Levels on the Risk of Breast, Endometrial, and Ovarian Cancer. J Endocr Soc. 2022 Jun 29;6(8):bvac100. doi: 10.1210/jendso/bvac100. PMID: 35822202; PMCID: PMC9265484.

Kaga T, Kato H, Hatano Y, Kawaguchi M, Furui T, Morishige KI, Matsuo M. (2020) *Can MRI features differentiate ovarian mucinous carcinoma from mucinous borderline tumor?* Eur J Radiol. Nov;132:109281. doi: 10.1016/j.ejrad.2020.109281. Epub 2020 Sep 12. PMID: 32961452.

T Kinoshita, K Ishii, H Naganuma, and H Higashiiwai.( 2000). MR findings of ovarian tumours with cystic components.The British Journal of Radiology 2000 73:867, 333-339

Kovač JD, Terzić M, Mirković M, Banko B, Đikić-Rom A, Maksimović R. (2016 ) *Endometrioid adenocarcinoma of the ovary: MRI findings with emphasis on diffusion-weighted imaging for the differentiation of ovarian tumors*. Acta Radiol. Jun;57(6):758-66. doi: 10.1177/0284185115599805. Epub 2015 Aug 24. PMID: 26307063.

Machado-Linde F, Sánchez-Ferrer ML, Cascales P, Torroba A, Orozco R, Silva Sánchez Y, Nieto A, Fiol G. ( 2015) *Prevalence of endometriosis in epithelial ovarian cancer. Analysis of the associated clinical features and study on molecular mechanisms involved in the possible causality*. Eur J Gynaecol Oncol. ;36(1):21-4. PMID: 25872329)

Manganaro L, Ciulla S, Celli V, et al. (2023) *Impact of DWI and ADC values in ovarian-adnexal reporting and data system (O-RADS) MRI score*. Radiol Med ;128:565-577.)

Maizlin ZV, Shewchuk JR, Clement JJ. (2009) *Easy ways to remember the progression of MRI signal intensity changes of intracranial hemorrhage*. Can Assoc Radiol J ;60(2):88–90.

Matulonis UA, Sood AK, Fallowfield L, Howitt BE, Sehouli J, Karlan BY. (2016). Ovarian cancer. Nat Rev Dis Prim.;2:1–22.

Modugno F, Edwards RP. (2012) *Ovarian cancer: prevention, detection, and treatment of the disease and its recurrence. Molecular mechanisms and personalized medicine meeting report*. Int J Gynecol Cancer. Oct;22(8):S45-57)

Momenimovahed Z, Tiznobaik A, Taheri S, Salehiniya H. (2019 ) *Ovarian cancer in the world: epidemiology and risk factors*. Int J Womens Health. Apr 30;11:287-299. doi: 10.2147/IJWH.S197604. PMID: 31118829; PMCID: PMC6500433.

Mondal SK, Banyopadhyay R, Nag DR, Roychowdhury S, Mondal PK, Sinha SK. (2011) *Histologic pattern, bilaterality and clinical evaluation of 957 ovarian neoplasms: a 10-year study in a tertiary hospital of eastern India*. J Cancer Res Ther ;7(4):433–437

Nissenblatt M. *Endometriosis-associated ovarian carcinomas*. (2011) N. Engl. J. Med. ;364 (5): 482-3. doi:10.1056/NEJMc1012780#SA1

Outwater EK, Siegelman ES, Hunt JL. (2001) *Ovarian teratomas: tumor types and imaging characteristics*. Radiographics. Mar-Apr;21(2):475-90. doi: 10.1148/radiographics.21.2.g01mr09475. PMID: 11259710.

PDQ Adult Treatment Editorial Board. PDQ Cancer Information Summaries [Internet]. (2023) National Cancer Institute (US); Bethesda (MD): Mar 14, 2023. Ovarian Epithelial, Fallopian Tube, and Primary Peritoneal Cancer Treatment (PDQ®): Health Professional Version. [PubMed])

P.-E. Laurent, J. Thomassin-Piana, A. Jalaguier-Coudray, (2014) *Mucin-producing tumors of the ovary: MR imaging appearance*, Diagnostic and Interventional Imaging, Volume 96, Issue 11, 2015, Pages 1125-1132, ISSN 2211-5684, <https://doi.org/10.1016/j.diii.2014.11.034>. (<https://www.sciencedirect.com/science/article/pii/S2211568415000637>)

Radzynski, L., Boyer, L., Kossai, M. *et al.* (2023) Pictorial essay: *MRI evaluation of endometriosis-associated neoplasms*. *Insights Imaging* 14, 144. <https://doi.org/10.1186/s13244-023-01485-8>

Rahmani K, Moradi-Lakeh M, Mansori K, Bidokhti F, Asadi-Lari M. (2018) *global inequalities in incidence and mortality of ovarian cancer and associated factors: an ecological study*. *Alzheimers Park Res Ther*. ;1:1)

Reinhold C, Rockall A, Sadowski EA, et al. (2021) *Ovarian-adnexal reporting lexicon for MRI: A white paper of the ACR ovarian-adnexal reporting and data systems MRI committee*. J Am Coll Radiol ;18: 713-729

Reed N. (2010) *Rare and Uncommon Gynecological Cancers, A Clinical Guide*. Springer. ISBN:3642134912

Rogers D, Menias C, Shaaban A. ( 2023) *Malignant germ cell tumors of the ovary: Clinical and imaging features*. Radiol Clin North Am ;61: 579-594.

Sadowski EA, Thomassin-Naggara I, Rockall A, Maturen KE, Forstner R, Jha P, Nougaret S, Siegelman ES, Reinhold C. ( 2022) *O-RADS MRI Risk Stratification System: Guide for Assessing Adnexal Lesions from the ACR O-RADS Committee*. Radiology. Apr;303(1):35-47. doi: 10.1148/radiol.204371. Epub 2022 Jan 18. Erratum in: Radiology. 2023 Jul;308(1):e239017. PMID: 35040672; PMCID: PMC8962917.

Sadowski EA, Thomassin-Naggara I, Rockall A, et al. (2022) *O-RADS MRI risk stratification system: Guide for assessing adnexal lesions from the ACR O-RADS committee*. Radiology ;303:35-47

Sadowski EA, Paroder V, Patel-Lippmann K, et al. (2018) *Indeterminate adnexal cysts at US: Prevalence and characteristics of ovarian cancer*. Radiology ;287:1041-1049.

Sadowski EA, Stein EB, Thomassin-Naggara I, et al. (2023) *O-RADS MRI after initial ultrasound for adnexal lesions: AJR expert panel narrative review*. AJR Am J Roentgenol ;220:6-15

Sasaguri K, Yamaguchi K, Nakazono T, Mizuguchi M, Aishima S, Yokoyama M, et al. (2019) *External validation of ADNEX MR SCORING system: A single-centre retrospective study*. ClinRadiol. ;74(2):131-39

Sohaib SA, Sahdev A, Van Trappen P, Jacobs IJ, Reznick RH. (2003) *Characterization of adneksal mass lesions on MR imaging*. AJR Am J Roentgenol ;180(5):1297–1304)

Stevens SK, Hricak H, Stern JL. (1991) *Ovarian lesions: detection and characterization with gadolinium enhanced MR imaging at 1.5 T*. Radiology ; 181:481–488 dan Hricak H, Chen M, Coakley FV, et al. *Complex adnexal masses: detection and characterization with MR imaging—multivariate analysis*. Radiology 2000; 214:39–46)

Sungmin Woo et al. (2023) “*Bridging Communication Gaps Between Radiologists, Referring Physicians, and Patients Through Standardized Structured Cancer Imaging Reporting: The Experience with Female Pelvic MRI Assessment Using O-RADS and a Simulated Cohort Patient Group*.” ([https://www.academicradiology.org/article/S1076-6332\(23\)00404-X/fulltext](https://www.academicradiology.org/article/S1076-6332(23)00404-X/fulltext)) Academic Radiology. Sept. 1, 2023)

Tanaka Yumiko et al. (2016) *Differentiation of epithelial ovarian cancer subtypes by use of imaging and clinical data: a detailed analysis*. Cancer Imaging 16:3 DOI 10.1186/s40644-016-0061-9

Taylor EC, Irshaid L, Mathur M. (2021) *Multimodality Imaging Approach to Ovarian Neoplasms with Pathologic Correlation*. Radiographics. Jan-Feb;41(1):289-315. doi: 10.1148/rg.2021200086. Epub 2020 Nov 13. PMID: 33186060.

Thomassin-Naggara I, Dabi Y, Florin M, et al. (2023) *O-RADS MRI SCORE: An Essential First-Step Tool for the Characterization of Adnexal Masses*. Journal of Magnetic Resonance Imaging : JMRI. DOI: 10.1002/jmri.28947. PMID: 37550825.

Thomassin-Naggara I, Poncelet E, Jalaguier-Coudray A, et al. (2020) *Ovarianadnexal reporting data system magnetic resonance imaging (O-RADS MRI) score for risk stratification of Sonographically indeterminate adnexal masses*. JAMA Netw Open 2020;3:e1919896.

Thomassin-Naggara I, Aubert E, Rockall A, et al. (2013) *Adnexal masses: development and preliminary validation of an MR imaging scoring system.* Radiology ;267(2):432–443.

Thomassin-Naggara I, Belghitti M, Milon A, et al.(2021) *O-RADS MRI score: Analysis of misclassified cases in a prospective multicentric European cohort.* Eur Radiol;31:9588-9599

Thomassin-Naggara I, Daraï E, Cuenod CA, et al. (2009) *Contribution of diffusion-weighted MR imaging for predicting benignity of complex adnexal masses.* Eur Radiol 2009;19:1544-1552

Thomassin-Naggara I, Daraï E, Cuenod CA, Rouzier R, Callard P, Bazot M.(2008) *Dynamic contrast-enhanced magnetic resonance imaging: A useful tool for characterizing ovarian epithelial tumors.* J Magn Reson Imaging 2008;28:111-120.

Timmerman D, Planchamp F, Bourne T, Landolfo C, du Bois A, Chiva L, et al. (2021) *ESGO/ISUOG/IOTA/ESGE Consensus Statement on pre-operative diagnosis of ovarian tumors.* Int J Gynecol Cancer. 2021;31(7):961-82

Torre LA, Trabert B, DeSantis CE, et al. (2018) *Ovarian cancer statistics.* CA Cancer J Clin. 2018;68(4):284–296.

Weerakkody Y, Yap J, Rasuli B, et al. (2023) *Clear cell ovarian carcinoma.* Reference article,Radiopaedia.org (Accessed on 09 Dec 2023) <https://doi.org/10.53347/rID-13532>

Wengert GJ, Dabi Y, Kermarrec E, et al. (2022) *O-RADS MRI classification of indeterminate adnexal lesions: Time-intensity curve analysis is better than visual assessment.* Radiology ;303:566-575.