

DAFTAR PUSTAKA

- Abd-Ellatef, G. E. F., Gazzano, E., Chirio, D., Ragab Hamed, A., Belisario, D. C., Zuddas, C., ... & Riganti, C. (2020). Curcumin-loaded solid lipid nanoparticles bypass p-glycoprotein mediated doxorubicin resistance in triple negative breast cancer cells. *Pharmaceutics*, 12(2), 96.
- Adedapo, A. A., Oyagbemi, A. A., Fagbohun, O. A., Omobowale, T. O., & Yakubu, M. A. (2016). Evaluation of the anticancer properties of the methanol leaf extract of *Chromolaena odorata* on HT-29 cell line. *Journal of Pharmacognosy and Phytochemistry*, 5(2), 52-57
- Ahlina, F. N., Nugraheni, N., Salsabila, I. A., Haryanti, S., Da'i, M., & Meiyanto, E. (2020). Revealing the reversal effect of galangal (*Alpinia galanga* L.) extract against oxidative stress in metastatic breast cancer cells and normal fibroblast cells intended as a co-chemotherapeutic and anti-ageing agent. *Asian Pacific Journal of Cancer Prevention*, 21(1), 107-117.
- Akinmoladun, A. C., Ibukun, E. O., & Dan-Ologe, I. A. (2007). Phytochemical constituents and antioxidant properties of extracts from the leaves of *Chromolaena odorata*. *Scientific Research and Essay*, 2(6), 191-194
- Aliyah, A. N., Lintang Sari, G., Maran, G. G., Hermawan, A., & Meiyanto, E. (2021). Cinnamon oil as a co-chemotherapy agent through inhibition of cell migration and MMP-9 expression on 4T1 cells. *Journal of Complementary and Integrative Medicine*.
- Alothaim, A. S. (2024). Anti-Cancer Potential of Sinensetin, a Bioactive Compound against Human Cervical Carcinoma Cells via its Molecular Mechanism of Apoptosis. *Ind. J. Pharm. Edu. Res*, 58(1), 154-161.
- Amalina, N. D., Salsabila, I. A., Zulfin, U. M., Jenie, R. I., & Meiyanto, E. (2023). In vitro synergistic effect of hesperidin and doxorubicin downregulates epithelial-mesenchymal transition in highly metastatic breast cancer cells. *Journal of the Egyptian National Cancer Institute*, 35(1), 1-13.
- Antonangeli, F., Natalini, A., Garassino, M. C., Sica, A., Santoni, A., & Di Rosa, F. (2020). Regulation of PD-L1 Expression by NF- κ B in Cancer. *Frontiers in immunology*, 11, 584626.
- Arcamone, F., Cassinelli, G., Fantini, G., Grein, A., Orezzi, P., Pol, C., & Spalla, C. (1969). Adriamycin, 14-hydroxydaimomycin, a new antitumor antibiotic from *S. Peucetius* var. *caesius*. *Biotechnology and bioengineering*, 11(6), 1101-1110.
- Arnold, M., Morgan, E., Rungay, H., Mafra, A., Singh, D., Laversanne, M., ... & Soerjomataram, I. (2022). Current and future burden of breast cancer: Global statistics for 2020 and 2040. *The Breast*, 66, 15-23.

- ATCC. (2024). 4T1 CRL-2539. Diakses pada 27 April 2024. <https://www.atcc.org/products/crl-2539>.
- Bao, L., Haque, A., Jackson, K., Hazari, S., Moroz, K., Jetly, R., & Dash, S. (2011). Increased expression of P-glycoprotein is associated with doxorubicin chemoresistance in the metastatic 4T1 breast cancer model. *The American journal of pathology*, 178(2), 838-852.
- Biganzoli, L., Cufer, T., Bruning, P., Coleman, R., Duchateau, L., Calvert, A. H., ... & Piccart, M. J. (2002). Doxorubicin and paclitaxel versus doxorubicin and cyclophosphamide as first-line chemotherapy in metastatic breast cancer: The European Organization for Research and Treatment of Cancer 10961 Multicenter Phase III Trial. *Journal of Clinical Oncology*, 20(14), 3114-3121.
- Black, M., Barsoum, I. B., Truesdell, P., Cotechini, T., Macdonald-Goodfellow, S. K., Petroff, M., ... & Graham, C. H. (2016). Activation of the PD-1/PD-L1 immune checkpoint confers tumor cell chemoresistance associated with increased metastasis. *Oncotarget*, 7(9), 10557.
- Choi, C. H., Sun, K. H., An, C. S., Yoo, J. C., Hahm, K. S., Lee, I. H., ... & Kim, Y. C. (2002). Reversal of P-glycoprotein-mediated multidrug resistance by 5, 6, 7, 3', 4'-pentamethoxyflavone (Sinensetin). *Biochemical and biophysical research communications*, 295(4), 832-840.
- Dahham, S. S., Tabana, Y. M., Iqbal, M. A., Ahamed, M. B., Ezzat, M. O., Majid, A. S., & Majid, A. M. (2015). The anticancer, antioxidant and antimicrobial properties of the sesquiterpene β -caryophyllene from the essential oil of *Aquilaria crassna*. *Molecules*, 20(7), 11808-11829.
- Dahlgren, D., Sjöblom, M., Hellström, P. M., & Lennernäs, H. (2021). Chemotherapeutics-induced intestinal mucositis: pathophysiology and potential treatment strategies. *Frontiers in Pharmacology*, 12, 681417.
- El-Agamy, D. S., El-Harbi, K. M., Khoshhal, S., Ahmed, N., Elkablawy, M. A., Shaaban, A. A., & Abo-Haded, H. M. (2019). Pristimerin protects against doxorubicin-induced cardiotoxicity and fibrosis through modulation of Nrf2 and MAPK/NF- κ B signaling pathways. *Cancer management and research*, 47-61.
- Febriansah, R., & Lakshita, H. A. (2021). Co-Chemotherapeutic Effect of n-Hexane Fraction of Binahong (*Anredera cordifolia* [Tenore] Steen.) on WiDr Colon Cancer Cell Line. *Open Access Macedonian Journal of Medical Sciences*, 9(T4), 77-82.
- Feng, Y. X., Jin, D. X., Sokol, E. S., Reinhardt, F., Miller, D. H., & Gupta, P. B. (2017). Cancer-specific PERK signaling drives invasion and metastasis through CREB3L1. *Nature communications*, 8(1), 1079.

- Ferraz, R. P., Cardoso, G. M., da Silva, T. B., Fontes, J. E. D. N., Prata, A. P. D. N., Carvalho, A. A., ... & Bezerra, D. P. (2013). Antitumour properties of the leaf essential oil of *Xylopia frutescens* Aubl.(Annonaceae). *Food chemistry*, 141(1), 196-200.
- Giang, P. M., Huong, D. T. V., Thao, V. M., Thuy, T. T. T., & Trang, V. M. (2024). Flavonoids from the Leaves of *Chromolaena odorata* and Their α -Glucosidase Inhibitory Activity. *Pharmaceutical Chemistry Journal*, 1-6.
- Ha, S. H., Kwon, K. M., Park, J. Y., Abekura, F., Lee, Y. C., Chung, T. W., ... & Kim, C. H. (2018). Esculentoside H inhibits colon cancer cell migration and growth through suppression of MMP-9 gene expression via NF-kB signaling pathway. *Journal of Cellular Biochemistry*, 120(6), 9810-9819.
- Hadi, I., Jenie, R. I., & Meiyanto, E. (2020). Pentagamavunon-0 (PGV-0) Enhance Cytotoxic Effect of Doxorubicin through Increasing of Apoptosis, Senescence and ROS Level on Triple Negative Breast Cancer 4T1. *Indonesian Journal of Cancer Chemoprevention*, 11(1), 7-15.
- Handayani, S., Susidarti, R. A., Utomo, R. Y., Meiyanto, E., & Jenie, R. I. (2022). Synergistic cytotoxic and antimigratory effect of brazilein and doxorubicin on HER2-overexpressing cells. *Asian Pacific Journal of Cancer Prevention: APJCP*, 23(8), 2623.
- Hanifa, M., Wulandari, R., Zulfin, U. M., Nugroho, E. P., Haryanti, S., & Meiyanto, E. (2022). Different Cytotoxic Effects of Vetiver Oil on Three Types of Cancer Cells, Mainly Targeting CNR2 on TNBC. *Asian Pacific Journal of Cancer Prevention: APJCP*, 23(1), 241.
- Haryanti, S., Zulfin, U. M., Salsabila, I. A., Wulandari, F., & Meiyanto, E. (2022). The Cytotoxic and Anti-Migratory Properties of *Caesalpinia sappan* and *Ficus septica*, in Combination with Doxorubicin on 4T1 TNBC Cells with Nephroprotective Potential. *Asian Pacific Journal of Cancer Prevention*, 23(2), 743-752.
- Hermawan, A., & Putri, H. (2021). Use of integrative bioinformatics to identify targets of sinensetin and its mechanisms to overcome colorectal cancer resistance. *Journal of Applied Pharmaceutical Science*, 11(1), 111-120.
- Huang, B., Zhai, M., Qin, A., Wu, J., Jiang, X., & Qiao, Z. (2020). Sinensetin flavone exhibits potent anticancer activity against drug-resistant human gallbladder adenocarcinoma cells by targeting PTEN/PI3K/AKT signalling pathway, induces cellular apoptosis and inhibits cell migration and invasion. *J BUON*, 25, 1251-1256.
- Huang, H. (2018). Matrix metalloproteinase-9 (MMP-9) as a cancer biomarker and MMP-9 biosensors: recent advances. *Sensors*, 18(10), 3249.
- Ikawati, M., & Septisetyani, E. P. (2018). Pentagamavunone-0 (PGV-0), a curcumin analog, enhances cytotoxicity of 5-fluorouracil and modulates

cell cycle in WiDr colon cancer cells. *Indonesian Journal of Cancer Chemoprevention*, 9(1), 23-31.

- Ikawati, M., Jenie, R. I., Utomo, R. Y., Amalina, N. D., Ilmawati, G. P. N., Kawaichi, M., & Meiyanto, E. (2020). Genistein enhances cytotoxic and antimigratory activities of doxorubicin on 4T1 breast cancer cells through cell cycle arrest and ROS generation. *Journal of Applied Pharmaceutical Science*, 10(10), 095-104.
- Indriyanti, R. A., Ariyanto, E. F., Usman, H. A., Effendy, R. R., & Dhianawaty, D. (2023). The effect of Sinensetin and Imperatorin on A-549 lung cancer cell viability in vitro. *Pharmacognosy Journal*, 15(1).
- Jie, L. H., Jantan, I., Yusoff, S. D., Jalil, J., & Husain, K. (2021). Sinensetin: An insight on its pharmacological activities, mechanisms of action and toxicity. *Frontiers in Pharmacology*, 11, 553404.
- Kartini, K., Putri, R. E., and Budiono, R., 2023, Quantification of sinensetin in *Orthosiphon stamineus* from various phytogeographical zones in Indonesia, *Journal of Applied Pharmaceutical Science*, 13(03), 183-191
- Kim, H. R., Park, C. G., & Jung, J. Y. (2014). Acacetin (5, 7-dihydroxy-4'-methoxyflavone) exhibits in vitro and in vivo anticancer activity through the suppression of NF- κ B/Akt signaling in prostate cancer cells. *International journal of molecular medicine*, 33(2), 317-324.
- Kim, S. M., Ha, S. E., Lee, H. J., Rampogu, S., Vetrivel, P., Kim, H. H., ... & Kim, G. S. (2020). Sinensetin induces autophagic cell death through p53-related AMPK/mTOR signaling in hepatocellular carcinoma HepG2 cells. *Nutrients*, 12(8), 2462.
- Lee, Y. J., & Lee, S. Y. (2021). Maclurin exerts anti-cancer effects in human osteosarcoma cells via prooxidative activity and modulations of PARP, p38, and ERK signaling. *IUBMB life*, 73(8), 1060-1072.
- Li, Y., Wang, X., Lin, J., Wang, R., Zhang, B., Zhang, X., ... & Guan, J. (2023). Natural flavonoid sinensetin inhibits cisplatin-induced pyroptosis and attenuates intestinal injury. *Biochimica et Biophysica Acta (BBA)-Molecular Basis of Disease*, 166637.
- Lv, Y., Zhao, X., Zhu, L., Li, S., Xiao, Q., He, W., & Yin, L. (2018). Targeting intracellular MMPs efficiently inhibits tumor metastasis and angiogenesis. *Theranostics*, 8(10), 2830.
- Ma, C., Zu, X., Liu, K., Bode, A. M., Dong, Z., Liu, Z., & Kim, D. J. (2019). Knockdown of pyruvate kinase M inhibits cell growth and migration by reducing NF- κ B activity in triple-negative breast cancer cells. *Molecules and cells*, 42(9), 628.
- Micallef, I., & Baron, B. (2020). Doxorubicin: An overview of the anti-cancer and chemoresistance mechanisms.

- Mirzaei, S., Gholami, M. H., Hashemi, F., Zabolian, A., Farahani, M. V., Hushmandi, K., ... & Orive, G. (2022). Advances in understanding the role of P-gp in doxorubicin resistance: Molecular pathways, therapeutic strategies, and prospects. *Drug Discovery Today*, 27(2), 436-455.
- Mobaraki, M., Faraji, A., Zare, M., Dolati, P., Ataei, M., & Manshadi, H. D. (2017). Molecular mechanisms of cardiotoxicity: a review on major side-effect of doxorubicin. *Indian J. Pharm. Sci*, 79, 335-344.
- Mulyati, G. D., Nurani, L. H., & Widyarini, S. 2017. Effects of co-chemotherapy ethyl acetate fraction of *Eurycoma longifolia* jack roots and doxorubicin against apoptosis through expression p53 mutant and Bcl-2. *Jurnal Kedokteran dan Kesehatan Indonesia*, 9(1), 68-77.
- Musyayyadah, H., Wulandari, F., Nangimi, A. F., Anggraeni, A. D., & Meiyanto, E. (2021). The growth suppression activity of diosmin and PGV-1 co-treatment on 4T1 breast cancer targets mitotic regulatory proteins. *Asian Pacific Journal of Cancer Prevention: APJCP*, 22(9), 2929.
- Mutalib, N. A., Bakri, Z. M., Jalil, K. A., & Latip, N. A. (2023). Combination treatment of *Chromolaena odorata* ethanolic extract with cisplatin against breast cancer cell lines MDA-MB-231 and MCF-7. *Cell*, 100(1).
- Novikov, N. M., Zolotaryova, S. Y., Gautreau, A. M., & Denisov, E. V. (2021). Mutational drivers of cancer cell migration and invasion. *British journal of cancer*, 124(1), 102-114.
- Nurhayati, I. P., Khumaira, A., Ilmawati, G. P. N., Meiyanto, E., & Hermawan, A. (2020). Cytotoxic and antimetastatic activity of hesperetin and doxorubicin combination toward Her2 expressing breast cancer cells. *Asian Pacific Journal of Cancer Prevention: APJCP*, 21(5), 1259.
- Parise, C. A., Bauer, K. R., Brown, M. M., & Caggiano, V. (2009). Breast cancer subtypes as defined by the estrogen receptor (ER), progesterone receptor (PR), and the human epidermal growth factor receptor 2 (HER2) among women with invasive breast cancer in California, 1999–2004. *The breast journal*, 15(6), 593-602
- Park, E. S., Kang, J. C., Jang, Y. C., Park, J. S., Jang, S. Y., Kim, D. E., ... & Shin, H. S. (2014). Cardioprotective effects of rhamnetin in H9c2 cardiomyoblast cells under H₂O₂-induced apoptosis. *Journal of ethnopharmacology*, 153(3), 552-560.
- Park, K. R., Nam, D., Yun, H. M., Lee, S. G., Jang, H. J., Sethi, G., ... & Ahn, K. S. (2011). β -Caryophyllene oxide inhibits growth and induces apoptosis through the suppression of PI3K/AKT/mTOR/S6K1 pathways and ROS-mediated MAPKs activation. *Cancer letters*, 312(2), 178-188.
- Peña-Morán, O. A., Villarreal, M. L., Álvarez-Berber, L., Meneses-Acosta, A., & RodríguezLópez, V. (2016). Cytotoxicity, post-treatment recovery, and

- selectivity analysis of naturally occurring podophyllotoxins from *Bursera fagaroides* var. *fagaroides* on breast cancer cell lines. *Molecules*, 21(8), 1013
- Perez, J. G., Tran, N. L., Rosenblum, M. G., Schneider, C. S., Connolly, N. P., Kim, A. J., ... & Winkles, J. A. (2016). The TWEAK receptor Fn14 is a potential cell surface portal for targeted delivery of glioblastoma therapeutics. *Oncogene*, 35(17), 2145-2155.
- Pu, Y., Zhang, T., Wang, J., Mao, Z., Duan, B., Long, Y., ... & Gao, Z. (2018). Luteolin exerts an anticancer effect on gastric cancer cells through multiple signaling pathways and regulating miRNAs. *Journal of Cancer*, 9(20), 3669.
- Pulaski, B. A., & Ostrand-Rosenberg, S. (2001). Mouse 4T1 breast tumor model. *Current protocols in immunology*, 39(1), 20-2.
- Rahmawati, D. R., Nurrochmad, A., Jenie, R. I., & Meiyanto, E. (2023). The synergistic cytotoxic effect of pentagamavunon-1 (PGV-1) and curcumin correlates with the cell cycle arrest to induce mitotic catastrophe in 4T1 and T47D breast cancer cells. *The Indonesian Biomedical Journal*, 15(5), 318-27.
- Razek, A., Valeriote, F., & Vietti, T. (1972). Survival of hematopoietic and leukemic colony-forming cells in vivo following the administration of daunorubicin or adriamycin. *Cancer Research*, 32(7), 1496-1500.
- Reynolds, C. P., & Maurer, B. J. (2005). Evaluating response to antineoplastic drug combinations in tissue culture models. *Chemosensitivity: Volume 1 In Vitro Assays*, 173-183.
- Rundhaug, J. E. (2005). Matrix metalloproteinases and angiogenesis. *Journal of cellular and molecular medicine*, 9(2), 267-285.
- Selleri, S., Seltmann, H., Gariboldi, S., Shirai, Y. F., Balsari, A., Zouboulis, C. C., & Rumio, C. (2006). Doxorubicin-induced alopecia is associated with sebaceous gland degeneration. *Journal of investigative dermatology*, 126(4), 711-720.
- Shaji, S. K., Drishya, G., Sunilkumar, D., Suravajhala, P., Kumar, G. B., & Nair, B. G. (2022). Systematic understanding of anti-tumor mechanisms of Tamarixetin through network and experimental analyses. *Scientific Reports*, 12(1), 3966.
- Soltani-Asl, M., Azimnasab-Sorkhabi, P., Yoshinaga, T. T., de Oliveira Massoco, C., & Kfoury Jr, J. R. (2023). The combination of IDO and AHR blockers reduces the migration and clonogenicity of breast cancer cells. *Immunologic Research*, 1-8.

- Slika, H., Mansour, H., Wehbe, N., Nasser, S. A., Iratni, R., Nasrallah, G., ... & Eid, A. H. (2022). Therapeutic potential of flavonoids in cancer: ROS-mediated mechanisms. *Biomedicine & Pharmacotherapy*, *146*, 112442.
- Steenbrugge, J., Vander Elst, N., Demeyere, K., De Wever, O., Sanders, N. N., Van Den Broeck, W., ... & Meyer, E. (2019). Comparative profiling of metastatic 4T1-vs. non-metastatic Py230-based mammary tumors in an intraductal model for triple-negative breast cancer. *Frontiers in Immunology*, *10*, 2928.
- Suksamrarn, A., Chotipong, A., Suavansri, T., Boongird, S., Timsuksai, P., Vimuttipong, S., & Chuaynugul, A. (2004). Antimycobacterial activity and cytotoxicity of flavonoids from the flowers of *Chromolaena odorata*. *Archives of Pharmacal Research*, *27*, 507-511.
- Tafrihani, A. S., Hasanah, N. U., Salsabila, D. U., Wardani, R. K., Zulfin, U. M., Meiyanto, E., & Jenie, R. I. (2023). Cardamom essential oil extract suppress the progression of triple-negative breast cancer 4T1 cell line. *The Indonesian Biomedical Journal*, *15*(2), 150-6.
- Tan, K. T., Lin, M. X., Lin, S. C., Tung, Y. T., Lin, S. H., & Lin, C. C. (2019). Sinensetin induces apoptosis and autophagy in the treatment of human T-cell lymphoma. *Anti-Cancer Drugs*, *30*(5), 485-494.
- Thakuri, P. S., Gupta, M., Singh, S., Joshi, R., Glasgow, E., Lekan, A., ... & Tavana, H. (2020). Phytochemicals inhibit migration of triple negative breast cancer cells by targeting kinase signaling. *BMC cancer*, *20*, 1-14.
- Tonzibo, Z. F., Wognin, E., Chalchat, J. C., & N'Guessan, Y. T. (2007). Chemical investigation of *Chromolaena odorata* L. King Robinson from ivory coast. *Journal of Essential Oil Bearing Plants*, *10*(2), 94-100.
- Tulloh, N. R. A., & Andriane, Y. (2021). Sediaan Nanopartikel Alginat Ekstrak Etanol Daun Sirsak (*Annona muricata* Linn) Memiliki Efek Antikanker pada Kultur Sel Kanker Paru (HTB183). *Jurnal Riset Kedokteran*, 124-129.
- Utami, D. T., Nugraheni, N., Jenie, R. I., & Meiyanto, E. (2020). Co-treatment of brazilien enhances cytotoxicity of doxorubicin on WiDr colorectal cancer cells through cell cycle arrest. *The Indonesian Biomedical Journal*, *12*(4), 376-83.
- Vaglica, A., Maggio, A., Badalamenti, N., Bruno, M., Lauricella, M., & D'Anneo, A. (2023). *Seseli bocconeii* Guss. and *S. tortuosum* subsp. *maritimum* Guss. essential oils inhibit colon cancer cell viability. *Fitoterapia*, *170*, 105672.
- Webb, A. H., Gao, B. T., Goldsmith, Z. K., Irvine, A. S., Saleh, N., Lee, R. P., ... & MoralesTirado, V. M. (2017). Inhibition of MMP-2 and MMP-9

- decreases cellular migration, and angiogenesis in in vitro models of retinoblastoma. *BMC cancer*, 17, 1-11
- Yamaguchi, H., Wyckoff, J., & Condeelis, J. (2005). Cell migration in tumors. *Current opinion in cell biology*, 17(5), 559-564
- Yang, J., Xiao, P., Sun, J., & Guo, L. (2018). Anticancer effects of kaempferol in A375 human malignant melanoma cells are mediated via induction of apoptosis, cell cycle arrest, inhibition of cell migration and downregulation of m-TOR/PI3K/AKT pathway. *J BUON*, 23, 218-223.
- Yusuf, H., Husna, F., Gani, B. A., & Garrido, G. (2021a). The chemical composition of the ethanolic extract from *Chromolaena odorata* leaves correlates with the cytotoxicity exhibited against colorectal and breast cancer cell lines. *Journal of Pharmacy & Pharmacognosy Research*, 9(3), 344-56.
- Yusuf, H., Kamarlis, R. K., Yusni, Y., & Fahriani, M. (2021b). The anticancer activity of ethanol extract of *Chromolaena odorata* leaves in 7, 12-Dimethylbenz [a] anthracene in (DMBA) induced breast cancer Wistar rats (*Rattus novergicus*). *Pharmacia*, 68(2), 493-499.
- Yusuf, H., Fahriani, M., Murzalina, C., & Mawaddah, R. D. (2022). Inhibitory effects on HepG2 cell proliferation and induction of cell cycle arrest by *Chromolaena odorata* leaf extract and fractions. *Pharmacia*, 69(2), 377-384.
- Yusuf, H., Novia, H., & Fahriani, M. (2023). Cytotoxic activity of ethyl acetate extract of *Chromolaena odorata* on MCF7 and T47D breast cancer cells. *Narra J*, 3(3), e326-e326.
- Zahara, M. (2019). Description of *Chromolaena odorata* LRM King and H. Robinson as medicinal plant: A Review. In *IOP Conference Series: Materials Science and Engineering* (Vol. 506, No. 1, p. 012022). IOP Publishing. Lan, L., Wang, Y., Pan, Z., Wang, B., Yue, Z., Jiang, Z., ... & Tang, H. (2019). Rhamnetin induces apoptosis in human breast cancer cells via the miR-34a/Notch-1 signaling pathway. *Oncology letters*, 17(1), 676-682.
- Zhi, Z., Tang, X., Wang, Y., Chen, R., & Ji, H. (2021). Sinensetin attenuates Amyloid Beta₂₅₋₃₅-induced oxidative stress, inflammation, and apoptosis in SH-SY5Y cells through the TLR4/NF- κ b signaling pathway. *Neurochemical Research*, 46, 3012-3024.
- Zhu, S., Meng, L., Wei, P., Gu, G., & Duan, K. (2024). Sinensetin suppresses breast cancer cell progression via Wnt/ β -catenin pathway inhibition. *Translational Cancer Research*, 13(1), 348.
- Zulfin, U. M., Rahman, A., Hanifa, M., Utomo, R. Y., Haryanti, S., & Meiyanto, E. (2021). Reactive oxygen species and senescence modulatory effects of



Potensi Ekstrak Etanol Daun Kirinyuh (*Chromolaena odorata* L.) sebagai Agen Ko-kemoterapi Doksorubisin pada Sel Kanker Payudara Triple Negative

Amaliya Permata Putri, Dr. apt. Muthiâ€™™ Ikawati, M.Sc. ; Prof. Dr. apt. Edy Meiyanto, M.Si.

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

rice bran extract on 4T1 and NIH-3T3 cells co-treatment with doxorubicin.
Asian Pacific Journal of Tropical Biomedicine, 11(4), 174-182.