



DAFTAR PUSTAKA

- Anggraeni, D., Diansari, Y., & Hafy, Z. (2022). Demographic, Clinical, and Tumor Profile Of Meningioma In Mohammad Hoesin Hospital Palembang, Indonesia. *Biomedical Journal of Indonesia*, 8(1), 1–4. <https://doi.org/10.32539/bji.v8i1.122>
- Behling, F., Hempel, J. M., & Schittenhelm, J. (2021). Brain invasion in meningioma—a prognostic potential worth exploring. *Cancers*, 13(13). <https://doi.org/10.3390/cancers13133259>
- Choy, W. C., Kim, W., Nagasawa, D., Stramotas, S., Yew, D., Gopen, Q., Parsa, T., & Yang, I. C. (2011). The molecular genetics and tumor pathogenesis of meningiomas and the future directions of meningioma treatments. *Neurosurgical Focus*, 30(5).
- Cornelius, J. F., Slotty, P. J., Steiger, H. J., Hänggi, D., Polivka, M., & George, B. (2013). Malignant potential of skull base versus non-skull base meningiomas: Clinical series of 1,663 cases. *Acta Neurochirurgica*, 155(3), 407–413.
- Ciurea, A. V., Iencean, S. M., Rizea, R. E., & Brehar, F. M. (2012). Olfactory groove meningiomas A retrospective study on 59 surgical cases. *Neurosurgical Review*, 35(2), 195–202. <https://doi.org/10.1007/s10143-011-0353-2>
- DeMonte, F., McDermott, M. W., & Al-Mefty, O. (2014). Al-Mefty's Meningiomas. In *Al-Mefty's Meningiomas*. <https://doi.org/10.1055/b-002-80424>
- Dincer, A., Jalal, M. I., Gupte, T. P., Vetsa, S., Vasandani, S., Yalcin, K., Marianayagam, N., Blondin, N., Corbin, Z., Mcguone, D., Fulbright, R. K., Erson-Omay, Z., Günel, M., & Moliterno, J. (2023). The clinical and genomic features of seizures in meningiomas. *Neuro-Oncology Advances*, 5, I49–I57.
- Gasim, G. I., Elshehri, F. M., Kheidr, M., Alshubaily, F. K., Elzaki, E. M., & Musa, I. R. (2017). The Use of Computed Tomography in the Diagnosis of Fatty Liver and Abdominal Fat Distribution among a Saudi Population. *Open Access Macedonian Journal of Medical Sciences*, 5(6), 762. <https://doi.org/10.3889/OAMJMS.2017.187>
- Hanna, C., Willman, M., Cole, D., Mehkri, Y., Liu, S., Willman, J., & Lucke-Wold, (2023). Review of meningioma diagnosis and management. *Egyptian Journal of Neurosurgery*, 38(1).
- Hara, T. (2019). Surgical indication and treatment strategy for meningioma. *Japanese Journal of Neurosurgery*, 28(8), 462–469. <https://doi.org/10.7887/jcns.28.462>
- Krishnan, V., Mittal, M. K., Sinha, M., & Thukral, B. B. (2019). Imaging spectrum of meningiomas: A review of uncommon imaging appearances and their histopathological and prognostic significance. *Polish Journal of Radiology*, 84, e630–e653.



- Kwancharoen, R., Blitz, A. M., Tavares, F., Caturegli, P., Gallia, G. L., & Salvatori, R. (2014). Clinical features of sellar and suprasellar meningiomas. *Pituitary*, 17(4), 342–348. <https://doi.org/10.1007/s11102-013-0507-z>
- Kunimatsu, A., Kunimatsu, N., Kamiya, K., Katsura, M., Mori, H., & Ohtomo, K. (2016). Variants of meningiomas: a review of imaging findings and clinical features. *Japanese Journal of Radiology*, 34(7), 459–469.
- Lee, S. H., Lee, E. H., Sung, K. S., Kim, D. C., Kim, Y. Z., & Song, Y. J. (2022). Ki67 Index Is the Most Powerful Factor for Predicting the Recurrence in Atypical Meningioma: Retrospective Analysis of 99 Patients in Two Institutes. *Journal of Korean Neurosurgical Society*, 65(4), 558–571. <https://doi.org/10.3340/jkns.2021.0196>
- Liu, N., Song, S. Y., Jiang, J. B., Wang, T. J., & Yan, C. X. (2020). The prognostic role of Ki-67/MIB-1 in meningioma: A systematic review with meta-analysis. *Medicine (United States)*, 99(9), 1–10. <https://doi.org/10.1097/MD.00000000000018644>
- Lyndon, D., Lansley, J. A., Evanson, J., & Krishnan, A. S. (2019). Dural masses: meningiomas and their mimics. *Insights into Imaging*, 10(1).
- Mawrin, C., Chung, C., & Preusser, M. (2015). Biology and Clinical Management Challenges in Meningioma. *American Society of Clinical Oncology Educational Book*, 35, e106–e115. https://doi.org/10.14694/edbook_am.2015.35.e106
- Maiuri, F., Mariniello, G., Guadagno, E., Barbato, M., Corvino, S., & Del Basso DeCaro, M. (2019). WHO grade, proliferation index, and progesterone receptor expression are different according to the location of meningioma. *Acta Neurochirurgica*, 161(12), 2553–2561. <https://doi.org/10.1007/s00701-019-04084-z>
- Mederer, T., Schachinger, S., Rosengarth, K., Brosig, A., Schebesch, K. M., Doenitz, C., Schmidt, N. O., & Proescholdt, M. A. (2022). Symptom burden and surgical outcome in non-skull base meningiomas. *Frontiers in Oncology*, 12(September), 1–12. <https://doi.org/10.3389/fonc.2022.967420>
- Mubeen, B., Makhdoomi, R., Nayil, K., Rafiq, D., Kirmani, A., Salim, O., Mustafa, A., Aimen, A., Khursheed, S., Bashir, S., Shafi, S., & Ramzan, A. (2019). Clinicopathological characteristics of meningiomas: Experience from a tertiary care hospital in the Kashmir Valley. *Asian Journal of Neurosurgery*, 14(01), 41–46. https://doi.org/10.4103/ajns.ajns_228_16
- Mukrimaa, S. S., Nurdyansyah, Fahyuni, E. F., YULIA CITRA, A., Schulz, N. D., Taniredja, T., Faridli, E. M., & Harmianto, S. (2016). No 主観的健康感を中心とした在宅高齢者における 健康関連指標に関する共分散構造分析Title. In *Jurnal Penelitian Pendidikan Guru Sekolah Dasar* (Vol. 6, Issue August).
- Nair, K. G. S., Ramaiyan, V., & Sukumaran, S. K. (2018). Enhancement of drug



permeability across blood brain barrier using nanoparticles in meningitis.
Inflammopharmacology, 26(3), 675–684. <https://doi.org/10.1007/s10787-018-0468-y>

Nanda, A., Bir, S. C., Maiti, T. K., Konar, S. K., Missios, S., & Guthikonda, B. (2017). Relevance of Simpson grading system and recurrence-free survival after surgery for World Health Organization Grade I meningioma. *Journal of Neurosurgery*, 126(1), 201–211. <https://doi.org/10.3171/2016.1.JNS151842>

Nowosielski, M., Galldiks, N., Iglseder, S., Kickingereder, P., Von Deimling, A., Bendszus, M., Wick, W., & Sahm, F. (2017). Diagnostic challenges in meningioma. *Neuro-Oncology*, 19(12), 1588–1598. <https://doi.org/10.1093/neuonc/nox101>

Ogasawara, C., Philbrick, B. D., & Adamson, D. C. (2021). Meningioma: A review of epidemiology, pathology, diagnosis, treatment, and future directions. *Biomedicines*, 9(3). <https://doi.org/10.3390/biomedicines9030319>

Osborn, A. (2012). *Osborn 's Brain Imaging*.

Page, C. this, & Alruwaili AA, D. J. O. (2023). *Meningioma*.

Patel, N., & Kirmi, O. (2009). Anatomy and Imaging of the Normal Meninges. *Seminars in Ultrasound, CT and MRI*, 30(6), 559–564.

Rahmawati, D., Munir, B., Setijowati, N., Ari Setianto, C., Damayanti, R., & Mubyarto, B. (2023). Factors Affecting the Functional Status of Patient With Meningioma in Dr. Saiful Anwar General Hospital Malang. *MNJ (Malang Neurology Journal)*, 9(1), 76–80. <https://doi.org/10.21776/ub.mnj.2023.009.01.17>

Raharjanti, F. H., Suhendar, A., Fakhrurrazy, F., Lahdimawan, A., & Istiana, I. (2022). Karakteristik Pasien Meningioma di RSUD Ulin Banjarmasin Tahun 2018-2020. *Homeostasis*, 5(2), 343. <https://doi.org/10.20527/ht.v5i2.6279>

Rao, M. N., & Samiullah, P. S. (2019). *Original Research Paper Psychology*. 9(4), 2017–2019.

Rodríguez-Hernández, L. A., Uribe-Pacheco, R., Mondragon-Soto, M., Alvaro-Heredia, J., Reyes-Moreno, I., Montano-Tello, H., Gutierrez-Aceves, G. A., Guerrero-Juarez, V., Castro-Martinez, E., & Gonzalez-Aguilar, A. (2022). Assessing the Malignancy Risk of a Meningioma by Its Location. *Cureus*, 14(11), 7–11. <https://doi.org/10.7759/cureus.31213>

Saraf, S., McCarthy, B. J., & Villano, J. L. (2011). Update on Meningiomas. *The Oncologist*, 16(11), 1604–1613.

Sesha Satya Sagar, V. V., Acharya, S., Andhale, A., Kumar, S., & Talwar, D. (2022). A Case of Suprasellar, Intrasellar, and Infrasellar Meningioma Presenting as a Visual Field Defect in an Obese Female. *Cureus*, 14(3), 2–7. <https://doi.org/10.7759/cureus.23071>

Singh, I. (2018). *Singh'S Neuroanatomy* (Issues 978-93-5152-723-7).

Sun, C., Dou, Z., Wu, J., Jiang, B., Iranmanesh, Y., Yu, X., Li, J., Zhou, H., Zhong, , Peng, Y., Zhuang, J., Yu, Q., Wu, X., Yan, F., Xie, Q., & Chen, G. (2020).



The Preferred Locations of Meningioma According to Different Biological Characteristics Based on Voxel-Wise Analysis. *Frontiers in Oncology*, 10(August), 1–12. <https://doi.org/10.3389/fonc.2020.01412>

Supartoto, A., Sasongko, M. B., Respatika, D., Mahayana, I. T., Pawiroranu, S., Kusnanto, H., Sakti, D. H., Nurlaila, P. S., Heriyanto, D. S., & Haryana, S. M. (2019). Relationships between neurofibromatosis-2, progesterone receptor expression, the use of exogenous progesterone, and risk of orbitocranial meningioma in females. *Frontiers in Oncology*, 9(JAN), 1–7. <https://doi.org/10.3389/fonc.2018.00651>

Talacchi, A., Hasanbelliu, A., D'Amico, A., Regge Gianas, N., Locatelli, F., Pasqualin, A., Longhi, M., & Nicolato, A. (2020). Long-term follow-up after surgical removal of meningioma of the inner third of the sphenoidal wing: outcome determinants and different strategies. *Neurosurgical Review*, 43(1), 109–117. <https://doi.org/10.1007/s10143-018-1018-1>

Yamada, S., Kijima, N., Nakagawa, T., Hirayama, R., Kinoshita, M., Kagawa, N., & Kishima, H. (2021). How Much Tumor Volume Is Responsible for Development of Clinical Symptoms in Patients With Convexity, Parasagittal, and Falx Meningiomas? *Frontiers in Neurology*, 12(November), 1–8. <https://doi.org/10.3389/fneur.2021.769656>

Yang, J., Ma, S. C., Liu, Y. H., Wei, L., Zhang, C. Y., Qi, J. F., & Yu, C. J. (2013). Large and giant medial sphenoid wing meningiomas involving vascular structures: Clinical features and management experience in 53 patients. *Chinese Medical Journal*, 126(23), 4470–4476. <https://doi.org/10.3760/cma.j.issn.0366-6999.20131029>

Watts, J., Box, G., Galvin, A., Brotchie, P., Trost, N., & Sutherland, T. (2014). Magnetic resonance imaging of meningiomas: A pictorial review. *Insights into Imaging*, 5(1), 113–122. <https://doi.org/10.1007/s13244-013-0302-4>

Wiemels, J., Wrensch, M., & Claus, E. B. (2010). Epidemiology and etiology of meningioma. *Journal of Neuro-Oncology*, 99(3), 307–314. <https://doi.org/10.1007/s11060-010-0386-3>

Wilson, T. A., Huang, L., Ramanathan, D., Lopez-Gonzalez, M., Pillai, P., De Los Reyes, K., Kumal, M., & Boling, W. (2020). Review of Atypical and Anaplastic Meningiomas: Classification, Molecular Biology, and Management. *Frontiers in Oncology*, 10(November). <https://doi.org/10.3389/fonc.2020.565582>

Wu, J. C. (2014). Risk factors of meningioma. *Journal of the Chinese Medical Association*, 77(9), 451–452. <https://doi.org/10.1016/j.jcma.2014.07.005>

Yao, Y., Xu, Y., Liu, S., Xue, F., Wang, B., Qin, S., Sun, X., & He, J. (2022). Predicting the grade of meningiomas by clinical–radiological features: A comparison of precontrast and postcontrast MRI. *Frontiers in Oncology*, 12, 1–12.

Zhao, Y., Xu, J., Chen, B., Cao, L., & Chen, C. (2022). Efficient Prediction of Ki-67 Proliferation Index in Meningiomas on MRI: From Traditional Radiological



Findings to a Machine Learning Approach. *Cancers*, 14(15), 1–12.
<https://doi.org/10.3390/cancers14153637>

Zumel-Marne, A., Kundi, M., Castaño-Vinyals, G., Alguacil, J., Petridou, E. T., Georgakis, M. K., Morales-Suárez-Varela, M., Sadetzki, S., Piro, S., Nagrani, R., Filippini, G., Hutter, H. P., Dikshit, R., Woehrer, A., Maule, M., Weinmann, T., Krewski, D., 't Mannetje, A., Momoli, F., ... Cardis, E. (2020). Clinical presentation of young people (10–24 years old) with brain tumors: results from the international MOBI-Kids study. *Journal of Neuro-Oncology*, 147(2), 427–440. <https://doi.org/10.1007/s11060-020-03437-4>