

DAFTAR PUSTAKA

- Adeola, O., and A. J. Cowieson. 2011. Board-invited review: Opportunities and challenges in using exogenous enzymes to improve nonruminant animal production. *J. Anim. Sci.* 89:3189–3218.
- Aftab, U., and M. R. Bedford. 2018. The use of NSP enzymes in poultry nutrition: Myths and realities. *Worlds Poult. Sci. J.* 74:277–286.
- Alexander, C., K. S. Swanson, G. C. Fahey, and K. A. Garleb. 2019. Perspective: physiologic importance of short-chain fatty acids from nondigestible carbohydrate fermentation. *Adv. Nutr.* 10:576–589.
- Ali, Q., S. Ma, S. La, Z. Guo, B. Liu, Z. Gao, U. Farooq, Z. Wang, X. Zhu, Y. Cui, D. Li, and Y. Shi. 2022. Microbial short-chain fatty acids: a bridge between dietary fibers and poultry gut health — A review. *Anim. Biosci.* 35:1461–1478.
- Angel, C. R., W. Saylor, S. L. Vieira, and N. Ward. 2011. Effects of a monocomponent protease on performance and protein utilization in 7- to 22-day-old broiler chickens. *Poult. Sci.* 90:2281–2286.
- Angel, R., and J. O. B. Sorbara. 2014. Why is it important to understand substrates if we are to optimize exogenous enzyme efficacy? *Poult. Sci.* 93:2375–2379.
- Anwar, U., M. A. Rahman, M. Riaz, M. F. Khalid, R. Mustafa, U. Farooq, F. G. Elsaid, M. Ashraf, A. Rehman, and J. A. Khan. 2023. The effect of xylanase and phytase supplementation alone or in combination in a wheat-based diet on intestinal morphology and blood profile in broilers. *Pak. Vet. J.* 43:591–595.
- AOAC International. 2005. Official methods of analysis. association of official analytical chemists. 18th ed. Washington DC.
- Arpaia, N., C. Campbell, X. Fan, S. Dikiy, J. Van Der Veeken, P. Deroos, H. Liu, J. R. Cross, K. Pfeffer, P. J. Coffey, and A. Y. Rudensky. 2013. Metabolites produced by commensal bacteria promote peripheral regulatory T-cell generation. *Nature* 504:451–455.
- Assmann, N., and D. K. Finlay. 2016. Metabolic regulation of immune responses: Therapeutic opportunities. *J. Clin. Invest.* 126:2031–2039.
- Attia, G., W. El-Eraky, E. Hassanein, M. El-Gamal, M. Farahat, and A. Hernandez-Santana. 2017. Effect of dietary inclusion of a plant extract blend on broiler growth performance, nutrient digestibility, caecal microflora and intestinal histomorphology. *Int. J. Poult. Sci.* 16:344–353.
- Aviagen. 2018. Indian River Broiler Management Handbook. Accessed Feb. 2024. https://aviagen.com/assets/Tech_Center/LIR_Broiler/IR-BroilerHandbook2018-EN.pdf.
- Aviagen. 2022. Indian River Broiler Nutrition Specifications. Accessed Feb. 2024. https://aviagen.com/assets/Tech_Center/LIR_Broiler/IRBroilerNutritionSpecifications2022-EN.pdf.
- Avila, E., J. Arce, C. Soto, F. Rosas, M. Ceccantini, and D. R. McIntyre. 2012. Evaluation of an enzyme complex containing nonstarch polysaccharide enzymes and phytase on the performance of broilers fed a sorghum and soybean meal diet. *J. Appl. Poult. Res.* 21:279–286.

- Badan Pusat Statistik. 2020. Catalog: 1101001. Statistik Indonesia 2020 1101001:790 Available
<https://www.bps.go.id/publication/2020/04/29/e9011b3155d45d70823c141f/statistik-indonesia-2020.html>.
- Badan Pusat Statistik. 2022. Konsumsi Kalori dan Protein Penduduk Indonesia dan Provinsi September 2022. ISSN: 1979-6250. Jakarta: Badan Pusat Statistik.
- Ditjen PKH. Direktorat Jenderal Peternakan dan Kesehatan Hewan. 2023. <http://simpakan.ditjenpkh.pertanian.go.id/>. Sistem Produksi Pakan.
- Ditjen TP. 2023. Direktorat Tanaman Pangan. Data Sementara: Produksi Jagung Tahun 2021-2022. Jakarta: Kementerian Pertanian.
- Bao, Y. M., and M. Choct. 2010. Dietary NSP nutrition and intestinal immune system for broiler chickens. *Worlds Poult. Sci. J.* 66:511–517.
- Barekatin, M. R., C. Antipatis, M. Choct, and P. A. Iji. 2013. Interaction between protease and xylanase in broiler chicken diets containing sorghum distillers' dried grains with solubles. *Anim. Feed Sci. Technol.* 182:71–81.
- Barua, M., M. R. Abdollahi, F. Zaefarian, T. J. Wester, C. K. Girish, P. V. Chrystal, and V. Ravindran. 2021. An investigation into the influence of age on the standardized amino acid digestibility of wheat and sorghum in broilers. *Poult. Sci.* 100:1-14.
- Batonon-Alavo, D. I., M. Umar Faruk, P. Lescoat, G. M. Weber, and D. Bastianelli. 2015. Inclusion of sorghum, millet and cottonseed meal in broiler diets: A meta-analysis of effects on performance. *Animal.* 9:1120–1130.
- Bautil, A., J. Buyse, P. Goos, M. R. Bedford, and C. M. Courtin. 2021. Feed endoxylanase type and dose affect arabinoxylan hydrolysis and fermentation in ageing broilers. *Anim. Nutr.* 7:787–800.
- Bean-Hodgins, L., M. Mohammadigheisar, A. M. Edwards, and E. G. Kiarie. 2022. Comparative impact of conventional and alternative gut health management programs on gastrointestinal responses in broiler chickens raised in commercial and research settings. *J. Appl. Poult. Res.* 31:1-14.
- Bedford, M. R. 2018. The evolution and application of enzymes in the animal feed industry: the role of data interpretation. *Br. Poult. Sci.* 59:486–493.
- Benton, C. B., W. Fiskus, and K. N. Bhalla. 2017. Targeting Histone Acetylation Readers and Writers in Leukemia and Cancer. *Cancer. J.* 23:286-291.
- Broom, L. J., and M. H. Kogut. 2018. Inflammation: Friend or foe for animal production? *Poult. Sci.* 97:510–514.
- Burton, R. A., and G. B. Fincher. 2014. Evolution and development of cell walls in cereal grains. *Front. Plant. Sci.* 5:1–15.
- Butchee, K., D. B. Arnall, A. Sutradhar, C. Godsey, H. Zhang, and C. Penn. 2012. Determining Critical Soil pH for Grain Sorghum Production. *Int. J. Agric. Res.* 2012:1–6.
- Cadogan, D. J., and M. Choct. 2015. Pattern of non-starch polysaccharide digestion along the gut of the pig: Contribution to available energy. *Anim. Nutr.* 1:160–165.

- Camilleri, M., K. Madsen, R. Spiller, B. G. Van Meerveld, and G. N. Verne. 2012. Intestinal barrier function in health and gastrointestinal disease. *J. Neurogastroenterol Motil.* 24:503–512.
- Choct, M. 2015. Feed non-starch polysaccharides for monogastric animals: Classification and function. *Anim. Prod. Sci.* 55:1360–1366.
- Corrêa-Oliveira, R., J. L. Fachi, A. Vieira, F. T. Sato, and M. A. R. Vinolo. 2016. Regulation of immune cell function by short-chain fatty acids. *Clin. Transl. Immunology* 5:1–8.
- Dale, T., I. Hannay, M. R. Bedford, G. A. Tucker, J. M. Brameld, and T. Parr. 2020. The effects of exogenous xylanase supplementation on the in vivo generation of xylooligosaccharides and monosaccharides in broilers fed a wheat-based diet. *Br. Poult. Sci.* 61:471–481.
- D’Almeida, C. T. dos S., H. Mameri, N. dos S. Menezes, C. W. P. de Carvalho, V. A. V. Queiroz, L. C. Cameron, M. H. Morel, C. Y. Takeiti, and M. S. L. Ferreira. 2021. Effect of extrusion and turmeric addition on phenolic compounds and kafirin properties in tannin and tannin-free sorghum. *Food Res. Int.* 149:1-13.
- Ding, X. M., D. D. Li, S. P. Bai, J. P. Wang, Q. F. Zeng, Z. W. Su, Y. Xuan, and K. Y. Zhang. 2018. Effect of dietary xylooligosaccharides on intestinal characteristics, gut microbiota, cecal short-chain fatty acids, and plasma immune parameters of laying hens. *Poult. Sci.* 97:874–881.
- Donohoe, D. R., L. B. Collins, A. Wali, R. Bigler, W. Sun, and S. J. Bultman. 2012. The Warburg Effect Dictates the Mechanism of Butyrate-Mediated Histone Acetylation and Cell Proliferation. *Mol. Cell* 48:612–626.
- Ebadi, M. R., M. Sedghi, A. Golian, and H. Ahmadi. 2011. Prediction of the true digestible amino acid contents from the chemical composition of sorghum grain for poultry. *Poult. Sci.* 90:2397–2401.
- Ellmeier, W., and C. Seiser. 2018. Histone deacetylase function in CD4+ T cells. *Nat. Rev. Immunol.* 18:617–634.
- Erdaw, M. M., R. A. Perez-Maldonado, M. Bhuiyan, and P. A. Iji. 2017. Partial replacement of commercial soybean meal with raw, full-fat soybean meal supplemented with varying levels of protease in diets of broiler chickens. *S. Afr. J. Anim. Sci.* 47:61–71.
- Facey, H., M. Kithama, M. Mohammadigheisar, L. A. Huber, A. K. Shoveller, and E. G. Kiarie. 2023. Complete replacement of soybean meal with black soldier fly larvae meal in feeding program for broiler chickens from placement through to 49 days of age reduced growth performance and altered organs morphology. *Poult. Sci.* 102:1-12.
- Farahat, M., D. Ibrahim, A. T. Y. Kishawy, H. M. Abdallah, A. Hernandez-Santana, and G. Attia. 2021. Effect of cereal type and plant extract addition on the growth performance, intestinal morphology, caecal microflora, and gut barriers gene expression of broiler chickens. *Animal.* 15:1-7.
- Fasina, Y. O., and H. S. Lillehoj. 2019. Characterization of intestinal immune response to *Clostridium perfringens* infection in broiler chickens. *Poult. Sci.* 98:188–198.
- Van Der Flier, L. G., and H. Clevers. 2009. Stem cells, self-renewal, and

- differentiation in the intestinal epithelium. *Annu. Rev. Physiol.* 71:241–260.
- Freitas, D. M., S. L. Vieira, C. R. Angel, A. Favero, and A. Maiorka. 2011. Performance and nutrient utilization of broilers fed diets supplemented with a novel mono-component protease. *J. Appl. Poult. Res.* 20:322–344.
- Furusawa, Y., Y. Obata, S. Fukuda, T. A. Endo, G. Nakato, D. Takahashi, Y. Nakanishi, C. Uetake, K. Kato, T. Kato, M. Takahashi, N. N. Fukuda, S. Murakami, E. Miyauchi, S. Hino, K. Atarashi, S. Onawa, Y. Fujimura, T. Lockett, J. M. Clarke, D. L. Topping, M. Tomita, S. Hori, O. Ohara, T. Morita, H. Koseki, J. Kikuchi, K. Honda, K. Hase, and H. Ohno. 2013. Commensal microbe-derived butyrate induces the differentiation of colonic regulatory T cells. *Nature.* 504:446–450.
- Gao, Q., Y. Wang, J. Li, G. Bai, L. Liu, R. Zhong, T. Ma, H. Pan, and H. Zhang. 2022. Supplementation of multi-enzymes alone or combined with inactivated *Lactobacillus* benefits growth performance and gut microbiota in broilers fed wheat diets. *Front. Microbiol.* 13:1–13.
- García-Villalba, R., J. A. Giménez-Bastida, M. T. García-Conesa, F. A. Tomás-Barberán, J. Carlos Espín, and M. Larrosa. 2012. Alternative method for gas chromatography-mass spectrometry analysis of short-chain fatty acids in faecal samples. *J. Sep. Sci.* 35:1906–1913.
- Giannenas, I., E. Tsalie, E. Triantafyllou, S. Hessenberger, K. Teichmann, M. Mohnl, and D. Tontis. 2014. Assessment of probiotics supplementation via feed or water on the growth performance, intestinal morphology and microflora of chickens after experimental infection with *Eimeria acervulina*, *Eimeria maxima* and *Eimeria tenella*. *Avian Pathol.* 43:209–216.
- González-Alvarado, J. M., E. Jiménez-Moreno, D. González-Sánchez, R. Lázaro, and G. G. Mateos. 2010. Effect of inclusion of oat hulls and sugar beet pulp in the diet on productive performance and digestive traits of broilers from 1 to 42 days of age. *Anim. Feed. Sci. Technol.* 162:37–46.
- Groschwitz, K. R., and S. P. Hogan. 2009. Intestinal barrier function: Molecular regulation and disease pathogenesis. *J. Allergy Clin. Immunol.* 124:3–20.
- Guilloteau, P., L. Martin, V. Eeckhaut, R. Ducatelle, R. Zabielski, and F. Van Immerseel. 2010. From the gut to the peripheral tissues: The multiple effects of butyrate. *Nutr. Res. Rev.* 23:366–384.
- Guo, S., Y. Xing, Y. Xu, X. Jin, S. Yan, and B. Shi. 2022. Progress of studies on plant-derived polysaccharides affecting intestinal barrier function in poultry. *Animals.* 12:1-17.
- Harahap, I. L. 2017. Efek Protektif Vitamin E pada Epitel Jejenum Tikus Putih (*Rattus norvegicus*) yang Diinduksi Timbal Asetat. *Jurnal Kedokteran Unram.* 6:18–23.
- Hashim, M., D. Gonzalez-Sanchez, A. Wealleans, M. Abdelkader, S. A. R. El-Safty, and A. R. Y. Abdelhady. 2023. Effects of different doses of multienzyme supplementation on growth performance, duodenal pH and morphology, and carcass traits in broilers fed diets with an increasing reduction in energy. *Animals.* 13:1-12.
- Van Hoeck, V., D. Wu, I. Somers, A. Wealleans, B. L. Vasanthakumari, A. L.

- Gonzalez Sanchez, and D. Morisset. 2021. Xylanase impact beyond performance: a prebiotic approach in broiler chickens. *J. Appl. Poult. Res.* 30:1-13.
- Hugenholtz, F., J. A. Mullaney, M. Kleerebezem, H. Smidt, and D. I. Rosendale. 2013. Modulation of the microbial fermentation in the gut by fermentable carbohydrates. *Bioact. Carbohyd. Diet.* 2:133–142.
- Incharoen, T. 2013. Histological adaptations of the gastrointestinal tract of broilers fed diets containing insoluble fiber from rice hull meal. *Am. J. Anim. Vet. Sci.* 8:79–88.
- Jacobs, C., and C. M. Parsons. 2013. The effects of coarse ground corn, whole sorghum, and a prebiotic on growth performance, nutrient digestibility, and cecal microbial populations in broilers fed diets with and without corn distillers dried grains with solubles. *Poult. Sci.* 92:2347–2357.
- Jamroz, D., K. Jakobsen, K. Erik Bach Knudsen, A. Wiliczekiewicz, and J. Orda. 2002. Digestibility and energy value of non-starch polysaccharides in young chickens, ducks and geese, fed diets containing high amounts of barley. *Comp. Biochem. Physiol. A Mol. Integr. Physiol.* 131:657-668.
- Jaworski, N. W., H. N. Lærke, K. E. B. Knudsen, and H. H. Stein. 2015. Carbohydrate composition and in vitro digestibility of dry matter and nonstarch. *J. Anim. Sci.* 93:1103–1113.
- Jha, R., J. M. Fouhse, U. P. Tiwari, L. Li, and B. P. Willing. 2019. Dietary fiber and intestinal health of monogastric animals. *Front. Vet. Sci.* 6:1-12.
- Jiménez-Moreno, E., M. Frikha, A. De Coca-Sinova, R. P. Lázaro, and G. G. Mateos. 2013. Oat hulls and sugar beet pulp in diets for broilers. 2. Effects on the development of the gastrointestinal tract and on the structure of the jejunal mucosa. *Anim. Feed Sci. Technol.* 182:44–52.
- Jiminez, J. A., T. C. Uwiera, G. D. Inglis, and R. R. E. Uwiera. 2015. Animal models to study acute and chronic intestinal inflammation in mammals. *Gut. Pathog.* 7:1-31.
- Józefiak, D., S. Kaczmarek, A. Rutkowski, A. Józefiak, B. B. Jensen, and R. M. Engberg. 2005. Fermentation in broiler chicken gastrointestinal tract as affected by high dietary inclusion of barley and by β -glucanase supplementation. *J. Anim. Feed Sci.* 14:695–704.
- Józefiak, D., A. Rutkowski, S. Kaczmarek, B. B. Jensen, R. M. Engberg, and O. Højberg. 2010. Effect of β -glucanase and xylanase supplementation of barley- and rye-based diets on caecal microbiota of broiler chickens. *Br. Poult. Sci.* 51:546–557.
- Kalmendal, R., K. Elwinger, L. Holm, and R. Tauson. 2011. High-fibre sunflower cake affects small intestinal digestion and health in broiler chickens. *Br. Poult. Sci.* 52:86–96.
- Kasubuchi, M., S. Hasegawa, T. Hiramatsu, A. Ichimura, and I. Kimura. 2015. Dietary gut microbial metabolites, short-chain fatty acids, and host metabolic regulation. *Nutr.* 7:2839–2849.
- Kheravii, S. K., N. K. Morgan, R. A. Swick, M. Choct, and S. B. Wu. 2018. Roles of dietary fibre and ingredient particle size in broiler nutrition. *Worlds Poult. Sci.*

J. 74:301–316.

- Kiarie, E. G., M. Mohammadigheisar, R. A. M. Kakhki, and M. H. Madsen. 2021. Impact of feeding modified soy protein concentrate in the starter phase on growth performance and gastrointestinal responses in broiler chickens through to day 42 of age. *Poult. Sci.* 100:1-11.
- Kiarie, E., L. F. Romero, and V. Ravindran. 2014. Growth performance, nutrient utilization, and digesta characteristics in broiler chickens fed corn or wheat diets without or with supplemental xylanase. *Poult. Sci.* 93:1186–1196.
- Kim, M., Y. Qie, J. Park, and C. H. Kim. 2016. Gut Microbial Metabolites Fuel Host Antibody Responses. *Cell Host Microbe* 20:202–214.
- Knudsen, K. E. B. 2014. Fiber and nonstarch polysaccharide content and variation in common crops used in broiler diets. *Poult. Sci.* 93:2380–2393.
- Kogut, M. H. 2013. The gut microbiota and host innate immunity: Regulators of host metabolism and metabolic diseases in poultry? *J. Appl. Poult. Res.* 22:637–646.
- Kogut, M. H., K. J. Genovese, C. L. Swaggerty, H. He, and L. Broom. 2018. Inflammatory phenotypes in the intestine of poultry: Not all inflammation is created equal. *Poult. Sci.* 97:2339–2346.
- Koh, A., F. De Vadder, P. Kovatcheva-Datchary, and F. Bäckhed. 2016. From dietary fiber to host physiology: Short-chain fatty acids as key bacterial metabolites. *Cell* 165:1332–1345.
- Kouzounis, D., J. A. Hageman, N. Soares, J. Michiels, and H. A. Schols. 2021. Formation, carbohydrate fermentation patterns and nutrient. *Animals.* 11:1-25.
- Lee, S. A., J. Apajalahti, K. Vienola, G. González-Ortiz, C. M. G. A. Fontes, and M. R. Bedford. 2017. Age and dietary xylanase supplementation affects ileal sugar residues and short chain fatty acid concentration in the ileum and caecum of broiler chickens. *Anim. Feed Sci. Technol.* 234:29–42.
- Lee, J., H. Oh, Y. Kim, D. Song, J. An, S. Chang, Y. Go, H. Cho, B. Lee, W. K. Kim, and J. Cho. 2023. Effects of exogenous protease on performance, economic evaluation, nutrient digestibility, fecal score, intestinal morphology, blood profile, carcass trait, and meat quality in broilers fed normal diets and diets considered with matrix value. *Poult. Sci.* 102:1-12.
- Li, X., R. Rezaei, P. Li, and G. Wu. 2011. Composition of amino acids in feed ingredients for animal diets. *Amino Acids.* 40:1159–1168.
- Liao, X., Y. Shao, G. Sun, Y. Yang, L. Zhang, Y. Guo, X. Luo, and L. Lu. 2020. The relationship among gut microbiota, short-chain fatty acids, and intestinal morphology of growing and healthy broilers. *Poult. Sci.* 99:5883–5895.
- Lin, Y., J. M. Lourenco, and O. A. Olukosi. 2023. Effects of xylanase, protease, and xylo-oligosaccharides on growth performance, nutrient utilization, short chain fatty acids, and microbiota in *Eimeria*-challenged broiler chickens fed high fiber diet. *Anim. Nutr.* 15:430–442.
- Liu, S. Y., D. J. Cadogan, A. Péron, H. H. Truong, and P. H. Selle. 2014. Effects of phytase supplementation on growth performance, nutrient utilization and

- digestive dynamics of starch and protein in broiler chickens offered maize-, sorghum- and wheat-based diets. *Anim. Feed Sci. Technol.* 197:164–175.
- Liu, S. Y., and P. H. Selle. 2015. A consideration of starch and protein digestive dynamics in chicken-meat production. *Worlds Poult. Sci. J* 71:297–310.
- Liu, S. Y., P. H. Selle, S. G. Court, and A. J. Cowieson. 2013. Protease supplementation of sorghum-based broiler diets enhances amino acid digestibility coefficients in four small intestinal sites and accelerates their rates of digestion. *Anim. Feed Sci. Technol.* 183:175–183.
- Liu, S. Y., P. H. Selle, A. Khoddami, T. H. Roberts, and A. J. Cowieson. 2014b. Graded inclusions of sodium metabisulphite in sorghum-based diets: II. Modification of starch pasting properties in vitro and beneficial impacts on starch digestion dynamics in broiler chickens. *Anim. Feed Sci. Technol.* 190:68–78.
- Liu, S. Y., H. H. Truong, A. Khoddami, A. F. Moss, P. C. Thomson, T. H. Roberts, and P. H. Selle. 2016. Comparative performance of broiler chickens offered ten equivalent diets based on three grain sorghum varieties as determined by response surface mixture design. *Anim. Feed Sci. Technol.* 218:70–83.
- Livak, K. J., and T. D. Schmittgen. 2001. Analysis of relative gene expression data using real-time quantitative PCR and the 2- $\Delta\Delta$ CT method. *Methods.* 25:402–408.
- Louvieaux, J., A. Leclercq, L. Haelterman, and C. Hermans. 2020. In-field observation of root growth and nitrogen uptake efficiency of winter oilseed rape. *Agronomy.* 10:1-17.
- Maesaroh, U., N. D. Dono, and Zuprizal. 2022. Performance, Microbial Populations, and Jejunal Morphology of Broilers Supplemented with Nano-Encapsulated Graviola Leaf Extract. *Trop. Anim. Sci. J.* 45:64–72.
- De Maesschalck, C., V. Eeckhaut, L. Maertens, L. De Lange, L. Marchal, C. Nezer, S. De Baere, S. Croubels, G. Daube, J. Dewulf, F. Haesebrouck, R. Ducatelle, B. Taminiau, and F. Van Immerseel. 2015. Effects of Xylo-oligosaccharides on broiler chicken performance and microbiota. *Appl. Environ. Microbiol.* 81:5880–5888.
- Maharjan, P., M. Mayorga, K. Hilton, J. Weil, A. Beitia, J. Caldas, J. England, and C. Coon. 2019. Non-cellulosic polysaccharide content in feed ingredients and ileal and total tract non-cellulosic polysaccharide digestibility in 21- and 42-day-old broilers fed diets with and without added composite enzymes. *Poult. Sci.* 98:4048–4057.
- Mahmood, T., and Y. Guo. 2020. Dietary fiber and chicken microbiome interaction: Where will it lead to? *Anim. Nutr.* 6:1–8.
- Manyelo, T. G., J. W. Ng'ambi, D. Norris, and M. Mabelebele. 2019. Substitution of *Zea mays* by *Sorghum bicolor* on performance and gut histo-morphology of ross 308 broiler chickens aged 1-42 d. *J. Appl. Poult. Res.* 28:647–657.
- McCafferty, K. W., M. R. Bedford, B. J. Kerr, and W. A. Dozier. 2019. Effects of cereal grain source and supplemental xylanase concentrations on broiler growth performance and cecal volatile fatty acid concentrations from 1 to 40 d of age. *Poult. Sci.* 98:2866–2879.

- McCuistion, K. C., P. H. Selle, S. Y. Liu, and R. D. Goodband. 2018. Sorghum as a feed grain for animal production. Pages 355–391 in *Sorghum and Millets: Chemistry, Technology, and Nutritional Attributes*. Elsevier. Texas, United States.
- Micciche, A. C., S. L. Foley, H. O. Pavlidis, D. R. McIntyre, and S. C. Ricke. 2018. A review of prebiotics against *Salmonella* in poultry: Current and future potential for microbiome research applications. *Front. Vet. Sci.* 5:1–11.
- Miles, R. D., G. D. Butcher, P. R. Henry, and R. C. Littell. 2006. Effect of Antibiotic Growth Promoters on Broiler Performance, Intestinal Growth Parameters, and Quantitative Morphology 1. *Poult. Sci.* 85:476–485.
- Mirzaie, S., M. Zaghari, S. Aminzadeh, M. Shivazad, and G. G. Mateos. 2012. Effects of wheat inclusion and xylanase supplementation of the diet on productive performance, nutrient retention, and endogenous intestinal enzyme activity of laying hens. *Poult. Sci.* 91:413–425.
- Montagne, L., J. R. Pluske, and D. J. Hampson. 2003. A review of interactions between dietary fibre and the intestinal mucosa, and their consequences on digestive health in young non-ruminant animals. *Anim. Feed Sci. Technol.* 108:95–117.
- Morgan, N., M. M. Bhuiyan, T. N. A. Nguyen, T. Middlebrook, and R. Hopcroft. 2021. Dietary soluble non-starch polysaccharide level and composition influences grower and finisher phase performance, excreta moisture content and total tract nutrient digestibility in broilers. *Br. Poult. Sci.* 62:759–770.
- Morgan, N. K., C. Keerqin, A. Wallace, S. B. Wu, and M. Choct. 2019. Effect of arabinoxyloligosaccharides and arabinoxylans on net energy and nutrient utilization in broilers. *Anim. Nutr.* 5:56–62.
- Mundia, C. W., S. Secchi, K. Akamani, and G. Wang. 2019. A Regional Comparison of Factors Affecting Global Sorghum Production: The Case of North America, Asia and Africa's Sahel. *Sustainability.* 11:2135.
- Munyaka, P. M., N. K. Nandha, E. Kiarie, C. M. Nyachoti, and E. Khafipour. 2016. Impact of combined β -glucanase and xylanase enzymes on growth performance, nutrients utilization and gut microbiota in broiler chickens fed corn or wheat-based diets. *Poult. Sci.* 95:528–540.
- Musigwa, S., P. Cozannet, N. Morgan, R. A. Swick, and S. B. Wu. 2021. Multi-carbohydrase effects on energy utilization depend on soluble non-starch polysaccharides-to-total non-starch polysaccharides in broiler diets. *Poult. Sci.* 100:788–796.
- Namroud, N. F., M. Shivazad, and M. Zaghari. 2008. Effects of fortifying low crude protein diet with crystalline amino acids on performance, blood ammonia level, and excreta characteristics of broiler chicks. *Poult. Sci.* 87:2250–2258.
- Navarro, D. M. D. L., E. M. A. M. Bruininx, L. de Jong, and H. H. Stein. 2019. Effects of inclusion rate of high fiber dietary ingredients on apparent ileal, hindgut, and total tract digestibility of dry matter and nutrients in ingredients fed to growing pigs. *Anim. Feed Sci. Technol.* 248:1–9.
- Nguyen, H. T., M. R. Bedford, S. B. Wu, and N. K. Morgan. 2022. Dietary Soluble Non-Starch Polysaccharide Level Influences Performance, Nutrient Utilisation

and Disappearance of Non-Starch Polysaccharides in Broiler Chickens. *Animals*. 12:1-17.

- Niu, Y., A. Rogiewicz, L. Shi, R. Patterson, and B. A. Slominski. 2022. The effect of multi-carbohydrase preparations on non-starch polysaccharides degradation and growth performance of broiler chickens fed diets containing high inclusion level of canola meal. *Anim. Feed Sci. Technol.* 293:1-10.
- Ohira, H., Y. Fujioka, C. Katagiri, R. Mamoto, M. Aoyama-Ishikawa, K. Amako, Y. Izumi, S. Nishiumi, M. Yoshida, M. Usami, and M. Ikeda. 2013. Butyrate Attenuates Inflammation and Lipolysis Generated by the Interaction of Adipocytes and Macrophages. *J. Atheroscler. Thromb.* 20:425-442
- Olukosi, O. A., L. A. Beeson, K. Englyst, and L. F. Romero. 2015. Effects of exogenous proteases without or with carbohydrases on nutrient digestibility and disappearance of non-starch polysaccharides in broiler chickens. *Poult. Sci.* 94:2662–2669.
- Onrust, L., S. Baeyen, F. Haesebrouck, R. Ducatelle, and F. Van Immerseel. 2020. Effect of in feed administration of different butyrate formulations on *Salmonella* Enteritidis colonization and cecal microbiota in broilers. *Vet. Res.* 51.
- Pan, L., and D. An. 2020. Nitrogen utilization is lower for sorghum-based diets compared with corn-based diets in pigs. *Livest. Sci.* 237:1-6.
- Peng, X., Q. Zhou, C. Q. Wang, Z. M. Zhang, Z. Luo, S. Y. Xu, B. Feng, Z. F. Fang, Y. Lin, Y. Zhuo, X. M. Jiang, H. Zhao, J. Y. Tang, D. Wu, and L. Q. Che. 2024. Dietary supplementation of proteases on growth performance, nutrient digestibility, blood characteristics and gut microbiota of growing pigs fed sorghum-based diets. *Animal* 18:1-8.
- Pertiwi, D. D. R., R. Murwani, and T. Yudiarti. 2017. Bobot Relatif Saluran Pencernaan Ayam Broiler yang Diberi Tambahan Air Rebusan Kunyit dalam Air Minum Relative Weight of Broiler Digestive Tract by Addition of Turmeric Water in Drinking Water. *Jurnal Peternakan Indonesia* 19:60–64.
- Peterson, L. W., and D. Artis. 2014. Intestinal epithelial cells: Regulators of barrier function and immune homeostasis. *Nat. Rev. Immunol.* 14:141–153.
- Petry, A. L., N. F. Huntley, M. R. Bedford, and J. F. Patience. 2020. Xylanase increased the energetic contribution of fiber and improved the oxidative status, gut barrier integrity, and growth performance of growing pigs fed insoluble corn-based fiber. *J. Anim. Sci.* 98:1–11.
- Pluznick, J. L. 2013. A novel SCFA receptor, the microbiota, and blood pressure regulation. *Gut Microbes* 5:202-207.
- Pujiharti, Y., E. Paturohman, and Ikhwan. 2022. Prospect of sorghum development as corn substitution in Indonesia. in page 1-7 IOP Conference Series: Earth and Environmental Science. IOP Publishing Ltd. Bogor, Indonesia.
- Puntigam, R., D. Brugger, J. Slama, V. Inhuber, B. Boden, V. Krammer, K. Schedle, G. Wetscherek-Seipelt, and W. Wetscherek. 2020. The effects of a partial or total replacement of ground corn with ground and whole-grain low-tannin sorghum (*Sorghum bicolor* (L.) Moench) on zootechnical performance, carcass traits and apparent ileal amino acid digestibility of broiler chickens. *Livest. Sci.* 241:1-7.

- Qin, S., K. Zhang, T. J. Applegate, X. Ding, S. Bai, Y. Luo, J. Wang, H. Peng, Z. Su, Y. Xuan, and Q. Zeng. 2020. Dietary administration of resistant starch improved caecal barrier function by enhancing intestinal morphology and modulating microbiota composition in meat duck. *Br. J. Nutr.* 123:172–181.
- Ragsdale, S. W., and E. Pierce. 2008. Acetogenesis and the Wood-Ljungdahl pathway of CO₂ fixation. *Biochim. Biophys. Acta. Proteins. Proteom.* 1784:1873–1898.
- Ramsden, L. 2016. *Grains Other Than Cereals, Non-Starch Polysaccharides*. 2nd ed. Elsevier Ltd. Hong Kong, China.
- Ratajczak, W., A. Rył, A. Mizerski, K. Walczakiewicz, O. Sipak, and M. Laszczyńska. 2019. Immunomodulatory potential of gut microbiome-derived shortchain fatty acids (SCFAs). *Acta. Biochim. Pol.* 66:1–12.
- Ravn, J. L., V. Glitsø, D. Pettersson, R. Ducatelle, F. Van Immerseel, and N. R. Pedersen. 2018. Combined endo- β -1,4-xylanase and α -L-arabinofuranosidase increases butyrate concentration during broiler cecal fermentation of maize glucurono-arabinoxylan. *Anim. Feed. Sci. Technol.* 236:159–169.
- Raza, A., S. Bashir, and R. Tabassum. 2019. An update on carbohydrases: growth performance and intestinal health of poultry. *Heliyon* 5:1-17.
- Rebolé, A., L. T. Ortiz, M. L. Rodríguez, C. Alzueta, J. Treviño, and S. Velasco. 2010. Effects of inulin and enzyme complex, individually or in combination, on growth performance, intestinal microflora, cecal fermentation characteristics, and jejunal histomorphology in broiler chickens fed a wheat- and barley-based diet. *Poult. Sci.* 89:276–286.
- Reichardt, N., S. H. Duncan, P. Young, A. Belenguer, C. McWilliam Leitch, K. P. Scott, H. J. Flint, and P. Louis. 2014. Phylogenetic distribution of three pathways for propionate production within the human gut microbiota. *ISME J.* 8:1323–1335.
- Rodehutsord, M., C. Rückert, H. P. Maurer, H. Schenkel, W. Schipprack, K. E. Bach Knudsen, M. Schollenberger, M. Laux, M. Eklund, W. Siegert, and R. Mosenthin. 2016. Variation in chemical composition and physical characteristics of cereal grains from different genotypes. *Arch. Anim. Nutr.* 70:87–107.
- Romero, L. F., C. M. Parsons, P. L. Utterback, P. W. Plumstead, and V. Ravindran. 2013. Comparative effects of dietary carbohydrases without or with protease on the ileal digestibility of energy and amino acids and AMEn in young broilers. *Anim. Feed Sci. Technol.* 181:35–44.
- Romero, L. F., J. S. Sands, S. E. Indrakumar, P. W. Plumstead, S. Dalsgaard, and V. Ravindran. 2014. Contribution of protein, starch, and fat to the apparent ileal digestible energy of corn- and wheat-based broiler diets in response to exogenous xylanase and amylase without or with protease. *Poult. Sci.* 93:2501–2513.
- Rostagno, H. G., G. H. de A. Teixeira, J. L. Donzele, P. C. Gomes, R. F. M. Oliveira, D. C. Lopes, A. J. P. Ferreira, S. L. Toledo Barreto, L. F. T. Albino, R. F. Oliveira, A. S. Ferreira, S. L. T. Barreto, A. Teixeira-Carvalho, R. F. Euclides., 2017. Brazilian tables for poultry and swine – Composition of feedstuffs and

- nutritional requirements, Edition 4th. Federal University of Department of Animal Science, Viçosa, state of Minas Gerais, Brazil.
- Sabour, S., S. A. Tabeidian, and G. Sadeghi. 2019. Dietary organic acid and fiber sources affect performance, intestinal morphology, immune responses and gut microflora in broilers. *Anim. Nutr.* 5:156–162.
- Saleh, A. A., A. M. Abudabos, M. H. Ali, and T. A. Ebeid. 2019. The effects of replacing corn with low-tannin sorghum in broiler's diet on growth performance, nutrient digestibilities, lipid peroxidation and gene expressions related to growth and antioxidative properties. *J. Appl. Anim. Res.* 47:532–539.
- Sarshad, A., D. Talei, M. Torabi, F. Rafiei, and P. Nejatkah. 2021. Morphological and biochemical responses of *Sorghum bicolor* (L.) Moench under drought stress. *SN Appl. Sci.* 3:81.
- Schlegel, A. J., Y. Assefa, D. O'Brien, F. R. Lamm, L. A. Haag, and L. R. Stone. 2016. Comparison of corn, grain sorghum, soybean, and sunflower under limited irrigation. *Agron. J.* 108:670–679.
- Selle, P. H., D. J. Cadogan, Y. J. Ru, and G. G. Partridge. 2010. Impact of exogenous enzymes in sorghum- or wheat-based broiler diets on nutrient utilization and growth performance. *Int. J. Poult. Sci.* 9:53–58.
- Shad, A. A., T. Ahmad, M. F. Iqbal, and M. J. Asad. 2022. Effects of a Novel Protease from *Bacillus Subtilis* K-5 in Low Protein Corn Distiller Dried Grains with Solubles (cDDGS) Based Diets on Performance and Nutrients Digestibility in Broiler Chickens. *Braz. J. Poult. Sci.* 24:1-12.
- Simone, C., and A. Peserico. 2011. Physical and functional HAT/HDAC interplay regulates protein acetylation balance. *J. Biomed. Biotechnol.* 2011:1-10.
- Singh, A. K., and W. K. Kim. 2021. Effects of dietary fiber on nutrients utilization and gut health of poultry: A review of challenges and opportunities. *Animals* 11:1–18.
- Singh, A. K., R. K. Mandal, M. R. Bedford, and R. Jha. 2021. Xylanase improves growth performance, enhances cecal short-chain fatty acids production, and increases the relative abundance of fiber fermenting cecal microbiota in broilers. *Anim. Feed Sci. Technol.* 277:1-13.
- Śliżewska, K., P. Markowiak-Kopeć, and W. Śliżewska. 2021. The role of probiotics in cancer prevention. *Cancers*. 13:1–22.
- Smeets, N., F. Nuyens, L. Van Campenhout, E. Delezie, and T. A. Niewold. 2018. Interactions between the concentration of non-starch polysaccharides in wheat and the addition of an enzyme mixture in a broiler digestibility and performance trial. *Poult. Sci.* 97:2064–2070.
- Smeets, N., F. Nuyens, L. Van Campenhout, and T. Niewold. 2014. Variability in the in vitro degradation of non-starch polysaccharides from wheat by feed enzymes. *Anim. Feed Sci. Technol.* 187:110–114.
- Solari, E., C. Marcozzi, D. Negrini, and A. Moriondo. 2021. Interplay between gut lymphatic vessels and microbiota. *Cells*. 10:1-13.
- Song, Z., K. Cheng, L. Zhang, and T. Wang. 2017. Dietary supplementation of

- enzymatically treated *Artemisia annua* could alleviate the intestinal inflammatory response in heat-stressed broilers. *J. Therm. Biol.* 69:184–190.
- Subagio, H., M. Aqil, B. Penelitian, and T. Serealia. 2013. Pengembangan produksi sorgum di Indonesia. Seminar Nasional Inovasi Teknologi Pertanian. Balai Penelitian Tanaman Serealia, Jakarta, Indonesia.
- Sun, Q., D. Liu, S. Guo, Y. Chen, and Y. Guo. 2015. Effects of dietary essential oil and enzyme supplementation on growth performance and gut health of broilers challenged by *Clostridium perfringens*. *Anim. Feed Sci. Technol.* 207:234–244.
- Suzuki, T. 2020. Regulation of the intestinal barrier by nutrients: The role of tight junctions. *J. Anim. Sci.* 91:1-12.
- Svihus, B. 2014. Starch digestion capacity of poultry. Pages 2394–2399 in *Poultry Science*. Oxford University Press, UK.
- Svihus, B., M. Choct, and H. L. Classen. 2013. Function and nutritional roles of the avian caeca: A review. *Worlds Poult. Sci. J.* 69:249–264.
- Tan, J., C. McKenzie, M. Potamitis, A. N. Thorburn, C. R. Mackay, and L. Macia. 2014. *The Role of Short-Chain Fatty Acids in Health and Disease*. 1st ed. Elsevier Inc.
- Teirlynck, E., L. Bjerrum, V. Eeckhaut, G. Huygebaert, F. Pasmans, F. Haesebrouck, J. Dewulf, R. Ducatelle, and F. Van Immerseel. 2009. The cereal type in feed influences gut wall morphology and intestinal immune cell infiltration in broiler chickens. *Br. J. Nutr.* 102:1453–1461.
- Thomas, L. L., R. D. Goodband, C. D. Espinosa, H. H. Stein, J. C. Woodworth, M. D. Tokach, S. S. Dritz, and J. M. DeRouchey. 2018. Evaluation of the Effects of High-Lysine Sorghum on Nursery Pig Performance. Pages 587-639 in *Physiology of the Gastrointestinal Tract*, Sixth Edition. Kansas Agricultural Experiment Station Research Reports 4, Kansas State, US.
- Tiwari, U. P., H. Chen, S. W. Kim, and R. Jha. 2018. Supplemental effect of xylanase and mannanase on nutrient digestibility and gut health of nursery pigs studied using both in vivo and in vitro models. *Anim. Feed Sci. Technol.* 245:77–90.
- Toghyani, M., S. B. Wu, R. A. Pérez-Maldonado, P. A. Iji, and R. A. Swick. 2017. Performance, nutrient utilization, and energy partitioning in broiler chickens offered high canola meal diets supplemented with multicomponent carbohydrase and mono-component protease. *Poult. Sci.* 96:3960–3972.
- Truong, H. H., S. Y. Liu, and P. H. Selle. 2016. Starch utilisation in chicken-meat production: The foremost influential factors. *Anim. Prod. Sci.* 56:797–814.
- De Vadder, F., P. Kovatcheva-Datchary, D. Goncalves, J. Vinera, C. Zitoun, A. Duchamp, F. Bäckhed, and G. Mithieux. 2014. Microbiota-generated metabolites promote metabolic benefits via gut-brain neural circuits. *Cell.* 156:84–96.
- Velázquez-De Lucio, B. S., E. M. Hernández-Domínguez, M. Villa-García, G. Díaz-Godínez, V. Mandujano-González, B. Mendoza-Mendoza, and J. Álvarez-Cervantes. 2021. Exogenous enzymes as zootechnical additives in animal feed: a review. *Catalysts*.11:851.

- Vinolo, M. A. R., H. G. Rodrigues, E. Hatanaka, F. T. Sato, S. C. Sampaio, and R. Curi. 2011. Suppressive effect of short-chain fatty acids on production of proinflammatory mediators by neutrophils. *J. Nutr. Biochem.* 22:849–855.
- Walugembe, M., J. C. F. Hsieh, N. J. Koszewski, S. J. Lamont, M. E. Persia, and M. F. Rothschild. 2015. Effects of dietary fiber on cecal short-chain fatty acid and cecal microbiota of broiler and laying-hen chicks. *Poult. Sci.* 94:2351–2359.
- Wang, X., Y. Z. Farnell, E. D. Peebles, A. S. Kiess, K. G. S. Wamsley, and W. Zhai. 2016. Effects of prebiotics, probiotics, and their combination on growth performance, small intestine morphology, and resident *Lactobacillus* of male broilers. *Poult. Sci.* 95:1332–1340.
- Wang, J., S. Liu, J. Ma, and X. Piao. 2021. Changes in Growth Performance and Ileal Microbiota Composition by Xylanase Supplementation in Broilers Fed Wheat-Based Diets. *Front. Microbiol.* 12:1-16.
- Wiloso, E. I., A. A. R. Setiawan, H. Prasetya, Muryanto, A. R. Wiloso, Subyakto, I. M. Sudiana, R. Lestari, S. Nugroho, D. Hermawan, K. Fang, and R. Heijungs. 2020. Production of sorghum pellets for electricity generation in Indonesia: A life cycle assessment. *Biofuel Res. J.* 7:1178–1194.
- Wu, W., M. Sun, F. Chen, A. T. Cao, H. Liu, Y. Zhao, X. Huang, Y. Xiao, S. Yao, Q. Zhao, Z. Liu, and Y. Cong. 2017. Microbiota metabolite short-chain fatty acid acetate promotes intestinal IgA response to microbiota which is mediated by GPR43. *Mucosal Immunol.* 10:946–956.
- Xu, X., H. L. Wang, L. Pan, X. K. Ma, Q. Y. Tian, Y. T. Xu, S. F. Long, Z. H. Zhang, and X. S. Piao. 2017. Effects of coated proteases on the performance, nutrient retention, gut morphology and carcass traits of broilers fed corn or sorghum based diets supplemented with soybean meal. *Anim. Feed Sci. Technol.* 223:119–127.
- Yadav, S., and R. Jha. 2019. Strategies to modulate the intestinal microbiota and their effects on nutrient utilization, performance, and health of poultry. *J. Anim. Sci. Biotechnol.* 10:1–11.
- Yaghobfar, A., and M. Kalantar. 2017. Effect of non–starch polysaccharide (NSP) of wheat and barley supplemented with exogenous enzyme blend on growth performance, gut microbial, pancreatic enzyme activities, expression of glucose transporter (SGLT1) and MUCIN producer (MUC2) genes of broiler chickens. *Rev. Bras. Cienc. Avic.* 19:629–638.
- Yang, Z. Y., W. Wang, H. M. Wang, J. Wang, Y. J. Cao, Y. H. Chen. 2013. Comparative study of intestine length, weight and digestibility on different body weight chickens. *Afr. J. Biotechnol.* 12:5097–5100.
- Zhang, Y., Y. Liu, J. Li, T. Xing, Y. Jiang, L. Zhang, and F. Gao. 2020. Dietary corn-resistant starch suppresses broiler abdominal fat deposition associated with the reduced cecal Firmicutes. *Poult. Sci.* 99:5827–5837.
- Zhang, B., H. Zhang, Y. Yu, R. Zhang, Y. Wu, M. Yue, and C. Yang. 2021. Effects of *Bacillus Coagulans* on growth performance, antioxidant capacity, immunity function, and gut health in broilers. *Poult. Sci.* 100:1-10.