

Daftar Pustaka

- Anthony, S., & Jack, S. (2009). Qualitative case study methodology in nursing research: An integrative review. *Journal of Advanced Nursing*, 65, 1171–1181. doi:10.1111/j.1365-2648.2009.04998.x
- Australian Institute of Health and Welfare (2011a). Health priority areas: Mental health. Available at: <http://www.aihw.gov.au/mental health>
- Ayano, G. (2016). Schizophrenia: a concise overview of etiology, epidemiology diagnosis and management: review of literatures. *J Schizophrenia Res*, 3(2), 2-7.
- Bailey, J. J., Black, M. E., & Wilkin, D. (1994). Specialist outreach clinics in general practice. *BMJ*, 308(6936), 1083-1086.
- Bhatia, M. S., & Saha, R. (2017). Role of primary care in the management of schizophrenia. *Indian Journal of Medical Research*, 146(1), 5-7.
- Boblin, S. L., Ireland, S., Kirkpatrick, H., & Robertson, K. (2013). Using Stake's qualitative case study approach to explore implementation of evidence-based practice. *Qualitative Health Research*, 23, 1267–1275. doi:10.1177/1049732313502128
- Campbell, H., Hotchkiss, R., Bradshaw, N., & Porteous, M. (1998). Integrated care pathways. *British Medical Journal*, 316(7125)133–137.
- Carolan, C. M., Forbat, L., & Smith, A. (2016). Developing the DESCARTE Model: The design of case study research in health care. *Qualitative Health Research*, 26, 626–639. doi:10.1177/1049732315602488
- Caqueo-Urizar, A., Gutiérrez-Maldonado, J., Ferrer-García, M., Peñaloza-Salazar, C., Richards-Araya, D., & Cuadra-Peralta, A. (2011). Attitudes and burden in relatives of patients with schizophrenia in a middle income country. *BMC family practice*, 12(1), 1-11.
- Charlson, F. J., Ferrari, A. J., Santomauro, D. F., Diminic, S., Stockings, E., Scott, J. G., ... & Whiteford, H. A. (2018). Global epidemiology and burden of schizophrenia: findings from the global burden of disease study 2016. *Schizophrenia bulletin*, 44(6), 1195-1203.
- Chen, S., Awan, S., Rajji, T., Abdool, P., George, T. P., Collins, A., & Kidd, S. A. (2016). Integrated care pathways for schizophrenia: a scoping review. *Administration and Policy in Mental Health and Mental Health Services Research*, 43, 760-767
- Chong, H. Y., Teoh, S. L., Wu, D. B. C., Kotirum, S., Chiou, C. F., & Chaiyakunapruk, N. (2016). Global economic burden of schizophrenia: a systematic review. *Neuropsychiatric disease and treatment*, 357-373.
- Craven, M. A., & Bland, R. (2006). Better practices in collaborative mental health care: an analysis of the evidence base. *Canadian Journal of Psychiatry*, 51.
- Creswell, J. W., & Poth, C. N. (2016). *Qualitative inquiry and research design: Choosing among five approaches*. Sage publications

- Curran, V., Heath, O., Adey, T., Callahan, T., Craig, D., Hearn, T., ... & Hollett, A. (2012). An approach to integrating interprofessional education in collaborative mental health care. *Academic Psychiatry*, 36, 91-95.
- Contribute, H. P. C. (2014). Briefing series on the role of psychology in health care
- D'amour, D., Ferrada-Videla, M., San Martin Rodriguez, L., & Beaulieu, M. D. (2005). The conceptual basis for interprofessional collaboration: Core concepts and theoretical frameworks. *Journal of interprofessional care*, 19(sup1), 116-131
- Davidson, L., Scott, J., & Forster, N. (2021). Patient experiences of integrated care within the United Kingdom: A systematic review. *International journal of care coordination*, 24(2), 39-56.
- De Sutter, M., De Sutter, A., Sundahl, N., Declercq, T., & Decat, P. (2019). Inter-professional collaboration reduces the burden of caring for patients with mental illnesses in primary healthcare. A realist evaluation study. *European Journal of General Practice*, 25(4), 236-242.
- Farinde, A. (2013). Interprofessional Management of Psychotic Disorders and Psychotropic Medication Polypharmacy. *Health, Interprofessional Practice and Education*, 1(4).
- Gilles, I., Filiettaz, S. S., Berchtold, P., & Peytremann-Bridevaux, I. (2020). Financial barriers decrease benefits of interprofessional collaboration within integrated care programs: results of a nationwide survey. *International journal of integrated care*, 20(1).
- Gutiérrez-Maldonado, J., Caqueo-Úrizar, A., & Kavanagh, D. J. (2005). Burden of care and general health in families of patients with schizophrenia. *Social psychiatry and psychiatric epidemiology*, 40, 899-904.
- Gustavsson, A., Svensson, M., Jacobi, F., Allgulander, C., Alonso, J., Beghi, E., et al. (2011). Cost of disorders of the brain in Europe 2010. *European Neuropsychopharmacology*, 21(10), 718-779
- Goodwin, N. (2016). Understanding integrated care. *International journal of integrated care*, 16(4).
- Henderson, C., Evans-Lacko, S., & Thornicroft, G. (2013). Mental illness stigma, help seeking, and public health programs. *American journal of public health*, 103(5), 777-780.
- Jones, R., Major, B., & Fear, C. (2015). Schizophrenia in a primary care setting. *Current psychiatry reports*, 17(10), 84.
- Kaitz, J. E., & Ray, S. (2021). Psychologist and physician inter-professional collaborative experiences in primary care integration. *Journal of Clinical Psychology in Medical Settings*, 28, 436-446.
- Kennedy, L., Johnson, K. A., Cheng, J., & Woodberry, K. A. (2020). A public health perspective on screening for psychosis within general practice clinics. *Frontiers in Psychiatry*, 10, 1025.

- Kingdon, D. G. (1992). Interprofessional collaboration in mental health. *Journal of Interprofessional Care*, 6(2), 141-147.
- King, M., & Nazareth, I. (1996). Community care of patients with schizophrenia: the role of the primary health care team. *British Journal of General Practice*, 46(405), 231-237.
- Kohn, R., Saxena, S., Levav, I., & Saraceno, B. (2004). The treatment gap in mental health care. *Bulletin of the World health Organization*, 82(11), 858-866.
- Lester, H., Tritter, J. Q., & Sorohan, H. (2005). Patients' and health professionals' views on primary care for people with serious mental illness: focus group study. *Bmj*, 330(7500), 1122.
- Leventhal, G., Stamm, K. E., Washburn, J. J., Rolston, C., Yozwiak, J. A., Hamp, A., ... & Robiner, W. N. (2021). Patterns of psychologists' interprofessional collaboration across clinical practice settings. *Journal of clinical psychology in medical settings*, 28(4), 844-867.
- Lora, A., Kohn, R., Levav, I., McBain, R., Morris, J., & Saxena, S. (2012). Service availability and utilization and treatment gap for schizophrenic disorders: a survey in 50 low-and middle-income countries. *Bulletin of the World Health Organization*, 90(1), 47-54B.
- Lv, Y., Wolf, A., & Wang, X. (2013). Experienced stigma and self-stigma in Chinese patients with schizophrenia. *General hospital psychiatry*, 35(1), 83-88.
- Mardiah, A. S., Rahmawati, A., Aliim, T. F., & Humaedi, S. (2022). Praktik support group bagi orang dengan skizofrenia. *Focus: Jurnal Pekerjaan Sosial*, 5(1), 37-47.
- Mayer-Amberg, N., Woltmann, R., & Walther, S. (2016). An integrated care initiative to improve patient outcome in schizophrenia. *Frontiers in psychiatry*, 6, 184.
- McGrath, C., Palmgren, P. J., & Liljedahl, M. (2019). Twelve tips for conducting qualitative research interviews. *Medical teacher*, 41(9), 1002-1006.
- Menkes RI. 2017. Keputusan Menteri Kesehatan RI Nomor 45/MENKES/SK/2017 tentang Izin dan Penyelenggaraan Praktik Psikologi Klinis.
- Mensah, C. (2020). Qualitative data collection instruments: The most challenging and easiest to use. Institute for Educational Planning and Administration, University of Cape Coast.
- Ministry of Health Republic of Indonesia. Basic health resources 2018. Jakarta: Badan Penelitian dan Pengembangan Kesehatan, 2018.
- Moges, S., Belete, T., Mekonen, T., & Menberu, M. (2021). Lifetime relapse and its associated factors among people with schizophrenia spectrum disorders who are on follow up at Comprehensive Specialized Hospitals in Amhara region, Ethiopia: a cross-sectional study. *International Journal of Mental Health Systems*, 15(1), 42.
- Morgades-Bamba, C. I., Fuster-Ruizdeapodaca, M. J., & Molero, F. (2019). Internalized stigma and its impact on schizophrenia quality of life. *Psychology, health & medicine*, 24(8), 992-1004.

- Morgan, S. J., Pullon, S. R., Macdonald, L. M., McKinlay, E. M., & Gray, B. V. (2017). Case study observational research: A framework for conducting case study research where observation data are the focus. *Qualitative health research*, 27(7), 1060-1068
- Morgan, K. H., Barroso, C. S., Bateman, S., Dixon, M., & Brown, K. C. (2020). Patients' experiences of interprofessional collaborative practice in primary care: a scoping review of the literature. *Journal of Patient Experience*, 7(6), 1466-1475.
- Nakajima, M. (2017). *The Impact of Demographic and Clinical Factors on Perceptions of Interprofessional Collaborative Practice Among Mental Health Clinicians* (Doctoral dissertation, UCSF).
- Nash, J. M., McKay, K. M., Vogel, M. E., & Masters, K. S. (2012). Functional roles and foundational characteristics of psychologists in integrated primary care. *Journal of Clinical Psychology in Medical Settings*, 19, 93-104.
- National Collaborating Centre for Mental Health (UK). Psychosis and Schizophrenia in Adults: Treatment and Management: Updated Edition 2014. London: National Institute for Health and Care Excellence (UK); 2014. PMID: 25340235.
- Nibbio, G., Barlati, S., Cacciani, P., Corsini, P., Mosca, A., Ceraso, A., ... & Vita, A. (2020). Evidence-based integrated intervention in patients with schizophrenia: a pilot study of feasibility and effectiveness in a real-world rehabilitation setting. *International journal of environmental research and public health*, 17(10), 3352.
- O'Daniel, M., & Rosenstein, A. H. (2008). Professional communication and team collaboration. *Patient safety and quality: An evidence-based handbook for nurses*.
- Onyett Richard Ford, S. T. E. V. E. (1996). Multidisciplinary community teams: where is the wreckage?. *Journal of Mental Health*, 5(1), 47-56.
- Pattyn, E., Verhaeghe, M., Sercu, C., & Bracke, P. (2014). Public stigma and self-stigma: Differential association with attitudes toward formal and informal help seeking. *Psychiatric Services*, 65(2), 232-238.
- Perestelo-Perez, L., Gonzalez-Lorenzo, M., Perez-Ramos, J., Rivero-Santana, A., & Serrano-Aguilar, P. (2011). Patient involvement and shared decision-making in mental health care. *Current clinical pharmacology*, 6(2), 83-90.
- Pomerantz, A. S., Cole, B. H., Watts, B. V., & Weeks, W. B. (2008). Improving efficiency and access to mental health care: Combining integrated care and advanced clinical access. *General Hospital Psychiatry*, 30, 546-551.
- Prawitasari, J. E. (2003). Psikologi klinis: Dari terapan mikro ke makro. *Anima, Indonesian Psychological Journal*, 18(3), 215-228.
- Prytys, M., Garety, P. A., Jolley, S., Onwumere, J., & Craig, T. (2011). Implementing the NICE guideline for schizophrenia recommendations for psychological therapies: a qualitative analysis of the attitudes of CMHT staff. *Clinical psychology & psychotherapy*, 18(1), 48-59.

- Putri, A. K., Gustriawanto, N., Rahapsari, S., Sholikhah, A. R., Prabaswara, S., Kusumawardhani, A. C., & Kristina, S. A. (2021). Exploring the perceived challenges and support needs of Indonesian mental health stakeholders: a qualitative study. *International Journal of Mental Health Systems*, 15, 1-9.
- Rahayu, R., & Dinni, S. M. (2021). Program Desa Peduli Skizofrenia: Menuju ODGJ Berobat dan Taat Obat. *Psyche 165 Journal*, 310-316.
- Rawlinson, C., Carron, T., Cohidon, C., Arditi, C., Hong, Q. N., Pluye, P., ... & Gilles, I. (2021). An overview of reviews on interprofessional collaboration in primary care: barriers and facilitators. *International Journal of Integrated Care*, 21(2).
- Reeves S, Lewin S, Espin S, Zwarenstein M. (2010) *Interprofessional Teamwork for Health and Social Care*. London: Blackwell Wiley, 2010.
- Reeves, S., Pelone, F., Harrison, R., Goldman, J., & Zwarenstein, M. (2017). Interprofessional collaboration to improve professional practice and healthcare outcomes. *Cochrane database of systematic reviews*
- Retnowati, S. (2011). Psikolog puskesmas: kebutuhan dan tantangan bagi profesi psikologi klinis Indonesia. *Clinical Psychologist in Indonesian Primary Health Care: Opportunities and Challenges*. Retrieved June, 22, 2013.
- Sari, O. K., & Marchira, C. R. (2021). Cross-sectoral collaboration in mental health services: Identifying the role of mental health care teams in the community. *Journal of Community Empowerment for Health*, 4(3), 169-179.
- Simon, A. E., Lauber, C., Ludewig, K., Braun-Scharm, H., & Umbricht, D. S. (2005). General practitioners and schizophrenia: results from a Swiss survey. *The British Journal of Psychiatry*, 187(3), 274-281.
- Selix, N. G. (2015). Creation of a national policy on perinatal depression: Role of the advanced practice nurse. *The Journal for Nurse Practitioners*, 11(2), 214-219.
- Selix, N., Henshaw, E., Barrera, A., Botcheva, L., Huie, E., & Kaufman, G. (2017). Interdisciplinary collaboration in maternal mental health. *MCN: The American Journal of Maternal/Child Nursing*, 42(4), 226-231.
- Tandon, R., Targum, S. D., Nasrallah, H. A., Ross, R., & Treatment Effectiveness in Schizophrenia Consortium. (2006). Strategies for maximizing clinical effectiveness in the treatment of schizophrenia. *Journal of Psychiatric Practice*®, 12(6), 348-363.
- Thornicroft, G., & Tansella, M. (2013). The balanced care model for global mental health. *Psychological medicine*, 43(4), 849-863.
- Viron, M., Baggett, T., Hill, M., & Freudenreich, O. (2012). Schizophrenia for primary care providers: how to contribute to the care of a vulnerable patient population. *The American journal of medicine*, 125(3), 223-230.



UNIVERSITAS
GADJAH MADA

Peran Psikolog dalam Kolaborasi Interprofesi pada Manajemen Penanganan ODGJ (Skizofrenia) di Puskesmas Godean I, Yogyakarta

Luluk Nadiyah Nadiyah, Prof. Drs. Subandi, M.A., Ph.D., Psikolog

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Wardaningsih, S., & Puspitosari, W. A. (2020). Program Day Care di Kelompok Gelimas Jiwo untuk Meningkatkan Produktifitas Kerja dan Kemampuan Sosial Orang dengan Gangguan Jiwa (ODGJ). In *Prosiding University Research Colloquium* (pp. 30-36).
- Wood, L., & Irons, C. (2017). Experienced stigma and its impacts in psychosis: The role of social rank and external shame. *Psychology and Psychotherapy: Theory, Research and Practice*, 90(3), 419-431.
- World Health Organization. (2022). "Schizophrenia." Ditelusuri melalui <https://www.who.int/news-room/fact-sheets/detail/schizophrenia>
- Yin, R. K. (2009). *Case study research: Design and methods* (Vol. 5). Sage
- Zwarenstein, M., Bryant, W., Bailie, R., & Sibthorpe, B. (2000). Meta-analysis of the Cochrane Collaboration. Promoting collaboration between nurses and physicians. *Assistenza Infermieristica e Ricerca: AIR*, 19(2), 97-99.
- Zwarenstein, M., Goldman, J., & Reeves, S. (2009). Interprofessional collaboration: effects of practice-based interventions on professional practice and healthcare outcomes. *Cochrane database of systematic reviews*, (3).