

DAFTAR PUSTAKA

- Abdul Khalil, H. P. S., Lai, T. K., Tye, Y. Y., Rizal, S., Chong, E. W. N., Yap, S. W., Hamzah, A. A., Nurul Fazita, M. R., & Paridah, M. T. (2018). A review of extractions of seaweed hydrocolloids: Properties and applications. *Express Polymer Letters*, 12(4), 296–317. <https://doi.org/10.3144/expresspolymlett.2018.27>
- Abdullah, S., Pradhan, R. C., Pradhan, D., & Mishra, S. (2021). Modeling and optimization of pectinase-assisted low-temperature extraction of cashew apple juice using artificial neural network coupled with genetic algorithm. *Food Chemistry*, 339(October 2019), 127862. <https://doi.org/10.1016/j.foodchem.2020.127862>
- Agusman, I., Diharmi, A., & Sari, N. I. (2021). The Chemical Composition Of Dried Red Seaweed (*Eucheuma cottonii*). *Jurnal Online Mahasiswa (JOM) Bidang Perikanan Dan Ilmu Kelautan*, 8(2), 1–9.
- Akindoyo, J. O., Beg, M. D. H., Ghazali, S., Akindoyo, E. O., & Jeyaratnam, N. (2017). Synthesis of Hydroxyapatite through Ultrasound and Calcination Techniques. *IOP Conference Series: Materials Science and Engineering*, 203, 012003. <https://doi.org/10.1088/1757-899X/203/1/012003>
- Akyüz, A., & Ersus, S. (2021). Optimization of enzyme assisted extraction of protein from the sugar beet (*Beta vulgaris* L.) leaves for alternative plant protein concentrate production. *Food Chemistry*, 335(July 2020), 127673. <https://doi.org/10.1016/j.foodchem.2020.127673>
- Al-Nahdi, Z. M., Al-Alawi, A., & Al-Marhobi, I. (2019). The Effect of Extraction Conditions on Chemical and Thermal Characteristics of Kappa-Carrageenan Extracted from *Hypnea bryoides*. *Journal of Marine Biology*, 2019. <https://doi.org/10.1155/2019/5183261>
- Alavijeh, R. S., Karimi, K., Wijffels, R. H., van den Berg, C., & Eppink, M. (2020). Combined bead milling and enzymatic hydrolysis for efficient fractionation of lipids, proteins, and carbohydrates of *Chlorella vulgaris* microalgae. *Bioresource Technology*, 309(February). <https://doi.org/10.1016/j.biortech.2020.123321>
- Alba, K., & Kontogiorgos, V. (2018). *Seaweed Polysaccharides (Agar, Alginate Carrageenan)*. *Reference Module in Food Science*. doi:10.1016/b978-0-08100596-5.21587-4.
- Anggadiredja, J. T., A. Zalnika, H. Purwoto dan S. Istini. (2006). Rumput Laut. Penebar Swadaya, Jakarta.
- AOAC. 2005. Official methods of analysis of the Association of Analytical Chemist. Virginia USA : Association of Official Analytical Chemist, Inc.
- Astuti, K., Putu, N., Dewi, A., Ngurah, I., & Dewantara, A. (2017). Optimization of Isolation Method of Carrageenan from *Kappaphycuss alvarezii* Doty Using Factorial Experimental Design. *J. Health Sci. Med*, 1, 4–7.
- Awallyyah, A., Ikhwan, H., Nugiasari, V., Zainul, R., Padang, U. N., Padang, U. N., Kimia, L., Padang, U. N., Fisika, L., Padang, U. N., & Milling, F. (2018). Prinsip Dasar Milling. *Laboratorium Kimia, FMIPA, Universitas Negeri Padang, Indonesia*, 21.
- Badan Standarisasi Nasional. (2015). *Cara Uji Kimia-Bagian 2: Penentuan Kadar Air pada Produk Perikanan SNI:01-2354-2-2015*. Badan Standarisasi

Nasional.

- Bangar, S. P., Singh, A., Ashogbon, A. O., & Bobade, H. (2023). Ball-milling: A sustainable and green approach for starch modification. *International Journal of Biological Macromolecules*, 237(December 2022), 124069. <https://doi.org/10.1016/j.ijbiomac.2023.124069>
- BeMiller, J. N. (2019). *Carrageenans. Carbohydrate Chemistry for Food Scientists*, 279–291. doi:10.1016/b978-0-12-812069-9.00013-3
- Bhattacharya, S. (2021). Central Composite Design for Response Surface Methodology and Its Application in Pharmacy. *Response Surface Methodology in Engineering Science*, January. <https://doi.org/10.5772/intechopen.95835>
- Bhernama, B. (2019). Analisis karakteristik karagenin *Eucheuma cottonii* asal aceh jaya menggunakan pelarut alkali (KOH dan NaOH). *AMINA*, 1(2), 59–66.
- Byreddy, A. R., Barrow, C. J., & Puri, M. (2016). Bead milling for lipid recovery from thraustochytrid cells and selective hydrolysis of *Schizochytrium* DT3 oil using lipase. *Bioresource Technology*, 200, 464–469. <https://doi.org/10.1016/j.biortech.2015.10.019>
- Campo, V. L., Kawano, D. F., Silva, D. B. da, & Carvalho, I. (2009). Carrageenans: Biological properties, chemical modifications and structural analysis - A review. *Carbohydrate Polymers*, 77(2), 167–180. <https://doi.org/10.1016/j.carbpol.2009.01.020>
- Chandra, L., Marsono, Y., & Sutedja, A. M. (2017). Sifat fisikokimia dan organoleptik flake beras merah dengan variasi suhu perebusan dan suhu pengeringan. *Jurnal Teknologi Pangan Dan Gizi (Journal of Food Technology and Nutrition)*, 13(2), 57–68.
- Chevenier, A., Jouanneau, D., & Ficko-Blean, E. (2023). Carrageenan biosynthesis in red algae: A review. *The Cell Surface*, 9(December 2022), 100097. <https://doi.org/10.1016/j.tcs.2023.100097>
- Comuzzo, P., & Calligaris, S. (2019). Potential applications of high pressure homogenization in winemaking: A review. *Beverages*, 5(3). <https://doi.org/10.3390/beverages5030056>
- Das, S. K., Das, A. R., Guha, A. K., Nagrale, D. T., Gaikwad, A. P., Sharma, L., Lilia Anghel, G. D., Marcin Nowicki, Marzena Nowakowska, A. N., Kozik, E. U., Mazumdar H., H. N., Rautaray, D., Sanyal, A., Adyanthaya, S. D., Ahmad, A., Sastry, M., Samuel, J. S., Abraham, S. S. and J., Gade, A., Ingle, A., ... Ikram, S. (2013). A study on biosynthesis of iron nanoparticles by *Pleurotus* sp. *Vegetable Crops Research Bulletin*, 8(1), 5–19. <https://doi.org/10.1016/j.jare.2015.02.007>
- Diharmi, A. D., Fardiaz, D., Andarwulan, N., & Heruwati, E. S. (2015). Viscosity profile of *Eucheuma spinosum* carrageenan from Nusa Penida (Bali), Sumenep (Madura), and Takalar (Sulawesi Selatan). *Jurnal Pengolahan Hasil Perikanan Indonesia*, 18(3). <https://doi.org/10.17844/jphpi.v18i3.11409>
- Diharmi, A., Rusnawati, & Irasari, N. (2019). Characteristic of carrageenan *Eucheuma cottonii* collected from the coast of Tanjung Medang Village and Jaga Island, Riau. *IOP Conference Series: Earth and Environmental Science*, 404(1). <https://doi.org/10.1088/1755-1315/404/1/012049>
- Diharmi, A., Rusnawati, & Irasari, N. (2020). Characteristic of carrageenan *Eucheuma cottonii* collected from the coast of Tanjung Medang Village and

- Jaga Island, Riau. *IOP Conference Series: Earth and Environmental Science*, 404(1), 012049. <https://doi.org/10.1088/1755-1315/404/1/012049>
- Distantina, S., & Fahrurrozi, M. (2011). Carrageenan properties extracted from *Eucheuma cottonii*, Indonesia. *International Journal of Chemical and Molecular Engineering*, 5(6), 501–505.
- Eliza, M. Y., Shahrudin, M., Noormaziah, J., & Rosli, W. D. W. (2015). Carboxymethyl Cellulose (CMC) from Oil Palm Empty Fruit Bunch (OPEFB) in the new solvent Dimethyl Sulfoxide (DMSO)/Tetrabutylammonium Fluoride (TBAF). *Journal of Physics: Conference Series*, 622, 012026. <https://doi.org/10.1088/1742-6596/622/1/012026>
- Doran. (2013). Bioprocess Engineering Principles. *Bioprocess Engineering Principles*, 445–595. <https://doi.org/10.1016/c2009-0-22348-8>
- FAO. (1990). *Training Manual on Gracilaria Culture and Seaweed Processing in China (Rome: FAO) pp 37-42.*
- FAO. (2018). The State Of World Fishers And Aquaculture. In *Fisheries Oceanography (Vol. 29, Issue 3)*. Food And Agriculture Organizations Of The United Nations. <https://doi.org/10.1111/fog.12466>
- FAO. (2022). The State of World Fisheries and Aquaculture (SOFIA), FAO: Rome, 2022. In *The State of World Fisheries and Aquaculture (SOFIA)*.
- Fateha, Ulya, N., Asmanah, & Agusman. (2021). Comparison of Gel Preparation Methods on Gel Strength Measurement of Carrageenan. *IOP Conference Series: Earth and Environmental Science*, 715(1), 012055. <https://doi.org/10.1088/1755-1315/715/1/012055>
- Fauzi, A., Ali, D., & Santosa, G. (2013). Pengaruh Konsentrasi KOH yang Berbeda Terhadap Kualitas Alginat Rumput Laut Coklat *Sargassum duplicatum* J. G. Agardh. *Journal Of Marine Research*, 2(1), 7–14. <https://doi.org/10.14710/jmr.v2i1.2049>
- Ferdiansyah, R., Abdassah, M., Zainuddin, A., Rachmaniar, R., & Chaerunisaa, A. Y. (2023). Effects of Alkaline Solvent Type and pH on Solid Physical Properties of Carrageenan from *Eucheuma cottonii*. *Gels*, 9(5), 397. <https://doi.org/10.3390/gels9050397>
- Firdayanti, L. Yanti, R., Rahayu, E. S., & Hidayat, C. (2023). Carrageenan extraction from red seaweed (*Kappaphycopsis cottonii*) using the bead mill method. *Algal Research*, 69(November 2022), 102906. <https://doi.org/10.1016/j.algal.2022.102906>
- Food and Agriculture Organization (FAO). (2007). *Carrageenan*. Prepared at the 68th JECFA & Published in FAO JECFA Monographs 4. p.1-6.
- Fropitasari., Tamrin., & Suwarjoyowirayatno. (2019). Pengaruh Penambahan Tepung Rumput Laut (*Eucheuma Cottonii*) Terhadap Karakteristik Organoleptik Nilai Gizi dan Karakteristik Fisik Mie Basah Dengan Substitusi Tepung Ubi Kayu yang Difermentasi (*Manihot esculenta crantz*). *Jurnal Sains Dan Teknologi Pangan*. <https://doi.org/10.33772/jstp.v4i4.9011>
- Gasparz, V. 2006. Teknik Analisis dalam Penelitian Percobaan. Bandung: Tarsito.
- Gomez, L. P., Alvarez, C., Zhao, M., Tiwari, U., Curtin, J., Garcia-Vaquero, M., & Tiwari, B. K. (2020). Innovative processing strategies and technologies to obtain hydrocolloids from macroalgae for food applications. *Carbohydrate Polymers*, 248(July), 116784. <https://doi.org/10.1016/j.carbpol.2020.116784>

- Granato, D., & de Araújo Calado, V. M. (2013). *The use and importance of design of experiments (DOE) in process modelling in food science and technology. Mathematical and Statistical Methods in Food Science and Technology, 1–18*. doi:10.1002/9781118434635.ch01
- Grosso, C., Valentão, P., Ferreres, F., & Andrade, P. B. (2015). Alternative and efficient extraction methods for marine-derived compounds. *Marine Drugs, 13*(5), 3182–3230. <https://doi.org/10.3390/md13053182>
- Günter, E. A., Martynov, V. V., Belozarov, V. S., Martinson, E. A., & Litvinets, S. G. (2020). Characterization and swelling properties of composite gel microparticles based on the pectin and κ -carrageenan. *International Journal of Biological Macromolecules, 164*, 2232–2239. <https://doi.org/10.1016/j.ijbiomac.2020.08.024>
- Hakim, A. R., Wibowo, S., Arfini, F., & Peranginangin, R. (2011). Pengaruh Perbandingan Air Pengekstrak, Suhu Presipitasi, dan Konsentrasi Kalium Klorida (KCL) Terhadap Mutu Karagenan. In *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan* (Vol. 6, Issue 1, p. 1). <https://doi.org/10.15578/jpbkp.v6i1.90>
- Hamid, M. A., Kit, J. C. W., Devi, M., Mamat, H., Ab Wahab, N., Razali, U. H. M., & Ahmad, F. (2021). The Effect of Semi-Refined Carrageenan and Potassium Chloride Added on Physico-Chemical Characteristics of Instant Grass Jelly. *Jurnal Teknologi, Kejuruan, Dan Pengajarannya, 44*(1), 73–84.
- Hari, N., Priya, C., Kavya, V., & Besteena, E. (2020). A Comparative Fourier Transform Infrared Spectroscopic Assessment Of Leaf Extract In Averrhoa Bilimbi L. And Averrhoa Carambola L. *Life Sci Int Res J, 7*, 61–69.
- Ilhamdy, Aidil Fadli, Jumsurizal, W. K. S. (2019). Penerapan Teknologi Proses Pencampuran Semi Refined Carrageenan (SRC) dan Refined Carrageenan (RC) Rumput Laut Merah (*Kappaphycus alvarezii*) terhadap Karakteristik Fisiko-Kimia Karagenan. *Marinade, 02*(02), 1–10.
- Indriyani, S., Hadijah, & Erni, Indrrawati. (2021). *Potensi Budidaya Rumput Laut*. Pusaka Almada, Sulawesi Selatan.
- Ivanov, S.E., Belyakov, A.V., (2008). Diatomite and its applications. *Glass Ceram. 65*, 48–51. <https://doi.org/10.1007/s10717-008-9005-6>.
- Jayasinghe, & Pahalawattaarachchi. (2016). Effect of Extraction Methods on the Yield and Physiochemical Properties of Polysaccharides Extracted from Seaweed Available in Sri Lanka. *Poultry, Fisheries & Wildlife Sciences, 4*(1). <https://doi.org/10.4172/2375-446X.1000150>
- Jiang, F., Liu, Y., Xiao, Q., Chen, F., Weng, H., Chen, J., Zhang, Y., & Xiao, A. (2022). Eco-Friendly Extraction, Structure, and Gel Properties of Carrageenan Extracted Using Ca(OH)₂. *Marine Drugs, 20*(7). <https://doi.org/10.3390/md20070419>
- Kara, S., Arda, E., Kavzak, B., & Pekcan, Ö. (2006). Phase transitions of carrageenan gels in various types of salts. *J. Appl. Polym. Sci. 102*, 3008–3016.
- Keypour, H., Noroozi, M., & Rashidi, A. (2013). An improved method for the purification of fullerene from fullerene soot with activated carbon, celite, and silica gel stationary phases. *Journal of Nanostructure in Chemistry, 3*(1), 45. <https://doi.org/10.1186/2193-8865-3-45>

- Kiran-Yildirim, B., Hale, J., Wefers, D., & Gaukel, V. (2021). Ice recrystallization inhibition of commercial κ -, ι -, and λ -carrageenans. *Journal of Food Engineering*, 290(July 2020), 110269. <https://doi.org/10.1016/j.jfoodeng.2020.110269>
- Komersová, A., Svoboda, R., Skalická, B., Bartoš, M., Šnejdrová, E., Mužíková, J., & Matzick, K. (2022). Matrix Tablets Based on Chitosan–Carrageenan Polyelectrolyte Complex: Unique Matrices for Drug Targeting in the Intestine. *Pharmaceuticals*, 15(8). <https://doi.org/10.3390/ph15080980>
- Koubaa, M., Imatoukene, N., Drévillon, L., & Vorobiev, E. (2020). Current insights in yeast cell disruption technologies for oil recovery: A review. *Chemical Engineering and Processing - Process Intensification*, 150(February), 107868. <https://doi.org/10.1016/j.cep.2020.107868>
- Kucuk, F., Sismanoglu, S., Kanbur, Y., & Tayfun, U. (2021). Optimization of mechanical, thermo-mechanical, melt-flow and thermal performance of TPU green composites by diatomaceous earth content. *Cleaner Engineering and Technology*, 4(July), 100251. <https://doi.org/10.1016/j.clet.2021.100251>
- Kuhn, M., & Briesen, H. (2015). Dosage of Filter Aids in the Case of Pure Surface Filtration - An Optimal Control Approach. In *Computer Aided Chemical Engineering* (Vol. 37, Nomor June). Elsevier. <https://doi.org/10.1016/B9780-444-63577-8.50121-2>
- Kumar, V., & Fotedar, R. (2009). Agar extraction process for Gracilaria cliftonii (Withell, Millar, & Kraft, 1994). *Carbohydrate Polymers*, 78(4), 813–819. <https://doi.org/10.1016/j.carbpol.2009.07.001>
- Kumar, K., Srivastav, S., & Sharanagat, V. S. (2021). Ultrasound assisted extraction (UAE) of bioactive compounds from fruit and vegetable processing by-products: A review. *Ultrasonics Sonochemistry*, 70(September 2020), 105325. <https://doi.org/10.1016/j.ultsonch.2020.105325>
- Lin, J., Jiao, G., & Kermanshahi-Pour, A. (2022). Algal Polysaccharides-Based Hydrogels: Extraction, Synthesis, Characterization, and Applications. *Marine Drugs*, 20(5). <https://doi.org/10.3390/md20050306>
- Liu, S., & Li, L. (2016). Thermoreversible gelation and scaling behavior of Ca²⁺-induced κ -carrageenan hydrogels. *Food Hydrocolloids*, 61, 793–800. <https://doi.org/10.1016/j.foodhyd.2016.07.003>
- Liu, G. (2017). Hammer milling and jet milling fundamentals. *Chemical Engineering Progress*, 113(6).
- Liu, Y., An, D., Xiao, Q., Chen, F., Zhang, Y., Weng, H., & Xiao, A. (2022). A novel κ -carrageenan extracting process with calcium hydroxide and carbon dioxide. *Food Hydrocolloids*, 127(January), 107507. <https://doi.org/10.1016/j.foodhyd.2022.107507>
- Loh, Z. H., Samanta, A. K., & Sia Heng, P. W. (2014). Overview of milling techniques for improving the solubility of poorly water-soluble drugs. *Asian Journal of Pharmaceutical Sciences*, 10(4), 255–274. <https://doi.org/10.1016/j.ajps.2014.12.006>
- Loret, C., Ribelles, P., & Lundin, L. (2009). Mechanical properties of κ -carrageenan in high concentration of sugar solutions. *Food Hydrocolloids*, 23(3), 823–832. <https://doi.org/10.1016/j.foodhyd.2008.04.012>
- Lu, L. W., & Chen, J.-H. (2022). Seaweeds as Ingredients to Lower Glycemic Potency of Cereal Foods Synergistically—A Perspective. *Foods*, 11(5), 714.

<https://doi.org/10.3390/foods11050714>

- Lyu, F., van der Poel, A. F. B., Hendriks, W. H., & Thomas, M. (2021). Particle size distribution of hammer-milled maize and soybean meal, its nutrient composition and in vitro digestion characteristics. *Animal Feed Science and Technology*, 281(October), 115095. <https://doi.org/10.1016/j.anifeedsci.2021.115095>
- Maharany, F., Nurjanah, N., Suwandi, R., Anwar, E., & Hidayat, T. (2017). Bioactive Compounds of Seaweed *Padina australis* and *Eucheuma cottonii* as Sunscreen Raw Materials. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 20(1), 10. <https://doi.org/10.17844/jphpi.v20i1.16553>
- Mahyati, & Azis, A. (2019). Optimization of temperature and time in carrageenan extraction of seaweed (*Kappaphycus alvarezii*) using ultrasonic wave extraction methods. *IOP Conference Series: Earth and Environmental Science*, 370(1). <https://doi.org/10.1088/1755-1315/370/1/012076>
- Martín-del-Campo, A., Fermín-Jiménez, J. A., Fernández-Escamilla, V. V., Escalante-García, Z. Y., Macías-Rodríguez, M. E., & Estrada-Girón, Y. (2021). Improved extraction of carrageenan from red seaweed (*Chondracantus canaliculatus*) using ultrasound-assisted methods and evaluation of the yield, physicochemical properties and functional groups. *Food Science and Biotechnology*, 30(7), 901–910. doi:10.1007/s10068-02100935-7
- Max Robinson Wenno, Johanna LourethaThenu, dan C. G. C. L. (2012). KARAKTERISTIK KAPPA KARAGINAN DARI *Kappaphycus alvarezii* Characteristics of Kappa Carrageenan from *Kappaphycus alvarezii* at Different Harvesting Times. *JPB Perikanan*, 7(1), 61–67
- Meini, M. R., Cabezudo, I., Boschetti, C. E., & Romanini, D. (2019). Recovery of phenolic antioxidants from Syrah grape pomace through the optimization of an enzymatic extraction process. *Food Chemistry*, 283(August 2018), 257–264. <https://doi.org/10.1016/j.foodchem.2019.01.037>
- Meullemiestre, A., Breil, C., Abert-Vian, M., & Chemat, F. (2016). Microwave, ultrasound, thermal treatments, and bead milling as intensification techniques for extraction of lipids from oleaginous *Yarrowia lipolytica* yeast for a biojetfuel application. *Bioresource Technology*, 211, 190–199. <https://doi.org/10.1016/j.biortech.2016.03.040>
- Miller, S. (2009). *Use of Diatomaceous Earth as a Siliceous Material in the Formation of Alkali Activated Fine-Aggregate Limestone Concrete*. Drexel University.
- Miranda, J. R., Passarinho, P. C., & Gouveia, L. (2012). Pre-treatment optimization of *Scenedesmus obliquus* microalga for bioethanol production. *Bioresource Technology*, 104, 342–348. <https://doi.org/10.1016/j.biortech.2011.10.059>
- Moelyono. (2016). Farmasi Bahari. Yogyakarta: Deepublish
- Moelyono. (2016). Farmasi Bahari. Yogyakarta: Deepublish
- Montoro, M. A., & Francisca, F. M. (2019). Effect of ion type and concentration on rheological properties of natural sodium bentonite dispersions at low shear rates. *Applied Clay Science*, 178(May), 105132. <https://doi.org/10.1016/j.clay.2019.105132>
- Moses, Anandhakumar, & Shanmugam. (2015). Effect of alkaline treatment on the sulfate content and quality of semi-refined carrageenan prepared from

- seaweed *Kappaphycus alvarezii* Doty (Doty) farmed in Indian waters. *African Journal of Biotechnology*, 14(18), 1584–1589. <https://doi.org/10.5897/AJB2014.14203>
- Mukherjee, S. (2019). Isolation and Purification of Industrial Enzymes: Advances in Enzyme Technology. In *Advances in Enzyme Technology, First Edition*. Elsevier B.V. <https://doi.org/10.1016/B978-0-444-64114-4.00002-9>
- Munoz, J., Freile-Peegrin, Y., & Robledo, D. (2004). Mariculture of *Kappaphycus alvarezii* (Rhodophyta, Solieriaceae) color strains in tropical waters of Yucatán, México. *Aquaculture*. <https://doi.org/10.1016/j.aquaculture.2004.05.043>
- Nemer, G., Louka, N., Vorobiev, E., Salameh, D., Nicaud, J. M., Maroun, R. G., & Koubaa, M. (2021). Mechanical cell disruption technologies for the extraction of dyes and pigments from microorganisms: A review. *Fermentation*, 7(1), 1–17. <https://doi.org/10.3390/fermentation7010036>
- Nurani, W., Anwar, Y., Batubara, I., Arung, E. T., & Fatriasari, W. (2024). *Kappaphycus alvarezii* as a renewable source of kappa-carrageenan and other cosmetic ingredients. *International Journal of Biological Macromolecules*, 260, 129458. <https://doi.org/10.1016/j.ijbiomac.2024.129458>
- Nurmiah, S., Syarif, R., Peranginangin, R., Nurtama, B., & Jaswir, I. (2017). Production of refined carrageenan from *Kappaphycus alvarezii* on pilot plant scale: optimization of water extraction using Response Surface Methodology. *International Food Research Journal*, 24.
- Passos, F., Uggetti, E., Carrère, H., & Ferrer, I. (2015). Algal Biomass: Physical Pretreatments. Physical Pretreatments. In *Pretreatment of Biomass: Processes and Technologies*. <https://doi.org/10.1016/B978-0-12-800080-9.00011-6>
- Piculell, L., 2006. Gelling carrageenans. In: Stephen, A.M., Phillips, G.O. (Eds.), *Food Polysaccharides and Their Applications*. pp. 239–287 CRC Press.
- Piras, C. C., Fernández-Prieto, S., & De Borggraeve, W. M. (2019). Ball milling: A green technology for the preparation and functionalisation of nanocellulose derivatives. *Nanoscale Advances*, 1(3), 937–947. <https://doi.org/10.1039/c8na00238j>
- Postma, P. R., Suarez-Garcia, E., Safi, C., Olivieri, G., Olivieri, G., Wijffels, R. H., & Wijffels, R. H. (2017). Energy efficient bead milling of microalgae: Effect of bead size on disintegration and release of proteins and carbohydrates. *Bioresource Technology*, 224, 670–679. <https://doi.org/10.1016/j.biortech.2016.11.071>
- Princewill, N. C. (2017). Development and Performance Evaluation of Improved Hammer Mill Available online www.jsaer.com *Journal of Scientific and Engineering Research*, 2017, 4 (8): 159-164 Development and Performance Evaluation of Improved Hammer Mill Nwadinobi Chibundo Prince. *Journal of Scientific and Engineering Research*, 4(8), 159–164.
- Rahmat, F. S., Srikandi, S., & Sutamihardja, R. T. M. (2017). Pengaruh Pencucian Terhadap Kadar Klorida Pada Proses Pembuatan Karagenan Dari Rumput Laut *Eucheuma cottonii*. *Jurnal Sains Natural*, 7(1), 8–22.
- Rhein-Knudsen, N., Ale, M. T., Ajallouei, F., Yu, L., & Meyer, A. S. (2017). Rheological properties of agar and carrageenan from Ghanaian red seaweeds. *Food Hydrocolloids*, 63, 50–58. <https://doi.org/10.1016/j.foodhyd.2016.08.023>

- Rizal, M., Mappiratu, M., & Razak, A. R. (2016). Optimalisasi produk semi refined caraginan (SRC) dari rumput laut (*Eucheuma cottonii*). *Kovalen*, 2(1), 33–38. <https://doi.org/10.22487/j24775398.2016.v2.i1.6043>
- Rodriguez-Jasso, R. M., Mussatto, S. I., Pastrana, L., Aguilar, C. N., & Teixeira, J. A. (2011). Microwave-assisted extraction of sulfated polysaccharides (fucoidan) from brown seaweed. *Carbohydrate Polymers*, 86(3), 1137–1144. <https://doi.org/10.1016/j.carbpol.2011.06.006>
- Romenda, A., Pramesti, R., & Susanto, A. (2013). Pengaruh Perbedaan Jenis dan Konsentrasi Larutan Alkali Terhadap Kekuatan Gel dan Viskositas Karagenan *Kappaphycus alvarezii*, Doty. *Journal of Marine Research*, 2(1), 127–133. <https://doi.org/10.14710/jmr.v2i1.2065>
- Rusli, A., Metusalach, S., & Tahir, M. M. (2017). Karakterisasi Edible Film Karagenan. *JPHPI*, 20(2), 219–229.
- Sandria, N., Uju, U., & Suptijah, P. (2017). The Depolymerization of Kappa Carrageenan Using Peracetic Acid. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 20(3), 524. <https://doi.org/10.17844/jphpi.v20i3.19809>
- Sarafraz, M. M., Tlili, I., Tian, Z., Bakouri, M., & Safaei, M. R. (2019). Smart optimization of a thermosyphon heat pipe for an evacuated tube solar collector using response surface methodology (RSM). *Physica A: Statistical Mechanics and Its Applications*, 534, 122146. <https://doi.org/10.1016/j.physa.2019.122146>
- Sari, D. K., Barleany, D., Lestari, R. S. D., & Mustikawati, L. (2019). Extraction refined carrageenan using ultrasonic irradiation in from *Kappaphycus Alvarezii* originated from Lontar. *IOP Conference Series: Materials Science and Engineering*, 673(1). <https://doi.org/10.1088/1757-899X/673/1/012015>
- Seckbach, J., Gordon, R., 2019. *Diatoms: Fundamentals and Applications*. John Wiley & Sons, New Jersey.
- Selvaraju, Koushalya & Raguraman, Vasantharaja & Hariprasad, P. & Ariyadasa, Thilini & Malik, Anushree. (2022). Recent advances in the production of nutritional products from algal biomass. 10.1016/B978-0-12-824270-4.00009-2.
- Setijawati, D., Nursyam, H., & Salis, H. (2018). Carrageenan :the difference between PNG and KCL gel precipitation method as *Lactobacillus acidophilus* encapsulation material. *IOP Conference Series: Earth and Environmental Science*, 137(1), 012073. <https://doi.org/10.1088/1755-1315/137/1/012073>
- Setyawan, H. Y., Safira, L., Mulyarto, A. R., Wijana, S., & Pranowo, D. (2023). The effect of pyrolysis temperature and ball-milling duration on characteristics of micro bio-char derived from oil palm empty fruit bunches. *Sustainable Environment*, 9(1). <https://doi.org/10.1080/27658511.2023.2173041>
- Shen, D., Kou, X., Wu, C., Fan, G., Li, T., Dou, J., Wang, H., & Zhu, J. (2021). Cocktail enzyme-assisted alkaline extraction and identification of jujube peel pigments. *Food Chemistry*, 357(March), 129747. <https://doi.org/10.1016/j.foodchem.2021.129747>
- Sinurat, E., & Marliani, R. (2017). The Characteristics of Sodium Alginate from Brown Seaweed *Sargassum crassifolium* with Different Filtering Tools. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 20(2), 351. <https://doi.org/10.17844/jphpi.v20i2.18103>
- Siregar, R. F., Santoso, J., & Uju. (2016). Karakteristik Fisiko Kimia Kappa

- Karaginan Hasil Degradasi Menggunakan Hidrogen Peroksida. *Jphpi*, 19(3), 256–266. <https://doi.org/10.17844/jphpi.2016.19.3.256>
- Soares, A. (2013). Pengaruh Lama Waktu Perendaman Yang Berbeda Terhadap Kualitas Agar-Agar *Gracilaria verrucosa*. *Journal of Chemical Information and Modeling*, 53(9), 1689–1699.
- Soltani, M., Shetab-Boushehri, S. F., & Shetab-Boushehri, S. V. (2016). Chemical Reaction between Boric Acid and Phosphine Indicates Boric Acid as an Antidote for Aluminium Phosphide Poisoning. *Sultan Qaboos University Medical Journal*, 16(3), e303-309. <https://doi.org/10.18295/squmj.2016.16.03.007>
- Sormin, R. B. D., Masela, A., & Idris. (2019). Physicochemical properties of carrageenan originated from Lermatang Village, Southwest Maluku District. *IOP Conference Series: Earth and Environmental Science*, 339(1), 012053. <https://doi.org/10.1088/1755-1315/339/1/012053>
- Suarez Garcia, E., Lo, C., Eppink, M. H. M., Wijffels, R. H., & van den Berg, C. (2019). Understanding mild cell disintegration of microalgae in bead mills for the release of biomolecules. *Chemical Engineering Science*, 203, 380–390. <https://doi.org/10.1016/j.ces.2019.04.008>
- Subaryono, S., & Utomo, B. S. B. (2006). Penggunaan Campuran Karaginan dan Konjak dalam Pembuatan Permen Jelli. *Jurnal Pascapanen Dan Bioteknologi Kelautan Dan Perikanan*, 1(1), 19–26.
- Suliman, R. (2017). *Open PRAIRIE : Open Public Research Access Institutional Repository and Information Exchange Response Surface Methodology and Its Application in Optimizing the Efficiency of Organic Solar Cells*.
- Sulistiawati, S., Ain, N. H., Uju, & Tarman, K. (2019). Characterization of refined carrageenan from *Kappaphycus alvarezii* extracted using marine fungi. *IOP Conference Series: Earth and Environmental Science*, 404(1). <https://doi.org/10.1088/1755-1315/404/1/012071>
- Sumanth Kumar, D., Jai Kumar, B., & Mahesh, H. M. (2018). Quantum Nanostructures (QDs): An Overview. In *Synthesis of Inorganic Nanomaterials: Advances and Key Technologies*. Elsevier Ltd. <https://doi.org/10.1016/B978-0-08-101975-7.00003-8>
- Suryaningrum TD, Utomo BSB. 2002. Petunjuk Analisis Rumput Laut dan Hasil Olahannya. Jakarta: Pusat Riset Pengolahan Produk dan Sosial Ekonomi Perikanan dan Kelautan.
- Syahrudin. (2019). Optimization of extraction and quality assessment based on physicochemical properties of Carrageenan from red algae (*Kappaphycus alvarezii*) origin of South Sulawesi Indonesia. *Journal of Physics: Conference Series*, 1341(7). <https://doi.org/10.1088/1742-6596/1341/7/072013>
- Tapotubun, A. M. (2018). Komposisi Kimia Rumput Laut (*Caulerpa lentillifera*) dari Perairan Kei Maluku dengan Metode Pengeringan Berbeda. *Jurnal Pengolahan Hasil Perikanan Indonesia*, 21(1), 13. <https://doi.org/10.17844/jphpi.v21i1.21257>
- Tasende, M. G., & Manríquez-Hernández, J. A. (2016). Carrageenan properties and applications: A review. *Carrageenans: Sources and Extraction Methods, Molecular Structure, Bioactive Properties and Health Effects*, September 2016, 17–49.

- Teo, H. L., & Wahab, R. A. (2020). Towards an eco-friendly deconstruction of agro-industrial biomass and preparation of renewable cellulose nanomaterials: A review. *International Journal of Biological Macromolecules*, *161*, 1414–1430. <https://doi.org/10.1016/j.ijbiomac.2020.08.076>
- Thrimawithana, T. R., Young, S., Dunstan, D. E., & Alany, R. G. (2010). Texture and rheological characterization of kappa and iota carrageenan in the presence of counter ions. *Carbohydrate Polymers*, *82*(1), 69–77. <https://doi.org/10.1016/j.carbpol.2010.04.024>
- Usov, A. I. (2011). Polysaccharides of the red algae. In *Advances in Carbohydrate Chemistry and Biochemistry* (1 ed., Vol. 65). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-385520-6.00004-2>
- Wang, M., Bi, W., Huang, X., & Chen, D. D. Y. (2016). Ball mill assisted rapid mechanochemical extraction method for natural products from plants. *Journal of Chromatography A*, *1449*, 8–16. <https://doi.org/10.1016/j.chroma.2016.04.044>
- Wardhana, Y. W., Anisah, N., Sopyan, I., Hendriani, R., & Chaerunisaa, A. Y. (2022). Gelling Power Alteration on Kappa-Carrageenan Dispersion through Esterification Method with Different Fatty Acid Saturation. *Gels*, *8*(11), 752. <https://doi.org/10.3390/gels8110752>
- Wenno, M. R., Thenu, J. L., & Cristina Lopulalan, C. G. (2012). Karakteristik Kappa Karagenan dari *Kappaphycus alvarezii* Pada Berbagai Umur Panen. *Jurnal Pascapanen Dan Bioteknologi Kelautan Dan Perikanan*, *7*(1), 61. <https://doi.org/10.15578/jpbkp.v7i1.69>
- Wulandari, N. S., Pramesti, R., & Susanto, A. (2019). Analisis Parameter Fisika dan Kimia Karagenan *Kappaphycus alvarezii* Doty 1985 (Florideophyceae : Solieriaceae) Dengan Variasi Ekstraksi dari Perairan Bluto. *Journal of Marine Research*, *8*(4), 409–415. <https://doi.org/10.14710/jmr.v8i4.25275>
- Wulandari, P., Sedayu, B. B., Novianto, T. D., & Prasetyo, A. W. (2021). Characteristic of semi refined and refined carrageenan flours used in the making of biofilm (bioplastic). *IOP Conference Series: Earth and Environmental Science*, *733*(1), 012112. <https://doi.org/10.1088/1755-1315/733/1/012112>
- Xuan, Chuanzhong & Cao, Liying & Wu, Pei & Ma, Yanhua & Han, Ding. (2012). Development on a Hammer Mill with Separate Sieving Device. *TELKOMNIKA Indonesian Journal of Electrical Engineering*. *10*. 10.11591/telkomnika.v10i6.1407.
- Yudhana, L. A., Zamara, R. A., Curie, C. A., & Gozan, M. (2023). The effect of ethanol solvent on thermostability and esterification activity of immobilized *Candida rugosa* lipase on celite. *IOP Conference Series: Earth and Environmental Science*, *1187*(1). <https://doi.org/10.1088/1755-1315/1187/1/012045>
- Zafisah, N. S., Ang, W. L., Johnson, D. J., Mohammad, A. W., & Hilal, N. (2018). Effect of different filter aids used in cake filtration process on the removal of suspended solids in anaerobically digested palm oil mill effluent (POME). *Desalination and Water Treatment*, *110*, 362–370. <https://doi.org/10.5004/dwt.2018.22349>



- Zhang, Q. W., Lin, L. G., & Ye, W. C. (2018). Techniques for extraction and isolation of natural products: A comprehensive review. *Chinese Medicine (United Kingdom)*, *13*(1), 1–26. <https://doi.org/10.1186/s13020-018-0177-x>
- Zhang, R., Grimi, N., Marchal, L., Lebovka, N., & Vorobiev, E. (2019). Effect of ultrasonication, high pressure homogenization and their combination on efficiency of extraction of bio-molecules from microalgae *Parachlorella kessleri*. *Algal Research*, *40*(November 2018), 101524. <https://doi.org/10.1016/j.algal.2019.101524>
- Zinkoné, T. R., Gifuni, I., Lavenant, L., Pruvost, J., & Marchal, L. (2018). Bead milling disruption kinetics of microalgae: Process modeling, optimization and application to biomolecules recovery from *Chlorella sorokiniana*. *Bioresource Technology*, *267*(July), 458–465. <https://doi.org/10.1016/j.biortech.2018.07.080>
- Zohdi, N. K., & Amid, M. (2013). Optimization of extraction of novel pectinase enzyme discovered in red pitaya (*Hylocereus polyrhizus*) peel. *Molecules*, *18*(11), 14366–14380. <https://doi.org/10.3390/molecules181114366>