

## DAFTAR PUSTAKA

- Akoglu, H. (2018) 'User's guide to correlation coefficients', *Turkish Journal of Emergency Medicine*, 18(3), pp. 91–93. Available at: <https://doi.org/10.1016/j.tjem.2018.08.001>.
- Bamba, R. *et al.* (2017) 'Flap Reconstruction for Pressure Ulcers: An Outcomes Analysis', *Plastic and Reconstructive Surgery - Global Open*, 5(1), p. e1187. Available at: <https://doi.org/10.1097/GOX.0000000000001187>.
- Cao, Z. *et al.* (2021) 'Comparison of free vascularized iliac bone flap grafting versus pedicled iliac bone flap grafting for treatment of osteonecrosis of the femoral head', *Journal of Plastic, Reconstructive & Aesthetic Surgery*, 74(6), pp. 1261–1268. Available at: <https://doi.org/10.1016/j.bjps.2020.10.075>.
- Carpue, J. (1816) *An account of two Successful Operations for Restoring a Lost Nose from the Integuments of the Forehead*. 1st edn. Birmingham AL, London: Classics of Medicine Library.
- Cervenka, B. and Bewley, A.F. (2015) 'Free flap monitoring: a review of the recent literature', *Current Opinion in Otolaryngology & Head and Neck Surgery*, 23(5), pp. 393–398. Available at: <https://doi.org/10.1097/MOO.0000000000000189>.
- Chen, K.-H. *et al.* (2021) 'Comparison of the surgical outcomes of free flap reconstruction for primary and recurrent head and neck cancers: a case-controlled propensity score-matched study of 1,791 free flap reconstructions', *Scientific Reports*, 11(1), p. 2350. Available at: <https://doi.org/10.1038/s41598-021-82034-5>.
- Cormack, G. and Lamberty, B. (2015) *Alternative Flap Nomenclature and Classification, the Arterial Anatomy of Skin Flaps*. 2nd edn. Edinburgh: Churchill Livingstone.
- Eslami, A. *et al.* (2009) 'Expression of Integrin  $\alpha\beta_6$  and TGF- $\beta$  in Scarless vs Scar-forming Wound Healing', *Journal of Histochemistry & Cytochemistry*, 57(6), pp. 543–557. Available at: <https://doi.org/10.1369/jhc.2009.952572>.
- Fazal, M.A. *et al.* (2021) 'Postoperative haemoglobin estimation in elderly hip fractures', *Aging Medicine*, 4(3), pp. 175–179. Available at: <https://doi.org/10.1002/agm2.12172>.
- Galiano, R. and Mustoe, T. (2007) 'Wound Care', in *Grabb and Smith's Plastic Surgery*. 6th edn. Philadelphia: Lippincott Williams & Wilkins, pp. 23–32.

- Gonzalez, A.C.D.O. *et al.* (2016) 'Wound healing - A literature review', *Anais Brasileiros de Dermatologia*, 91(5), pp. 614–620. Available at: <https://doi.org/10.1590/abd1806-4841.20164741>.
- Gurtner, G. (2007) 'Wound Healing: Normal and Abnormal.', in *Grabb and Smith's Plastic Surgery*. 6th edn. Lippincott Williams & Wilkins, pp. 15–22.
- Hill, J.B. *et al.* (2012) 'Preoperative Anemia Predicts Thrombosis and Free Flap Failure in Microvascular Reconstruction', *Annals of Plastic Surgery*, 69(4), pp. 364–367. Available at: <https://doi.org/10.1097/SAP.0b013e31823ed606>.
- Hom, D.B. and Ostrander, B.T. (2023) 'Reducing Risks for Local Skin Flap Failure', *Facial Plastic Surgery Clinics of North America*, 31(2), pp. 275–287. Available at: <https://doi.org/10.1016/j.fsc.2023.01.006>.
- Huang, C. *et al.* (2023) 'Determinants of the success in flap reconstruction—Outcome analysis of 120 flaps in 484 procedures for pressure injury', *International Wound Journal*, 20(8), pp. 3105–3115. Available at: <https://doi.org/10.1111/iwj.14185>.
- Jubbal, K.T., Zavlin, D. and Suliman, A. (2017) 'The effect of age on microsurgical free flap outcomes: An analysis of 5,951 cases', *Microsurgery*, 37(8), pp. 858–864. Available at: <https://doi.org/10.1002/micr.30189>.
- Kapoor, T. *et al.* (2018) 'Analysis of clinical outcomes of upper and lower extremity reconstructions in patients with soft-tissue sarcoma', *Journal of Surgical Oncology*, 118(4), pp. 614–620. Available at: <https://doi.org/10.1002/jso.25201>.
- Kim, M.J. *et al.* (2018) 'Effects of Transfusion on Free Flap Survival: Searching for an Optimal Hemoglobin Threshold for Transfusion', *Journal of Reconstructive Microsurgery*, 34(08), pp. 610–615. Available at: <https://doi.org/10.1055/s-0038-1648244>.
- Knoedler, S. *et al.* (2023) 'Postoperative free flap monitoring in reconstructive surgery—man or machine?', *Frontiers in Surgery*, 10. Available at: <https://doi.org/10.3389/fsurg.2023.1130566>.
- Kruse, A.L.D. *et al.* (2010) 'Factors influencing survival of free-flap in reconstruction for cancer of the head and neck: A literature review', *Microsurgery*, 30(3), pp. 242–248. Available at: <https://doi.org/10.1002/micr.20758>.
- Kuo, Y.-R. *et al.* (2007) 'Extracorporeal Shock Wave Enhanced Extended Skin Flap Tissue Survival via Increase of Topical Blood Perfusion and Associated with Suppression of Tissue Pro-Inflammation', *Journal of Surgical Research*, 143(2), pp. 385–392. Available at: <https://doi.org/10.1016/j.jss.2006.12.552>.

- Lespasio, M.J. (2022) 'Albumin And Hypoalbuminemia: Relevance in Orthopaedic Surgery', *Orthopedic Research Online Journal*, 10(2). Available at: <https://doi.org/10.31031/OPROJ.2022.10.000735>.
- Levin, L.S. (2008) 'Principles of Definitive Soft Tissue Coverage With Flaps', *Journal of Orthopaedic Trauma*, 22(Supplement 10), pp. S161–S166. Available at: <https://doi.org/10.1097/BOT.0b013e318188e2ed>.
- Livaoğlu, M. *et al.* (2009) 'Ischemia-Modified Albumin and Flap Viability', *European Surgical Research*, 42(2), pp. 87–90. Available at: <https://doi.org/10.1159/000180115>.
- Makam, A.N. *et al.* (2017) 'Incidence, Predictors, and Outcomes of Hospital-Acquired Anemia', *Journal of hospital medicine*, 12(5), pp. 317–322. Available at: <https://doi.org/10.12788/jhm.2712>.
- Motakef, S. *et al.* (2015) 'Emerging Paradigms in Perioperative Management for Microsurgical Free Tissue Transfer: Review of the Literature and Evidence-Based Guidelines', *Plastic and Reconstructive Surgery*, 135(1), pp. 290–299. Available at: <https://doi.org/10.1097/PRS.0000000000000839>.
- Naga Rohith, V. *et al.* (2022) 'Preoperative Serum Albumin Level as a Predictor of Abdominal Wound-Related Complications After Emergency Exploratory Laparotomy', *Cureus*, 14(11), p. e31980. Available at: <https://doi.org/10.7759/cureus.31980>.
- Niederstätter, I.M., Schiefer, J.L. and Fuchs, P.C. (2021) 'Surgical Strategies to Promote Cutaneous Healing', *Medical Sciences*, 9(2), p. 45. Available at: <https://doi.org/10.3390/medsci9020045>.
- Rodriguez-Cerdeira, C. *et al.* (2021) 'Cutaneous Manifestations in COVID-19: Report on 31 Cases from Five Countries', *Biology*, 10(1), p. 54. Available at: <https://doi.org/10.3390/biology10010054>.
- Rubayi, S. (2015) 'Complications of Flap Surgery', in *Reconstructive Plastic Surgery of Pressure Ulcers*. Berlin: Springer.
- Saber, A.Y., Hohman, M.H. and Dreyer, M.A. (2024) 'Basic Flap Design', in *StatPearls*. Treasure Island (FL): StatPearls Publishing. Available at: <http://www.ncbi.nlm.nih.gov/books/NBK563252/> (Accessed: 16 March 2024).
- Schultz, G.S. *et al.* (2011) 'Principles of Wound Healing', in R. Fitridge and M. Thompson (eds) *Mechanisms of Vascular Disease: A Reference Book for Vascular Specialists*. Adelaide (AU): University of Adelaide Press. Available at: <http://www.ncbi.nlm.nih.gov/books/NBK534261/> (Accessed: 10 March 2024).

- Serhan, C.N., Ward, P.A. and Gilroy, D.W. (2010) *Fundamentals of inflammation*. Cambridge: Cambridge university press.
- Shauly, O. *et al.* (2020) 'Lower Extremity Limb Salvage and Amputation: A Systematic Review and Meta-Analysis of Reported Outcomes and the Role of Microsurgery', *Annals of Plastic & Reconstructive Surgery*, 4(2). Available at: <https://www.remedypublications.com/annals-of-plastic-reconstructive-surgery-abstract.php?aid=5969> (Accessed: 10 March 2024).
- Shum, J. *et al.* (2014) 'Low Prealbumin Level Is a Risk Factor for Microvascular Free Flap Failure', *Journal of Oral and Maxillofacial Surgery*, 72(1), pp. 169–177. Available at: <https://doi.org/10.1016/j.joms.2013.05.022>.
- Silva-Lindsey, A., Mojica-Pabellón, J.G. and Goenaga-Jimenez, M.A. (2020) 'Contraction monitor for high risk pregnancies', in L.L. Grewe, E.P. Blasch, and I. Kadar (eds) *Signal Processing, Sensor/Information Fusion, and Target Recognition XXIX. Signal Processing, Sensor/Information Fusion, and Target Recognition XXIX*, Online Only, United States: SPIE, p. 42. Available at: <https://doi.org/10.1117/12.2559153>.
- Sindgikar, V. *et al.* (2017) 'Effect of serum albumin in wound healing and its related complications in surgical patients.' Available at: <https://digitallibrary.kohasupport.in/handle/123456789/1109> (Accessed: 10 March 2024).
- Sugino, H. *et al.* (2014) 'Relation between the serum albumin level and nutrition supply in patients with pressure ulcers: retrospective study in an acute care setting', *The Journal of Medical Investigation*, 61(1.2), pp. 15–21.
- Sweeny, L. *et al.* (2022) 'Age and Comorbidities Impact Medical Complications and Mortality Following Free Flap Reconstruction', *The Laryngoscope*, 132(4), pp. 772–780. Available at: <https://doi.org/10.1002/lary.29828>.
- Tagliacozzi, G. (1597) *De Curtorumchirurgia per Institutione*. Venice: Gaspare Bidoni.
- Tarle, M. *et al.* (2023) 'Hemoglobin–Albumin–Lymphocyte–Platelet (HALP) Score as a Predictive Model for the Success of Reconstruction of Head and Neck Defects with Free Microvascular Flaps', *Journal of Clinical Medicine*, 12(16), p. 5314. Available at: <https://doi.org/10.3390/jcm12165314>.
- Tolhurst, David E. *et al.* (1983) 'The Development of the Fasciocutaneous Flap and Its Clinical Applications', *Plastic and Reconstructive Surgery*, 71(5), pp. 597–605. Available at: <https://doi.org/10.1097/00006534-198305000-00001>.
- Toutain, C.E. *et al.* (2009) 'Prevention of Skin Flap Necrosis by Estradiol Involves Reperfusion of a Protected Vascular Network', *Circulation Research*, 104(2),

pp. 245–254. Available at:  
<https://doi.org/10.1161/CIRCRESAHA.108.182410>.

Trojanowski, P. *et al.* (2019) ‘Anterolateral thigh free flap in reconstruction of lateral skull base defects after oncological resection’, *European Archives of Oto-Rhino-Laryngology*, 276(12), pp. 3487–3494. Available at: <https://doi.org/10.1007/s00405-019-05627-x>.

Tu, C. and Hong, S. (2023) ‘Preoperative anemia: Predictor of free flap reconstruction complications in head and neck cancer’, *Chinese Journal of Physiology*, 66(1), p. 21. Available at: <https://doi.org/10.4103/cjop.CJOP-D-22-00115>.

Veith, J. *et al.* (2019) ‘Variables associated with 30-day postoperative complications in lower extremity free flap reconstruction identified in the ACS-NSQIP database’, *Microsurgery*, 39(7), pp. 621–628. Available at: <https://doi.org/10.1002/micr.30502>.

Velanovich, V. *et al.* (1988) ‘The effect of hemoglobin and hematocrit levels on free flap survival’, *The American Surgeon*, 54(11), pp. 659–663.

Wang, C. *et al.* (2018) ‘Perioperative risk factors that predict complications of radial forearm free flaps in oral and maxillofacial reconstruction’, *British Journal of Oral and Maxillofacial Surgery*, 56(6), pp. 514–519. Available at: <https://doi.org/10.1016/j.bjoms.2018.04.015>.

Wang, S., Zhu, F. and Kakuda, Y. (2018) ‘Sacha inchi (*Plukenetia volubilis* L.): Nutritional composition, biological activity, and uses’, *Food chemistry*, 265, pp. 316–328.

Wong, A.K. *et al.* (2015) ‘Analysis of risk factors associated with microvascular free flap failure using a multi-institutional database’, *Microsurgery*, 35(1), pp. 6–12. Available at: <https://doi.org/10.1002/micr.22223>.

Wright, T. *et al.* (2021) ‘Thirty-Day Outcomes following Upper Extremity Flap Reconstruction’, *Journal of Hand and Microsurgery*, 13(02), pp. 101–108. Available at: <https://doi.org/10.1055/s-0040-1715557>.

Yu, J. *et al.* (2020) ‘Prognostic Nutritional Index is a Predictor of Free Flap Failure in Extremity Reconstruction’, *Nutrients*, 12(2), p. 562. Available at: <https://doi.org/10.3390/nu12020562>.