

DAFTAR PUSTAKA

- Abdelfatah, A.M., El-Maghrabi, N., Mahmoud, A.E.D., and Fawzy, M., 2022, Synergetic effect of green synthesized reduced graphene oxide and nano-zero valent iron composite for the removal of doxycycline antibiotic from water, *Sci Rep*, 12, 1–19.
- Abdillah, O.B., Floweri, O., and Iskandar, F., 2021, The effect of voltage bias on the yield and electrical properties of exfoliated graphene synthesized via electrochemical method, *IOP Conf Ser Mater Sci Eng*, 1098, 1–6.
- Abdillah, O.B., Floweri, O., Mayangsari, T.R., Santosa, S.P., Ogi, T., and Iskandar, F., 2021, Effect of H₂SO₄/H₂O₂ pre-treatment on electrochemical properties of exfoliated graphite prepared by an electro-exfoliation method, *RSC Adv*, 11, 10881–10890.
- Achee, T.C., Sun, W., Hope, J.T., Quitzau, S.G., Sweeney, C.B., Shah, S.A., Habib, T., and Green, M.J., 2018, High-yield scalable graphene nanosheet production from compressed graphite using electrochemical exfoliation, *Sci Rep*, 8, 1–8.
- Al-Ogaili, A.W.M., Pakseresht, S., Cetinkaya, T., and Akbulut, H., 2022, Reduction of graphene oxide using *Salvia officinalis* plant extract and its utilization for Li–O₂ batteries, *Diam Relat Mater*, 126, 1–11.
- Alshawhi, J.M.S., Mohammed, M.Q., Alesary, H.F., Ismail, H.K., and Barton, S., 2022, Voltammetric determination of Hg²⁺, Zn²⁺, and Pb²⁺ ions using a PEDOT/NTA-modified electrode, *ACS Omega*, 7, 20405–20419.
- Anastasiadou, Z.D., Sipaki, I., Jannakoudakis, P.D., and Girousi, S.T., 2011, Square-wave anodic stripping voltammetry (SWASV) for the determination of ecotoxic metals, using a bismuth-film electrode, *Anal Lett*, 44, 761–777.
- Andrijanto, E., Shoelarta, S., Subiyanto, G., and Rifki, S., 2016, Facile synthesis of graphene from graphite using ascorbic acid as reducing agent,. In, *AIP Conference Proceedings*. American Institute of Physics Inc., pp. 1–4.
- Anurag, K. and Kumar, S.R., 2021, Synthesis of graphene through electrochemical exfoliation technique in aqueous medium, *Mater Today Proc*, 44, 2695–2699.
- AOAC Official Methods of Analysis, 2016, Guidelines for standard methods performance requirement, AOAC International.
- Bakhshandeh, R. and Shafiekhani, A., 2018, Ultrasonic waves and temperature effects on graphene structure fabricated by electrochemical exfoliation method, *Mater Chem Phys*, 212, 95–102.

- Balali-Mood, M., Naseri, K., Tahergorabi, Z., Khazdair, M.R., and Sadeghi, M., 2021, Toxic mechanisms of five heavy metals: mercury, lead, chromium, cadmium, and arsenic, *Front Pharmacol*, 12, 1–19.
- Bandara, T.M.W.J., Thennakoon, T.M.A.A.B., Gamachchi, G.G.D.M.G., Bandara, L.R.A.K., Pemasiri, B.M.K., and Dahanayake, U., 2022, An electrochemical route to exfoliate vein graphite into graphene with black tea, *Mater Chem Phys*, 289, 1–10.
- Bandi, S., Ravuri, S., Peshwe, D.R., and Srivastav, A.K., 2019, Graphene from discharged dry cell battery electrodes, *J Hazard Mater*, 366, 358–369.
- Bharathidasan, P., Kim, D.W., Devaraj, S., and Sivakkumar, S.R., 2016, Supercapacitive characteristics of carbon-based graphene composites, *Electrochim Acta*, 204, 146–153.
- Bharathidasan, P., Subramaniam, T., Sunju, N.M., Sivakkumar, S.R., and Devaraj, S., 2021, Tuning the surface functionalities, textural properties and capacitance properties of reduced graphene oxide by utilizing environmentally threatening invasive weed as a reducing agent, *J Energy Storage*, 42, 1–8.
- Bhat, S.A., Hassan, T., and Majid, S., 2019, heavy metal toxicity and their harmful effects on living organisms-a review, *International Journal of Medical Science and Diagnosis Research (IJSR)*, 3, 106–122.
- Bhattacharya, G., Sas, S., Wadhwa, S., Mathur, A., McLaughlin, J., and Roy, S.S., 2017, Aloe vera assisted facile green synthesis of reduced graphene oxide for electrochemical and dye removal applications, *RSC Adv*, 7, 26680–26688.
- Bosch-Navarro, C., Coronado, E., Martí-Gastaldo, C., Sánchez-Royo, J.F., and Gómez, M.G., 2012, Influence of the pH on the synthesis of reduced graphene oxide under hydrothermal conditions, *Nanoscale*, 4, 3977–3982.
- BSN, 2009, SNI 7387:2009. Batas Maksimum Cemaran Logam Berat dalam Pangan, 1–29.
- Buzaglo, M., Shtein, M., Kober, S., Lovrinčić, R., Vilan, A., and Regev, O., 2013, Critical parameters in exfoliating graphite into graphene, *Phys Chem Chem Phys*, 15, 4428–4435.
- Cao, J., He, P., Mohammed, M.A., Zhao, X., Young, R.J., Derby, B., Kinloch, I.A., and Dryfe, R.A.W., 2017, Two-step electrochemical intercalation and oxidation of graphite for the mass production of graphene oxide, *J Am Chem Soc*, 139, 17446–17456.
- Cao, N. and Zhang, Y., 2015, Study of reduced graphene oxide preparation by Hummers' method and related characterization, *J Nanomater*, 2015, 1–6.
- Chartarrayawadee, W., Too, C.O., Ross, S., Ross, G.M., Jumpatong, K., Noimou, A., and Settha, A., 2018, Green synthesis and stabilization of earthworm-

like gold nanostructure and quasi-spherical shape using *Caesalpinia sappan* Linn. extract, *Green Process Synth*, 7, 424–432.

- Cheong, M.F., Liu, W.W., Khe, C.S., Hidayah, N.M.S., Lee, H.C., Teoh, Y.P., Foo, K.L., Voon, C.H., Zaaba, N.I., and Adelyn, P.Y.P., 2018, Green synthesis of reduced graphene oxide decorated with iron oxide nanoparticles using Oolong Tea extract,. In, *AIP Conference Proceedings*. American Institute of Physics Inc.
- Chettri, P., Vendamani, V.S., Tripathi, A., Pathak, A.P., and Tiwari, A., 2016, Self assembly of functionalised graphene nanostructures by one step reduction of graphene oxide using aqueous extract of *Artemisia vulgaris*, *Appl Surf Sci*, 362, 221–229.
- Chwastowska, J., Skwara, W., Sterlinska, E., Dudek, J., Dabrowska, M., and Pszonicki, L., 2008, Properties of dithizone sorbent and its application to trace metal separation for AAS determination, *Radiochemistry, Stable Isotopes, Nuclear Analytical Methods, General Chemistry*, 78–79.
- Coroş, M., Pogăcean, F., Roşu, M.C., Socaci, C., Borodi, G., Mageruşan, L., Biriş, A.R., and Pruneanu, S., 2016, Simple and cost-effective synthesis of graphene by electrochemical exfoliation of graphite rods, *RSC Adv*, 6, 2651–2661.
- Cui, L., Wu, J., and Ju, H., 2015, Electrochemical sensing of heavy metal ions with inorganic, organic and bio-materials, *Biosens Bioelectron*, 63, 276–286.
- Cuong, T.D., Hung, T.M., Kim, J.C., Kim, E.H., Woo, M.H., Choi, J.S., Lee, J.H., and Min, B.S., 2012, Phenolic compounds from *Caesalpinia sappan* heartwood and their anti-inflammatory activity, *J Nat Prod*, 75, 2069–2075.
- Dao, V.D., Larina, L.L., Suh, H., Hong, K., Lee, J.K., and Choi, H.S., 2014, Optimum strategy for designing a graphene-based counter electrode for dye-sensitized solar cells, *Carbon*, 77, 980–992.
- Das, R.S., Lingait, D., Gaharwar, S.S., Kumar, A., and Gokhale, S., 2023, Green synthesis of reduced graphene oxide with multiple environmental applications, *J Photochem Photobiol A Chem*, 444, 1–13.
- De Silva, K.K.H., Huang, H.H., and Yoshimura, M., 2018, Progress of reduction of graphene oxide by ascorbic acid, *Appl Surf Sci*, 447, 338–346.
- Destiarti, L., Huda, B.N., Riyanto, R., Roto, R., and Mudasir, M., 2024, Challenges of using natural extracts as green reducing agents in the synthesis of rGO: A brief review, *Results Chem*, 7, 1–16.
- Dominic, R.M., Punniyakotti, P., Balan, B., and Angaiah, S., 2034, Green synthesis of reduced graphene oxide using *Plectranthus amboinicus* leaf extract and its supercapacitive performance, *Bull Mat Sci*, 1–8.
- Dreyer, D.R., Park, S., Bielawski, C.W., and Ruoff, R.S., 2010, The chemistry of graphene oxide, *Chem Soc Rev*, 39, 228–240.

- Elgrishi, N., Rountree, K.J., McCarthy, B.D., Rountree, E.S., Eisenhart, T.T., and Dempsey, J.L., 2018, A Practical Beginner's guide to cyclic voltammetry, *J Chem Educ*, 95, 197–206.
- Faiz, M.S.A., Azurahaman, C.A.C., Raba'ah, S.A., and Ruzniza, M.Z., 2020, Low cost and green approach in the reduction of graphene oxide (GO) using palm oil leaves extract for potential in industrial applications, *Results Phys*, 16, 1–7.
- Fang, S., Lin, Y., and Hu, Y.H., 2019, Recent advances in green, safe, and fast production of graphene oxide via electrochemical approaches, *ACS Sustain Chem Eng*, 7, 12671–12681.
- Faniyi, I.O., Fasakin, O., Olofinjana, B., Adekunle, A.S., Oluwasusi, T. V., Eleruja, M.A., and Ajayi, E.O.B., 2019, The comparative analyses of reduced graphene oxide (RGO) prepared via green, mild and chemical approaches, *SN Appl Sci*, 1, 1–7.
- Fatimah, I., Fadillah, G., Rednasari, R.A., and Wahyuningsih, S., 2022, Green reduction of graphene oxide using *Annona muricata* leaves extract for adsorption of methylene blue, *Inorg Chem Commun*, 146, 1–9.
- Feng, J., Lang, G., Li, T., Zhang, J., Zhao, J., Li, W., Yang, W., and Jiang, Z., 2022, Enhanced electrochemical detection performance of C-Cr₂O₃ towards glucose and hydrazine by assembling Ni-MPN coating, *Appl Surf Sci*, 604, 19.
- Ferrari, A.C. and Basko, D.M., 2013, Raman spectroscopy as a versatile tool for studying the properties of graphene, *Nat Nanotechnol*, 8, 235–246.
- Ferrari, A.C., 2007, Raman spectroscopy of graphene and graphite: Disorder, electron-phonon coupling, doping and nonadiabatic effects, *Solid State Commun*, 143, 47–57.
- Gan, L., Li, B., Chen, Y., Yu, B., and Chen, Z., 2019, Green synthesis of reduced graphene oxide using bagasse and its application in dye removal: A waste-to-resource supply chain, *Chemosphere*, 219, 148–154.
- Gao, Y., Shi, W., Wang, W., Wang, Y., Zhao, Y., Lei, Z., and Miao, R., 2014, Ultrasonic-assisted production of graphene with high yield in supercritical CO₂ and its high electrical conductivity film, *Ind Eng Chem Res*, 53, 2839–2845.
- Garg, N., Deep, A., and Sharma, A.L., 2023, Simultaneous detection of lead and cadmium using a composite of zeolite imidazole framework and reduced graphene oxide (ZIF-67/rGO) via electrochemical approach, *Environ Eng Res*, 28, 1–9.
- Ge, S., Lan, F., Yu, F., and Yu, J., 2015, Applications of graphene and related nanomaterials in analytical chemistry, *New J Chem*, 39, 2380–2395.

- George, J.S., Paduvelan, J.K., Velayudhan, P., Kalarikkal, N., Hameed, N., and Thomas, S., 2022, Cashew apple extract: a novel, potential green reducing agent for the synthesis of reduced graphene oxide, *J Nano Res*, 71, 57–70.
- Ghasemi, M. and Azimi-Amin, J., 2022, Effect of pH on green synthesis of reduced graphene oxide using lemon extract and application of Fe₃O₄/RGO nanocomposites for the removal of Pb (II) from aqueous solution, *J Water Environ Nanotechnol*, 7, 101–120.
- Ghosh, S., Das, P., and Baskey, M., 2021, Plant extract assisted synthesis of reduced graphene oxide sheet and the photocatalytic performances on cationic and anionic dyes to decontaminate wastewater, *Adv Nat Sci: Nanosci and Nanotechnol*, 12, 1–8.
- Ghosh, T.K., Sadhukhan, S., Rana, D., Bhattacharyya, A., Chattopadhyay, D., and Chakraborty, M., 2019, Green approaches to synthesize reduced graphene oxide and assessment of its electrical properties, *Nano-Struct Nano-Objects*, 19, 1–11.
- Glass, D.E. and Surya Prakash, G.K., 2018, Effect of pH on the reduction of graphene oxide on its structure and oxygen reduction capabilities in the alkaline media, *Electroanalysis*, 30, 1938–1945.
- Gondosiswanto, R., Lu, X., and Zhao, C., 2015, Preparation of metal-free nitrogen-doped graphene via direct electrochemical exfoliation of graphite in ammonium nitrate, *Aust J Chem*, 68, 830–835.
- Guo, C., Wang, C., Sun, H., Dai, D., and Gao, H., 2021, A simple electrochemical sensor based on rGO/MoS₂/CS modified GCE for highly sensitive detection of Pb(II) in tobacco leaves, *RSC Adv*, 11, 29590–29597.
- Haghighi, B. and Tabrizi, M.A., 2013, Green-synthesis of reduced graphene oxide nanosheets using rose water and a survey on their characteristics and applications, *RSC Adv*, 3, 13365–13371.
- Hamra, A.A.B., Lim, H.N., Chee, W.K., and Huang, N.M., 2016, Electro-exfoliating graphene from graphite for direct fabrication of supercapacitor, *Appl Surf Sci*, 360, 213–223.
- Harmita, H., 2004, Petunjuk Pelaksanaan Validasi Metode dan Cara Perhitungannya, *Majalah Ilmu Kefarmasian*, 1, 117–135.
- Harvey, D., 2023, Instrumental Analysis, *Libre Texts*, 1–605.
- Hashimoto, H., Muramatsu, Y., Nishina, Y., and Asoh, H., 2019, Bipolar anodic electrochemical exfoliation of graphite powders, *Electrochem commun*, 104, 1–5.
- Hidayat, R., Wahyuningsih, S., and Ramelan, A.H., 2020, Simple synthesis of rGO (reduced graphene oxide) by thermal reduction of GO (graphene oxide),. In, *IOP Conference Series: Materials Science and Engineering*. Institute of Physics Publishing, pp. 1–8.

- Hossain, S.T. and Wang, R., 2016, Electrochemical exfoliation of graphite: effect of temperature and hydrogen peroxide addition, *Electrochim Acta*, 216, 253–260.
- Hou, D., Liu, Q., Cheng, H., Zhang, H., and Wang, S., 2017, Green reduction of graphene oxide via *Lycium barbarum* extract, *J Solid State Chem*, 246, 351–356.
- Htwe, Y.Z.N., Chow, W.S., Suda, Y., Thant, A.A., and Mariatti, M., 2019, Effect of electrolytes and sonication times on the formation of graphene using an electrochemical exfoliation process, *Appl Surf Sci*, 469, 951–961.
- Htwe, Y.Z.N., Mariatti, M., Chow, W.S., Suda, Y., and Thant, A.A., 2018, Effect of sonication time on the production of graphene by electrochemical exfoliation method, *J Phys Conf Ser*, 1082, 1–5.
- Huber, L., 2007, Validation and qualification in analytical laboratories, Informa Healthcare.
- Huda, B.N., Wahyuni, E.T., and Mudasir, M., 2021, Eco-friendly immobilization of dithizone on coal bottom ash for the adsorption of lead(II) ion from water, *Results Eng*, 10, 1–12.
- Huda, B.N., Wahyuni, E.T., and Mudasir, M., 2022, Greener procedure of dithizone immobilization on coal bottom ash for heavy metal adsorbent: synthesis optimization and characterization,. In, *Key Eng Mater*. Trans Tech Publications Ltd, pp. 3–10.
- Huda, B.N., Wahyuni, E.T., Kamiya, Y., and Mudasir, M., 2022, Kinetic and thermodynamic study on adsorption of lead(II) ions in water over dithizone-immobilized coal bottom ash, *Mater Chem Phys*, 282, 1–9.
- Husnah, M., Fakhri, H.A., Rohman, F., Aimon, A.H., and Iskandar, F., 2017, A modified marcano method for improving electrical properties of reduced graphene oxide (rGO), *Mater Res Express*, 4, 1–5.
- Ikram, R., Mohamed, B., and Ahmad, W., 2020, Advances in synthesis of graphene derivatives using industrial wastes precursors ; prospects and challenges, *J Mater Res Technol*, 9, 15924–15951.
- Ilnicka, A., Skorupska, M., Kamedulski, P., and Lukaszewicz, J.P., 2019, Electro-exfoliation of graphite to graphene in an aqueous solution of inorganic salt and the stabilization of its sponge structure with poly(Furfuryl alcohol), *Nanomaterials*, 9, 1–12.
- Iskandar, F., Abdillah, O.B., Mayangsari, T.R., and Aimon, A.H., 2019, Preliminary Study of graphite rod pre-treatment in H₂O₂/H₂SO₄ mixture solution on the synthesized graphene by electrochemical exfoliation method, *Proceeding - 2018 5th International Conference on Electric Vehicular Technology, ICEVT 2018*, 46–48.

- Iskandar, F., Abdillah, O.B., Stavila, E., and Aimon, A.H., 2018, The influence of copper addition on the electrical conductivity and charge transfer resistance of reduced graphene oxide (rGO), *New J Chem*, 42, 16362–16371.
- Jaafar, E., Kashif, M., Sahari, S.K., and Ngaini, Z., 2018, Study on morphological, optical and electrical properties of graphene oxide (GO) and reduced graphene oxide (rGO),. In, *Materials Science Forum*. Trans Tech Publications Ltd, pp. 112–116.
- Jana, M., Saha, S., Samanta, P., Murmu, N.C., Lee, J.H., and Kuila, T., 2015, Investigation of the capacitive performance of tobacco solution reduced graphene oxide, *Mater Chem Phys*, 151, 72–80.
- Ji, Y., Zhang, Y., Liu, T., Xia, M., Long, C., Wang, L., Wang, Y., and Kong, Y., 2019, Chemical constituents from heartwoods of *Caesalpinia sappan* with antiplatelet aggregation activities, *Chin Herb Med*, 11, 423–428.
- Jibrael, R.I. and Mohammed, M.K.A., 2016, Production of graphene powder by electrochemical exfoliation of graphite electrodes immersed in aqueous solution, *Optik*, 127, 6384–6389.
- Jun, S.H., Cha, S.H., Kim, J.H., Yoon, M., Cho, S., and Park, Y., 2015, Silver nanoparticles synthesized using *Caesalpinia sappan* extract as potential novel nanoantibiotics against methicillin-resistant *Staphylococcus aureus*, *J Nanosci Nanotechnol*, 15, 5543–5552.
- Kartick, B., Srivastava, S.K., and Srivastava, I., 2013, Green synthesis of graphene, *J Nanosci Nanotechnol*, 13, 4320–4324.
- Khan, J. and Jaafar, M., 2021, Reduction efficiencies of natural substances for reduced graphene oxide synthesis, *J Mater Sci*, 56, 18477–18492.
- Khosroshahi, Z., Kharaziha, M., Karimzadeh, F., and Allafchian, A., 2018, Green reduction of graphene oxide by ascorbic acid,. In, *AIP Conference Proceedings*. American Institute of Physics Inc., pp. 1–7.
- Kindalkar, V.S., K, K., Bhat, S., and Dharmaprakash, S.M., 2021, An eco-friendly approach for the reduction of graphene oxide using *Syzygium samarangense* fruit extract, *Mater Chem Phys*, 261, 1–8.
- Kitte, S.A., Li, S., Nsabimana, A., Gao, W., Lai, J., Liu, Z., and Xu, G., 2019, Stainless steel electrode for simultaneous stripping analysis of Cd(II), Pb(II), Cu(II) and Hg(II), *Talanta*, 191, 485–490.
- Kołodyńska, D., 2013, Application of a new generation of complexing agents in removal of heavy metal ions from different wastes, *Environ Sci Pollut Res*, 20, 5939–5949.
- Komba, N., Wei, Q., Zhang, G., Rosei, F., and Sun, S., 2019, Controlled synthesis of graphene via electrochemical route and its use as efficient metal-free catalyst for oxygen reduction, *Appl Catal B*, 243, 373–380.

- Konstantopoulos, G., Fotou, E., Ntziouni, A., Kordatos, K., and Charitidis, C.A., 2021, A systematic study of electrolyte effect on exfoliation efficiency and green synthesis of graphene oxide, *Ceram Int*, 47, 32276–32289.
- Koudelkova, Z., Syrový, T., Ambrozova, P., Moravec, Z., Kubac, L., Hynek, D., Richtera, L., and Adam, V., 2017, Determination of zinc, cadmium, lead, copper and silver using a carbon paste electrode and a screen printed electrode modified with chromium(III) oxide, *Sensors*, 17, 114.
- Kumar, N. and Srivastava, V.C., 2018, Simple Synthesis of large graphene oxide sheets via electrochemical method coupled with oxidation process, *ACS Omega*, 3, 10233–10242.
- Kumar, S., Bhorolua, D., K. Ojha, A., and Kumar, A., 2019, Onion juice assisted green reduction of graphene oxide with tunable structural and optical properties: effect of onion juice concentration and reaction temperature, *Adv Mater Lett*, 10, 58–66.
- Kurian, M., 2021, Recent progress in the chemical reduction of graphene oxide by green reductants—A Mini review, *Carbon Trends*, 5, 100120.
- Lavelim, B., Destiarti, L., Adhitiyawardana, A., and Sasri, R., 2023, Synthesis of reduced graphene oxide-bentonite composite and its application as a lead(II) ion adsorbent, *Indones J Chem*, 23, 1–11.
- Lee, G. and Kim, B.S., 2014, Biological reduction of graphene oxide using plant leaf extracts, *Biotechnol Prog*, 30, 463–469.
- Lee, H., Choi, J. il, Park, J., Jang, S.S., and Lee, S.W., 2020, Role of anions on electrochemical exfoliation of graphite into graphene in aqueous acids, *Carbon*, 167, 816–825.
- Lei, Y., Ossonon, B.D., Chen, J., Perreault, J., and Tavares, A.C., 2021, Electrochemical characterization of graphene-type materials obtained by electrochemical exfoliation of graphite, *J Electroanal Chem*, 115084, 1–9.
- Li, B., Jin, X., Lin, J., and Chen, Z., 2018, Green reduction of graphene oxide by sugarcane bagasse extract and its application for the removal of cadmium in aqueous solution, *J Clean Prod*, 189, 128–134.
- Li, C., Zhuang, Z., Jin, X., and Chen, Z., 2017, A facile and green preparation of reduced graphene oxide using Eucalyptus leaf extract, *Appl Surf Sci*, 422, 469–474.
- Li, H., Zhao, J., Zhao, S., and Cui, G., 2021, Simultaneous determination of trace Pb(II), Cd(II), and Zn(II) using an integrated three-electrode modified with bismuth film, *Microchem J*, 168, 1–10.
- Liang, C., Wang, Z.S., and Bruell, C.J., 2007, Influence of pH on persulfate oxidation of TCE at ambient temperatures, *Chemosphere*, 66, 106–113.

- Liao, J., Tao, Z., and Lin, S., 2019, Theoretical and experimental insights into the electrochemical heavy metal ion sensing with nonconductive nanomaterials, *Curr Opin Electrochem*, 17, 1–6.
- Liu, J., Poh, C.K., Zhan, D., Lai, L., Lim, S.H., Wang, L., Liu, X., Sahoo, N.G., Li, C., Shen, Z., and Lin, J., 2017, Electrochemical exfoliation synthesis of graphene, Graphene-based composites for electrochemical energy storage, pp. 39–50.
- Liu, L., Shi, H., Li, R., Liu, C., Cheng, J., and Gao, L., 2021, Highly sensitive detection for mercury ions using graphene oxide (GO) sensors, *Micromachines*, 12, 1–40.
- Liu, W., 2017, Preparation of a zinc oxide-reduced graphene oxide nanocomposite for the determination of cadmium(II), lead(II), copper(II), and mercury(II) in water, *Int J Electrochem Sci*, 12, 5392–5403.
- Loudiki, A., Matrouf, M., Azriouil, M., Farahi, A., Lahrich, S., Bakasse, M., and Mhammedi, M.A.E., 2022, Preparation of graphene samples via electrochemical exfoliation of pencil electrode: Physico-electrochemical Characterization, *Appl Surface Sci Adv*, 100195, 1–8.
- Lowe, S.E., Shi, G., Zhang, Y., Qin, J., Jiang, L., Jiang, S., Al-Mamun, M., Liu, P., Zhong, Y.L., and Zhao, H., 2019, The role of electrolyte acid concentration in the electrochemical exfoliation of graphite: Mechanism and synthesis of electrochemical graphene oxide, *Nano Mater Sci*, 1, 215–223.
- Lu, Y., Liang, X., Niyungeko, C., Zhou, J., Xu, J., and Tian, G., 2018, A review of the identification and detection of heavy metal ions in the environment by voltammetry, *Talanta*, 178, 324–338.
- Maddinedi, S.B., Mandal, B.K., Vankayala, R., Kalluru, P., and Pamanji, S.R., 2015, Bioinspired reduced graphene oxide nanosheets using *Terminalia chebula* seeds extract, *Spectrochim Acta A Mol Biomol Spectrosc*, 145, 117–124.
- Madhuri, D.R., Kavyashree, K., Lamani, A.R., Jayanna, H.S., Nagaraju, G., and Mundinamani, S., 2021, Reduction of graphene oxide by *Phyllanthus emblica* as a reducing agent – A green approach for supercapacitor application, *Mater Today Proc*, 49, 865–869.
- Madsuha, A.F., Jonathan, Lim, I.O., and Yuwono, A.H., 2020, Green reduction of graphene oxide using a mixture of chocolate and coffee powder,. In, *AIP Conference Proceedings*. American Institute of Physics Inc., pp. 1–5.
- Mahiuddin, Md. and Ochiai, B., 2021, Lemon juice assisted green synthesis of reduced graphene oxide and its application for adsorption of methylene blue, *Technologies*, 9, 96.
- Mahmoud, A.E.D., 2020, Eco-friendly reduction of graphene oxide via agricultural byproducts or aquatic macrophytes, *Mater Chem Phys*, 253, 1–9.

- Mahmoud, A.E.D., Hosny, M., El-Maghrabi, N., and Fawzy, M., 2022, Facile synthesis of reduced graphene oxide by *Tecoma stans* extracts for efficient removal of Ni (II) from water: batch experiments and response surface methodology, *Sustain Env Res*, 32, 116.
- Mahmudzadeh, M., Yari, H., Ramezanzadeh, B., and Mahdavian, M., 2019, Highly potent radical scavenging-anti-oxidant activity of biologically reduced graphene oxide using Nettle extract as a green bio-genic amines-based reductants source instead of hazardous hydrazine hydrate, *J Hazard Mater*, 371, 609–624.
- Manchala, S., Tandava, V.S.R.K., Jampaiah, D., Bhargava, S.K., and Shanker, V., 2019, Novel and highly efficient strategy for the green synthesis of soluble graphene by aqueous polyphenol extracts of Eucalyptus bark and its applications in high-performance supercapacitors, *ACS Sustain Chem Eng*, 7, 11612–11620.
- Marcano, D.C., Kosynkin, D. v., Berlin, J.M., Sinitskii, A., Sun, Z., Slesarev, A., Alemany, L.B., Lu, W., and Tour, J.M., 2010, Improved synthesis of graphene oxide, *ACS Nano*, 4, 4806–4814.
- March, G., Nguyen, T.D., and Piro, B., 2015, Modified electrodes used for electrochemical detection of metal ions in environmental analysis, *Biosensors*, 5, 241–275.
- Mascarenhas, F.C., Sykam, N., Selvakumar, M., and Mahesha, M.G., 2020, Green reduction of graphene oxide using Indian gooseberry (amla) extract for gas sensing applications, *J Environ Chem Eng*, 8, 1–6.
- Miao, F., Majee, S., Song, M., Zhao, J., Zhang, S.L., and Zhang, Z. bin, 2016, Inkjet printing of electrochemically-exfoliated graphene nano-platelets, *Synth Met*, 220, 318–322.
- Min, B.S. and Cuong, T.D., 2013, Phenolic compounds from *Caesalpinia sappan* and their inhibitory effects on LPS-induced NO production in RAW264.7 cells, *Nat Prod Sci*, 19, 201–205.
- Mir, A. and Shukla, A., 2018, Bilayer-rich graphene suspension from electrochemical exfoliation of graphite, *Mater Des*, 156, 62–70.
- Mirceski, V., Skrzypek, S., and Stojanov, L., 2018, Square-wave voltammetry, *ChemTexts*, 4, 1–14.
- Mnyipika, S.H. and Nomngongo, P.N., 2017, Square wave anodic stripping voltammetry for simultaneous determination of trace Hg (II) and Tl(I) in surface water samples using SnO₂@MWCNTs modified glassy carbon electrode, *Int J Electrochem Sci*, 12, 4811–4827.
- Moghadam Zadeh, H.R., Ahmadvand, P., Behbahani, A., Amini, M.M., and Sayar, O., 2015, Dithizone-modified graphene oxide nano-sheet as a sorbent for pre-concentration and determination of cadmium and lead ions in food,

Food Addit Contam Part A Chem Anal Control Expo Risk Assess, 32, 1851–1857.

- Momodu, D., Madito, Moshawe J., Singh, A., Sharif, F., Karan, K., Trifkovic, M., Bryant, S., and Roberts, E.P.L.L., 2021, Mixed-acid intercalation for synthesis of a high conductivity electrochemically exfoliated graphene, *Carbon*, 171, 130–141.
- Mu'nisa, A., Hala, Y., and Muflihunna, A., 2017, Analysis of Phenols and Antioxidants Infused Sappan Wood (*Caesalpinia sappan* L.), *Int J Sci Develop Res*, 2, 89–93.
- Mudasir, M., Baskara, R.A., Suratman, A., Yunita, K.S., Perdana, R., and Puspitasari, W., 2020, Simultaneous adsorption of Zn(II) and Hg(II) ions on selective adsorbent of dithizone-immobilized bentonite in the presence of Mg(II) Ion, *J Environ Chem Eng*, 8, 1–9.
- Munuera, J.M., Paredes, J.I., Enterría, M., Pagán, A., Villar-Rodil, S., Pereira, M.F.R., Martins, J.I., Figueiredo, J.L., Cenis, J.L., Martínez-Alonso, A., and Tascón, J.M.D., 2017, Electrochemical exfoliation of graphite in aqueous sodium halide electrolytes toward low oxygen content graphene for energy and environmental applications, *ACS Appl Mater Interfaces*, 9, 24085–24099.
- Munuera, J.M., Paredes, J.I., Villar-Rodil, S., Ayán-Varela, M., Pagán, A., Aznar-Cervantes, S.D., Cenis, J.L., Martínez-Alonso, A., and Tascón, J.M.D., 2015, High quality, low oxygen content and biocompatible graphene nanosheets obtained by anodic exfoliation of different graphite types, *Carbon*, 94, 729–739.
- Munuera, J.M., Paredes, J.I., Villar-Rodil, S., Martínez-Alonso, A., and Tascón, J.M.D., 2017, A simple strategy to improve the yield of graphene nanosheets in the anodic exfoliation of graphite foil, *Carbon*, 115, 625–628.
- Nagyte, V., Kelly, D.J., Felten, A., Picardi, G., Shin, Y.Y., Alieva, A., Worsley, R.E., Parvez, K., Dehm, S., Krupke, R., Haigh, S.J., Oikonomou, A., Pollard, A.J., and Casiraghi, C., 2020, Raman fingerprints of graphene produced by anodic electrochemical exfoliation, *Nano Lett*, 20, 3411–3419.
- Nangare, S.N., Landge, S., Patil, A.G., Tade, R.S., Deshmukh, P.K., and Patil, P.O., 2021, Green synthesis of Fe-doped Ag-loaded reduced graphene oxide ternary nanocomposite for efficient photocatalytic degradation of toxic dyes, *Adv Nat Sci: Nanosci Nanotechnol*, 12, 1–14.
- National Association of Testing Authorities, 2012, Guidelines for the validation and verification of quantitative and qualitative test methods, Australia.
- Ngamwonglumlert, L., Devahastin, S., Chiewchan, N., and Raghavan, G.S.V., 2020, Color and molecular structure alterations of brazilein extracted from *Caesalpinia sappan* L. under different pH and heating conditions, *Sci Rep*, 10, 1–10.

- Nguyen, V.B., Vu, B.D., Pham, G.K., Le, B.Q., Nguyen, V.C., Men, C. Van, and Nguyen, V.T., 2020, Phenolic compounds from *Caesalpinia sappan*, *Pharmacog J*, 12, 410–414.
- Niemeier, J.K. and Kjell, D.P., 2013, Hydrazine and aqueous hydrazine solutions: evaluating safety in chemical processes, *Org Process Res Dev*, 17, 1580–1590.
- Nirmal, N.P. and Panichayupakaranant, P., 2015, Antioxidant, antibacterial, and anti-inflammatory activities of standardized brazilin-rich *Caesalpinia sappan* extract, *Pharm Biol*, 53, 1339–1343.
- Nirmal, N.P., Rajput, M.S., Prasad, R.G.S.V., and Ahmad, M., 2015, Brazilin from *Caesalpinia sappan* heartwood and its pharmacological activities: A review, *Asian Pac J Trop Med*, 8, 421–430.
- Noorunnisa Khanam, P. and Hasan, A., 2019, Biosynthesis and characterization of graphene by using non-toxic reducing agent from *Allium Cepa* extract: Anti-bacterial properties, *Int J Biol Macromol*, 126, 151–158.
- Nourbakhsh, A., Rahimnejad, M., Asghary, M., and Younesi, H., 2022, Simultaneous electro-determination of trace copper, lead, and cadmium in tap water by using silver nanoparticles and graphene nanoplates as nanocomposite modified graphite electrode, *Microchem J*, 175, 1–9.
- Nunes, E.W., Silva, M.K.L., and Cesarino, I., 2020, Evaluation of a reduced graphene oxide-Sb nanoparticles electrochemical sensor for the detection of cadmium and lead in chamomile tea, *Chemosensors*, 8, 1–12.
- Nur, Y., Rohaeti, E., and Darusman, L.K., 2017, Optical sensor for the determination of Pb^{2+} based on immobilization of dithizone onto chitosan-silica membrane, *Indones J Chem*, 17, 7–14.
- Ouyang, R., Zhu, Z., Tatum, C.E., Chambers, J.Q., and Xue, Z.L., 2011, Simultaneous stripping detection of Zn(II), Cd(II) and Pb(II) using a bimetallic Hg-Bi/single-walled carbon nanotubes composite electrode, *J Electroanal Chem*, 656, 78–84.
- Pandey, S.K., Sachan, S., and Singh, S.K., 2019, Ultra-trace sensing of cadmium and lead by square wave anodic stripping voltammetry using ionic liquid modified graphene oxide, *Mater Sci Energy Technol*, 2, 667–675.
- Park, S.W., Jang, B., Kim, H., Lee, J., Park, J.Y., Kang, S.O., and Choa, Y.H., 2021, Highly water-dispersible graphene nanosheets from electrochemical exfoliation of graphite, *Front Chem*, 9, 1–8.
- Parthipan, P., Al-Dosary, M.A., Al-Ghamdi, A.A., and Subramania, A., 2021, Eco-friendly synthesis of reduced graphene oxide as sustainable photocatalyst for removal of hazardous organic dyes, *J King Saud Univ Sci*, 33, 1–9.
- Parvathi, E., Akshaya, C. V., Dilraj, N., Arjun, G., Anurag, O.K., Veena, K.A., and Deepak, N.K., 2023, Novel *Simarouba glauca* extract mediated

biocompatible reduction of graphene oxide for robust scavenging of dyes and promising electrochemical applications, *Mater Chem Phys*, 303, .

- Parvathi, E., Akshaya, C.V., Dilraj, N., Arjun, G., and Deepak, N.K., 2023, Green synthesis of reduced graphene oxide by shallots,. In, *Materials Today: Proceedings.*, pp. 1–5.
- Parvathi, E., Arjun, G., Akshaya, C. V., Dilraj, N., and Deepak, N.K., 2022, Novel *Mussaenda glabrata* leaves extract for facile green synthesis of reduced graphene oxide with enhanced Rhodamine B dye removal efficiency, *Sustain Chem Pharm*, 30, 1–13.
- Parvez, K., Rincón, R.A., Weber, N.E., Cha, K.C., and Venkataraman, S.S., 2016, One-step electrochemical synthesis of nitrogen and sulfur co-doped, high-quality graphene oxide, *Chem Commun*, 52, 5714–5717.
- Parvez, K., Wu, Z.S., Li, R., Liu, X., Graf, R., Feng, X., and Müllen, K., 2014, Exfoliation of graphite into graphene in aqueous solutions of inorganic salts, *J Am Chem Soc*, 136, 6083–6091.
- Parvez, K., Yang, S., Feng, X., and Müllen, K., 2015, Exfoliation of graphene via wet chemical routes, *Synth Met*, 210, 123–132.
- Pegu, B., Bordoloi, S., Boruah, R., and Konwer, S., 2022, Comparative study of miracle leaf extracts reduced graphene oxide (m-rGO) and chemically synthesized graphene oxide (GO) as methanol gas sensor, *J Mat Sci: Mater Electron*, 1–11.
- Pei, S., Wei, Q., Huang, K., Cheng, H.M., and Ren, W., 2018, Green synthesis of graphene oxide by seconds timescale water electrolytic oxidation, *Nat Commun*, 9, 1–9.
- Penkov, Oleksiy. V., 2020, Introduction to graphene, *Tribology of Graphene*, 1–10.
- Perumal, D., Albert, E.L., and Abdullah, C.A.C., 2022, Green reduction of graphene oxide involving extracts of plants from different taxonomy groups, *J Compos Sci*, 6, 1–21.
- Perumal, D., Albert, E.L., Saad, N., Hin, T.Y.Y., Zawawi, R.M., Teh, H.F., and Che Abdullah, C.A., 2022, Fabrication and characterization of *Clinacanthus nutans* mediated reduced graphene oxide using a green approach, *Crystals*, 12, 1–16.
- Pratiwi, N.H., Azis, M.Y., Setyorini, D.A., and Rahayu, R.S., 2022, Anodic stripping voltammetry for simultaneous determination of lead and cadmium using bismuth-based electrodes, *Anal Bioanal Electrochem*, 14, 331–347.
- Pujol, L., Evrard, D., Groenen-Serrano, K., Freyssinier, M., Ruffien-Cizsak, A., and Gros, P., 2014, Electrochemical sensors and devices for heavy metals assay in water: The French groups' contribution, *Front Chem*, 2, 1–24.

- Rahman, H.A., Rafi, M., Putra, B.R., and Wahyuni, W.T., 2022, electrochemical sensors based on a composite of electrochemically reduced graphene oxide and PEDOT:PSS for hydrazine detection, *ACS Omega*, 3258–3269.
- Rajumon, R., Anand, J.C., Ealias, A.M., Desai, D.S., George, G., and Saravanakumar, M.P., 2019, Adsorption of textile dyes with ultrasonic assistance using green reduced graphene oxide: An in-depth investigation on sonochemical factors, *J Environ Chem Eng*, 7, 1–15.
- Ramanathan, S., Radhika, N., Padmanabhan, D., Durairaj, A., Paul Selvin, S., Lydia, S., Kavitha, S., and Vasanthkumar, S., 2020, Eco-friendly synthesis of CRGO and CRGO/SnO₂ nanocomposite for photocatalytic degradation of methylene green dye, *ACS Omega*, 5, 158–169.
- Ramanathan, S., Sasikumar, M., Radhika, N., Obadiah, A., Durairaj, A., Helen Swetha, G., Santhoshkumar, P., Sharmila Lydia, I., and Vasanthkumar, S., 2020, *Musa paradisiaca* reduced graphene oxide (BRGO) /MWCNT-Fe₃O₄ nanocomposite for supercapacitor and photocatalytic applications, *Mater Today Proc*, 47, 843–852.
- Rattan, S., Kumar, S., and Goswamy, J.K., 2019, Graphene oxide reduction using green chemistry, *Mater Today Proc*, 26, 3327–3331.
- Rehman, A.U., Ikram, M., Kan, K., Zhao, Y., Zhang, W.J., Zhang, J., Liu, Y., Wang, Y., Du, L., and Shi, K., 2018, 3D interlayer nanohybrids composed of reduced graphenescheme oxide/SnO₂/PPy grown from expanded graphite for the detection of ultra-trace Cd²⁺, Cu²⁺, Hg²⁺ and Pb²⁺ ions, *Sens Actuators B Chem*, 274, 285–295.
- Riyanto, 2017, Validasi dan Verifikasi Metode Uji, Kesatu. Deepublish, Yogyakarta.
- Rondão, R., Seixas De Melo, J.S., Pina, J., Melo, M.J., Vitorino, T., and Parola, A.J., 2013, Brazilwood reds: The (photo)chemistry of brazilin and brazilein, *J Phys Chem A*, 117, 10650–10660.
- Rong, R., Zhao, H., Gan, X., Chen, S., and Quan, X., 2017, An electrochemical sensor based on graphene-polypyrrole nanocomposite for the specific detection of Pb (II), *Nano*, 12, 110.
- Ruecha, N., Rodthongkum, N., Cate, D.M., Volckens, J., Chailapakul, O., and Henry, C.S., 2015, Sensitive electrochemical sensor using a graphene-polyaniline nanocomposite for simultaneous detection of Zn(II), Cd(II), and Pb(II), *Anal Chim Acta*, 874, 40–48.
- Sa, K., Mahakul, P.C., Subramanyam, B.V.R.S., Raiguru, J., Das, S., Alam, I., and Mahanandia, P., 2018, Effect of reduced graphene oxide-carbon nanotubes hybrid nanofillers in mechanical properties of polymer nanocomposites,. In, *IOP Conference Series: Mater Sci Eng*. Institute of Physics Publishing, pp. 1–6.

- Sadhukhan, S., Ghosh, T.K., Rana, D., Roy, I., Bhattacharyya, A., Sarkar, G., Chakraborty, M., and Chattopadhyay, D., 2016, Studies on synthesis of reduced graphene oxide (RGO) via green route and its electrical property, *Mater Res Bull*, 79, 41–51.
- Sahoo, S.K. and Mallik, A., 2015, Synthesis and characterization of conductive few layered graphene nanosheets using an anionic electrochemical intercalation and exfoliation technique, *J Mater Chem C Mater*, 3, 10870–10878.
- Salunke, R. and Shirale, D.J., 2021, The source of heavy metal, Chapter Book in Functionalized Nanomaterials Based Devices for Environmental Application.
- Sangeetha Selvan, K. and Sriman Narayanan, S., 2019, Synthesis, structural characterization and electrochemical studies switching of MWCNT/novel tetradentate ligand forming metal complexes on PIGE modified electrode by using SWASV, *Mat Sci Eng C Mater Biol Appl*, 98, 657–665.
- Sankar, G.U., Moorthy, C.G., and RajKumar, G., 2018, Synthesizing graphene from waste mosquito repellent graphite rod by using electrochemical exfoliation for battery/supercapacitor applications, *Energy Sources, Part A*, 40, 1209–1214.
- Scholz, F., 2015, Voltammetric techniques of analysis: the essentials, *ChemTexts*, 1, 1–24.
- Sengupta, P., Pramanik, K., and Sarkar, P., 2021, Simultaneous detection of trace Pb(II), Cd(II) and Hg(II) by anodic stripping analyses with glassy carbon electrode modified by solid phase synthesized iron-aluminate nano particles, *Sens Actuators B Chem*, 329, 19.
- Sevilla, M., Ferrero, G.A., and Fuertes, A.B., 2016, Aqueous dispersions of graphene from electrochemically exfoliated graphite, *Chemistry*, 22, 17351–17358.
- Singh, Pankaj Kumar, Sharma, K., and Singh, Pradeep Kumar, 2022, A low cost, bulk synthesis of the thermally reduced graphene oxide in an aqueous solution of sulphuric acid & hydrogen peroxide via electrochemical method, *Inorg Chem Commun*, 140, 1–12.
- Sun, H., Xu, G., Lian, W., Kastiukas, G., Zhang, J., Zhang, X., Liu, W., Xing, F., and Ren, J., 2022, Electrochemical synthesis and property characterisation of graphene oxide using water as electrolyte, *Chem Phys Lett*, 139206, 1–11.
- Suvina, V., Krishna, S.M., Nagaraju, D.H., Melo, J.S., and Balakrishna, R.G., 2018, Polypyrrole-reduced graphene oxide nanocomposite hydrogels: A promising electrode material for the simultaneous detection of multiple heavy metal ions, *Mater Lett*, 232, 209–212.

- Suwan, T., Wanachantararak, P., Khongkhunthian, S., and Okonogi, S., 2018, Antioxidant activity and potential of *Caesalpinia sappan* aqueous extract on synthesis of silver nanoparticles, *Drug Discov Ther*, 12, 259–266.
- Tabrizi, M.A., Azar, S.J., and Varkani, J.N., 2014, Eco-synthesis of graphene and its use in dihydronicotinamide adenine dinucleotide sensing, *Anal Biochem*, 460, 29–35.
- Tai, G., Zeng, T., Li, H., Liu, J., Kong, J., and Lv, F., 2014, Temperature and pH effect on reduction of graphene oxides in aqueous solution, *Mater Res Express*, 1, 1–12.
- Tai, M.J.Y., Liu, W.W., Khe, C.S., Hidayah, N.M.S., Teoh, Y.P., Voon, C.H., Lee, H.C., and Adelyn, P.Y.P., 2018, Green synthesis of reduced graphene oxide using green tea extract,. In, *AIP Conference Proceedings*. American Institute of Physics Inc.
- Tamara, M.R., Lelono, D., Roto, R., and Triyana, K., 2023, All-solid-state astringent taste sensor using polypyrrole-carbon black composite as ion-electron transducer, *Sens Actuators A Phys*, 351, 1–11.
- Tamele, I.J. and Loureiro, P.V., 2020, Lead, mercury and cadmium in fish and shellfish from the Indian ocean and Red sea (African countries): Public health challenges, *J Mar Sci Eng*, 8, 1–32.
- Tamgadge, R.M. and Shukla, A., 2019, A pH-dependent partial electrochemical exfoliation of highly oriented pyrolytic graphite for high areal capacitance electric double layer capacitor electrode, *Electrochim Acta*, 325, 1–11.
- Tavakoli, F., Salavati-niasari, M., and Mohandes, F., 2015, Green synthesis and characterization of graphene nanosheets, *Mater Res Bull*, 63, 51–57.
- Technical Note, 2015, Zeta Potential - An Introduction in 30 minutes, *Malvern Instruments Limited*, 1–15.
- Tesfaw, B., Mehretie, S., and Admassie, S., 2018, Quantification of lead in cooking utensils and vegetables using square wave anodic stripping voltammetry, *Heliyon*, 4, 1–14.
- Tewatia, K., Sharma, A., Sharma, M., and Kumar, A., 2020, Synthesis of graphene oxide and its reduction by green reducing agent,. In, *Materials Today: Proceedings*. Elsevier Ltd, pp. 3933–3938.
- Thakur, S. and Karak, N., 2012, Green reduction of graphene oxide by aqueous phytoextracts, *Carbon*, 50, 5331–5339.
- Thanapackiam, S.P., Selvarajan, P., Dhinakar, K.G., and Veeraputhiran, V., 2022, Biological reduction of graphene oxide using *Citrus sinensis* L. extract and its nano-structural photocatalytic - antibacterial performances, *Adv Nat Sci: Nanosci Nanotechnol*, 13, 1–10.
- Thiemann, F.L., Rowe, P., Zen, A., Müller, E.A., and Michaelides, A., 2021, Defect-dependent corrugation graphene, *Nano Lett*, 8143–8150.

- Thiyagarajulu, N. and Arumugam, S., 2021, Green synthesis of reduced graphene oxide nanosheets using leaf extract of *Lantana camara* and its in-vitro biological activities, *J Clust Sci*, 32, 559–568.
- Tian, S., He, P., Chen, L., Wang, H., Ding, G., and Xie, X., 2017, Electrochemical fabrication of high quality graphene in mixed electrolyte for ultrafast electrothermal heater, *Chem Mater*, 29, 6214–6219.
- Tuinstra F and Koenig J.L, 1970, Raman spectrum of graphite, *J Chem Phys*, 53, 1126–1130.
- Tyurnina, A. v., Tzanakis, I., Morton, J., Mi, J., Porfyrakis, K., Maciejewska, B.M., Grobert, N., and Eskin, D.G., 2020, Ultrasonic exfoliation of graphene in water: A key parameter study, *Carbon*, 168, 737–747.
- Vasanthi Sridharan, N. and Mandal, B.K., 2022, Simultaneous quantitation of lead and cadmium on an EDTA-reduced graphene oxide-modified glassy carbon electrode, *ACS Omega*, 7, 45469–45480.
- Vatandost, E., Ghorbani-HasanSaraei, A., Chekin, F., Naghizadeh Raeisi, S., and Shahidi, S.A., 2020, Green tea extract assisted green synthesis of reduced graphene oxide: Application for highly sensitive electrochemical detection of sunset yellow in food products, *Food Chem: X*, 6, 1–6.
- Verástegui-Domínguez, L.H., Elizondo-Villarreal, N., Martínez-Delgado, D.I., and Gracia-Pinilla, M.Á., 2022, Eco-friendly reduction of graphene oxide by aqueous extracts for photocatalysis applications, *Nanomaterials*, 12, 1–20.
- Verma, S., Das, T., Pandey, V.K., and Verma, B., 2022, Facile and scalable synthesis of reduced-graphene oxide using different green reducing agents and its characterizations, *Diam Relat Mater*, 129, 1–10.
- Vij, T., Anil, P.P., Shams, R., Dash, K.K., Kalsi, R., Pandey, V.K., Harsányi, E., Kovács, B., and Shaikh, A.M., 2023, A comprehensive review on bioactive compounds found in *Caesalpinia sappan*, *Molecules*, 28, 1–22.
- Waheed, A., Mansha, M., and Ullah, N., 2018, Nanomaterials-based electrochemical detection of heavy metals in water: Current status, challenges and future direction, *TrAC - Trends in Analytical Chemistry*, 105, 37–51.
- Wall, M., 2022, The Raman Spectroscopy of Graphene and the Determination of Layer Thickness, *Thermo Fisher Scientific*, 1–6.
- Wang, J., 2000, Analytical electrochemistry, Wiley-VCH.
- Wang, M., Yuan, W., Yu, X., and Shi, G., 2014, Picomolar detection of mercury (II) using a three-dimensional porous graphene/polypyrrole composite electrode, *Anal Bioanal Chem*, 406, 6953–6956.
- Wang, S., Zhai, S., Li, Y., Zhang, C., Han, Z., Peng, R., Wang, X., Lin, Z., Lin, L., Liu, Y., Mei, X., and Zhang, J., 2018, Simultaneously detection of Pb²⁺ and

- Hg^{2+} using electrochemically reduced graphene oxide, *Int J Electrochem Sci*, 13, 785–796.
- Wang, W.J., Lu, X.Y., Kong, F.Y., Li, H.Y., Wang, Z.X., and Wang, W., 2022, A reduced graphene oxide supported Au-Bi bimetallic nanoparticles as an enhanced sensing platform for simultaneous voltammetric determination of Pb(II) and Cd(II), *Microchem J*, 175, .
- Wang, Y., Shi, Z.X., and Yin, J., 2011, Facile synthesis of soluble graphene via a green reduction of graphene oxide in tea solution and its biocomposites, *ACS Appl Mater Interfaces*, 3, 1127–1133.
- Wei, Y., Gao, C., Meng, F.L., Li, H.H., Wang, L., Liu, J.H., and Huang, X.J., 2012, SnO_2 /reduced graphene oxide nanocomposite for the simultaneous electrochemical detection of cadmium(II), lead(II), copper(II), and mercury(II): An interesting favorable mutual interference, *J Phys Chem C*, 116, 1034–1041.
- Wicaksono, W.P., Fadilla, N.I., Zamar, A.A., Fadillah, G., Anugrahwati, M., Anas, A.K., and Kadja, G.T.M., 2022, Formaldehyde electrochemical sensor using graphite paste-modified green synthesized zinc oxide nanoparticles, *Inorg Chem Commun*, 143, 1–9.
- Wu, Q., Bi, H.M., and Han, X.J., 2021, Research progress of electrochemical detection of heavy metal ions, *Chin J Anal Chem*, 49, 330–340.
- Xu, J., Lu, L., Duan, G., and Zhao, W., 2022, Characteristic analysis of three-ecofriendly reduced graphene oxides (rGOs) and their application in water-ethanol-based fluids with different volume ratios, *RSC Adv*, 12, 5522–5533.
- Yang, J., Xia, X., He, K., Zhang, M., Qin, S., Luo, M., and Wu, L., 2021, Green synthesis of reduced graphene oxide (RGO) using the plant extract of *Salvia spinosa* and evaluation of photothermal effect on pancreatic cancer cells, *J Mol Struct*, 1245, 1–6.
- Yang, S., Lohe, M.R., Müllen, K., and Feng, X., 2016, New-Generation Graphene from Electrochemical Approaches: Production and Applications, *Adv Mater*, 28, 6213–6221.
- Yu, P., Lowe, S.E., Simon, G.P., and Zhong, Y.L., 2015, Electrochemical exfoliation of graphite and production of functional graphene, *Curr Opin Colloid Interface Sci*, 20, 329–338.
- Yusbarina, Y., Roto, R., and Triyana, K., 2021, Hydroxyl functionalized graphene as a superior anode material for electrochemical oxidation of methylene blue, *Rasayan J Chem*, 14, 1140–1147.
- Zhang, T., Jin, H., Fang, Y., Guan, J.B., Ma, S.J., Pan, Y., Zhang, M., Zhu, H., Liu, X.D., and Du, M.L., 2019, Detection of trace Cd^{2+} , Pb^{2+} and Cu^{2+} ions via porous activated carbon supported palladium nanoparticles modified electrodes using SWASV, *Mater Chem Phys*, 225, 433–442.

- Zhang, Y., Zhong, C., Zhang, Q., Chen, B., He, M., and Hu, B., 2015, Graphene oxide-TiO₂ composite as a novel adsorbent for the preconcentration of heavy metals and rare earth elements in environmental samples followed by on-line inductively coupled plasma optical emission spectrometry detection, *RSC Adv*, 5, 5996–6005.
- Zhang, Z., Li, J., Song, X., Ma, J., and Chen, L., 2014, Hg²⁺ ion-imprinted polymers sorbents based on dithizone-Hg²⁺ chelation for mercury speciation analysis in environmental and biological samples, *RSC Adv*, 4, 46444–46453.
- Zhao, G., Tran, T.-T., Modha, S., Sedki, M., Myung, N. v., Jassby, D., and Mulchandani, A., 2022, Multiplexed anodic stripping voltammetry detection of heavy metals in water using nanocomposites modified screen-printed electrodes integrated with a 3D-printed flow cell, *Front Chem*, 10, 113.
- Zhao, Z.Q., Chen, X., Yang, Q., Liu, J.H., and Huang, X.J., 2012, Selective adsorption toward toxic metal ions results in selective response: Electrochemical studies on a polypyrrole/reduced graphene oxide nanocomposite, *Chem Commun*, 48, 2180–2182.
- Zhong, Y.L., Tian, Z., Simon, G.P., and Li, D., 2015, Scalable production of graphene via wet chemistry: Progress and challenges, *Mater Today*, 18, 73–78.
- Zhou, M., Tang, J., Cheng, Q., Xu, G., Cui, P., and Qin, L.C., 2013, Few-layer graphene obtained by electrochemical exfoliation of graphite cathode, *Chem Phys Lett*, 572, 61–65.
- Zhou, Q., Lu, Y., and Xu, H., 2019, High-yield production of high-quality graphene by novel electrochemical exfoliation at air-electrolyte interface, *Mater Lett*, 235, 153–156.
- Zoonen, P. V, Klooster, H.A. V, Hoogerbrugge, R., Gort, S.M., and Wiel, H.J. V, 1998, Methods and procedures for chemical measurements, *Arh Hig Rada Toksikol*, 49, 355–370.
- Zuo, Y., Xu, J., Xing, H., Duan, X., Lu, L., Ye, G., Jia, H., and Yu, Y., 2018, Simple and green synthesis of piperazine-grafted reduced graphene oxide and its application for the detection of Hg(II), *Nanotechnology*, 29, 1–8.
- Zuo, Y., Xu, J., Zhu, X., Duan, X., Lu, L., and Yu, Y., 2019, Graphene-derived nanomaterials as recognition elements for electrochemical determination of heavy metal ions: a review, *Microchim Acta*, 186, 1–17.