

## DAFTAR PUSTAKA

- Addai, D., Zarkos, J., & Bowey, A. J. (2020). Current concepts in the diagnosis and management of adolescent idiopathic scoliosis. *Child's Nervous System*, 36(6), 1111–1119. <https://doi.org/10.1007/s00381-020-04608-4>/Published
- Almomen, F. A., Altaweel, A. M., Abunadi, A. K., Hashem, A. E., Alqarni, R. M., & Alsiddiky, A. M. (2021). Determining the correlation between Cobb angle severity and bone mineral density in women with adolescent idiopathic scoliosis. *Journal of Taibah University Medical Sciences*, 16(3), 365–368. <https://doi.org/10.1016/J.JTUMED.2020.12.019>
- Anari, J. B., LaValva, S. M., Flynn, J. M., & Tatad, A. M. (2020). Severe persistent coronal imbalance following instrumented posterior spinal fusion for adolescent idiopathic scoliosis. *Spine Deformity*, 8(6), 1295–1304. <https://doi.org/10.1007/s43390-020-00153-x>
- Andre, S., Casa, S., & Simonsen, F. (2017). ADOLESCENT IDIOPATHIC SCOLIOSIS : SURGICAL TREATMENT AND QUALITY OF LIFE. *Acta Ortop Bras.*, 25(3), 85–89.
- Asher, M. A., Lai, S. M., Glattes, R. C., Burton, D. C., Alanay, A., & Bago, J. (2006). Refinement of the SRS-22 Health-Related Quality of Life questionnaire Function domain. *Spine*, 31(5), 593–597. <https://doi.org/10.1097/01.BRS.0000201331.50597.EA>
- Asher, M., Lai, S. M., Burton, D., & Manna, B. (2003). Scoliosis Research Society-22 Patient Questionnaire Responsiveness to Change Associated With Surgical Treatment. *Spine*, 28(1), 70–73.
- Berthonnaud, E., Dimnet, J., Roussouly, P., & Labelle, H. (2005). Analysis of the sagittal balance of the spine and pelvis using shape and orientation parameters. *Journal of Spinal Disorders & Techniques*, 18(1), 40–47. <https://doi.org/10.1097/01.BSD.0000117542.88865.77>
- Berven, S. (2019). Advances in Preoperative Planning: When, How and What to Measure. *Operative Techniques in Orthopaedics*, 29(2), 100713. <https://doi.org/10.1016/J.OTO.2019.100713>
- Brilli, R. J. (2007). Pediatric Critical Care Medicine. *Pediatric Critical Care Medicine*, 8(2), 196. <https://doi.org/10.1097/01.PCC.0000259892.67637.BF>
- Chan, C. Y. W., Ortho, M. S., Saw, L. B., Ortho, M. S., Kwan, M. K., & Ortho, M. S. (2009). Comparison of Srs-24 And Srs-22 Scores in Thirty Eight Adolescent Idiopathic Scoliosis Patients Who Had Undergone Surgical Correction. *Malaysian Orthopaedic Journal*, 3(1), 56–59.
- Charalampidis, A., Möller, H., & Gerdhem, P. (2021a). Anterior versus posterior fusion surgery in idiopathic scoliosis: a comparison of health-related quality of life and radiographic outcomes in Lenke 5C curves-results from the Swedish spine registry. *Journal of Children's Orthopaedics*, 15, 464–471. <https://doi.org/10.1302/1863>
- Charalampidis, A., Möller, H., & Gerdhem, P. (2021b). Anterior versus posterior fusion surgery in idiopathic scoliosis: a comparison of health-related quality of life and radiographic outcomes in Lenke 5C curves-results from the

- Swedish spine registry. *Journal of Children's Orthopaedics*, 15, 464–471.  
<https://doi.org/10.1302/1863>
- Chen, Z., & Rong, L. (2016). Comparison of combined anterior–posterior approach versus posterior-only approach in treating adolescent idiopathic scoliosis: a meta-analysis. In *European Spine Journal* (Vol. 25, Issue 2, pp. 363–371). Springer Verlag. <https://doi.org/10.1007/s00586-015-3968-0>
- Cheng, J. C., Castelein, R. M., Chu, W. C., Danielsson, A. J., Dobbs, M. B., Grivas, T. B., Gurnett, C. A., Luk, K. D., Moreau, A., Newton, P. O., Stokes, I. A., Weinstein, S. L., & Burwell, R. G. (2015). Adolescent idiopathic scoliosis. *Nature Reviews Disease Primers* 2015 1:1, 1(1), 1–21.  
<https://doi.org/10.1038/nrdp.2015.30>
- Cheng, J. C., Chu, W. C., Danielsson, A. J., Grivas, T. B., Gurnett, C. A., Luk, K. D., Moreau, A., Stokes, I. A., Weinstein, S. L., & Burwell, R. G. (2015). Adolescent idiopathic scoliosis. *Nature*, 1, 1–21.  
<https://doi.org/10.1038/nrdp.2015.30>
- Cheshire, J., Gardner, A., Berryman, F., & Pynsent, P. (2017). Do the SRS-22 self-image and mental health domain scores reflect the degree of asymmetry of the back in adolescent idiopathic scoliosis? *Scoliosis and Spinal Disorders*, 12(1). <https://doi.org/10.1186/S13013-017-0144-9>
- Cristante, A. F., Marcon, R. M., Teixeira, R., & Henrique, G. (2021). Adult Degenerative Scoliosis. *Rev Bras Ortop*, 56(1), 1–8.
- Dempsey, M., Wilkes, D., & Moody, M. (2007). *Tachdjian's Pediatric Orthopedics*. Elsevier.
- Dubousset, J. (2018). Definition of Adolescent Idiopathic Scoliosis. In M. Machida, S. L. Weinstein, & J. Dubousset (Eds.), *Pathogenesis of Idiopathic Scoliosis* (pp. 1–193). Sprin.
- Eduardo, L., Teixeira, C., Borges, G., & Azevedo, L. De. (2015). Management of severe and rigid idiopathic scoliosis. *Eur J Orthop Surg Traumatol*, 25, 7–12.  
<https://doi.org/10.1007/s00590-015-1650-1>
- Fogaça Cristante, A., Teixeira Silva, R., Henrique Ricardo da Costa, G., & Martus Marcon, R. (2021). Adult Degenerative Scoliosis Escoliose degenerativa do adulto. *Rev Bras Ortop*, 56(1), 1–8. <https://doi.org/10.1055/s-0040-1709736>
- Gem, K., Hancioglu, S., Bilgiç, A., & Erkan, S. (2022). Comparison of Changes in SRS-22 Values with Improvement in Cobb Angles after Posterior Fusion Surgery in Adolescent Idiopathic Scoliosis. *Zeitschrift Fur Orthopadie Und Unfallchirurgie*, 160(5), 532–538. <https://doi.org/10.1055/a-1401-0477>
- Grauers, A., Einarsdottir, E., & Gerdhem, P. (2016). Genetics and pathogenesis of idiopathic scoliosis. *Scoliosis and Spinal Disorders*, 11(45), 1–7.  
<https://doi.org/10.1186/s13013-016-0105-8>
- Gu, H., Li, Y., Dai, Y., & Wang, B. (2022). Anterior versus posterior approach in Lenke type 1 adolescent idiopathic scoliosis: a comparison of long-term follow-up outcomes. *Annals of Translational Medicine*, 10(7), 405–405.  
<https://doi.org/10.21037/atm-22-573>
- Hero, N., Vengust, R., & Topolovec, M. (2017). Comparative Analysis of Combined (First Anterior, Then Posterior) Versus Only Posterior Approach

- for Treating Severe Scoliosis. *SPINE*, 42(11), 831–837.  
<https://doi.org/10.1097/BRS.0000000000002059>
- Hira, K., Nagata, K., Hashizume, H., Asai, Y., Oka, H., Tsutsui, S., Takami, M., Iwasaki, H., Muraki, S., Akune, T., Iidaka, T., Kawaguchi, H., Nakamura, K., Yoshida, M., Tanaka, S., Yoshimura, N., & Yamada, H. (2021). Relationship of sagittal spinal alignment with low back pain and physical performance in the general population. *Scientific Reports*, 11, 20604.  
<https://doi.org/10.1038/s41598-021-00116-w>
- Hirase, T., Ling, J. F., Haghshenas, V., Thirumavalavan, J., Dong, D., Hanson, D. S., & Marco, R. A. W. (2022). Anterior versus posterior spinal fusion for Lenke type 5 adolescent idiopathic scoliosis: a systematic review and meta-analysis of comparative studies. *Spine Deformity*, 10(2), 267–281.  
<https://doi.org/10.1007/S43390-021-00436-X>
- Hisam, M., Siti, N., Jou, N., Ghaneshinee, S., Shaharuddin, A., Azmi, B., & Mohd, K. (2015a). Does the Quality of Life in Operated Patients with Adolescent Idiopathic Scoliosis correspond with the Radiographic Parameters? *Malaysian Orthopaedic Journal*, 9(2), 37–40.  
<https://doi.org/10.5704/moj.1507.010>
- Hisam, M., Siti, N., Jou, N., Ghaneshinee, S., Shaharuddin, A., Azmi, B., & Mohd, K. (2015b). Does the Quality of Life in Operated Patients with Adolescent Idiopathic Scoliosis correspond with the Radiographic Parameters? *Malaysian Orthopaedic Journal*, 9(2), 37–40.  
<https://doi.org/10.5704/moj.1507.010>
- Hori, Y., Matsumura, A., Namikawa, T., Kato, M., Iwamae, M., & Nakamura, H. (2021). Comparative Study of the Spinopelvic Alignment in Patients With Idiopathic Lumbar Scoliosis Between Adulthood and Adolescence. *World Neurosurgery*, 149, e309–e315.  
<https://doi.org/10.1016/J.WNEU.2021.02.031>
- Imagama, S., Ito, Z., Wakao, N., Seki, T., Hirano, K., Muramoto, A., Sakai, Y., Matsuyama, Y., Hamajima, N., Ishiguro, N., & Hasegawa, Y. (2013). Influence of spinal sagittal alignment, body balance, muscle strength, and physical ability on falling of middle-aged and elderly males. *European Spine Journal*, 22(6), 1346. <https://doi.org/10.1007/S00586-013-2721-9>
- James JJ, Lloyd-Roberts GC, P. MF. (1959). Infantile structural scoliosis. *J Bone Joint Surg Br.*, 41(B), 719–735.
- Jin, H., Kim, H. J., Yang, J. H., Chang, D., Suk, S., Suh, S. W., Song, K., Park, J., & Cho, W. (2020). Adult Spinal Deformity : Current Concepts and Decision-Making Strategies for Management. *Asian Spine Journal*, 14(6), 886–897.
- Kandwal, P., Vijayaraghavan, G. P., Nagaraja, U. B., & Jayaswal, A. (2017). Severe rigid scoliosis: Review of management strategies and role of spinal osteotomies. In *Asian Spine Journal* (Vol. 11, Issue 3, pp. 494–503). Korean Society of Spine Surgery. <https://doi.org/10.4184/asj.2017.11.3.494>
- Kebaish, F. N., & Khaled M. Kebaish. (2021). ADULT IDIOPATHIC AND DEGENERATIVE SCOLIOSIS. In V. J. Devlin (Ed.), *SPINE SECRETS* (p. 484). Elsevier.

- Kebaish, K. M. (2009). Degenerative (De Novo) Adult Scoliosis. *Seminars in Spine Surgery*, 21(1), 7–15. <https://doi.org/10.1053/j.semss.2008.11.002>
- Keessen, W., Meer, R. Van Der, Wieringen, J. C. Van, & Service, M. H. (1994). Variation in Cobb angle measurements in seoliosis. *Skeletal Radiol*, 23, 517–520.
- Kouwenhoven, J. M., & Castelein, M. (2008). The Pathogenesis of Adolescent Idiopathic Scoliosis. *Spine*, 33(26), 2898–2908.
- Kuznia, A. L., Hernandez, A. K., & Lee, L. U. (2020a). Adolescent Idiopathic Scoliosis: Common Questions and Answers. *American Family Physician*, 101(1), 19–23. <https://www.aafp.org/pubs/afp/issues/2020/0101/p19.html>
- Kuznia, A. L., Hernandez, A. K., & Lee, L. U. (2020b). Adolescent Idiopathic Scoliosis: Common Questions and Answers. *American Family Physician*, 101(1), 19–23. <https://www.aafp.org/pubs/afp/issues/2020/0101/p19.html>
- Lafage, V., Schwab, F., Patel, A., Hawkinson, N., & Farcy, J. P. (2009). Pelvic tilt and truncal inclination: two key radiographic parameters in the setting of adults with spinal deformity. *Spine*, 34(17).  
<https://doi.org/10.1097/BRS.0B013E3181AAD219>
- Landman, Z., Oswald, T., Sanders, J., & Diab, M. (2011). Prevalence and Predictors of Pain in Surgical. *Spine*, 36(10), 825–829.  
<https://doi.org/10.1097/BRS.0b013e3181de8c2b>
- Lenke, L. G., Betz, R. R., Haher, T. R., Lapp, M. A., Merola, A. A., Harms, J., & Shufflebarger, H. L. (2001). Multisurgeon assessment of surgical decision-making in adolescent idiopathic scoliosis: curve classification, operative approach, and fusion levels. *Spine*, 26(21), 2347–2353.  
<https://doi.org/10.1097/00007632-200111010-00011>
- Lenke, L. G., Edwards, C. C., & Bridwell, K. H. (2003a). The Lenke Classification of Adolescent Idiopathic Scoliosis : How it Organizes Curve Patterns as a Template to Perform Selective Fusions of the Spine. *Spine*, 28(20), 2–4.
- Lenke, L. G., Edwards, C. C., & Bridwell, K. H. (2003b). The Lenke classification of adolescent idiopathic scoliosis: how it organizes curve patterns as a template to perform selective fusions of the spine. *Spine*, 28(20). <https://doi.org/10.1097/01.BRS.0000092216.16155.33>
- Lenke, L. G., Edwards, C. C., & Bridwell, K. H. (2003c). The Lenke classification of adolescent idiopathic scoliosis: how it organizes curve patterns as a template to perform selective fusions of the spine. *Spine*, 28(20). <https://doi.org/10.1097/01.BRS.0000092216.16155.33>
- Li, J., Hwang, S. W., Shi, Z., Yan, N., Yang, C., Wang, C., Zhu, X., Hou, T., & Li, M. (2011). Analysis of radiographic parameters relevant to the lowest instrumented vertebrae and postoperative coronal balance in lenke 5C patients. *Spine*, 36(20), 1673–1678.  
<https://doi.org/10.1097/BRS.0B013E3182091FBA>
- Lovell, W., Winter, R., Morrissy, R., & Weinstein, S. (2006). Lovell and Winter’s Pediatric Orthopaedics. In S. L. Weinstein & J. M. Flynn (Eds.), *Lovell and Winter’s Pediatric Orthopaedics*. Lippincott Williams & Wilkins.  
<https://solution.lww.com/book/show/322001>

- Ma, Q., Wang, L., Zhao, L., Wang, Y., Chen, M., Wang, S., Lv, Z., & Luo, Y. (2020a). Coronal Balance vs. Sagittal Profile in Adolescent Idiopathic Scoliosis, Are They Correlated? *Frontiers in Pediatrics*, 7. <https://doi.org/10.3389/fped.2019.00523>
- Ma, Q., Wang, L., Zhao, L., Wang, Y., Chen, M., Wang, S., Lv, Z., & Luo, Y. (2020b). Coronal Balance vs. Sagittal Profile in Adolescent Idiopathic Scoliosis, Are They Correlated? *Frontiers in Pediatrics*, 7. <https://doi.org/10.3389/fped.2019.00523>
- Ma, X. Q. Æ. W., Bin, Æ. W. L. Æ., Yang, W. Æ., Qian, Z. Z. Æ. B., Zhu, Æ. F., Sun, Æ. X., Ng, Æ. B. K. W., Cheng, J. C. Y., & Qiu, Æ. Y. (2009). Discrepancy between radiographic shoulder balance and cosmetic shoulder balance in adolescent idiopathic scoliosis patients with double thoracic curve. *Eur Spine J* (2009), 18, 45–51. <https://doi.org/10.1007/s00586-008-0833-4>
- Mahadewa, T. G. B. (2018). Adult Idiopathic Scoliosis : Correction or Not ? *Bali Med J*, 7(2), 526–529. <https://doi.org/10.15562/bmj.v7i2.1147>
- Malfair, D., Flemming, A. K., Dvorak, M. F., Munk, P. L., Vertinsky, A. T., Heran, M. K., & Graeb, D. A. (2010a). Radiographic evaluation of scoliosis: Review. In *American Journal of Roentgenology* (Vol. 194, Issue 3 SUPPL.). <https://doi.org/10.2214/AJR.07.7145>
- Malfair, D., Flemming, A. K., Dvorak, M. F., Munk, P. L., Vertinsky, A. T., Heran, M. K., & Graeb, D. A. (2010b). Radiographic Evaluation of Scoliosis : Review. *AJR, March*, 8–22. <https://doi.org/10.2214/AJR.07.7145>
- Mirzashahi, B., Moosavi, M., & Rostami, M. (2020). Outcome of Posterior-Only Approach for Severe Rigid Scoliosis : A Retrospective Report. *International Journal of Spine Surgery*, 14(2), 232–238.
- Miyanji, F. (2014). Adolescent idiopathic scoliosis : current perspectives. *Orthopedic Research and Reviews*, 4(6), 17–26.
- Miyanji, F. (2015). Adolescent idiopathic scoliosis: Current perspectives. *Orthopedic Research and Reviews*, 6, 17–26. <https://doi.org/10.2147/ORR.S37321>
- Negrini, S., Donzelli, S., Aulisa, A. G., Czaprowski, D., Schreiber, S., Mauroy, J. C. De, Diers, H., Grivas, T. B., Knott, P., Kotwicki, T., Lebel, A., Stikeleather, L., Wynne, J., & Zaina, F. (2018). 2016 SOSORT guidelines : orthopaedic and rehabilitation treatment of idiopathic scoliosis during growth. *Scoliosis and Spinal Disorders*, 13(3), 1–48. <https://doi.org/10.1186/s13013-017-0145-8>
- Nurhikmah, A. (2021). Validitas dan Reliabilitas Kuesioner Scoliosis Research Society-22 (SRS-22) Versi Bahasa Indonesia pada Pasien Skoliosis. *Poltekkes Kemenkes Jakarta I*, 74–78. [http://library.poltekkesjakarta1.ac.id/repository/index.php?p=show\\_detail&id=1848&keywords=](http://library.poltekkesjakarta1.ac.id/repository/index.php?p=show_detail&id=1848&keywords=)
- Papadoudis, A. M., & Skourti, K. L. (2019). Etiopathogenesis of idiopathic scoliosis. *JRPMS*, 3(2), 78–82.

- Richards, B. S., Scaduto, A., Vanderhave, K., & Browne, R. (2005). Assessment of trunk balance in thoracic scoliosis. *Spine*, *30*(14), 1621–1626. <https://doi.org/10.1097/01.BRS.0000170298.89145.B4>
- Rigo, M. D., Villagrana, M., & Gallo, D. (2010). A specific scoliosis classification correlating with brace treatment : description and reliability. *Scoliosis*, *5*(1), 1–11.
- Risser, J. C., & Brand, R. A. (1958). The iliac apophysis: An invaluable sign in the management of scoliosis. *Clinical Orthopaedics and Related Research*, *468*(3), 646–653. <https://doi.org/10.1007/S11999-009-1096-Z>
- Rodrigues, L. M. R., Gotfryd, A. O., Machado, A. N., Defino, M., & Asano, L. Y. J. (2017). Adolescent idiopathic scoliosis: surgical treatment and quality of life. *Acta Ortopedica Brasileira*, *25*(3), 85–89. <https://doi.org/10.1590/1413-785220172503157788>
- Sakti, Y. M., Pratama, B. Y., Cein, C. R., Tampubolon, Y. O., Mafaza, A., Kusumowidyo, R. L., Noorafiqi, M. I., & Karsten, S. (2022). Pelvic parameter improvement following deformity correction in adolescence idiopathic scoliosis: A case series. *International Journal of Surgery Case Reports*, *92*, 106743. <https://doi.org/10.1016/J.IJSCR.2021.106743>
- Saleh, I., Librianto, D., & Satya Pradana, A. (2018). Health-related quality of life and related factors in patients with adolescent idiopathic scoliosis after surgery : cross sectional study in two tertiary hospitals in Indonesia. *The Journal of Indonesian Orthopaedic & Traumatology*, *1*(2), 3–10.
- Schwab, F., Ungar, B., Blondel, B., Buchowski, J., Coe, J., Deinlein, D., Dewald, C., Mehdiyan, H., Shaffrey, C., Tribus, C., & Lafage, V. (2012). Scoliosis Research Society-Schwab adult spinal deformity classification: a validation study. *Spine*, *37*(12), 1077–1082. <https://doi.org/10.1097/BRS.0B013E31823E15E2>
- Seid, M., Varni, J. W., & Jacobs, J. R. (2000). Pediatric Health-Related Quality-of-Life Measurement Technology: Intersections between Science, Managed Care, and Clinical Care. *Journal of Clinical Psychology in Medical Settings* *2000 7:1*, *7*(1), 17–27. <https://doi.org/10.1023/A:1009541218764>
- Simony, A., Hansen, E. J., Carreon, L. Y., Christensen, S. B., & Andersen, M. O. (2015). Health-related quality-of-life in adolescent idiopathic scoliosis patients 25 years after treatment. *Scoliosis*, *10*(1). <https://doi.org/10.1186/s13013-015-0045-8>
- Sobottke, R., Langensiepen, S., Semler, O., Fricke, O., Franklin, J., Schonau, E., & Eysel, P. (2013). Measuring procedures to determine the Cobb angle in idiopathic scoliosis : a systematic review. *Eur Spine Aj*, *22*(11), 1–12. <https://doi.org/10.1007/s00586-013-2693-9>
- Solomon, L., Warwick, D., & Nayagam, S. (2010). Apleys’s System of Orthopaedics and Fractures. In *Hodder Arnold* (9th ed.). Hodder Arnold.
- Steinmetz, M. P., & Benzel, E. C. (2012). *Benzel’s Spine Surgery* (4th ed.). Elsevier.
- Studer, D. (2013). Clinical investigation and imaging scoliosis. *J Child Orthop*, *7*, 29–35. <https://doi.org/10.1007/s11832-012-0461-8>

- Sucato, D. J., Agrawal, S., Brien, M. F. O., Lowe, T. G., Richards, S. B., & Lenke, L. (2008). Restoration of Thoracic Kyphosis After Operative Treatment of Adolescent Idiopathic Scoliosis A Multicenter Comparison of Three Surgical Approaches. *Spine*, *33*(24), 2630–2636.
- Tavares Junior, M. C. M., Marcon, R. M., Cristante, A. F., & Letaif, O. B. (2022). Correlation between Scoliosis Flexibility Degree on Preoperative Imaging with Postoperative Curve Correction and Mechanical Complications. *Applied Sciences* 2022, Vol. 12, Page 7305, *12*(14), 7305. <https://doi.org/10.3390/APP12147305>
- Trobisch, P., Suess, O., & Schwab, F. (2010). Idiopathic Scoliosis. *Dtsch Arztebl Int*, *107*(49), 875–884. <https://doi.org/10.3238/arztebl.2010.0875>
- Waldt, S., & Wörtler, K. (2014a). *Measurements and Classifications in Musculoskeletal Radiology* (1st ed.). Thieme.
- Waldt, S., & Wörtler, K. (2014b). *Measurements and Classifications in Musculoskeletal Radiology* (1st ed.). Thieme.
- Wang, Y., Bünger, C. E., Zhang, Y., Wu, C., Li, H., Dahl, B., & Hansen, E. S. (2013). Lowest instrumented vertebra selection for lenke 5C scoliosis. *Spine*, *38*(14). <https://doi.org/10.1097/BRS.0B013E31829537BE>
- Weinstein, S. L., Dolan, L. A., Cheng, J. C. Y., Danielsson, A., & Morcuende, J. A. (2008). Adolescent idiopathic scoliosis. *The Lancet*, *371*, 1527–1537.
- Weinstein, S. L., Dolan, L. A., Spratt, K. F., Peterson, K. K., Spoonamore, M. J., & Ponseti, I. V. (2003). Health and Function of Patients With Untreated Idiopathic Scoliosis. *JAMA*, *289*(5), 559–567.
- Yaman, O., & Dalbayrak, S. (2014). Idiopathic Scoliosis. *Turkish Neurosurgery*, *24*(45), 38–52.
- Yang, X., Hu, B., Song, Y., Liu, L., Zhou, C., Zhou, Z., & Feng, G. (2018). Coronal and sagittal balance in Lenke 5 AIS patients following posterior fusion: important role of the lowest instrument vertebrae selection. *BMC Musculoskeletal Disorders*, *19*(1), 1–10. <https://doi.org/10.1186/S12891-018-2135-2/FIGURES/2>