

**DAFTAR PUSTAKA**

- Abdurrozak, M. R., & Mufti, D. N. (2017). Stabilisasi Tanah Lempung dengan Bahan Tambah Abu Sekam Padi dan Kapur pada Subgrade Perkerasan Jalan. *Jurnal Teknisia, XXII*(2).
- Altmeyer, W. T. (1955). Discussion of engineering properties of expansive clays. *Proc. ASCE, 81*(658), 17–19.
- Andriani, Yuliet, R., & Leo Fernandez, F. (2012). Pengaruh Penggunaan Semen sebagai Bahan Stabilisasi pada Tanah Lempung Daerah Lambung Bukit terhadap Nilai CBR Tanah. *Jurnal Rekayasa Sipil, 8*(1).
- Arioz, E., Arioz, O., & Mete Kockara, O. (2012). Leaching of F-type Fly Ash Based Geopolymers. *Procedia Engineering, 42*, 1114–1120. <https://doi.org/10.1016/j.proeng.2012.07.503>
- Aryanto, M., Suhendra, S., & Amalia, K. R. (2021). Stabilisasi Tanah Lempung Ekspansif Menggunakan Kapur Tohor. *Jurnal Talenta Sipil, 4*(1), 38. <https://doi.org/10.33087/talentasipil.v4i1.47>
- Assi, L. N., Eddie, E., Elbatanouny, M. K., & Ziehl, P. (2016). Investigation of early compressive strength of fly ash-based geopolymer concrete. *Construction and Building Materials, 112*, 807–815. <https://doi.org/10.1016/j.conbuildmat.2016.03.008>
- ASTM C-618. (2022). *Standard Specification for Coal Fly Ash and Raw or Calcined Natural Pozzolan for Use in Concrete*. <https://doi.org/10.1520/C0618-22>
- ASTM C-618 2005. (2005). *Standard specification for coal fly ash and raw or calcined natural pozzolan for use*.
- Bina Marga. (2017). *Manual Desain Perkerasan Jalan (Edisi ke-2)*.
- Chakarova, K., & Hadjiivavov, K. (2011). Problems in the IR measuring the acidity of zeolite bridging hydroxyls by low-temperature CO adsorption. *Chem Commun, 47*, 1878–1880.
- Chen, F. H. (1975). Foundation of Expansive Soils, 1st. Dalam *Developments in Geotechnical Engineering*. American Elsevier Science Publication.
- Chen, F. H. (1988). *Foundation of Expansive Soils, 2nd*. American Elsevier Science Publication.



- Miguel Felix Wijaya, Dr.Eng. Ir. Sito Ismantti, ST., M.Eng., IPM.; Prof. Ir. Iman Satyarno, M.E., Ph.D.
- Chen, K., Wu, D., Zhang, Z., Pan, C., Shen, X., Xia, L., & Zang, J. (2022). Modeling and optimization of fly ash–slag-based geopolymer using response surface method and its application in soft soil stabilization. *Construction and Building Materials*, 315. <https://doi.org/10.1016/j.conbuildmat.2021.125723>
- Cokca, E. (2001). Use of Class C Fly Ashes for The Stabilization of an Expansive Soil. *Journal of Geotechnical and Geoenvironmental Engineering*, 1(127), 568–573.
- Cornelis, R., Priyosulistyo, H., Satyarno, I., & Rochmadi. (2018). The Investigation on Setting Time and Strength of High Calcium Fly Ash Based Geopolymer. *Applied Mechanics and Materials*, 881, 158–164. <https://doi.org/10.4028/www.scientific.net/amm.881.158>
- Dang, M. Q., Kim, Y. S., & Do, T. M. (2018). Soil stabilization by using alkaline-activated ground bottom ash coupled with red mud. *Proceedings of the 4th Congrès International de Géotechnique - Ouvrages -Structures*, 8, 800–807. [https://doi.org/10.1007/978-981-10-6713-6\\_79](https://doi.org/10.1007/978-981-10-6713-6_79)
- Das, B. M. (1985). *Advanced Soil Mechanics*. McGraw-Hill.
- Davidovits, J. (1994a). High-Alkali Cements for 21st Century Concretes. *ACI Special Publication*, 144(X), 383–398. <https://doi.org/10.14359/4523>
- Davidovits, J. (1994b). Properties of geopolymer cements. *Scientific Research Institute on Binders and Materials*, 1–19.
- Department of The Army and The Air Forces. (1994). *Soil Stabilization for Pavements*.
- Devi, C. R., Surendhar, S., Vijaya Kumar, P., & Sivaraja, M. (2018). Bottom Ash as an Additive Material for Stabilization of Expansive Soil. *International Journal of Engineering and Techniques*, 4(2). <http://www.ijetjournal.org>
- Dissanayake, T. B. C. H., Senanayake, S. M. C. U., & Nasvi, M. C. M. (2017). *Comparison of the Stabilization Behavior of Fly Ash and Bottom Ash Treated Expansive Soil*. L(01).
- Donaldson, G. W. (1969). The Occurrence of Problems of Heave and The Factor Affecting its Nature. *Second International Research and Engineering Conference of Expansive Soils*.
- Dong, Y., Zhou, M., Xiang, Y., Wan, S., Li, H., & Hou, H. (2019). Barrier effect of coal bottom ash-based geopolymers on soil contaminated by heavy metals. *RSC Advances*, 9(49), 28695–28703. <https://doi.org/10.1039/c9ra05542h>



- Dungca, J. R., & Jao, J. A. L. (2017). Strength and permeability characteristics of road base materials blended with fly ash and bottom ash. *International Journal of GEOMATE*, 12(31), 9–15. <https://doi.org/10.21660/2017.31.6508>
- Fathonah, W., Indera Kusuma, R., Mina, E., Wigati, R., Intari, D. E., Shafa, N., & Gandakusumah, S. (2022). Utilization of Fly Ash and Bottom Ash to Increase The Value of Unconfined Compression Strength on Subgrade. *TEKNIKA: Jurnal dan Sains Teknologi*, 18, 94–101. <https://doi.org/10.36055/tjst.v18i1.16307>
- Ferguson, G. (1993). Use of self-cementing fly ashes as a soil stabilization agent. *FLY ASH FOR SOIL IMPROVEMENT. ASCE GEOTECHNICAL SPECIAL PUBLICATION*, 36.
- Fernandez-Jimenez, A., Palomo, A., & Criado, M. (2005). *Microstructure development of alkali-activated fly ash cement: a descriptive model*. 35, 1204–1209. <https://doi.org/10.1016/j.cemconres.2004.08.021>
- FHWA. (1979). *Soil Stabilization in Pavement Structures*.
- Fredlund, D. G. (1999). *The Stress State of Expansive Soils in The Emergence of Unsaturated Soil Mechanics*.
- Ghadir, P., & Ranjbar, N. (2018). Clayey soil stabilization using geopolymer and Portland cement. *Construction and Building Materials*, 188, 361–371. <https://doi.org/10.1016/j.conbuildmat.2018.07.207>
- Grim, R. E. (1953). *Clay Mineralogy*. McGraw-Hill.
- Gueddouda, M. K., Goual, I., Lamara, M., Smaida, A., & Mekarta, B. (2011). Chemical Stabilization of Expansive Clays from Algeria. *Type: Double Blind Peer Reviewed International Research Journal Publisher: Global Journals Inc*, 11.
- Gupta, A., Arora, V. K., & Biswas, S. (2017). Contaminated dredged soil stabilization using cement and bottom ash for use as highway subgrade fill. *International Journal of Geo-Engineering*, 8(1). <https://doi.org/10.1186/s40703-017-0057-8>
- Hangge, E. E., Bella, R. A., & Ullu, M. C. (2021). Pemanfaatan Fly Ash untuk Stabilisasi Tanah Dasar Lempung Ekspansif. *Jurnal Teknik Sipil*, 10(1).
- Hardiyatmo, H. C. (2010). *Stabilisasi Tanah untuk Perkerasan Jalan*. Gadjah Mada Univeristy Press.
- Hardiyatmo, H. C. (2017). *Tanah Ekspansif (Permasalahan dan Penanganan)*. Gadjah Mada Univeristy Press.



Hardjito, D., & Rangan, B. V. (2005). *Development and properties of low-calcium fly ash-based geopolymers concrete.*

Hicks, R. G. (2002). *Alaska soil stabilization design guide No. FHWA-AK-RD-01-6B.*

Holtz, W. G. (1959). Expansive Clay - Properties and Problems. *Colorado School of Mines Quarterly*, 54(4).

Holtz, W. G., & Gibbs, J. J. (1969). Engineering Properties of Expansive Clays. *ASCE, Transactions Paper*, 121(2814).

Hosseini, S., Brake, N. A., Nikookar, M., Günaydin-Şen, Ö., & Snyder, H. A. (2021). Mechanochemically activated bottom ash-fly ash geopolymers. *Cement and Concrete Composites*, 118. <https://doi.org/10.1016/j.cemconcomp.2021.103976>

Ismanti, S., & Yasufuku, N. (2017). Effect of bamboo leaf ash addition in cemented bamboo chips-sand soil mixture. Dalam *International Association of Lowland Technology* (Vol. 19, Nomor 1). IALT.

Jayaranjan, M. L. D., van Hullebusch, E. D., & Annachhatre, A. P. (2014). Reuse options for coal fired power plant bottom ash and fly ash. Dalam *Reviews in Environmental Science and Biotechnology* (Vol. 13, Nomor 4, hlm. 467–486). Kluwer Academic Publishers. <https://doi.org/10.1007/s11157-014-9336-4>

Kasyanto, H. (2012). *Tinjauan kuat tekan geopolimer berbahan dasar fly ash dengan aktivator sodium hidroksida dan sodium silikat.*

Khan, A., Wang, J. X., & Sarker, D. (2018). Stabilization of Highly Expansive Moreland Clay Using Class-C Fly Ash Geopolymer (CFAG). *IFCEE 2018*.

Khan, M. A., Wang, J. X., & Patterson, W. B. (2019). A study of the swell-shrink behavior of expansive Moreland clay. *International Journal of Geotechnical Engineering*, 13(3), 205–217. <https://doi.org/10.1080/19386362.2017.1351744>

Ladd, C. C., & Lambe, T. W. (1961). The Identification and Behavior of Compacted Expansive Clays. *Proc. 5th International Conf. on Soil Mechanics and Foundation Engineering*, 1, 201–205.

Lambe, T. W. (1958). The Structure of Compacted Clay. *Journal of The Soil Mechanics and Foundations Division, ASCE*, 85(SM2).

Lambe, T. W., & Whitman, R. V. (1979). *Soil Mechanics*. John Wiley and Son.

Le, T. M., Dang, L. C., & Khabbaz, H. (2019). Combined Effects of Bottom Ash and Lime on Behaviour of Expansive Soil. *Sustainable Civil Infrastructures*, 28–44. [https://doi.org/10.1007/978-3-030-01914-3\\_3](https://doi.org/10.1007/978-3-030-01914-3_3)



- Leelarungroj, K., Likitlersuang, S., Chompoorat, T., & Janjaroen, D. (2018). Leaching mechanisms of heavy metals from fly ash stabilised soils. *Waste Management and Research*, 36(7), 616–623. <https://doi.org/10.1177/0734242X18775494>
- Lembasi, M. K., Agus Nugroho, S., & Fatnanta, F. (2021). Pengaruh Waktu Curing terhadap Nilai Swelling pada Tanah Lempung dengan Campuran Fly Ash dan Bottom Ash. *Dinamika Rekayasa*, 17(1), 57–65. <http://dinarek.unsoed.ac.id>
- Li, Z., Kondo, R., & Ikeda, K. (2021). Recycling of waste incineration bottom ash and heavy metal immobilization by geopolymmer production. *Journal of Advanced Concrete Technology*, 19(4), 259–279. <https://doi.org/10.3151/JACT.19.259>
- Look, B. G., Reeves, I. N., & Williams, D. J. (1994). Development of a specification for expansive clay road embankments. *17th Australian Road Research Board Conference*, 2, 249–264.
- Madejova', J., Ikova', H. P., & Komadel, P. (2010). IR spectroscopy of clay minerals and clay nanocomposites. *Spectrosc Prop Inorg Organomet. Compd*, 41, 22–47.
- Maheepala, M. M. A. L. N., Nasvi, M. C. M., Robert, D. J., Gunasekara, C., & Kurukulasuriya, L. C. (2022). A comprehensive review on geotechnical properties of alkali activated binder treated expansive soil. *Journal of Cleaner Production*, 363. <https://doi.org/10.1016/j.jclepro.2022.132488>
- Maryati, & Apriyanti, Y. (2016). Analisis Perbandingan Penggunaan Limbah Gypsum dengan Semen sebagai Bahan Stabilisasi Tanah Lempung. *FROPIL (Forum Profesional Teknik Sipil)*, 4(1).
- Mitchell, J. K., & Soga, K. (2005). *Fundamental of Soil Behaviour* (3 ed., Vol. 1). John Wiley and Son.
- Mohan, D., & Goel, R. K. (1959). Swelling Pressures and Volume Expansion in Indian Black Cotton Soils. *Journal of the Institution of Engineers (India): Series A*, 40(2), 58–62.
- Muntaha, M., Fitrie, R. H. A., Wahyuni, F., & Tajunnisa, Y. (2023). THE USE OF ALKALINE ACTIVATORS WITH HIGH CALCIUM FLY ASH AS SOFT CLAY STABILIZATION MATERIALS. *International Journal of GEOMATE*, 25(109), 9–17. <https://doi.org/10.21660/2023.109.3286>
- Murmu, A. L., Dhole, N., & Patel, A. (2020). Stabilisation of black cotton soil for subgrade application using fly ash geopolymers. *Road Materials and Pavement Design*, 21(3), 867–885. <https://doi.org/10.1080/14680629.2018.1530131>



- Miguel Felix Wijaya, Dr.Eng. Ir. Sito Ismantti, ST., M.Eng., IPM.; Prof. Ir. Iman Satyarno, M.E., Ph.D.
- Murmu, A. L., Jain, A., & Patel, A. (2019). Mechanical Properties of Alkali Activated Fly Ash Geopolymer Stabilized Expansive Clay. *KSCE Journal of Civil Engineering*, 23(9), 3875–3888. <https://doi.org/10.1007/s12205-019-2251-z>
- Nelson, J. D., & Miller, D. J. (1997). *Expansive Soils – Problems and Practice in Foundation and Pavement Engineering*.
- Nugroho, S. A., Satibi, S., & Raflyatullah, R. (2022). Pengaruh Penggunaan Semen dan Fly Ash Terhadap Nilai CBR Tanah Lempung Muara Fajar. *Jurnal Rekayasa Sipil (JRS-Unand)*, 17(3), 267. <https://doi.org/10.25077/jrs.17.3.267-278.2021>
- Parhi, P. S., Garanayak, L., Mahamaya, M., & Das, S. K. (2018). Stabilization of an Expansive Soil Using Alkali Activated Fly Ash Based Geopolymer. *Sustainable Civil Infrastructures*, 36–50. [https://doi.org/10.1007/978-3-319-61931-6\\_4](https://doi.org/10.1007/978-3-319-61931-6_4)
- PP No 22 Tahun 2021. (2021). *Penyelenggaraan Perlindungan dan Pengelolaan Lingkungan Hidup*.
- Raman, V. (1967). Identification of Expansive Soils from Plasticity Index and Shrinkage Index Data. *The Indian Engineer, Calcutta*, 11(1), 17–22.
- Ranganatham, B. V., & Satyanarayana, B. (1965). A Rational Method of Predicting Swelling Potential for Compacted Expansive Clays. *Proc. 6th Conf. Soil Mechanics and Foundations Engineering*, 1, 92–96.
- Satyarno, I., Solehudin, A. P., Meyarto, C., Hadiyatmoko, D., Muhammad, P., & Afnan, R. (2014). Practical method for mix design of cement-based grout. *Procedia Engineering*, 95, 356–365. <https://doi.org/10.1016/j.proeng.2014.12.194>
- Seed, H. B., Mitchell, J. K., & Chan, C. K. (1962). *Studies of Swell and Swell Pressure Characteristic*.
- Skempton, A. W. (1953). The Colloidal Activity of Clays. *Proc. 3rd International Conf. Soil Mechanics and Foundation Engineering*, 1, 57–61.
- Snethen, D. R., Townsend, F. C., Johnson, D., Patrick, D. M., & Vedros, P. J. (1975). *A Review of Engineering Experiences with Expansive Soils in Highway Subgrades*.
- Syed, M., GuhaRay, A., & Kar, A. (2020). Stabilization of Expansive Clayey Soil with Alkali Activated Binders. *Geotechnical and Geological Engineering*, 38(6), 6657–6677. <https://doi.org/10.1007/s10706-020-01461-9>
- Tiwari, N., Satyam, N., & Puppala, A. J. (2021). Strength and durability assessment of expansive soil stabilized with recycled ash and natural fibers. *Transportation Geotechnics*, 29. <https://doi.org/10.1016/j.trgeo.2021.100556>



- Van der Merwe, D. H. (1964). Prediction of Heave from the Plasticity Index and Percentage of Clay Fraction of Soils. *The South African Institution of Civil Engineering*, 6(103–107).
- Wijaya, M. F., Olivia, M., Wibisono, G., Saputra, E., & Wang, S. (2019). Characteristics of Geopolymer Hybrid Concrete in Peat Water. *IOP Conference Series: Materials Science and Engineering*, 615(1). <https://doi.org/10.1088/1757-899X/615/1/012120>
- Wijaya, W. (2020). *Pemanfaatan Abu Daun Bambu sebagai Pozzolan untuk Stabilisasi Tanah Lempung Ekspansif*. Universitas Gadjah Mada.
- Woodward-Clyde, & Associates. (1967). *A Review Paper on Expansive Clay Soils*.
- Zaika, Y., Harimurti, Fahara, A., Safira, N., & Darmawan, W. (2021). The Effect of Cement to Develop Strength of Grati Soft Soil. *International Journal of GEOMATE*, 21(86), 17–22. <https://doi.org/10.21660/2021.86.Gx298>
- Zheng, X., & Wu, J. (2021). Early Strength Development of Soft Clay Stabilized by One-Part Ground Granulated Blast Furnace Slag and Fly Ash-Based Geopolymer. *Frontiers in Materials*, 8. <https://doi.org/10.3389/fmats.2021.616430>
- Zimar, Z., Robert, D., Sidiq, A., Zhou, A., Giustozzi, F., Setunge, S., & Kodikara, J. (2022). Waste-to-energy ash for treating highly expansive clays in road pavements. *Journal of Cleaner Production*, 374, 133854. <https://doi.org/10.1016/j.jclepro.2022.133854>
- Zulnasari, A., Nugroho, S. A., & Fatnanta, F. (2021). Perubahan Nilai Kuat Tekan Lempung Lunak Distabilisasi dengan Kapur dan Limbah Pembakaran Batubara. *Jurnal Rekayasa Sipil (JRS-UNAND)*, 17(1), 24. <https://doi.org/10.25077/jrs.17.1.24-36.2021>