

- Adjei, S., Elkatatny, S., 2020. A highlight on the application of industrial and agro wastes in cement-based materials. *J Pet Sci Eng* 195, 107911. <https://doi.org/10.1016/J.PETROL.2020.107911>
- Almutairi, A.L., Tayeh, B.A., Adesina, A., Isleem, H.F., Zeyad, A.M., 2021. Potential applications of geopolimer concrete in construction: A review. *Case Studies in Construction Materials* 15. <https://doi.org/10.1016/j.cscm.2021.e00733>
- Andrew, R.M., 2018. Global CO₂ emissions from cement production. *Earth Syst Sci Data* 10, 195–217. <https://doi.org/10.5194/essd-10-195-2018>
- Antoni, A., Purwantoro, A.A.T., Suyanto, W.S.P.D., Hardjito, D., 2020. Fresh and Hardened Properties of High Calcium Fly Ash-Based Geopolymer Matrix with High Dosage of Borax. *Iranian Journal of Science and Technology - Transactions of Civil Engineering* 44, 535–543. <https://doi.org/10.1007/s40996-019-00330-7>
- Assi, L.N., Deaver, E., Elbatanouny, M.K., Ziehl, P., 2016. Investigation of early compressive strength of fly ash-based geopolimer concrete. *Constr Build Mater* 112, 807–815. <https://doi.org/10.1016/j.conbuildmat.2016.03.008>
- Azimi, E.A., Abdullah, M.M.A.B., Vizureanu, P., Salleh, M.A.A.M., Sandu, A.V., Chaiprapa, J., Yoriya, S., Hussin, K., Aziz, I.H., 2020. Strength Development and Elemental Distribution of Dolomite/Fly Ash Geopolymer Composite under Elevated Temperature. *Materials* 13, 1015. <https://doi.org/10.3390/ma13041015>
- Bellum, R.R., 2022. Influence of steel and PP fibers on mechanical and microstructural properties of fly ash-GGBFS based geopolimer composites. *Ceram Int* 48, 6808–6818. <https://doi.org/10.1016/j.ceramint.2021.11.232>
- Bellum, R.R., Muniraj, K., Madduru, S.R.C., 2020a. Influence of slag on mechanical and durability properties of fly ash-based geopolimer concrete. *Journal of the Korean Ceramic Society* 57, 530–545. <https://doi.org/10.1007/s43207-020-00056-7>

- Bellum, R.R., Muniraj, K., Madduru, S.R.C., 2020b. Characteristic Evaluation of Geopolymer Concrete for the Development of Road Network: Sustainable Infrastructure. *Innovative Infrastructure Solutions* 5, 91. <https://doi.org/10.1007/s41062-020-00344-5>
- Bellum, R.R., Muniraj, K., Madduru, S.R.C., 2020c. Influence of slag on mechanical and durability properties of fly ash-based geopolymer concrete. *Journal of the Korean Ceramic Society* 57, 530–545. <https://doi.org/10.1007/s43207-020-00056-7>
- Brykov, A., Voronkov, M., 2023. Dry Mix Slag—High-Calcium Fly Ash Binder. Part One: Hydration and Mechanical Properties. *Materials Sciences and Applications* 14, 240–254. <https://doi.org/10.4236/msa.2023.143014>
- Chen, X., Mondal, P., 2021. Sucrose retards the reaction of non-calcium geopolymers: An implication for developing kinetics-controlling admixtures. *Journal of the American Ceramic Society* 104, 2894–2907. <https://doi.org/10.1111/jace.17706>
- Chindaprasirt, P., De Silva, P., Sagoe-Crentsil, K., Hanjitsuwan, S., 2012. Effect of SiO₂ and Al₂O₃ on the setting and hardening of high calcium fly ash-based geopolymer systems. *J Mater Sci* 47, 4876–4883. <https://doi.org/10.1007/s10853-012-6353-y>
- Chuewangkam, N., Nachaithong, T., Chanlek, N., Thongbai, P., Pinitsoontorn, S., 2022. Mechanical and Dielectric Properties of Fly Ash Geopolymer/Sugarcane Bagasse Ash Composites. *Polymers (Basel)* 14, 1140. <https://doi.org/10.3390/polym14061140>
- Cornelis, R., Priyosulistyo, H., Satyarno, I., 2018a. *Workability* and Strength Properties of Class C Fly Ash-Based Geopolymer Mortar, dalam: *Sustainable Civil Engineering Structures and Construction Materials*. <https://doi.org/10.1051/mateconf/20192>
- Cornelis, R., Priyosulistyo, H., Satyarno, I., Rochmadi, 2018b. The Investigation on *Setting time* and Strength of High Calcium Fly Ash Based Geopolymer. *Applied Mechanics and Materials* 881, 158–164. <https://doi.org/10.4028/www.scientific.net/amm.881.158>
- Das, S.K., Singh, S.K., Mishra, J., Mustakim, S.M., 2020. Effect of Rice Husk Ash and Silica Fume as Strength-Enhancing Materials on Properties of Modern Concrete—A Comprehensive Review, dalam: Babu, K.G., Rao, H.S., Amarnath, Y. (Ed.), *Emerging Trends in Civil Engineering*. Springer Singapore, Singapore, hlm. 253–266.

- Dave, N., Misra, A.K., Srivastava, A., Kaushik, S.K., 2017. *Setting time and standard consistency of quaternary binders: The influence of cementitious material addition and mixing*. International Journal of Sustainable Built Environment 6, 30–36. <https://doi.org/10.1016/j.ijsbe.2016.10.004>
- Davidovits, J., 1999. Chemistry of Geopolymeric Systems Terminology, dalam: Proceedings of Geopolymer. France.
- Davidovits, J., 1991. Geopolymers. Journal of Thermal Analysis 37, 1633–1656. <https://doi.org/10.1007/BF01912193>
- de Azevedo, A.R.G., Teixeira Marvila, M., Barbosa de Oliveira, L., Macario Ferreira, W., Colorado, H., Rainho Teixeira, S., Mauricio Fontes Vieira, C., 2021. Circular economy and durability in geopolymers ceramics pieces obtained from glass polishing waste. Int J Appl Ceram Technol 18, 1891–1900. <https://doi.org/10.1111/ijac.13780>
- Deb, P.S., Nath, P., Sarker, P.K., 2013. Properties Of Fly Ash And Slag Blended Geopolymer Concrete Cured At Ambient Temperature, dalam: Proceedings of the New Developments in Structural Engineering and Construction. Research Publishing Services, Singapore, hlm. 571–576. https://doi.org/10.3850/978-981-07-5354-2_M-55-433
- Diaz-Loya, E.I., Vaidya, S., Allouche, E.N., 2011. Mechanical Properties of Fly-Ash-Based Geopolymer Concrete. ACI Mater J 108, 300–306. <https://doi.org/10.14359/51682495>
- Duxson, P., Fernández-Jiménez, A., Provis, J.L., Lukey, G.C., Palomo, A., Van Deventer, J.S.J., 2007. Geopolymer technology: The current state of the art. J Mater Sci 42, 2917–2933. <https://doi.org/10.1007/S10853-006-0637-Z>
- Erdogmus, E., 2014. Combined effect of waste colemanite and silica fume on properties of cement mortar. Science and Engineering of Composite Materials 21. <https://doi.org/10.1515/secm-2013-0041>
- Fernández-Jiménez, A., Palomo, A., 2003. Characterisation of fly ashes. Potential reactivity as alkaline cements☆. Fuel 82, 2259–2265. [https://doi.org/10.1016/S0016-2361\(03\)00194-7](https://doi.org/10.1016/S0016-2361(03)00194-7)

- García Lodeiro, I., Cristelo, N., Palomo, A., Fernández-Jiménez, A., 2020. Use of industrial by-products as alkaline cement activators. *Constr Build Mater* 253, 119000. <https://doi.org/10.1016/j.conbuildmat.2020.119000>
- Gatta, G.D., Guastella, G., Capelli, S.C., Comboni, D., Guastoni, A., 2022. On the crystal-chemistry of meyerhofferite, $\text{CaB}_3\text{O}_3(\text{OH})_5 \cdot \text{H}_2\text{O}$. *Phys Chem Miner* 49, 22. <https://doi.org/10.1007/s00269-022-01199-1>
- Glinicki, M.A., Antolik, A., Gawlicki, M., 2018. Evaluation of compatibility of neutron-shielding boron aggregates with Portland cement in mortar. *Constr Build Mater* 164, 731–738. <https://doi.org/10.1016/j.conbuildmat.2017.12.228>
- Gopalakrishna, B., Dinakar, P., 2023a. Mix design development of fly ash-GGBS based recycled aggregate geopolymer concrete. *Journal of Building Engineering* 63. <https://doi.org/10.1016/j.jobe.2022.105551>
- Gopalakrishna, B., Dinakar, P., 2023b. Mix design development of fly ash-GGBS based recycled aggregate geopolymer concrete. *Journal of Building Engineering* 63. <https://doi.org/10.1016/j.jobe.2022.105551>
- Hadi, M.N.S., Farhan, N.A., Sheikh, M.N., 2017. Design of geopolymer concrete with GGBFS at ambient curing condition using Taguchi method. *Constr Build Mater* 140, 424–431. <https://doi.org/10.1016/j.conbuildmat.2017.02.131>
- Hanjitsuwan, S., Hunpratub, S., Thongbai, P., Maensiri, S., Sata, V., Chindaprasirt, P., 2014. Effects of NaOH concentrations on physical and electrical properties of high calcium fly ash geopolymer paste. *Cem Concr Compos* 45, 9–14. <https://doi.org/10.1016/j.cemconcomp.2013.09.012>
- Hawa, A., Tonnayopas, D., Prachasaree, W., Taneerananon, P., 2013. Development and Performance Evaluation of Very High Early Strength Geopolymer for Rapid Road Repair. *Advances in Materials Science and Engineering* 2013, 1–9. <https://doi.org/10.1155/2013/764180>
- Hosan, A., Haque, S., Shaikh, F., 2016. Compressive behaviour of sodium and potassium activators synthesized fly ash geopolymer at elevated temperatures: A comparative study. *Journal of Building Engineering* 8, 123–130. <https://doi.org/10.1016/j.jobe.2016.10.005>

Kamhangritirong, P., Suwanvitaya, P., Suwanvitaya, P., Chindaprasirt, P., 2011. Synthesis and Properties of High Calcium Fly Ash Based Geopolymer for Concrete Applications: in 36th Conference on Our World in Concrete & Structures: 14-16 August 2011.

Kanagaraj, B., N, A., Alengaram, U.J., Raj R, S., B, P., Tattukolla, K., 2022. Performance evaluation on engineering properties and sustainability analysis of high strength geopolymer concrete. *Journal of Building Engineering* 60. <https://doi.org/10.1016/j.jobbe.2022.105147>

Kosmatka, S., Kerkhoff, B., Panarese, W., 2002. Design and Control of Concrete Mixtures.

Kumar, S., Kumar, R., Alex, T.C., Bandopadhyay, A., Mehrotra, S.P., 2007. Influence of reactivity of fly ash on geopolymerisation. *Advances in Applied Ceramics* 106, 120–127. <https://doi.org/10.1179/174367607X159293>

Lee, N.K., Lee, H.K., 2013. Setting and mechanical properties of alkali-activated fly ash/slag concrete manufactured at room temperature. *Constr Build Mater* 47, 1201–1209. <https://doi.org/10.1016/j.conbuildmat.2013.05.107>

Li, P., Chen, D., Jia, Z., Li, Y., Li, S., Yu, B., 2023. Effects of Borax, Sucrose, and Citric Acid on the *Setting time* and Mechanical Properties of Alkali-Activated Slag. *Materials* 16, 3010. <https://doi.org/10.3390/ma16083010>

Ling, Y., Wang, K., Li, W., Shi, G., Lu, P., 2019. Effect of slag on the mechanical properties and bond strength of fly ash-based engineered geopolymer composites. *Compos B Eng* 164, 747–757. <https://doi.org/10.1016/j.compositesb.2019.01.092>

Liu, H., Sanjayan, J.G., Bu, Y., 2017. The application of sodium hydroxide and anhydrous borax as composite activator of class F fly ash for extending *setting time*. *Fuel* 206, 534–540. <https://doi.org/10.1016/j.fuel.2017.06.049>

Mathapati, M., Amate, K., Prasad, C.D., Jayavardhana, M.L., Raju, T.H., 2022. A review on fly ash utilization. *Mater Today Proc* 50, 1535–1540. <https://doi.org/10.1016/J.MATPR.2021.09.106>

McLellan, B.C., Williams, R.P., Lay, J., Van Riessen, A., Corder, G.D., 2011. Costs and carbon emissions for geopolymer pastes in comparison to ordinary portland cement. *J Clean Prod* 19, 1080–1090. <https://doi.org/10.1016/j.jclepro.2011.02.010>

- Meesala, C.R., Verma, N.K., Kumar, S., 2020. Critical review on fly-ash based geopolimer concrete. *Structural Concrete* 21, 1013–1028. <https://doi.org/10.1002/suco.201900326>
- Mikulčić, H., Klemeš, J.J., Vujanović, M., Urbaniec, K., Duić, N., 2016. Reducing greenhouse gasses emissions by fostering the deployment of alternative raw materials and energy sources in the cleaner cement manufacturing process. *J Clean Prod* 136, 119–132. <https://doi.org/10.1016/j.jclepro.2016.04.145>
- Moradikhou, S., Moradikhou, A.B., 2021. Geopolymer Concrete Based on Class C Fly ash Cured at Ambient Condition. *Journal of Civil Engineering and Materials Application is published by Pendar Pub* 5, 177–195. <https://doi.org/10.22034/JCEMA.2022.305276.1065>
- Nagajothi, S., Elavenil, S., 2021. Effect of GGBS Addition on Reactivity and Microstructure Properties of Ambient Cured Fly Ash Based Geopolymer Concrete. *Silicon* 13, 507–516. <https://doi.org/10.1007/s12633-020-00470-w/Published>
- Naghizadeh, A., Ekolū, S., 2022. Effect of different mixture parameters on the *setting time* of fly ash/rice husk ash-based geopolymer mortar. *MATEC Web of Conferences* 361, 05001. <https://doi.org/10.1051/matecconf/202236105001>
- Nath, P., Sarker, P.K., 2014. Effect of GGBFS on setting, *workability* and early strength properties of fly ash geopolymer concrete cured in ambient condition. *Constr Build Mater* 66, 163–171. <https://doi.org/10.1016/j.conbuildmat.2014.05.080>
- Nematollahi, B., Sanjayan, J., 2014. Effect of different superplasticizers and activator combinations on *workability* and strength of fly ash based geopolymer. *Mater Des* 57, 667–672. <https://doi.org/10.1016/j.matdes.2014.01.064>
- Nguyen, H.-A., Chang, T.-P., Shih, J.-Y., Chen, C.-T., 2016. Formulating for Innovative Self-Compacting Concrete with Low Energy Super-Sulfated Cement Used for Sustainability Development. *Journal of Materials Science and Chemical Engineering* 04, 22–28. <https://doi.org/10.4236/msce.2016.47004>
- Nuaklong, P., Janprasit, K., Jongvivatsakul, P., 2021. Enhancement of strengths of high-calcium fly ash geopolymer containing borax with rice husk ash. *Journal of Building Engineering* 40. <https://doi.org/10.1016/j.jobbe.2021.102762>

- Oderji, S.Y., Chen, B., Ahmad, M.R., Shah, S.F.A., 2019. Fresh and hardened properties of one-part fly ash-based geopolimer binders cured at room temperature: Effect of slag and alkali activators. *J Clean Prod* 225, 1–10. <https://doi.org/10.1016/j.jclepro.2019.03.290>
- Olivia, M., Tambunan, L.M., Saputra, E., 2017. Properties of Palm Oil Fuel Ash (POFA) Geopolymer Mortar Cured at Ambient Temperature. *MATEC Web of Conferences* 97, 01006. <https://doi.org/10.1051/mateconf/20179701006>
- Pahlawan, T., Tarigan, J., Ekaputri, J.J., Nasution, A., 2023. Effect of Borax on Very High Calcium Geopolymer Concrete. *Int J Adv Sci Eng Inf Technol* 13, 1387–1392. <https://doi.org/10.18517/ijaseit.13.4.18291>
- Palomo, A., Grutzeck, M.W., Blanco, M.T., 1999. Alkali-activated fly ashes. *Cem Concr Res* 29, 1323–1329. [https://doi.org/10.1016/S0008-8846\(98\)00243-9](https://doi.org/10.1016/S0008-8846(98)00243-9)
- Patil, S., Joshi, D., Mangla, D., Savvidis, I., 2023. Recent development in geopolimer concrete: A review. *Mater Today Proc.* <https://doi.org/10.1016/j.matpr.2023.04.046>
- Putri, M., Satyarno, I., Sulistyono, D., 2024. Pengaruh Penambahan Borax terhadap *Setting time* Pasta Geopolimer Berbahan Dasar Fly Ash dan Ground Granulated Blast Furnace Slag, dalam: *Simposium Nasional Teknologi Infrastruktur*. Yogyakarta.
- Raafidiani, R., Sumargo, S., Permana, R., 2021. The influence of Ground Granulated Blast Furnace Slag (GGBFS) as Portland Composite Cement (PCC) substitution in improving compressive strength of concrete. *IOP Conf Ser Mater Sci Eng* 1098, 022035. <https://doi.org/10.1088/1757-899X/1098/2/022035>
- Reddy, N.A.K., Ramujee, K., 2022. Comparative study on mechanical properties of fly ash-GGBFS based geopolimer concrete and OPC concrete using nano-alumina. *Mater Today Proc* 60, 399–404. <https://doi.org/10.1016/j.matpr.2022.01.260>
- Ren, X., Wang, F., He, X., Hu, X., 2024. Resistance and durability of fly ash based geopolimer for heavy metal immobilization: properties and mechanism. *RSC Adv* 14, 12580–12592. <https://doi.org/10.1039/D4RA00617H>
- Rodrigue Kaze, C., Adesina, A., Laure Lecomte-Nana, G., Sontia Metekong, J.V., Van Essa Kamga Samen, L., Kamseu, E., Melo, U.C., 2021a. Synergetic effect of rice husk ash and

- Rodrigue Kaze, C., Ninla Lemougna, P., Alomayri, T., Assaedi, H., Adesina, A., Kumar Das, S., Lecomte-Nana, G.L., Kamseu, E., Chinje Melo, U., Leonelli, C., 2021b. Characterization and performance evaluation of laterite based geopolimer binder cured at different temperatures. *Constr Build Mater* 270. <https://doi.org/10.1016/j.conbuildmat.2020.121443>
- Ryu, G.S., Lee, Y.B., Koh, K.T., Chung, Y.S., 2013. The mechanical properties of fly ash-based geopolimer concrete with alkaline activators. *Constr Build Mater* 47, 409–418. <https://doi.org/10.1016/j.conbuildmat.2013.05.069>
- S, S.S., Kolli, R., 2022. Experimental investigation on mechanical properties of fly ash-GGBFS based GO-geopolimer concrete using mineral sand (Quartz-Feldspar) as fine aggregate. *Mater Today Proc* 60, 40–45. <https://doi.org/10.1016/j.matpr.2021.11.325>
- Sakthivel, T., Arulraj, K., 2022. Prediction of strength and shrinkage of ternary blended concrete with fly ash, slag and silica fume. *Revista de la construcción* 21, 669–677. <https://doi.org/10.7764/RDLC.21.3.669>
- Salih, M.A., Ahmed, S.K., Alsafi, S., Abullah, M.M.A.B., Jaya, R.P., Abd Rahim, S.Z., Aziz, I.H., Thanaya, I.N.A., 2022. Strength and Durability of Sustainable Self-Consolidating Concrete with High Levels of Supplementary Cementitious Materials. *Materials* 15, 7991. <https://doi.org/10.3390/ma15227991>
- Sasui, S., Kim, G., Nam, J., Koyama, T., Chansomsak, S., 2020. Strength and microstructure of class-C fly ash and GGBS blend geopolimer activated in NaOH & NaOH + Na₂SiO₃. *Materials* 13. <https://doi.org/10.3390/ma13010059>
- Sasui, S., Kim, G., Nam, J., Koyama, T., Chansomsak, S., 2019. Strength and Microstructure of Class-C Fly Ash and GGBS Blend Geopolimer Activated in NaOH & NaOH + Na₂SiO₃. *Materials* 13, 59. <https://doi.org/10.3390/ma13010059>
- Satyarno, I., Solehudin, A.P., Meyarto, C., Hadiyatmoko, D., Muhammad, P., Afnan, R., 2014. Practical Method for Mix Design of Cement-based Grout. *Procedia Eng* 95, 356–365. <https://doi.org/10.1016/J.PROENG.2014.12.194>

METHOD TO THE COMPRESSIVE STRENGTH OF GEOPOLYMER CONCRETE

WITH DIFFERENT MOLARITY. J Teknol 85, 133–139.

<https://doi.org/10.11113/jurnalteknologi.v85.18663>

Sivapullaiah, P.V., Prashanth, J.P., Sridharan, A., Narayana, B.V., 1998. Reactive silica and strength of fly ashes. *Geotechnical and Geological Engineering* 16, 239–250.

<https://doi.org/10.1023/A:1008889326269>

Škvára, F., 2007. Alkali activated materials or geopolymers? *Ceramics - Silikaty* 51, 173–177.

Song, Y., Yang, K., Chen, J., Wang, K., Sant, G., Bauchy, M., 2021. Machine Learning Enables Rapid Screening of Reactive Fly Ashes Based on Their Network Topology. *ACS Sustain Chem Eng* 9, 2639–2650. <https://doi.org/10.1021/acssuschemeng.0c06978>

Tahir, M.F.M., Abdullah, M.M.A.B., Rahim, S.Z.A., Mohd Hasan, M.R., Sandu, A.V., Vazureanu, P., Ghazali, C.M.R., Kadir, A.A., 2022. Mechanical and Durability Analysis of Fly Ash Based Geopolymer with Various Compositions for Rigid Pavement Applications. *Materials* 15, 3458. <https://doi.org/10.3390/ma15103458>

Tan, H., Guo, Y., Zou, F., Jian, S., Ma, B., Zhi, Z., 2017. Effect of borax on rheology of calcium sulphoaluminate cement paste in the presence of polycarboxylate superplasticizer. *Constr Build Mater* 139, 277–285. <https://doi.org/10.1016/j.conbuildmat.2017.02.005>

Teo, W., Shirai, K., Lim, J.H., Jack, L.B., Nikbakht, E., 2022. Experimental Investigation on Ambient-Cured One-Part Alkali-Activated Binders Using Combined High-Calcium Fly Ash (HCFA) and Ground Granulated Blast Furnace Slag (GGBS). *Materials* 15. <https://doi.org/10.3390/ma15041612>

Thomas, S.E., Muhsin Lebba, A., Sreeja, S., Ramaswamy, K.P., 2023. Effect of borax in slag-fly ash-based alkali activated paste. *IOP Conf Ser Earth Environ Sci* 1237, 012006. <https://doi.org/10.1088/1755-1315/1237/1/012006>

Wardhono, A., Law, D.W., Strano, A., 2015. The Strength of Alkali-activated Slag/fly Ash Mortar Blends at Ambient Temperature. *Procedia Eng* 125, 650–656. <https://doi.org/10.1016/j.proeng.2015.11.095>

- Wattimena, O.K., Antoni, Hardjito, D., 2017. A review on the effect of fly ash characteristics and their variations on the synthesis of fly ash based geopolimer. hlm. 020041. <https://doi.org/10.1063/1.5003524>
- Wu, W., Matakah, F., Soroushian, P., Almalkawi, A., Wang, X., Xu, L., 2017. Influence of admixtures on rheological properties and heat of hydration of alkali aluminosilicate cement. *Advances in Cement Research* 29, 397–403. <https://doi.org/10.1680/jadcr.16.00181>
- Wu, Z., Shi, C., He, W., 2017. Comparative study on flexural properties of ultra-high performance concrete with supplementary cementitious materials under different curing regimes. *Constr Build Mater* 136, 307–313. <https://doi.org/10.1016/j.conbuildmat.2017.01.052>
- Xie, J., Wang, J., Rao, R., Wang, C., Fang, C., 2019. Effects of combined usage of GGBS and fly ash on *workability* and mechanical properties of alkali activated geopolimer concrete with recycled aggregate. *Compos B Eng* 164, 179–190. <https://doi.org/10.1016/j.compositesb.2018.11.067>
- Xu, H., Van Deventer, J.S.J., 2000. The geopolimerisation of alumino-silicate minerals. *Int J Miner Process* 59, 247–266. [https://doi.org/10.1016/S0301-7516\(99\)00074-5](https://doi.org/10.1016/S0301-7516(99)00074-5)
- Yahya, N.F.A.N., Sunarti, N., Hin, L.J., Mahdzir, M., Mohamed, N.N.A.N., 2023. The benefits and application of green concrete towards sustainable built environment: A case study within Kuala Selangor area. *IOP Conf Ser Earth Environ Sci* 1205, 012038. <https://doi.org/10.1088/1755-1315/1205/1/012038>
- Yang, J., Qian, C., 2010. Effect of borax on hydration and hardening properties of magnesium and potassium phosphate cement pastes. *Journal of Wuhan University of Technology-Mater. Sci. Ed.* 25, 613–618. <https://doi.org/10.1007/s11595-010-0055-6>
- Yang, K.H., Jung, Y.B., Cho, M.S., Tae, S.H., 2015. Effect of supplementary cementitious materials on reduction of CO₂ emissions from concrete. *J Clean Prod* 103, 774–783. <https://doi.org/10.1016/j.jclepro.2014.03.018>
- Yang, K.H., Song, J.K., Song, K. Il, 2013. Assessment of CO₂ reduction of alkali-activated concrete. *J Clean Prod* 39, 265–272. <https://doi.org/10.1016/J.JCLEPRO.2012.08.001>

- Zajac, M., Skocek, J., Bullerjahn, F., Ben Haha, M., 2016. Effect of retarders on the early hydration of calcium-sulpho-aluminate (CSA) type cements. *Cem Concr Res* 84, 62–75. <https://doi.org/10.1016/j.cemconres.2016.02.014>
- Zhang, Z., Provis, J.L., Reid, A., Wang, H., 2015. Mechanical, thermal insulation, thermal resistance and acoustic absorption properties of geopolimer foam concrete. *Cem Concr Compos* 62, 97–105. <https://doi.org/10.1016/j.cemconcomp.2015.03.013>
- Zhang, Z., Provis, J.L., Zou, J., Reid, A., Wang, H., 2016. Toward an indexing approach to evaluate fly ashes for geopolimer manufacture. *Cem Concr Res* 85, 163–173. <https://doi.org/10.1016/j.cemconres.2016.04.007>
- Zhong, Q., Tian, X., Xie, G., Luo, X., Peng, H., 2022. Investigation of *Setting time* and Microstructural and Mechanical Properties of MK/GGBFS-Blended Geopolymer Pastes. *Materials* 15, 8431. <https://doi.org/10.3390/ma15238431>