



## DAFTAR PUSTAKA

- Abdelgawad, E.A., Abu-samra, M.F., Abdelhay, N.M., & Abdel-Azeem, H.M., 2020. B-mode ultrasound, color Doppler, and sonoelastography in differentiation between benign and malignant cervical lymph nodes with special emphasis on sonoelastography. *Egypt. J. Radiol. Nucl. Med.* 51. doi:10.1186/s43055-020-00273-4
- Aditya, M., & Simargi, Y., 2019. Kesesuaian hasil ultrasonografi dan diagnosis klinis terhadap pemeriksaan histopatologis penderita limfadenitis tuberkulosis regio servikal. *Jurnal Biomedika dan Kesehatan*. 2. doi:10.18051/JBiomedKes.2019
- Ahuja, A.T., & Ying, M., 2005. Sonographic evaluation of cervical lymph nodes, in: American Journal of Roentgenology. pp. 1691–1699. doi:10.2214/ajr.184.5.01841691
- Al-Abbadi, M.A., 2011. Basics of cytology. *Avicenna J. Med.* 01: 18–28. doi:10.4103/2231-0770.83719
- Altaleb, A., 2021. Chapter 2: Histopathology Versus Cytopathology, in: Surgical Pathology: A Practical Guide for Non-Pathologist. Springer Cham, pp. 7–11.
- Amallia, R., 2022. Akurasi ultrasonografi konvensional dalam memprediksi limfadenopati leher maligna berdasarkan morfologi limfonodi bentuk bulat dan tanpa hilus ekogenik. Yogyakarta.
- Balm, A.J.M., van Velthuysen, M.L.F., Hoebers, F.J.P., Vogel, W. V., & van den Brekel, M.W.M., 2010. Diagnosis and Treatment of a Neck Node Swelling Suspicious for a Malignancy: An Algorithmic Approach. *Int. J. Surg. Oncol.* 2010: 1–8. doi:10.1155/2010/581540
- Bauwens, L., Baltres, A., Fiani, D. J., Zrounba, P., Buiret, G., Fleury, B., et al., 2021. Prevalence and distribution of cervical lymph node metastases in HPV-positive and HPV-negative oropharyngeal squamous cell carcinoma. *Radiotherapy and Oncology*, 157. <https://doi.org/10.1016/j.radonc.2021.01.028>
- Bedi, D.G., Krishnamurthy, R., Krishnamurthy, S., Edeiken, B.S., Le-Petross, H., Fornage, B.D., et al., 2008. Cortical morphologic features of axillary lymph nodes as a predictor of metastasis in breast cancer: In vitro sonographic study. *Am. J. Roentgenol.* 191: 646–652. doi:10.2214/AJR.07.2460
- Cheng, Z., Que, H., Chen, L., Sun, Q., & Wei, X., 2022. Nanomaterial-Based Drug Delivery System Targeting Lymph Nodes. *Pharmaceutics* 14. doi:10.3390/pharmaceutics14071372
- Cocco, G., Ricci, V., Ricci, C., Naňka, O., Catalano, O., Corvino, A., et al., 2023. Ultrasound imaging of the axilla. *Insights into Imaging*. <https://doi.org/10.1186/s13244-023-01430-9>
- Dahlan, M.S., 2010. Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan, 3rd ed. Salemma Medika.
- Deosthali, A., Donches, K., DelVecchio, M., & Aronoff, S., 2019. Etiologies of Pediatric Cervical Lymphadenopathy: A Systematic Review of 2687 Subjects. *Global Pediatric Health*. <https://doi.org/10.1177/2333794X19865440>
- Du, J., Yang, Q., Sun, Y., Shi, P., Xu, H., Chen, X., et al., 2023. Risk factors for central lymph node metastasis in patients with papillary thyroid carcinoma: a retrospective study. *Frontiers in Endocrinology*, 14. <https://doi.org/10.3389/fendo.2023.114822>



fendo.2023.1288527

- Dudea, S.M., Lenghel, M., Botar-Jid, C., Vasilescu, D., & Duma, M., 2012. Ultrasonography of superficial lymph nodes: benign vs. malignant, *Med Ultrason.*
- Fischerova, D., Garganese, G., Reina, H., Fragomeni, S.M., Cibula, D., Nanka, O., et al., 2021. Terms, definitions and measurements to describe sonographic features of lymph nodes: consensus opinion from the Vulvar International Tumor Analysis (VITA) group. *Ultrasound Obstet. Gynecol.* 57: 861–879. doi:10.1002/uog.23617
- Gong, Y., Wang, Q., Dong, L., Jia, Y., Hua, C., Mi, F., & Li, C., 2017. Different imaging techniques for the detection of pelvic lymph nodes metastasis from gynecological malignancies: A systematic review and meta-analysis.
- Huerne, K., Jackson, S. S., Lall, R., Palmour, N., Berner, A. M., Dupras, C., & Joly, Y., 2023. Studies in Cancer Epigenetics through a Sex and Gendered Lens: A Comprehensive Scoping Review. *Cancers.* <https://doi.org/10.3390/cancers15174207>
- Jaypal, N., Ram, S., Murthy, V., Basheer, S., Shamsuddin, S., & Khan, A., 2019. Differentiation between benign and metastatic cervical lymph nodes using ultrasound. *Journal of Pharmacy and Bioallied Sciences*, 11(6). [https://doi.org/10.4103/JPBS.JPBS\\_26\\_19](https://doi.org/10.4103/JPBS.JPBS_26_19)
- Khanna, R., Sharma, A.D., Khanna, S., Kumar, M., & Shukla, R.C., 2011. Usefulness of ultrasonography for the evaluation of cervical lymphadenopathy. *World J. Surg. Oncol.* 9. doi:10.1186/1477-7819-9-29
- Kumar, M., Prasad Sah, R., Raj Gupta, A., & Rangari, P., 2021. Evaluation of Incidence, Distribution and Etiopathology of Cervical Lymphadenopathy in Patna Population.
- Lakshmi, C.R., Rao, M.S., Ravikiran, A., Sathish, S., & Bhavana, S.M., 2014. Evaluation of Reliability of Ultrasonographic Parameters in Differentiating Benign and Metastatic Cervical Group of Lymph Nodes. *ISRN Otolaryngol.* 2014: 1–7. doi:10.1155/2014/238740
- Lin, C. M., Wang, C. P., Chen, C. N., Lin, C. Y., Li, T. Y., Chou, C. H., et al., 2017. The application of ultrasound in detecting lymph nodal recurrence in the treated neck of head and neck cancer patients. *Scientific Reports*, 7(1). <https://doi.org/10.1038/s41598-017-04039-3>
- Lu, L., Wei, X., Li, Y.H., & Li, W.B., 2017. Sentinel node necrosis is a negative prognostic factor in patients with nasopharyngeal carcinoma: A magnetic resonance imaging study of 252 patients. *Current Oncology*, 24(3). <https://doi.org/10.3747/co.24.3168>
- Mohseni, S., Shojaiefard, A., Khorgami, Z., Alinejad, S., Ghorbani, A., & Ghafouri, A., 2014. Peripheral lymphadenopathy: Approach and diagnostic tools. *Iran. J. Med. Sci.* 39: 158–170.
- Power, M., Fell, G., & Wright, M., 2013. Principles for high-quality, high-value testing. *Evidence-Based Medicine*. <https://doi.org/10.1136/eb-2012-100645>
- Ramadas, A.A., Jose, R., Varma, B., & Chandy, M.L., 2017. Cervical lymphadenopathy: Unwinding the hidden truth.
- Ryu, K.H., Lee, K.H., Ryu, J., Baek, H.J., Kim, S.J., Jung, H.K., et al., 2016. Cervical



- lymph node imaging reporting and data system for ultrasound of cervical lymphadenopathy: A pilot study. *Am. J. Roentgenol.* 206: 1286–1291. doi:10.2214/AJR.15.15381
- Sakr, M., 2016. Head and neck and endocrine surgery: From clinical presentation to treatment success. *Head Neck Endocr. Surg. From Clin. Present. to Treat. Success* 1–393. doi:10.1007/978-3-319-27532-1
- Scully, C., 2013. Cervical Lymphadenopathy. *Oral Maxillofac. Med.* 82. doi:10.1016/b978-0-7020-4948-4.00006-4
- Shankar, S.P., & Rajalakshmi, V., 2019. Spectrum of histopathological diagnosis of lymph node biopsies and utility of immunohistochemistry in diagnosis of lymphoma: A 5 year retrospective study from a tertiary care centre in south india. *Indian J. Pathol. Oncol.* 6: 434–439.
- Singini, M. G., Sitas, F., Bradshaw, D., Chen, W. C., Motlhale, M., Kamiza, A. B., et al., 2021. Ranking lifestyle risk factors for cervical cancer among Black women: A case-control study from Johannesburg, South Africa. *PLoS ONE*, 16(12 December). <https://doi.org/10.1371/journal.pone.0260319>
- Standring, S. (Ed.), 2016. Gray's Anatomy. The Anatomical Basis of Clinical Practice., 41st ed. Elsevier, London.
- Taye, E., Ali, M.M., Toma, A., & Teklehaymanot, A., 2022. Comparison of Fine Needle Aspiration Cytology and Histopathology in the diagnosis of lymph node pathologies at health facilities located in Hawassa: A 5-year retrospective study. *SAGE Open Med.* 10. doi:10.1177/20503121221138324
- Tong, J., Lin, T., Wen, B., Chen, P., Wang, Y., Yu, Y., et al., 2023. The value of multimodal ultrasound in diagnosis of cervical lymphadenopathy: can real-time elastography help identify benign and malignant lymph nodes? *Frontiers in Oncology*, 13. <https://doi.org/10.3389/fonc.2023.1073614>
- Ulfianti, U., Murtala, B., & Muis, M., 2019. Nilai Diagnostik Usg Color Doppler Dan Elastografi Dibandingkan Dengan Hasil Biopsi Aspirasi Jarum Halus Dalam Menentukan Limfadenopati Leher Jinak Dan Ganas. *Mandala Heal.* 12: 140. doi:10.20884/1.mandala.2019.12.1.1266
- Ullah, S., Shah, S.H., Rehman, A.U., Kamal, A., & Begum, N., 2022. Tuberculous Lymphadenitis in Afghan Refugees. *J Ayub Med Coll Abbottabad* 14: 22–23.
- Verma, R., & Khera, S., 2020. Cervical Lymphadenopathy: A Review, International Journal of Health Sciences and Research ([www.ijhsr.org](http://www.ijhsr.org)).
- Vineela, E., Sakalecha, A.K., & Narayanrao Suresh, T., 2022. Role of Sonoelastography in Differentiating Benign From Malignant Cervical Lymph Nodes and Correlating With Pathology. *Cureus*. doi:10.7759/cureus.22984
- Wakonig, K. M., Dommerich, S., Fischer, T., Arens, P., Hamm, B., Olze, H., & Lerchbaumer, M. H., 2023. The Diagnostic Performance of Multiparametric Ultrasound in the Qualitative Assessment of Inconclusive Cervical Lymph Nodes. *Cancers*, 15(20). <https://doi.org/10.3390/cancers15205035>
- Ying, M., & Ahuja, A.T., 2006. Ultrasound of neck lymph nodes: How to do it and how do they look? *Radiography* 12: 105–117. doi:10.1016/j.radi.2005.04.004
- Ying, M., Bhatia, K.S.S., Lee, Y.P., Yuen, H.Y., & Ahuja, A.T., 2014. Review of ultrasonography of malignant neck nodes: Greyscale, doppler, contrast enhancement and elastography. *Cancer Imaging*. doi:10.1102/1470-



UNIVERSITAS  
GADJAH MADA

**Akurasi Morfologi Batas dan Tepi Limfonodi Servikalis pada Ultrasonografi dalam Diagnosis Limfadenopati Maligna**

Rizki Armeilia, dr. Yana Supriatna, Ph.D., Sp.Rad(K)-RI; dr. Sri Retna Dwidanarti, Sp.Rad(K)-Onk.

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

7330.2013.0056

- Yu, T.Z., Zhang, Y., Zhang, W.Z., & Yang, G.Y., 2021. Role of ultrasound in the diagnosis of cervical tuberculous lymphadenitis in children. *World Journal of Pediatrics*, 17(5). <https://doi.org/10.1007/s12519-021-00453-w>
- Zhou, L., Yao, J., Ou, D., Li, M., Lei, Z., Wang, L., & Xu, D., 2022. A multi-institutional study of association of sonographic characteristics with cervical lymph node metastasis in unifocal papillary thyroid carcinoma. *Frontiers in Endocrinology*, 13. <https://doi.org/10.3389/fendo.2022.965241>