

DAFTAR PUSTAKA

- Alwarawrah, Y., Kiernan, K., MacIver, N.J. 2018. Changes in nutritional status impact immune cell metabolism and function. *Front Immunol.* 16:9:1055. doi: 10.3389/fimmu.2018.01055
- Apte, M., McGwin, G., Vilá, L.M., Kaslow, R.A., Alarcón, G.S., Reveille, J.D. 2008. Associated factors and impact of myocarditis in patients with SLE from LUMINA, a multiethnic US cohort. *Rheumatology*, 47(3): 362–367.
- Arruda-Olson, A.M., Reeder, G.S., Bell, M.R., Weston, S.A., Roger, V.L. Neutrophilia predicts death and heart failure after myocardial infarction: A community based study. *Circ Cardiovasc Qual Outcomes*. 2(6):656-62. doi: 10.1161/CIRCOUTCOMES.108.831024
- Arruda-Olson, A.M., Reeder, G.S., Bell, M.R., Weston, S.A., Roger, V.L. 2009. Neutrophilia predicts death and heart failure after myocardial infarction: A community-based study. *Circ Cardiovasc Qual Outcomes*, 2(6): 656–662.
- Attuquayefio, S., Doku, A., Dey, D., Agyekum, F., Akumiah, F.K., Kweki, A.G., Amaechi, U.M., Aiwuyo, H.O. 2023. Cardiac Abnormalities in Relation to the Disease Activity Index Among Systemic Lupus Erythematosus Patients in a Tertiary Hospital: A Cross-Sectional Study. *Cureus*. 5(11):e49495. doi: 10.7759/cureus.49495
- Bertsias, G., Cervera, R., Boumpas, D.T. 2012. *Systemic Lupus Erythematosus: Pathogenesis and Clinical Features*. EULAR Textbook on Rheumatic Diseases. 20: 475-505
- Bourré-Tessier, J., Clarke, A.E., Huynh, T., Bernatsky, S., Joseph, L., Belisle, P., Pineau, C.A. 2011. Prolonged corrected QT interval in anti-Ro/SSA-positive adults with systemic lupus erythematosus. *Arthritis Care Res (Hoboken)*, 63(7): 1031–1037.
- Butt, S., Kiran, S., Qadir, N., Menghani, D., Tanzeem, H. 2020. Cardiac Conduction Defects in Systemic Lupus Erythematosus. *Cureus*. 12(10): e10882. doi: [10.7759/cureus.10882](https://doi.org/10.7759/cureus.10882)
- Chang, J.C., Xiao, R., Knight, A.M., Kimmel, S.E., Mercer-Rosa, L.M., Weiss, P.F. 2020. A population-based study of risk factors for heart failure in pediatric and adult-onset systemic lupus erythematosus. *Semin Arthritis Rheum*, 50(4): 527–533.
- Chang, J.C., Xiao, R., Mercer-Rosa, L., Knight, A.M., Weiss, P.F. 2018. Child-onset systemic lupus erythematosus is associated with a higher incidence of myopericardial manifestations compared to adult-onset disease. *Lupus*, 27(13): 2146–2154.
- Choi, J., Kim, S.T., Craft, J. 2012. The pathogenesis of systemic lupus erythematosus-an update. *Curr Opin Immunol*, 24(6): 651–657.
- Dentali, F., Conte, G., Guasti, L. 2016. Neutrophil-to-lymphocyte ratio: A new prognostic factor even in patients with heart failure. *Pol Arch Med Wewn*, 126(3): 116–117.
- Dewi Satria, C. 2016. Perbandingan Diagnosis Systemic Lupus Erythematosus Menggunakan Kriteria American College of Rheumatologi dan Systemic Lupus International Collaborating Clinics. *Sari Pediatri*. 18(4):299-303
- Doria, A., Iaccarino, L., Sarzi-Puttini, P., Atzeni, F., Turri, M., Petri, M. 2005. Cardiac involvement in systemic lupus erythematosus. *Lupus*, 14(9): 683–686.
- Firizal, A.S., Sugianli, A.K., Hamijoyo, L. 2020. Cut off point of neutrophil-to-lymphocyte ratio as a marker of active disease in systemic lupus erythematosus. *Lupus*, 29(12): 1566–1570.
- Gegenava, T., Gegenava, M., Steup-Beekman, G.M., Huizinga, T.W.J., Bax, J.J., Delgado, V., Marsan, N.A. 2020. Left Ventricular Systolic Function in Patients with Systemic Lupus Erythematosus and Its Association with Cardiovascular Events. *JASE*, 33(9): 1116–1122.
- Guimarães, F.T.L., Ferreira, R.N., Brito-Melo, G.E.A., Rocha-Vieira, E., Pereira, W. de F., Pinheiro, S.V.B., Miranda, A.S., e Silva, A.C.S. 2019. Pediatric patients with steroid-sensitive nephrotic



UNIVERSITAS
GADJAH MADA

RASIO NEUTROFIL-LIMFOSIT SEBAGAI FAKTOR PROGNOSTIK KELAINAN JANTUNG PADA ANAK

DENGAN LUPUS

ERITEMATOSUS SISTEMIK

SALSA PRAVITA EKAPUTRI, Prof. dr. Indah Kartika Murni, M.Kes, Ph.D, Sp.AK

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

syndrome have higher expression of T regulatory lymphocytes in comparison to steroid-resistant disease. *Front Pediatr*, 7:114. doi: [10.3389/fped.2019.00114](https://doi.org/10.3389/fped.2019.00114).

Günal, N., Kara, N., Akkök, N., Çakar, N., Kahramanyol, Ö., Akalýn, N. 2003. Cardiac abnormalities in children with systemic lupus erythematosus. *Turk J Pediatr.* 45(4):301-5.

Harrison, M.J., Zühlke, L.J., Lewandowski, L.B. 2019. Pediatric systemic lupus erythematosus patients in South Africa have high prevalence and severity of cardiac and vascular manifestations. *Pediatric Rheumatology Online J.* 17(1):76. doi: 10.1186/s12969-019-0382-x.

Kamphuis, S., Silverman, E.D. 2010. Prevalence and burden of pediatric-onset systemic lupus erythematosus. *Nat Rev Rheumatol*, 6(9): 538–546.

Kaplan, M.J. 2011. Neutrophils in the pathogenesis and manifestations of SLE. *Nat Rev Rheumatol*, 7(12): 691–699.

Kim, C.H., Al-Kindi, S.G., Jandali, B., Askari, A.D., Zacharias, M., Oliveira, G.H. 2017. Incidence and risk of heart failure in systemic lupus erythematosus. *Heart*, 103(3): 227–233.

Koshy, K., George, T., Das, S., Punitha, J., Rajan, S., Yadav, B., Sudarsanam, T., Turaka, V. 2020. Clinical Outcomes in Patients with Cardiac Lupus: A Retrospective Study. *Indian J Rheumatol*, 15(2): 116–121.

Krishnamurthy, S., Mahadevan, S. 2011. Systemic Lupus Erythematosus: Recent Concepts in Genomics, Pathogenetic Mechanisms, and Therapies. *ISRN Immunology*, 2011: 1–7.

Kuhn, A., Bonsmann, G., Anders, H.J., Herzer, P., Tenbrock, K., Schneider, M. 2015. The Diagnosis and Treatment of Systemic Lupus Erythematosus. *Dtsch Arztebl Int*, 112(25): 423–432.

Kyne, L., Hausdorff, J.M., Knight, E., Dukas, L. 2020. Neutrophilia and congestive heart failure after acute myocardial infarction. *Am Heart J*, 139: 94–100.

Lehman, T.J.A. 1995. A practical guide to systemic lupus erythematosus. *Pediatr Clin North Am*, 42(5): 1223–1238.

Di Lullo, L., Ronco, C., Cozzolino, M., Selvi, A., Santoboni, F., Bellasi, A. 2017. Type-5 Cardiorenal Syndrome (CRS-5): An up to Date. *Nephrology @ Point of Care*, 3(1): napoc.5000212.

Mirfeizi, Z., Poorzand, H., Javanbakht, A., Khajedaluee, M. 2016. Relationship between systemic lupus erythematosus disease activity index scores and subclinical cardiac problems. *Iran Red Crescent Med J*, 18(8).

Oehadian, A., Suryadinata, H., Dewi, S., Pramudyo, R., Alisjahbana, B. 2013. The Role of Neutrophyl Lymphocyte Count Ratio as an Inflammatory Marker in Systemic Lupus Erythematosus. *Acta Med Indones.* 45(3):170-4.

Rachmawati, P., Murni, I.K., Nugroho, S., Noormanto, N., Sumadiono, S. 2018. Factors associated with pericardial effusion in pediatric systemic lupus erythematosus. *Paediatr Indones*, 58(5): 227–32.

Roger, V.L. 2013. Epidemiology of heart failure. *Circ Res*, 113(6): 646–659.

Rudiger, A., Burckhardt, O.A., Harpes, P., Müller, S.A., Follath, F. 2006. The relative lymphocyte count on hospital admission is a risk factor for long-term mortality in patients with acute heart failure. *Am J Emerg Med*, 24(4): 451–454.

Sanghera, C., Wong, L.M., Panahi, M., Sintou, A., Hasham, M., Sattler, S. 2019. Cardiac phenotype in mouse models of systemic autoimmunity. *DMM*, 12(3). dmm036947.

Sen, B.B., Rifaioglu, E.N., Ekiz, O., Inan, M.U., Sen, T., Sen, N. 2014. Neutrophil to lymphocyte ratio as a measure of systemic inflammation in psoriasis. *Cutan Ocul Toxicol*, 33(3): 223–227.

Sudewi, N.P., Kurniati, N., Suyoko, E.D., Munasir, Z. 2009. Karakteristik Klinis Lupus Eritematosus Sistemik pada Anak. *Sari Pediatri*, 11(2): 108–120.



- Sun, E.Y., Alvarez, C., Sheikh, S.Z. 2019. Association of Lupus Nephritis With Coronary Artery Disease by ISN/RPS Classification: Results From a Large Real-world Lupus Population. *ACR Open Rheumatol*, 1(4): 244–250.
- Tracchi, I., Ghigliotti, G., Mura, M., Garibaldi, S., Spallarossa, P., Barisione, C., Boasi, V., Brunelli, M., Corsiglia, L., Barsotti, A., Brunelli, C. 2009. Increased neutrophil lifespan in patients with congestive heart failure. *Eur J Heart Fail*, 11(4): 378–385.
- Urowitz, M.B., Gladman, D., Ibañez, D., Bae, S.C., Sanchez-Guerrero, J., Gordon, C., Clarke, A., Bernatsky, S., Fortin, P.R., Hanly, J.G., Wallace, D.J., Isenberg, D., Rahman, A., Alarcón, G.S., Merrill, J.T., Ginzler, E., Khamashta, M., Nived, O., Sturfelt, G., Bruce, I.N., Steinsson, K., Manzi, S., Ramsey-Goldman, R., Dooley, M.A., Zoma, A., Kalunian, K., Ramos, M., Van Vollenhoven, R.F., Aranow, C., Stoll, T., Petri, M., Maddison, P. 2010. Atherosclerotic vascular events in a multinational inception cohort of systemic lupus erythematosus. *Arthritis Care Res (Hoboken)*, 62(6): 881–887.
- Wang, X., Fan, X., Ji, S., Ma, A., Wang, T. 2018. Prognostic value of neutrophil to lymphocyte ratio in heart failure patients. *Clinica Chimica Acta*, 485: 44–49.
- Wright, K., Crowson, C.S., Gabriel, S.E. 2014. Cardiovascular Comorbidity in Rheumatic Diseases: A Focus on Heart Failure. *Heart Fail Clin*, 10(2): 339–352.
- Yafasova, A., Fosbøl, E.L., Schou, M., Baslund, B., Faurschou, M., Docherty, K.F., Jhund, P.S., McMurray, J.J.V., Sun, G., Kristensen, S.L., Torp-Pedersen, C., Køber, L., Butt, J.H. 2021. Long-Term Cardiovascular Outcomes in Systemic Lupus Erythematosus. *J Am Coll Cardiol*, 77(14): 1717–1727.
- Zahorec, R. 2021. Neutrophil-to-lymphocyte ratio, past, present and future perspectives. *Bratisl Lek Listy*, 122(7): 474–488.