

DAFTAR PUSTAKA

- [1] R. Indonesia, “Undang-Undang Republik Indonesia Nomor 25 Tahun 2009 Tentang Pelayanan Publik,” *Bphn.Go.Id*, vol. 2003, no. 1, hal. 3, 2009.
- [2] D. M. Aritonang, “The Impact of E-Government System on Public Service Quality in Indonesia,” *Eur. Sci. Journal, ESJ*, vol. 13, no. 35, hal. 99, 2017, doi: 10.19044/esj.2017.v13n35p99.
- [3] C. Firmansyah dan S. C. Tohir, “Sistem Layanan Pengaduan Masyarakat Lingkup Desa Gunungtanjung Berbasis Web dan SMS Gateway dengan Metode Antrian FIFO,” *Jumantaka*, vol. 1, no. 1, hal. 201–210, 2018.
- [4] R. E. Widodo, S. Hartono, dan E. Indartuti, “Kualitas Pelayanan Publik Berbasis Aplikasi E-Lapor (Dinas Komunikasi dan Informatika Pemerintah Provinsi Jawa Timur),” *Madani J. Ilm. Multidisiplin*, vol. 1, no. 5, 2023.
- [5] A. N. Paradhita, “Rancang Bangun Sistem Informasi Penilaian untuk Mengukur Index Kepuasan Masyarakat Dengan Metode Cobit 5,” *J. Data Min. dan Sist. Inf.*, vol. 2, no. 2, hal. 35, 2021, doi: 10.33365/jdmsi.v2i2.1349.
- [6] H. D. Pratiwi, W. Hayuhardhika, N. Putra, dan A. D. Herlambang, “Evaluasi Penerapan E-Government Di Pemerintah Kabupaten Sumbawa Besar Menggunakan Kerangka Kerja Sistem Pemerintahan Berbasis Elektronik (SPBE),” *J. Pengemb. Teknol. Inf. dan Ilmu Komput.*, vol. 4, no. 11, hal. 4116–4124, 2020.
- [7] F. Fahrudin dan S. Sugiarto, “Pengukuran Tingkat Efektivitas Aduan Warga Mengenai Indikasi Pelanggaran Perda Menggunakan Algoritma C45,” *Syntax Lit. ; J. Ilm. Indones.*, vol. 5, no. 11, hal. 1301, 2020, doi: 10.36418/syntax-literate.v5i11.1769.
- [8] Y. Yurindra, S. Sarwindah, dan D. Irawan, “Rancangan Prototype Layanan Pengaduan Masyarakat Melalui Kantor Desa Berbasis Android,” *J. Sisfokom (Sistem Inf. dan Komputer)*, vol. 10, no. 3, hal. 444–450, 2021, doi: 10.32736/sisfokom.v10i3.1295.
- [9] Z. Xiang, Z. Schwartz, J. H. Gerdes, dan M. Uysal, “What can big data and text analytics tell us about hotel guest experience and satisfaction?,” *Int. J. Hosp. Manag.*, vol. 44, hal. 120–130, 2015, doi: 10.1016/j.ijhm.2014.10.013.
- [10] S. P. Deshpande dan V. M. Thakare, “Data Mining System and Applications: A Review,” *Int. J. Distrib. Parallel Syst.*, vol. 1, no. 1, hal. 32–44, 2010, doi: 10.5121/ijdp.2010.1103.
- [11] A. R. Masdian, N. Bashit, dan F. Hadi, “Analisis Produktivitas Padi Menggunakan Algoritma Machine Learning Random Forest Di Kabupaten Batang Tahun 2018 - 2022,” *Elipsoida J. Geod. dan Geomatika*, vol. 6, no. 1, hal. 43–51, 2023, doi: 10.14710/elipsoida.2023.19023.
- [12] M. Galar, A. Fernandez, E. Barrenechea, H. Bustince, dan F. Herrera, “A review on ensembles for the class imbalance problem: Bagging-, boosting-, and hybrid-based approaches,” *IEEE Trans. Syst. Man Cybern. Part C Appl. Rev.*, vol. 42, no. 4, hal. 463–484, 2012, doi: 10.1109/TSMCC.2011.2161285.
- [13] J. A. Sáez, J. Luengo, J. Stefanowski, dan F. Herrera, “SMOTE-IPF: Addressing the noisy and borderline examples problem in imbalanced classification by a re-sampling method with filtering,” *Inf. Sci. (Ny)*, vol. 291, no. C, hal. 184–203, 2015, doi: 10.1016/j.ins.2014.08.051.

- [14] W. A. Rivera, "Noise Reduction A Priori Synthetic Over-Sampling for class imbalanced data sets," *Inf. Sci. (Ny)*, vol. 408, hal. 146–161, 2017, doi: 10.1016/j.ins.2017.04.046.
- [15] G. Rekha, A. K. Tyagi, dan V. K. Reddy, "A wide scale classification of class imbalance problem and its solutions: A systematic literature review," *J. Comput. Sci.*, vol. 15, no. 7, hal. 886–929, 2019, doi: 10.3844/jcsp.2019.886.929.
- [16] K. Napierala, "Improving Rule Classifiers For Imbalanced Data," Poznan University of Technology, 2012. [Daring]. Tersedia pada: <http://www.cs.put.poznan.pl/knapierala/misc/pssi2013konkursNapierala-rozprawa.pdf>
- [17] M. C. Untoro dan J. L. Buliali, "Penanganan imbalance class data laboratorium kesehatan dengan majority weighted minority oversampling technique," *Regist. J. Ilm. Teknol. Sist. Inf.*, vol. 4, no. 1, hal. 23–29, 2018, doi: 10.26594/register.v4i1.1184.
- [18] B. Juba dan H. S. Le, "Precision-Recall versus accuracy and the role of large data sets," *33rd AAAI Conf. Artif. Intell. AAAI 2019, 31st Innov. Appl. Artif. Intell. Conf. IAAI 2019 9th AAAI Symp. Educ. Adv. Artif. Intell. EAAI 2019*, hal. 4039–4048, 2019, doi: 10.1609/aaai.v33i01.33014039.
- [19] B. Santoso, H. Wijayanto, K. A. Notodiputro, dan B. Sartono, "Synthetic Over Sampling Methods for Handling Class Imbalanced Problems : A Review," *IOP Conf. Ser. Earth Environ. Sci.*, vol. 58, hal. 012031, Mar 2017, doi: 10.1088/1755-1315/58/1/012031.
- [20] O. A. Lisjana dan M. L. Khodra, "Classifying Complaint Reports Using RNN and Handling Imbalanced Dataset," *Proc. - 2022 9th Int. Conf. Inf. Technol. Comput. Electr. Eng. ICITACEE 2022*, hal. 303–307, 2022, doi: 10.1109/ICITACEE55701.2022.9923998.
- [21] M. I. Ananto, W. S. Winahju, dan K. Fithriasari, "Klasifikasi Kategori Pengaduan Masyarakat Melalui Kanal LAPOR! Menggunakan Artificial Neural Network," *Inferensi*, vol. 2, no. 2, 2019, doi: 10.12962/j27213862.v2i2.6821.
- [22] S. M. L. Sedubun, T. B. Adji, dan N. A. Setiawan, "Comparison of Classification Methods for Handling Data Imbalanced in Dataset of Public Complaints SMS based Using the SMOTE Approach," in *Brawijaya International Conference on Multidisciplinary Sciences and Technology 2020*, 2020, hal. 156–161.
- [23] R. Fitriadi dan D. Mahdiana, "Systematic Literature Review of the Class Imbalance Challenges in Machine Learning," vol. 4, no. 5, hal. 1099–1107, 2023, [Daring]. Tersedia pada: <https://doi.org/10.52436/1.jutif.2023.4.5.970>
- [24] J. Wei dan K. Zou, "EDA: Easy data augmentation techniques for boosting performance on text classification tasks," *EMNLP-IJCNLP 2019 - 2019 Conf. Empir. Methods Nat. Lang. Process. 9th Int. Jt. Conf. Nat. Lang. Process. Proc. Conf.*, hal. 6382–6388, 2019, doi: 10.18653/v1/d19-1670.
- [25] H. P. Hadi dan T. S. Sukamto, "Klasifikasi Jenis Laporan Masyarakat Dengan K-Nearest Neighbor Algorithm," *JOINS (Journal Inf. Syst.)*, vol. 5, no. 1, hal. 77–85, 2020, doi: 10.33633/joins.v5i1.3355.
- [26] A. Luthfiarta *et al.*, "Classification of Governor's Public Report from SMS LaporGub Using Naive Bayes Classifier Method," *Proc. - 2018 Int. Semin. Appl. Technol. Inf. Commun. Creat. Technol. Hum. Life, iSemantic 2018*, hal. 214–218, 2018, doi: 10.1109/ISEMANTIC.2018.8549710.

- [27] T. Hariguna, Sarmini, dan A. R. Hananto, "E-government Public Complaints Text Classification Using Particle Swarm Optimization in Naive Bayes Algorithm," *Proc. - 2022 IEEE Int. Conf. Cybern. Comput. Intell. Cybern. 2022*, hal. 303–307, 2022, doi: 10.1109/CyberneticsCom55287.2022.9865585.
- [28] I. B. N. Sanditya Hardaya, A. Dhini, dan I. Surjandari, "Application of text mining for classification of community complaints and proposals," *Proceeding - 2017 3rd Int. Conf. Sci. Inf. Technol. Theory Appl. IT Educ. Ind. Soc. Big Data Era, ICSITech 2017*, vol. 2018-Janua, hal. 144–149, 2017, doi: 10.1109/ICSITech.2017.8257100.
- [29] F. K. R. Mahfud dan A. Tjahyanto, "Improving classification performance of public complaints with TF-IGM weighting: Case study: center E-wadul surabaya," *Proc. - 2017 Int. Conf. Sustain. Inf. Eng. Technol. SIET 2017*, vol. 2018-Janua, hal. 220–225, 2018, doi: 10.1109/SIET.2017.8304138.
- [30] L. Yance Nanlohy, E. Mulyanto Yuniarno, dan S. Mardi Susiki Nugroho, "Classification of public complaint data in sms complaint using naive bayes multinomial method," *4th Int. Conf. Vocat. Educ. Training, ICOVET 2020*, hal. 241–246, 2020, doi: 10.1109/ICOVET50258.2020.9229941.
- [31] S. Prayoginingsih dan R. P. Kusumawardani, "Klasifikasi Data Twitter Pelanggan Berdasarkan Kategori myTelkomsel Menggunakan Metode Support Vector Machine (SVM)," *Sisfo*, vol. 07, no. 02, 2018, doi: 10.24089/j.sisfo.2018.01.002.
- [32] E. Löffler dan T. Bovaird, *Public management and governance*. Routledge London, 2003.
- [33] T. Almarabeh, H. Mohammad, dan A. Abu Ali, "E-government in Jordan," *Eur. J. Sci. Res.*, vol. 35, no. 2, hal. 188–197, 2009.
- [34] P. W. A. Wibawa dan C. Pramatha, "Systematic Literature Review: Machine Learning Methods in Emotion Classification in Textual Data," *J. Sisfokom (Sistem Inf. dan Komputer)*, vol. 12, no. 3, hal. 425–433, 2023, doi: 10.32736/sisfokom.v12i3.1787.
- [35] N. Fadilah dan S. Priyanta, "Automatic Essay Scoring Using Data Augmentation in Bahasa Indonesia," *IJCCS (Indonesian J. Comput. Cybern. Syst.)*, vol. 16, no. 4, hal. 401, 2022, doi: 10.22146/ijccs.76396.
- [36] A. Nur Azizah, M. Falach Asy'ari, I. Wisma Dwi Prastya, dan D. Purwitasari, "Easy Data Augmentation untuk Data yang Imbalance pada Konsultasi Kesehatan Daring," *J. Teknol. Inf. dan Ilmu Komput.*, vol. 10, no. 5, hal. 1095–1104, 2023, doi: 10.25126/jtiik.20231057082.
- [37] R. J. Mooney, "Machine Learning Text Categorization," *Austin Univ. Texas*, 2006.
- [38] M. A. Rosid, A. S. Fitriani, I. R. I. Astutik, N. I. Mulloh, dan H. A. Gozali, "Improving Text Preprocessing for Student Complaint Document Classification Using Sastrawi," *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 874, no. 1, 2020, doi: 10.1088/1757-899X/874/1/012017.
- [39] A. K. Singh dan M. Shashi, "Vectorization of text documents for identifying unifiable news articles," *Int. J. Adv. Comput. Sci. Appl.*, vol. 10, no. 7, hal. 305–310, 2019, doi: 10.14569/ijacsa.2019.0100742.
- [40] D. Abbott, "Introduction to Text Mining Virtual Data Intensive Summer School," *Behav. Insights Team*, 2013.

- [41] A. H. Nasrullah, "Penerapan Metode C4.5 untuk Klasifikasi Mahasiswa Berpotensi Drop Out," *Ilk. J. Ilm.*, vol. 10, no. 2, hal. 244–250, 2018, doi: 10.33096/ilkom.v10i2.300.244-250.
- [42] D. Sarkar, *Text Analytics with Python - A Practitioner's Guide to Natural Language Processing*. 2019.
- [43] R. Feldman dan J. Sanger, *The text mining handbook: advanced approaches in analyzing unstructured data*. Cambridge university press, 2007.
- [44] R. Ulgasesa, A. B. P. Negara, dan T. Tursina, "Pengaruh Stemming Terhadap Performa Klasifikasi Sentimen Masyarakat Tentang Kebijakan New Normal," *J. Sist. dan Teknol. Inf.*, vol. 10, no. 3, hal. 286, 2022, doi: 10.26418/justin.v10i3.53880.
- [45] A. H. Hasugian, M. Fakhriza, dan D. Zukhoiriyah, "Analisis Sentimen Pada Review Pengguna E-Commerce Menggunakan Algoritma Naïve Bayes," *J-SISKO TECH (Jurnal Teknol. Sist. Inf. dan Sist. Komput. TGD)*, vol. 6, no. 1, hal. 98, 2023, doi: 10.53513/jsk.v6i1.7400.
- [46] N. Agarwal, G. Sikka, dan L. K. Awasthi, "Enhancing web service clustering using Length Feature Weight Method for service description document vector space representation," *Expert Syst. Appl.*, vol. 161, hal. 113682, 2020, doi: 10.1016/j.eswa.2020.113682.
- [47] R. Siringoringo, "Klasifikasi data tidak seimbang menggunakan algoritma SMOTE dan k-nearest neighbor," *J. Inf. Syst. Dev.*, vol. 3, no. 1, 2018.
- [48] Y. Charfaoui, "Resampling to Properly Handle Imbalanced Datasets in Machine Learning," 2023. <https://www.comet.com/site/blog/resampling-to-properly-handle-imbalanced-datasets-in-machine-learning/> (diakses 3 Oktober 2023).
- [49] S. Suyanto, "Synonyms-Based Augmentation to Improve Fake News Detection using Bidirectional LSTM," in *2020 8th International Conference on Information and Communication Technology (ICoICT)*, 2020, hal. 1–5.
- [50] Rendi Nurcahyo dan Mohammad Iqbal, "Pengenalan Emosi Pembicara Menggunakan Convolutional Neural Networks," *J. RESTI (Rekayasa Sist. dan Teknol. Informasi)*, vol. 6, no. 1, hal. 115–122, 2022, doi: 10.29207/resti.v6i1.3726.
- [51] J. Sanjaya dan M. Ayub, "Augmentasi Data Pengenalan Citra Mobil Menggunakan Pendekatan Random Crop, Rotate, dan Mixup," *J. Tek. Inform. dan Sist. Inf.*, vol. 6, no. 2, hal. 311–323, 2020, doi: 10.28932/jutisi.v6i2.2688.
- [52] D. Iskandar Mulyana dan Megawati, "Hijab Face Detection Using Data Augmentation and Convolutional Neural Network Methods," *J. Sci. Technol.*, vol. 3, hal. 99–110, 2023.
- [53] R. Primartha, *Algoritma Machine Learning*. Bandung: Informatika, 2021.
- [54] M. Luo dan L. Luo, "Feature selection for text classification using OR+ SVM-RFE," in *2010 Chinese Control and Decision Conference*, 2010, hal. 1648–1652.
- [55] J. Han, M. Kamber, dan J. Pei, "Data mining concepts and techniques third edition," *Univ. Illinois Urbana-Champaign Micheline Kamber Jian Pei Simon Fraser Univ.*, 2012.

- [56] C. J. Hinde, R. Stone, D. Xhemali, C. J. Hinde, dan R. G. Stone, “CC BY-NC-ND 4.0 REPOSITORY RECORD Naïve Bayes vs. Decision Trees vs. Neural Networks in the Classification of Training Web Pages,” *IJCSI Int. J. Comput. Sci. Issues*, vol. 4, no. 1, 2009, [Daring]. Tersedia pada: <https://hdl.handle.net/2134/5394>.
- [57] G. Zeng, “On the confusion matrix in credit scoring and its analytical properties,” *Commun. Stat. Methods*, vol. 49, no. 9, hal. 2080–2093, 2020.
- [58] S. Haghighi, M. Jasemi, S. Hessabi, dan A. Zolanvari, “PyCM: Multiclass confusion matrix library in Python,” *J. Open Source Softw.*, vol. 3, no. 25, hal. 729, 2018, doi: 10.21105/joss.00729.