



## DAFTAR PUSTAKA

- Ahmed, Y. *et al.* (2015) ‘Production of biogas and performance evaluation of existing treatment processes in palm oil mill effluent (POME)’, *Renewable and Sustainable Energy Reviews*, 42, pp. 1260–1278. Available at: <https://doi.org/10.1016/j.rser.2014.10.073>.
- Andalib, M. *et al.* (2012) ‘Treatment of thin stillage in a high-rate anaerobic fluidized bed bioreactor (AFBR)’, *Bioresource Technology*, 121, pp. 411–418. Available at: <https://doi.org/10.1016/j.biortech.2012.07.008>.
- Andalib, M. *et al.* (2014) ‘Performance of an anaerobic fluidized bed bioreactor (AnFBR) for digestion of primary municipal wastewater treatment biosolids and bioethanol thin stillage’, *Renewable Energy*, 71, pp. 276–285. Available at: <https://doi.org/10.1016/j.renene.2014.05.039>.
- Ayu, E.D. *et al.* (2017) ‘The effect of natural zeolite as microbial immobilization media in anaerobic digestion at various concentrations of palm oil mill effluent (POME)’, in. *INTERNATIONAL SEMINAR ON FUNDAMENTAL AND APPLICATION OF CHEMICAL ENGINEERING 2016 (ISFACChE 2016): Proceedings of the 3rd International Seminar on Fundamental and Application of Chemical Engineering 2016*, East Java, Indonesia, p. 110005. Available at: <https://doi.org/10.1063/1.4982335>.
- Azis, M.M., Sudibyo, H. and Budhijanto, W. (2018) ‘Modeling Lab-sized Anaerobic Fluidized Bed Reactor (AFBR) for Palm Oil Mill Effluent (POME) treatment: from Batch to Continuous Reactors’, *IOP Conference Series: Materials Science and Engineering*, 316, p. 012072. Available at: <https://doi.org/10.1088/1757-899X/316/1/012072>.
- Cahyono, R.B. *et al.* (2018) ‘Characterization of modified zeolite as microbial immobilization media on POME anaerobic digestion’, *IOP Conference Series: Materials Science and Engineering*, 316, p. 012070. Available at: <https://doi.org/10.1088/1757-899X/316/1/012070>.
- Damayanti, S.I. *et al.* (2018) ‘Utilization of Lampung Natural Zeolite as Immobilization Media on Biogas Production from Palm Oil Mill Effluent (POME)’, *Materials Science Forum*, 929, pp. 18–26. Available at: <https://doi.org/10.4028/www.scientific.net/MSF.929.18>.
- Damayanti, S.I. *et al.* (2019) ‘The effectiveness of pH adjustment and controlled oxygen injection to enhance acidogenic performance in two stage anaerobic digestion’, in. *THE 11TH REGIONAL CONFERENCE ON CHEMICAL ENGINEERING (RCChE 2018)*, Yogyakarta, Indonesia, p. 020016. Available at: <https://doi.org/10.1063/1.5094994>.
- Encina, P.A.G. and Hidalgo, M.D. (2005) ‘Influence of substrate feed patterns on biofilm development in anaerobic fluidized bed reactors (AFBR)’, *Process Biochemistry*, 40(7), pp. 2509–2516. Available at:



Halim, L. *et al.* (2017) ‘Anaerobic digestion of palm oil mill effluent with lampung natural zeolite as microbe immobilization medium and digested cow manure as starter’, in. *INTERNATIONAL SEMINAR ON FUNDAMENTAL AND APPLICATION OF CHEMICAL ENGINEERING 2016 (ISFACChE 2016): Proceedings of the 3rd International Seminar on Fundamental and Application of Chemical Engineering 2016*, East Java, Indonesia, p. 110003. Available at: <https://doi.org/10.1063/1.4982333>.

Hossain, N. and Metcalfe, R. (2023) ‘Performance analysis of a 2D numerical model in estimating minimum fluidization velocity for fluidized beds’, *Particuology*, 77, pp. 116–127. Available at: <https://doi.org/10.1016/j.partic.2022.08.003>.

Jiang, F. *et al.* (2018) ‘Pressure drop in horizontal multi-tube liquid–solid circulating fluidized bed’, *Powder Technology*, 333, pp. 60–70. Available at: <https://doi.org/10.1016/j.powtec.2018.04.003>.

Kalantzis, D. *et al.* (2023) ‘Granular activated carbon stimulates biogas production in pilot-scale anaerobic digester treating agro-industrial wastewater’, *Bioresource Technology*, 376, p. 128908. Available at: <https://doi.org/10.1016/j.biortech.2023.128908>.

Khan, Md.S. *et al.* (2017) ‘Expansion behaviour of a binary solid-liquid fluidised bed with different solid mass ratio’, *Advanced Powder Technology*, 28(12), pp. 3111–3129. Available at: <https://doi.org/10.1016/j.apt.2017.09.009>.

Kramer, O.J.I. *et al.* (2019) ‘Improvement of the Richardson-Zaki liquid-solid fluidisation model on the basis of hydraulics’, *Powder Technology*, 343, pp. 465–478. Available at: <https://doi.org/10.1016/j.powtec.2018.11.018>.

Lee, P.-H. *et al.* (2011) ‘Mesophilic anaerobic digestion of corn thin stillage: a technical and energetic assessment of the corn-to-ethanol industry integrated with anaerobic digestion’, *Journal of Chemical Technology & Biotechnology*, 86(12), pp. 1514–1520. Available at: <https://doi.org/10.1002/jctb.2664>.

Let, S. *et al.* (2022) ‘Minimum fluidization velocities of binary solid mixtures: empirical correlation and genetic algorithm artificial neural network modeling’, *Chemical Engineering Technologi*, 45, pp. 73–82. Available at: <https://doi.org/10.1002/ceat.202100170>.

Let, S. *et al.* (2023) ‘Minimum fluidization velocity for binary mixture of sand particles using pseudoplastic liquids’, *Powder Technology*, 416, p. 118220. Available at: <https://doi.org/10.1016/j.powtec.2023.118220>.

Liu, G. *et al.* (2016) ‘CFD-DEM simulation of liquid-solid fluidized bed with dynamic restitution coefficient’, *Powder Technology*, 304, pp. 186–197. Available at: <https://doi.org/10.1016/j.powtec.2016.08.058>.

Luo, H. *et al.* (2021) ‘Numerical investigation of hydrodynamics in liquid-solid circulating fluidized beds under different operating conditions’, *Advanced*



Lv, Siyao *et al.* (2020) ‘Pressure drop of liquid–solid two-phase flow in a down-flow circulating fluidized bed’, *Powder Technology*, 375, pp. 136–145. Available at: <https://doi.org/10.1016/j.powtec.2020.07.077>.

Machač, I., Balcar, M. and Letjacks, Z. (1986) ‘Creeping flow of non-Newtonian liquids through fluidized beds of spherical particles’, *Chemical Engineering Science*, 41, pp. 591–596. Available at: [https://doi.org/10.1016/0009-2509\(86\)87041-5](https://doi.org/10.1016/0009-2509(86)87041-5).

Machač, I., Mikulášek, P. and Ulbrichová, I. (1993) ‘Non-Newtonian fluidization of spherical-particle beds’, *Chemical Engineering Science*, 48(11), pp. 2109–2118. Available at: [https://doi.org/10.1016/0009-2509\(93\)80086-6](https://doi.org/10.1016/0009-2509(93)80086-6).

Maiti, S.B. *et al.* (2018) ‘Non-spherical solid-non-Newtonian liquid fluidization and ANN modelling: Minimum fluidization velocity’, *Chemical Engineering Science*, 176, pp. 233–241. Available at: <https://doi.org/10.1016/j.ces.2017.10.050>.

Mellyanawaty, M. *et al.* (2018) ‘Influence of Nutrient Impregnated into Zeolite Addition on Anaerobic Digestion of Palm Oil Mill Effluent (POME)’, *IOP Conference Series: Materials Science and Engineering*, 316, p. 012069. Available at: <https://doi.org/10.1088/1757-899X/316/1/012069>.

Mellyanawaty, M., Purnomo, C.W. and Budhijanto, W. (2017) ‘Pengaruh Penambahan Zeolit Alam Termodifikasi Sebagai Media Imobilisasi Bakteri Terhadap Dekomposisi Material Organik Secara Anaerob’, *Jurnal Rekayasa Proses*, 11(1), p. 36. Available at: <https://doi.org/10.22146/jrekpros.26353>.

Metolina, P. and Lopes, G.C. (2019) ‘Numerical analysis of liquid-solid flow in tapered and cylindrical fluidized beds for wastewater treatment and biogas production’, *Energy Conversion and Management*, 187, pp. 447–458. Available at: <https://doi.org/10.1016/j.enconman.2019.02.092>.

Montalvo, S. *et al.* (2012) ‘Application of natural zeolites in anaerobic digestion processes: A review’, *Applied Clay Science*, 58, pp. 125–133. Available at: <https://doi.org/10.1016/j.clay.2012.01.013>.

Ohimain, E. and Izah, S. (2014) ‘Possible Contributions of Palm Oil Mill Effluents to Greenhouse Gas Emissions in Nigeria’, *British Journal of Applied Science & Technology*, 4(33), pp. 4705–4720. Available at: <https://doi.org/10.9734/BJAST/2014/10698>.

Ohimain, E.I. and Izah, S.C. (2017) ‘A review of biogas production from palm oil mill effluents using different configurations of bioreactors’, *Renewable and Sustainable Energy Reviews*, 70, pp. 242–253. Available at: <https://doi.org/10.1016/j.rser.2016.11.221>.

Peng, J. *et al.* (2022) ‘The accurate prediction and analysis of bed expansion characteristics in liquid–solid fluidized bed based on machine learning methods’,



Prasetyo, E., Sudibyo, H. and Budhijanto, W. (2017) ‘Determination of the Optimum Hydraulic Retention Time in Two-Stage Anaerobic Fluidized Bed Bioreactor for Landfill Leachate Treatment’, *Journal of Engineering and Technological Sciences*, 49(3), pp. 388–399. Available at: <https://doi.org/10.5614/j.eng.technol.sci.2017.49.3.7>.

Puhan, P. et al. (2021) ‘CFD modeling of segregation in binary solid-liquid fluidized beds: Influence of liquid viscosity and density’, *Chemical Engineering Science*, 246, p. 116965. Available at: <https://doi.org/10.1016/j.ces.2021.116965>.

Purnomo, C.W., Mellyanawaty, M. and Budhijanto, W. (2017) ‘Simulation and Experimental Study on Iron Impregnated Microbial Immobilization in Zeolite for Production of Biogas’, *Waste and Biomass Valorization*, 8(7), pp. 2413–2421. Available at: <https://doi.org/10.1007/s12649-017-9879-z>.

Qassem, E.S., Mohammed, S.H. and Sarmad, T.N. (2020) ‘Effect of fluidization on pressure drop and power consumption in packed bed columns’, *IOP Conference Series: Materials Science and Engineering*, 671(1), p. 012070. Available at: <https://doi.org/10.1088/1757-899X/671/1/012070>.

Sakhile, K. et al. (2023) ‘Effect of Physical Properties of Solid Particles and Liquid Media on the Hydrodynamics of a Liquid–Solid Inverse Fluidized Bed’, *Arabian Journal for Science and Engineering* [Preprint]. Available at: <https://doi.org/10.1007/s13369-023-08377-5>.

Setyowati, P.A.H. et al. (2017) ‘Anaerobic treatment of palm oil mill effluent in batch reactor with digested biodiesel waste as starter and natural zeolite for microbial immobilization’, in. *International Seminar on Fundamental and Application of Chemical Engineering 2016 (ISFACHE 2016): Proceedings of the 3rd International Seminar on Fundamental and Application of Chemical Engineering 2016*, East Java, Indonesia, p. 110004. Available at: <https://doi.org/10.1063/1.4982334>.

Yang, J. and Renken, A. (2003) ‘A generalized correlation for equilibrium of forces in liquid–solid fluidized beds’, *Chemical Engineering Journal*, 92(1–3), pp. 7–14. Available at: [https://doi.org/10.1016/S1385-8947\(02\)00084-0](https://doi.org/10.1016/S1385-8947(02)00084-0).

Zhang, J. et al. (2020) ‘Effects of activated carbon on mesophilic and thermophilic anaerobic digestion of food waste: Process performance and life cycle assessment’, *Chemical Engineering Journal*, 399, p. 125757. Available at: <https://doi.org/10.1016/j.cej.2020.125757>.