

REFERENSI

- Agarwal, V. *et al.* (2015) *Predicting effective microRNA target sites in mammalian mRNAs*, *eLife*. eLife Sciences Publications Limited. Available at: <https://doi.org/10.7554/eLife.05005>.
- Agung Nugrahaningsih, D.A. *et al.* (2023) 'In vivo immunomodulatory effect and safety of MSC-derived secretome', *F1000Research*, 12, p. 421. Available at: <https://doi.org/10.12688/f1000research.131487.1>.
- Aikawa, R. *et al.* (2000) 'Insulin prevents cardiomyocytes from oxidative stress-induced apoptosis through activation of PI3 kinase/Akt', *Circulation*, 102(23), pp. 2873–2879. Available at: <https://doi.org/10.1161/01.cir.102.23.2873>.
- Aimaletdinov, A.M. and Gomzikova, M.O. (2022) 'Tracking of Extracellular Vesicles' Biodistribution: New Methods and Approaches', *International Journal of Molecular Sciences*, 23(19), p. 11312. Available at: <https://doi.org/10.3390/ijms231911312>.
- Alam, P. *et al.* (2021) 'Cardiac Remodeling and Repair: Recent Approaches, Advancements, and Future Perspective', *International Journal of Molecular Sciences*, 22(23). Available at: <https://doi.org/10.3390/ijms222313104>.
- Amegan, N.H. *et al.* (2022) 'Prevalence and factors associated with hyperglycemia in a rural population of Tanvè and Dékanmey in Benin in 2019', *PLOS Global Public Health*, 2(5), p. e0000471. Available at: <https://doi.org/10.1371/journal.pgph.0000471>.
- American Diabetes Association (2018) '2. Classification and Diagnosis of Diabetes: Standards of Medical Care in Diabetes-2018', *Diabetes Care*, 41(Suppl 1), pp. S13–S27. Available at: <https://doi.org/10.2337/dc18-S002>.
- Ayala Schimpf, A.R. *et al.* (2022) 'Genetic and epi-genetic alterations of the PTEN gene: key in the relationship between type 2 diabetes and cancer', *Revista de Ciencia y Tecnología*, (37), pp. 111–126. Available at: <https://doi.org/10.36995/j.recyt.2022.37.009>.
- Bang, C., Fiedler, J. and Thum, T. (2012) 'Cardiovascular importance of the microRNA-23/27/24 family', *Microcirculation (New York, N.Y.: 1994)*, 19(3), pp. 208–214. Available at: <https://doi.org/10.1111/j.1549-8719.2011.00153.x>.
- Baroukh, N. *et al.* (2007) 'MicroRNA-124a regulates Foxa2 expression and intracellular signaling in pancreatic beta-cell lines', *The Journal of*

- Biological Chemistry*, 282(27), pp. 19575–19588. Available at: <https://doi.org/10.1074/jbc.M611841200>.
- Bartel, D.P. (2004) ‘MicroRNAs: Genomics, Biogenesis, Mechanism, and Function’, *Cell*, 116(2), pp. 281–297. Available at: [https://doi.org/10.1016/S0092-8674\(04\)00045-5](https://doi.org/10.1016/S0092-8674(04)00045-5).
- Bartel, D.P. (2018) ‘Metazoan MicroRNAs’, *Cell*, 173(1), pp. 20–51. Available at: <https://doi.org/10.1016/j.cell.2018.03.006>.
- Bathina, S., Srinivas, N. and Das, U.N. (2017) ‘Streptozotocin produces oxidative stress, inflammation and decreases BDNF concentrations to induce apoptosis of RIN5F cells and type 2 diabetes mellitus in Wistar rats’, *Biochemical and Biophysical Research Communications*, 486(2), pp. 406–413. Available at: <https://doi.org/10.1016/j.bbrc.2017.03.054>.
- Bauer, B.M. *et al.* (2023) ‘Dose-dependent progression of multiple low-dose streptozotocin-induced diabetes in mice’, *Physiological Genomics*, 55(9), pp. 381–391. Available at: <https://doi.org/10.1152/physiolgenomics.00032.2023>.
- Baumann, V. and Winkler, J. (2014) ‘miRNA-based therapies: Strategies and delivery platforms for oligonucleotide and non-oligonucleotide agents’, *Future medicinal chemistry*, 6(17), pp. 1967–1984. Available at: <https://doi.org/10.4155/fmc.14.116>.
- Bernal-Mizrachi, E. *et al.* (2001) ‘Islet beta cell expression of constitutively active Akt1/PKB alpha induces striking hypertrophy, hyperplasia, and hyperinsulinemia’, *The Journal of Clinical Investigation*, 108(11), pp. 1631–1638. Available at: <https://doi.org/10.1172/JCI13785>.
- Bernal-Mizrachi, Ernesto *et al.* (2001) ‘Islet β cell expression of constitutively active Akt1/PKB α induces striking hypertrophy, hyperplasia, and hyperinsulinemia’, *Journal of Clinical Investigation*, 108(11), pp. 1631–1638.
- Beyer, A. *et al.* (2004) ‘Post-transcriptional expression regulation in the yeast *Saccharomyces cerevisiae* on a genomic scale’, *Molecular & cellular proteomics: MCP*, 3(11), pp. 1083–1092. Available at: <https://doi.org/10.1074/mcp.M400099-MCP200>.
- Blandino-Rosano, M. *et al.* (2012) ‘mTORC1 signaling and regulation of pancreatic β -cell mass’, *Cell Cycle*, 11(10), pp. 1892–1902. Available at: <https://doi.org/10.4161/cc.20036>.

- Boden, G. (2004) 'Gluconeogenesis and glycogenolysis in health and diabetes', *Journal of Investigative Medicine: The Official Publication of the American Federation for Clinical Research*, 52(6), pp. 375–378. Available at: <https://doi.org/10.1136/jim-52-06-31>.
- Borges, L.E. *et al.* (2015) 'Urocortin 1 expression and secretion by human umbilical vein endothelial cells: In vitro effects of interleukin 8, interferon γ , lipopolysaccharide, endothelin 1, prostaglandin F-2 α , estradiol, progesterone and dexamethasone', *Peptides*, 74, pp. 64–69. Available at: <https://doi.org/10.1016/j.peptides.2015.10.010>.
- van Buul, G.M. *et al.* (2012) 'Mesenchymal stem cells secrete factors that inhibit inflammatory processes in short-term osteoarthritic synovium and cartilage explant culture', *Osteoarthritis and Cartilage*, 20(10), pp. 1186–1196. Available at: <https://doi.org/10.1016/j.joca.2012.06.003>.
- Cai, J. *et al.* (2020) 'Extracellular vesicles derived from different sources of mesenchymal stem cells: therapeutic effects and translational potential', *Cell & Bioscience*, 10, p. 69. Available at: <https://doi.org/10.1186/s13578-020-00427-x>.
- Camaya, I., Donnelly, S. and O'Brien, B. (2022) 'Targeting the PI3K/Akt signaling pathway in pancreatic β -cells to enhance their survival and function: An emerging therapeutic strategy for type 1 diabetes', *Journal of Diabetes*, 14(4), pp. 247–260. Available at: <https://doi.org/10.1111/1753-0407.13252>.
- de Candia, P. *et al.* (2017) 'A unique plasma microRNA profile defines type 2 diabetes progression', *PLoS ONE*, 12(12), p. e0188980. Available at: <https://doi.org/10.1371/journal.pone.0188980>.
- Cardinal, J.W. *et al.* (2001) 'Increased susceptibility to streptozotocin-induced beta-cell apoptosis and delayed autoimmune diabetes in alkylpurine-DNA-N-glycosylase-deficient mice', *Molecular and Cellular Biology*, 21(16), pp. 5605–5613. Available at: <https://doi.org/10.1128/MCB.21.16.5605-5613.2001>.
- Chang, Hongye *et al.* (2021) 'Micro-ribonucleic acid-23a-3p prevents the onset of type 2 diabetes mellitus by suppressing the activation of nucleotide-binding oligomerization-like receptor family pyrin domain containing 3 inflammatory bodies-caused pyroptosis through negatively regulating NIMA-related kinase 7', *Journal of Diabetes Investigation*, 12(3), pp. 334–345. Available at: <https://doi.org/10.1111/jdi.13396>.
- Chao, J. *et al.* (2020) 'Insight into the effects of microRNA-23a-3p on pancreatic cancer and its underlying molecular mechanism', *Oncology Letters*,

19(1), pp. 187–194. Available at:
<https://doi.org/10.3892/ol.2019.11117>.

- Chen, C. *et al.* (2017) ‘Human beta cell mass and function in diabetes: Recent advances in knowledge and technologies to understand disease pathogenesis’, *Molecular Metabolism*, 6(9), pp. 943–957. Available at: <https://doi.org/10.1016/j.molmet.2017.06.019>.
- Chen, C.-C. *et al.* (2010) ‘FoxOs inhibit mTORC1 and activate Akt by inducing the expression of Sestrin3 and Rictor’, *Developmental Cell*, 18(4), pp. 592–604. Available at: <https://doi.org/10.1016/j.devcel.2010.03.008>.
- Chen, H. *et al.* (2021) ‘Exosomes, a New Star for Targeted Delivery’, *Frontiers in Cell and Developmental Biology*, 9, p. 751079. Available at: <https://doi.org/10.3389/fcell.2021.751079>.
- Chen, S. *et al.* (2019) ‘Exosomes derived from miR-375-overexpressing human adipose mesenchymal stem cells promote bone regeneration’, *Cell Proliferation*, 52(5), p. e12669. Available at: <https://doi.org/10.1111/cpr.12669>.
- Chen, Y. and Wang, X. (2020) ‘miRDB: an online database for prediction of functional microRNA targets’, *Nucleic Acids Research*, 48(D1), pp. D127–D131. Available at: <https://doi.org/10.1093/nar/gkz757>.
- Cheon, H. *et al.* (2010) ‘Role of JNK activation in pancreatic β -cell death by streptozotocin’, *Molecular and Cellular Endocrinology*, 321(2), pp. 131–137. Available at: <https://doi.org/10.1016/j.mce.2010.02.016>.
- Cheung, Y.-M.M., McDonnell, M. and Hamnvik, O.-P.R. (2022) ‘A targeted approach to phosphoinositide-3-kinase/Akt/mammalian target of rapamycin-induced hyperglycemia’, *Current Problems in Cancer*, 46(1), p. 100776. Available at: <https://doi.org/10.1016/j.currproblcancer.2021.100776>.
- Cho, N.-J. *et al.* (2021) ‘Urinary exosomal microRNA profiling in type 2 diabetes patients taking dipeptidyl peptidase-4 inhibitor compared with sulfonylurea’, *Kidney Research and Clinical Practice*, 40(3), pp. 383–391. Available at: <https://doi.org/10.23876/j.krcp.21.015>.
- Choi, H. *et al.* (2021) ‘Biodistribution of Exosomes and Engineering Strategies for Targeted Delivery of Therapeutic Exosomes’, *Tissue Engineering and Regenerative Medicine*, 18(4), pp. 499–511. Available at: <https://doi.org/10.1007/s13770-021-00361-0>.
- Choi, W., Park, D.J. and Eliceiri, B.P. (2024) ‘Defining tropism and activity of natural and engineered extracellular vesicles’, *Frontiers in*

Immunology, 15. Available at:
<https://doi.org/10.3389/fimmu.2024.1363185>.

- Christensen, C.S. *et al.* (2015) ‘Skeletal Muscle to Pancreatic β -Cell Cross-talk: The Effect of Humoral Mediators Liberated by Muscle Contraction and Acute Exercise on β -Cell Apoptosis’, *The Journal of Clinical Endocrinology & Metabolism*, 100(10), pp. E1289–E1298. Available at: <https://doi.org/10.1210/jc.2014-4506>.
- Condorelli, G. *et al.* (2001) ‘From the Cover: Cardiomyocytes induce endothelial cells to trans-differentiate into cardiac muscle: Implications for myocardium regeneration’, *Proceedings of the National Academy of Sciences of the United States of America*, 98(19), p. 10733. Available at: <https://doi.org/10.1073/pnas.191217898>.
- Consulting, A.R. and (2022) *Global Exosomes Market Surpass USD 2,200 Million by 2030 - Exclusive Report By Acumen Research And Consulting, GlobeNewswire News Room*. Available at: <https://www.globenewswire.com/en/news-release/2022/06/13/2461572/0/en/Global-Exosomes-Market-Surpass-USD-2-200-Million-by-2030-Exclusive-Report-By-Acumen-Research-And-Consulting.html> (Accessed: 26 May 2024).
- Cryer, P.E. (2007) ‘Hypoglycemia, functional brain failure, and brain death’, *The Journal of Clinical Investigation*, 117(4), pp. 868–870. Available at: <https://doi.org/10.1172/JCI31669>.
- da Cunha, B.R. *et al.* (2019) ‘Cellular Interactions in the Tumor Microenvironment: The Role of Secretome’, *Journal of Cancer*, 10(19), pp. 4574–4587. Available at: <https://doi.org/10.7150/jca.21780>.
- Daley, G.Q. (2015) ‘Stem cells and the evolving notion of cellular identity’, *Philosophical Transactions of the Royal Society B: Biological Sciences*, 370(1680), p. 20140376. Available at: <https://doi.org/10.1098/rstb.2014.0376>.
- Damasceno, D.C. *et al.* (2014) ‘Streptozotocin-Induced Diabetes Models: Pathophysiological Mechanisms and Fetal Outcomes’, *BioMed Research International*, 2014, pp. 1–11. Available at: <https://doi.org/10.1155/2014/819065>.
- Damayanti, R.H., Rusdiana, T. and Wathoni, N. (2021) ‘<p>Mesenchymal Stem Cell Secretome for Dermatology Application: A Review</p>’, *Clinical, Cosmetic and Investigational Dermatology*, 14, pp. 1401–1412. Available at: <https://doi.org/10.2147/CCID.S331044>.

- De Bari, C. and Roelofs, A.J. (2018) ‘Stem cell-based therapeutic strategies for cartilage defects and osteoarthritis’, *Current Opinion in Pharmacology*, 40, pp. 74–80. Available at: <https://doi.org/10.1016/j.coph.2018.03.009>.
- Denzler, R. *et al.* (2016) ‘Impact of MicroRNA Levels, Target-Site Complementarity, and Cooperativity on Competing Endogenous RNA-Regulated Gene Expression’, *Molecular Cell*, 64(3), pp. 565–579. Available at: <https://doi.org/10.1016/j.molcel.2016.09.027>.
- Dhatariya, K., Corsino, L. and Umpierrez, G.E. (2000) ‘Management of Diabetes and Hyperglycemia in Hospitalized Patients’, in K.R. Feingold *et al.* (eds) *Endotext*. South Dartmouth (MA): MDText.com, Inc. Available at: <http://www.ncbi.nlm.nih.gov/books/NBK279093/> (Accessed: 19 October 2023).
- Domenis, R. *et al.* (2018) ‘Pro inflammatory stimuli enhance the immunosuppressive functions of adipose mesenchymal stem cell-derived exosomes’, *Scientific Reports*, 8(1), p. 13325. Available at: <https://doi.org/10.1038/s41598-018-31707-9>.
- Dor, Y. *et al.* (2004) ‘Adult pancreatic beta-cells are formed by self-duplication rather than stem-cell differentiation’, *Nature*, 429(6987), pp. 41–46. Available at: <https://doi.org/10.1038/nature02520>.
- Dowling, R.J.O. *et al.* (2010) ‘Dissecting the role of mTOR: lessons from mTOR inhibitors’, *Biochimica Et Biophysica Acta*, 1804(3), pp. 433–439. Available at: <https://doi.org/10.1016/j.bbapap.2009.12.001>.
- Dulak, J. *et al.* (2015) ‘Adult stem cells: hopes and hypes of regenerative medicine’, *Acta Biochimica Polonica*, 62(3), pp. 329–337. Available at: https://doi.org/10.18388/abp.2015_1023.
- Dumortier, O. and Van Obberghen, E. (2012) ‘MicroRNAs in pancreas development’, *Diabetes, Obesity & Metabolism*, 14 Suppl 3, pp. 22–28. Available at: <https://doi.org/10.1111/j.1463-1326.2012.01656.x>.
- Elgebaly, M.M., Arreguin, J. and Storke, N. (2019) ‘Targets, Treatments, and Outcomes Updates in Diabetic Stroke’, *Journal of Stroke and Cerebrovascular Diseases: The Official Journal of National Stroke Association*, 28(6), pp. 1413–1420. Available at: <https://doi.org/10.1016/j.jstrokecerebrovasdis.2019.02.005>.
- Engelman, J.A., Luo, J. and Cantley, L.C. (2006) ‘The evolution of phosphatidylinositol 3-kinases as regulators of growth and metabolism’, *Nature Reviews. Genetics*, 7(8), pp. 606–619. Available at: <https://doi.org/10.1038/nrg1879>.

- Esguerra, J.L.S. *et al.* (2014) ‘Regulation of Pancreatic Beta Cell Stimulus-Secretion Coupling by microRNAs’, *Genes*, 5(4), pp. 1018–1031. Available at: <https://doi.org/10.3390/genes5041018>.
- Fei, H. *et al.* (2019) ‘MicroRNA-18 promotes apoptosis of islet β -cells via targeting NAV1’, *Experimental and Therapeutic Medicine*, 18(1), pp. 389–396. Available at: <https://doi.org/10.3892/etm.2019.7527>.
- Fennel, Z.J. *et al.* (2024) ‘Stem cell secretome treatment improves whole-body metabolism, reduces adiposity, and promotes skeletal muscle function in aged mice’, *Ageing Cell*, n/a(n/a), p. e14144. Available at: <https://doi.org/10.1111/accel.14144>.
- Fernández-Millán, E. and Guillén, C. (2022) ‘Multi-Organ Crosstalk with Endocrine Pancreas: A Focus on How Gut Microbiota Shapes Pancreatic Beta-Cells’, *Biomolecules*, 12(1), p. 104. Available at: <https://doi.org/10.3390/biom12010104>.
- Festing, M.F.W. and Altman, D.G. (2002) ‘Guidelines for the Design and Statistical Analysis of Experiments Using Laboratory Animals’, *ILAR Journal*, 43(4), pp. 244–258. Available at: <https://doi.org/10.1093/ilar.43.4.244>.
- Fingar, D.C. and Blenis, J. (2004) ‘Target of rapamycin (TOR): an integrator of nutrient and growth factor signals and coordinator of cell growth and cell cycle progression’, *Oncogene*, 23(18), pp. 3151–3171. Available at: <https://doi.org/10.1038/sj.onc.1207542>.
- Fraenkel, M. *et al.* (2008) ‘mTOR inhibition by rapamycin prevents beta-cell adaptation to hyperglycemia and exacerbates the metabolic state in type 2 diabetes’, *Diabetes*, 57(4), pp. 945–957. Available at: <https://doi.org/10.2337/db07-0922>.
- Friedman, R.C. *et al.* (2009) ‘Most mammalian mRNAs are conserved targets of microRNAs’, *Genome Research*, 19(1), pp. 92–105. Available at: <https://doi.org/10.1101/gr.082701.108>.
- Furman, B.L. (2021) ‘Streptozotocin-Induced Diabetic Models in Mice and Rats’, *Current Protocols*, 1(4), p. e78. Available at: <https://doi.org/10.1002/cpz1.78>.
- Garavelli, S. *et al.* (2020) ‘Plasma circulating miR-23~27~24 clusters correlate with the immunometabolic derangement and predict C-peptide loss in children with type 1 diabetes’, *Diabetologia*, 63(12), pp. 2699–2712. Available at: <https://doi.org/10.1007/s00125-020-05237-x>.

- Garo, L.P. and Murugaiyan, G. (2016) 'Contribution of MicroRNAs to autoimmune diseases', *Cellular and molecular life sciences: CMLS*, 73(10), pp. 2041–2051. Available at: <https://doi.org/10.1007/s00018-016-2167-4>.
- Gebert, L.F.R. and MacRae, I.J. (2019) 'Regulation of microRNA function in animals', *Nature Reviews Molecular Cell Biology*, 20(1), pp. 21–37. Available at: <https://doi.org/10.1038/s41580-018-0045-7>.
- Georgia, S. and Bhushan, A. (2004) 'Beta cell replication is the primary mechanism for maintaining postnatal beta cell mass', *The Journal of Clinical Investigation*, 114(7), pp. 963–968. Available at: <https://doi.org/10.1172/JCI22098>.
- Graham, M.L. *et al.* (2011) 'The Streptozotocin-Induced Diabetic Nude Mouse Model: Differences between Animals from Different Sources', *Comparative Medicine*, 61(4), pp. 356–360.
- Grange, C. *et al.* (2014) 'Biodistribution of mesenchymal stem cell-derived extracellular vesicles in a model of acute kidney injury monitored by optical imaging', *International Journal of Molecular Medicine*, 33(5), pp. 1055–1063. Available at: <https://doi.org/10.3892/ijmm.2014.1663>.
- Greenbaum, D. *et al.* (2003) 'Comparing protein abundance and mRNA expression levels on a genomic scale', *Genome Biology*, 4(9), p. 117.
- Grieco, F.A. *et al.* (2016) 'MicroRNAs miR-23a-3p, miR-23b-3p, and miR-149-5p Regulate the Expression of Proapoptotic BH3-Only Proteins DP5 and PUMA in Human Pancreatic β -Cells', *Diabetes*, 66(1), pp. 100–112. Available at: <https://doi.org/10.2337/db16-0592>.
- Griffiths-Jones, S. *et al.* (2006) 'miRBase: microRNA sequences, targets and gene nomenclature', *Nucleic Acids Research*, 34(Database issue), pp. D140-144. Available at: <https://doi.org/10.1093/nar/gkj112>.
- Gu, J. *et al.* (1999) 'Shc and FAK differentially regulate cell motility and directionality modulated by PTEN', *The Journal of Cell Biology*, 146(2), pp. 389–403. Available at: <https://doi.org/10.1083/jcb.146.2.389>.
- Guay, C. and Regazzi, R. (2015) 'MicroRNAs and the functional β cell mass: For better or worse', *Diabetes & Metabolism*, 41(5), pp. 369–377. Available at: <https://doi.org/10.1016/j.diabet.2015.03.006>.
- Guo, Y. *et al.* (2018) 'Sodium Butyrate Ameliorates Streptozotocin-Induced Type 1 Diabetes in Mice by Inhibiting the HMGB1 Expression', *Frontiers*

in *Endocrinology*, 9, p. 630. Available at: <https://doi.org/10.3389/fendo.2018.00630>.

- Haga, H. *et al.* (2017) 'Extracellular Vesicles from Bone Marrow-Derived Mesenchymal Stem Cells Improve Survival from Lethal Hepatic Failure in Mice', *Stem Cells Translational Medicine*, 6(4), pp. 1262–1272. Available at: <https://doi.org/10.1002/sctm.16-0226>.
- Hawkins, K.E. *et al.* (2018) 'Embryonic Stem Cell-Derived Mesenchymal Stem Cells (MSCs) Have a Superior Neuroprotective Capacity Over Fetal MSCs in the Hypoxic-Ischemic Mouse Brain', *Stem Cells Translational Medicine*, 7(5), pp. 439–449. Available at: <https://doi.org/10.1002/sctm.17-0260>.
- Hay, N. (2011) 'Interplay between FOXO, TOR, and Akt', *Biochimica et biophysica acta*, 1813(11), pp. 1965–1970. Available at: <https://doi.org/10.1016/j.bbamcr.2011.03.013>.
- He, T. *et al.* (2021) 'Phosphatase and Tensin Homolog in Non-neoplastic Digestive Disease: More Than Just Tumor Suppressor', *Frontiers in Physiology*, 12. Available at: <https://www.frontiersin.org/articles/10.3389/fphys.2021.684529> (Accessed: 10 November 2023).
- He, Y. *et al.* (2021) 'Targeting PI3K/Akt signal transduction for cancer therapy', *Signal Transduction and Targeted Therapy*, 6(1), pp. 1–17. Available at: <https://doi.org/10.1038/s41392-021-00828-5>.
- Hemmings, B.A. and Restuccia, D.F. (2012) 'PI3K-PKB/Akt pathway', *Cold Spring Harbor Perspectives in Biology*, 4(9), p. a011189. Available at: <https://doi.org/10.1101/cshperspect.a011189>.
- Hettinger, K. *et al.* (2007) 'c-Jun promotes cellular survival by suppression of PTEN', *Cell Death and Differentiation*, 14(2), pp. 218–229. Available at: <https://doi.org/10.1038/sj.cdd.4401946>.
- Hofacker, I.L. *et al.* (1994) 'Fast folding and comparison of RNA secondary structures', *Monatshefte für Chemie / Chemical Monthly*, 125(2), pp. 167–188. Available at: <https://doi.org/10.1007/BF00818163>.
- Huang, H.-Y. *et al.* (2022) 'miRTarBase update 2022: an informative resource for experimentally validated miRNA-target interactions', *Nucleic Acids Research*, 50(D1), pp. D222–D230. Available at: <https://doi.org/10.1093/nar/gkab1079>.
- International Hypoglycaemia Study Group (2019) 'Hypoglycaemia, cardiovascular disease, and mortality in diabetes: epidemiology, pathogenesis, and

management', *The Lancet. Diabetes & Endocrinology*, 7(5), pp. 385–396. Available at: [https://doi.org/10.1016/S2213-8587\(18\)30315-2](https://doi.org/10.1016/S2213-8587(18)30315-2).

- Jang, J. *et al.* (2017) 'LPS-induced inflammatory response is suppressed by Wnt inhibitors, Dickkopf-1 and LGK974', *Scientific Reports*, 7. Available at: <https://doi.org/10.1038/srep41612>.
- Jiang, Z. *et al.* (2021) 'MicroRNA-23a-3p influences the molecular mechanism of gastric cancer cells via CCL22/PI3K/Akt axis', *Bioengineered*, 12(2), pp. 11277–11287. Available at: <https://doi.org/10.1080/21655979.2021.2002620>.
- Joglekar, M.V. *et al.* (2007) 'MicroRNA profiling of developing and regenerating pancreas reveal post-transcriptional regulation of neurogenin3', *Developmental Biology*, 311(2), pp. 603–612. Available at: <https://doi.org/10.1016/j.ydbio.2007.09.008>.
- Jun, E.K. *et al.* (2014) 'Hypoxic Conditioned Medium from Human Amniotic Fluid-Derived Mesenchymal Stem Cells Accelerates Skin Wound Healing through TGF- β /SMAD2 and PI3K/Akt Pathways', *International Journal of Molecular Sciences*, 15(1), pp. 605–628. Available at: <https://doi.org/10.3390/ijms15010605>.
- Kehl, T. *et al.* (2020) 'miRPathDB 2.0: a novel release of the miRNA Pathway Dictionary Database', *Nucleic Acids Research*, 48(D1), pp. D142–D147. Available at: <https://doi.org/10.1093/nar/gkz1022>.
- Keshtkar, S., Azarpira, N. and Ghahremani, M.H. (2018) 'Mesenchymal stem cell-derived extracellular vesicles: novel frontiers in regenerative medicine', *Stem Cell Research & Therapy*, 9, p. 63. Available at: <https://doi.org/10.1186/s13287-018-0791-7>.
- Kim, B. *et al.* (2020) 'Sex differences in glucose metabolism of streptozotocin-induced diabetes inbred mice (C57BL/6J)', *Applied Biological Chemistry*, 63(1), p. 59. Available at: <https://doi.org/10.1186/s13765-020-00547-5>.
- Kingham, E. and Oreffo, R.O.C. (2013) *Embryonic and Induced Pluripotent Stem Cells: Understanding, Creating, and Exploiting the Nano-Niche for Regenerative Medicine*, ACS Publications. American Chemical Society. Available at: <https://doi.org/10.1021/nn3037094>.
- Kitamura, T. and Ido Kitamura, Y. (2007) 'Role of FoxO Proteins in Pancreatic beta Cells', *Endocrine Journal*, 54(4), pp. 507–515. Available at: <https://doi.org/10.1507/endocrj.kr-109>.

- Kocherova, I., Bryja, A., Mozdziak, P., Angelova Volponi, A., *et al.* (2019) 'Human Umbilical Vein Endothelial Cells (HUVECs) Co-Culture with Osteogenic Cells: From Molecular Communication to Engineering Prevascularised Bone Grafts', *Journal of Clinical Medicine*, 8(10), p. 1602. Available at: <https://doi.org/10.3390/jcm8101602>.
- Kocherova, I., Bryja, A., Mozdziak, P., Volponi, A.A., *et al.* (2019) 'Human Umbilical Vein Endothelial Cells (HUVECs) Co-Culture with Osteogenic Cells: From Molecular Communication to Engineering Prevascularised Bone Grafts', *Journal of Clinical Medicine*, 8(10). Available at: <https://doi.org/10.3390/jcm8101602>.
- Konishi, H. *et al.* (1995) 'Molecular cloning and characterization of a new member of the RAC protein kinase family: association of the pleckstrin homology domain of three types of RAC protein kinase with protein kinase C subspecies and beta gamma subunits of G proteins', *Biochemical and Biophysical Research Communications*, 216(2), pp. 526–534. Available at: <https://doi.org/10.1006/bbrc.1995.2654>.
- Kredo-Russo, S. *et al.* (2012) 'Pancreas-enriched miRNA refines endocrine cell differentiation', *Development*, 139(16), pp. 3021–3031. Available at: <https://doi.org/10.1242/dev.080127>.
- Krenning, G. *et al.* (2008) 'Vascular smooth muscle cells for use in vascular tissue engineering obtained by endothelial-to-mesenchymal transdifferentiation (EnMT) on collagen matrices', *Biomaterials*, 29(27), pp. 3703–3711. Available at: <https://doi.org/10.1016/j.biomaterials.2008.05.034>.
- Kuckartz, U. *et al.* (2013) *Statistik: Eine verständliche Einführung*. Wiesbaden: VS Verlag für Sozialwissenschaften. Available at: <https://doi.org/10.1007/978-3-531-19890-3>.
- Kulaj, K. *et al.* (2023) 'Adipocyte-derived extracellular vesicles increase insulin secretion through transport of insulinotropic protein cargo', *Nature Communications*, 14. Available at: <https://doi.org/10.1038/s41467-023-36148-1>.
- Kwan, J.Y.Y. *et al.* (2016) 'The complexity of microRNAs in human cancer', *Journal of Radiation Research*, 57 Suppl 1(Suppl 1), pp. i106–i111. Available at: <https://doi.org/10.1093/jrr/rrw009>.
- Kwon, J.-S. *et al.* (2014) 'Regulation of MMP/TIMP by HUVEC transplantation attenuates ventricular remodeling in response to myocardial infarction', *Life Sciences*, 101(1–2), pp. 15–26. Available at: <https://doi.org/10.1016/j.lfs.2014.02.009>.

- L., P.K. *et al.* (2019) 'The mesenchymal stem cell secretome: A new paradigm towards cell-free therapeutic mode in regenerative medicine', *Cytokine & Growth Factor Reviews*, 46, pp. 1–9. Available at: <https://doi.org/10.1016/j.cytogfr.2019.04.002>.
- Lai, N., Jayaraman, A. and Lee, K. (2009) 'Enhanced Proliferation of Human Umbilical Vein Endothelial Cells and Differentiation of 3T3-L1 Adipocytes in Coculture', *Tissue Engineering Part A*, 15(5), pp. 1053–1061. Available at: <https://doi.org/10.1089/ten.tea.2008.0101>.
- Lang, H. *et al.* (2023) *Repressing miR-23a promotes the transdifferentiation of pancreatic α cells to β cells via negatively regulating the expression of SDF-1 α .* preprint. In Review. Available at: <https://doi.org/10.21203/rs.3.rs-2986223/v1>.
- Lee, J.-O. *et al.* (1999) 'Crystal Structure of the PTEN Tumor Suppressor: Implications for Its Phosphoinositide Phosphatase Activity and Membrane Association', *Cell*, 99(3), pp. 323–334. Available at: [https://doi.org/10.1016/S0092-8674\(00\)81663-3](https://doi.org/10.1016/S0092-8674(00)81663-3).
- Lee, T.N. *et al.* (2006) 'The diabetogenic antibiotic streptozotocin modifies the tryptic digest pattern for peptides of the enzyme O-GlcNAc-selective N-acetyl- β -d-glucosaminidase that contain amino acid residues essential for enzymatic activity', *Biochemical Pharmacology*, 72(6), pp. 710–718. Available at: <https://doi.org/10.1016/j.bcp.2006.06.005>.
- Lenzen, S. (2008) 'The mechanisms of alloxan- and streptozotocin-induced diabetes', *Diabetologia*, 51(2), pp. 216–226. Available at: <https://doi.org/10.1007/s00125-007-0886-7>.
- Lewis, B.P. *et al.* (2003) 'Prediction of mammalian microRNA targets', *Cell*, 115(7), pp. 787–798. Available at: [https://doi.org/10.1016/s0092-8674\(03\)01018-3](https://doi.org/10.1016/s0092-8674(03)01018-3).
- Lewis, B.P., Burge, C.B. and Bartel, D.P. (2005) 'Conserved seed pairing, often flanked by adenosines, indicates that thousands of human genes are microRNA targets', *Cell*, 120(1), pp. 15–20. Available at: <https://doi.org/10.1016/j.cell.2004.12.035>.
- Li, H. *et al.* (2016) 'MicroRNA-21 Lowers Blood Pressure in Spontaneous Hypertensive Rats by Upregulating Mitochondrial Translation', *Circulation*, 134(10), pp. 734–751. Available at: <https://doi.org/10.1161/CIRCULATIONAHA.116.023926>.
- Li, J. *et al.* (2023) 'M2 Macrophages-Derived Exosomal miRNA-23a-3p Promotes the Progression of Oral Squamous Cell Carcinoma by Targeting

- PTEN', *Current Issues in Molecular Biology*, 45(6), pp. 4936–4947. Available at: <https://doi.org/10.3390/cimb45060314>.
- Liu, H.-J. and Liu, B. (2018) 'Inhibition of MicroRNA-23 Contributes to the Isoflurane-Mediated Cardioprotection Against Oxidative Stress', *Cardiovascular Toxicology*, 18(5), pp. 450–458. Available at: <https://doi.org/10.1007/s12012-018-9455-1>.
- Liu, J. *et al.* (2020) 'LncRNA GAS5 Suppresses the Proliferation and Invasion of Osteosarcoma Cells via the miR-23a-3p/PTEN/PI3K/AKT Pathway', *Cell Transplantation*, 29, p. 096368972095309. Available at: <https://doi.org/10.1177/0963689720953093>.
- Liu, L., Cheng, Z. and Yang, J. (2018) 'miR-23 regulates cell proliferation and apoptosis of vascular smooth muscle cells in coronary heart disease', *Pathology - Research and Practice*, 214(11), pp. 1873–1878. Available at: <https://doi.org/10.1016/j.prp.2018.09.004>.
- Liu, W. *et al.* (2022) 'Human umbilical vein endothelial cells-derived exosomes enhance cardiac function after acute myocardial infarction by activating the PI3K/AKT signaling pathway', *Bioengineered* [Preprint]. Available at: <https://www.tandfonline.com/doi/abs/10.1080/21655979.2022.2056317> (Accessed: 17 December 2022).
- Liu, W. and Wang, X. (2019) 'Prediction of functional microRNA targets by integrative modeling of microRNA binding and target expression data', *Genome Biology*, 20(1), p. 18. Available at: <https://doi.org/10.1186/s13059-019-1629-z>.
- Loewith, R. *et al.* (2002) 'Two TOR complexes, only one of which is rapamycin sensitive, have distinct roles in cell growth control', *Molecular Cell*, 10(3), pp. 457–468. Available at: [https://doi.org/10.1016/s1097-2765\(02\)00636-6](https://doi.org/10.1016/s1097-2765(02)00636-6).
- Lou, G. *et al.* (2017) 'MiR-122 modification enhances the therapeutic efficacy of adipose tissue-derived mesenchymal stem cells against liver fibrosis', *Journal of Cellular and Molecular Medicine*, 21(11), pp. 2963–2973. Available at: <https://doi.org/10.1111/jcmm.13208>.
- Lozano-Bartolomé, J. *et al.* (2018) 'Altered Expression of miR-181a-5p and miR-23a-3p Is Associated With Obesity and TNF α -Induced Insulin Resistance', *The Journal of Clinical Endocrinology and Metabolism*, 103(4), pp. 1447–1458. Available at: <https://doi.org/10.1210/jc.2017-01909>.

- Lu, Y. *et al.* (2021) ‘The Emerging Role of Exosomes in Oral Squamous Cell Carcinoma’, *Frontiers in Cell and Developmental Biology*, 9, p. 628103. Available at: <https://doi.org/10.3389/fcell.2021.628103>.
- Ma, J. *et al.* (2017) ‘Exosomes Derived from Akt-Modified Human Umbilical Cord Mesenchymal Stem Cells Improve Cardiac Regeneration and Promote Angiogenesis via Activating Platelet-Derived Growth Factor D’, *Stem Cells Translational Medicine*, 6(1), pp. 51–59. Available at: <https://doi.org/10.5966/sctm.2016-0038>.
- Ma, X.M. and Blenis, J. (2009) ‘Molecular mechanisms of mTOR-mediated translational control’, *Nature Reviews Molecular Cell Biology*, 10(5), pp. 307–318. Available at: <https://doi.org/10.1038/nrm2672>.
- Ma, Y. *et al.* (2019) ‘Extracellular vesicles from human umbilical cord mesenchymal stem cells improve nerve regeneration after sciatic nerve transection in rats’, *Journal of Cellular and Molecular Medicine*, 23(4), pp. 2822–2835. Available at: <https://doi.org/10.1111/jcmm.14190>.
- Ma, Y., Gao, J. and Guo, H. (2022) ‘miR-23a-3p Regulates Runx2 to Inhibit the Proliferation and Metastasis of Oral Squamous Cell Carcinoma’, *Journal of Oncology*, 2022, p. 8719542. Available at: <https://doi.org/10.1155/2022/8719542>.
- Maehama, T. and Dixon, J.E. (1998) ‘The Tumor Suppressor, PTEN/MMAC1, Dephosphorylates the Lipid Second Messenger, Phosphatidylinositol 3,4,5-Trisphosphate*’, *Journal of Biological Chemistry*, 273(22), pp. 13375–13378. Available at: <https://doi.org/10.1074/jbc.273.22.13375>.
- Magliano, D. and Boyko, E.J. (2021) *IDF diabetes atlas*. 10th edition. Brussels: International Diabetes Federation.
- Manning, B.D. and Toker, A. (2017) ‘AKT/PKB Signaling: Navigating the Network’, *Cell*, 169(3), p. 381. Available at: <https://doi.org/10.1016/j.cell.2017.04.001>.
- Mardpour, Soura *et al.* (2018) ‘Extracellular vesicles derived from human embryonic stem cell-MSCs ameliorate cirrhosis in thioacetamide-induced chronic liver injury’, *Journal of Cellular Physiology*, 233(12), pp. 9330–9344. Available at: <https://doi.org/10.1002/jcp.26413>.
- Martins, L.F. *et al.* (2017) ‘Mesenchymal stem cells secretome-induced axonal outgrowth is mediated by BDNF’, *Scientific Reports*, 7(1), p. 4153. Available at: <https://doi.org/10.1038/s41598-017-03592-1>.

- Martins, M. *et al.* (2016) 'Extracellular Vesicles Derived from Osteogenically Induced Human Bone Marrow Mesenchymal Stem Cells Can Modulate Lineage Commitment', *Stem Cell Reports*, 6(3), pp. 284–291. Available at: <https://doi.org/10.1016/j.stemcr.2016.01.001>.
- Marzi, M.J. *et al.* (2016) 'Degradation dynamics of microRNAs revealed by a novel pulse-chase approach', *Genome Research*, 26(4), pp. 554–565. Available at: <https://doi.org/10.1101/gr.198788.115>.
- Mastri, M. *et al.* (2012) 'Activation of Toll-like receptor 3 amplifies mesenchymal stem cell trophic factors and enhances therapeutic potency', *American Journal of Physiology - Cell Physiology*, 303(10), pp. C1021–C1033. Available at: <https://doi.org/10.1152/ajpcell.00191.2012>.
- Mastropasqua, R. *et al.* (2021) 'Serum microRNA Levels in Diabetes Mellitus', *Diagnostics*, 11(2), p. 284. Available at: <https://doi.org/10.3390/diagnostics11020284>.
- Maumus, M., Jorgensen, C. and Noël, D. (2013) 'Mesenchymal stem cells in regenerative medicine applied to rheumatic diseases: Role of secretome and exosomes', *Biochimie*, 95(12), pp. 2229–2234. Available at: <https://doi.org/10.1016/j.biochi.2013.04.017>.
- Medina-Leyte, D.J. *et al.* (2020) 'Use of Human Umbilical Vein Endothelial Cells (HUVEC) as a Model to Study Cardiovascular Disease: A Review', *Applied Sciences*, 10(3), p. 938. Available at: <https://doi.org/10.3390/app10030938>.
- Meiliana, A., Dewi, N.M. and Wijaya, A. (2019) 'Mesenchymal Stem Cell Secretome: Cell-free Therapeutic Strategy in Regenerative Medicine', *The Indonesian Biomedical Journal*, 11(2), pp. 113–24. Available at: <https://doi.org/10.18585/inabj.v11i2.839>.
- Meng, X., Yu, X. and Lei, P. (2023) 'Clinical value of miR-23a-3p expression in early diagnosis of diabetic kidney disease', *Endokrynologia Polska*, p. VM/OJS/J/95453. Available at: <https://doi.org/10.5603/EP.a2023.0057>.
- Mi, Q.-S. *et al.* (2010) 'microRNA deficiency in pancreatic islet cells exacerbates streptozotocin-induced murine autoimmune diabetes', *Cell Cycle (Georgetown, Tex.)*, 9(15), pp. 3127–3129. Available at: <https://doi.org/10.4161/cc.9.15.12596>.
- Milella, M. *et al.* (2015) 'PTEN: Multiple Functions in Human Malignant Tumors', *Frontiers in Oncology*, 5, p. 24. Available at: <https://doi.org/10.3389/fonc.2015.00024>.

- Mohan, R. *et al.* (2015) ‘Differentially Expressed MicroRNA-483 Confers Distinct Functions in Pancreatic β - and α -Cells’, *The Journal of Biological Chemistry*, 290(32), pp. 19955–19966. Available at: <https://doi.org/10.1074/jbc.M115.650705>.
- Moini, J. (2019) ‘Chapter 3 - Pathophysiology of Diabetes’, in J. Moini (ed.) *Epidemiology of Diabetes*. Elsevier, pp. 25–43. Available at: <https://doi.org/10.1016/B978-0-12-816864-6.00003-1>.
- Mori, H. *et al.* (2009) ‘Critical roles for the TSC-mTOR pathway in β -cell function’, *American Journal of Physiology. Endocrinology and Metabolism*, 297(5), pp. E1013-1022. Available at: <https://doi.org/10.1152/ajpendo.00262.2009>.
- Moskalov, V. *et al.* (2023) ‘Impact of xenogenic mesenchymal stem cells secretome on a humoral component of the immune system’, *WikiJournal of Medicine*, 10, p. X. Available at: <https://doi.org/10.15347/wjm/2023.004>.
- Mouri, Mi. and Badireddy, M. (2023) ‘Hyperglycemia’, in *StatPearls*. Treasure Island (FL): StatPearls Publishing. Available at: <http://www.ncbi.nlm.nih.gov/books/NBK430900/> (Accessed: 11 October 2023).
- Mziaut, H. *et al.* (2019) ‘MiR-132 controls pancreatic beta cell proliferation and survival through Pten/Akt/Foxo3 signaling’, *Molecular Metabolism*, 31, pp. 150–162. Available at: <https://doi.org/10.1016/j.molmet.2019.11.012>.
- Naderali, E. *et al.* (2018) ‘Regulation and modulation of PTEN activity’, *Molecular Biology Reports*, 45(6), pp. 2869–2881. Available at: <https://doi.org/10.1007/s11033-018-4321-6>.
- Nielsen, L.B. *et al.* (2012) ‘Circulating levels of microRNA from children with newly diagnosed type 1 diabetes and healthy controls: evidence that miR-25 associates to residual beta-cell function and glycaemic control during disease progression’, *Experimental Diabetes Research*, 2012, p. 896362. Available at: <https://doi.org/10.1155/2012/896362>.
- Nugrahaningsih, D.A.A. *et al.* (2023) ‘In vivo immunomodulatory effect and safety of MSC-derived secretome’. F1000Research. Available at: <https://doi.org/10.12688/f1000research.131487.1>.
- Oikawa, S. *et al.* (2018) ‘Role of endothelial microRNA-23 clusters in angiogenesis in vivo’, *American Journal of Physiology. Heart and Circulatory*

Physiology, 315(4), pp. H838–H846. Available at: <https://doi.org/10.1152/ajpheart.00742.2017>.

Olivier, E.N., Rybicki, A.C. and Bouhassira, E.E. (2006) ‘Differentiation of human embryonic stem cells into bipotent mesenchymal stem cells’, *Stem Cells (Dayton, Ohio)*, 24(8), pp. 1914–1922. Available at: <https://doi.org/10.1634/stemcells.2005-0648>.

Ørom, U.A., Nielsen, F.C. and Lund, A.H. (2008) ‘MicroRNA-10a binds the 5’UTR of ribosomal protein mRNAs and enhances their translation’, *Molecular Cell*, 30(4), pp. 460–471. Available at: <https://doi.org/10.1016/j.molcel.2008.05.001>.

Osipova, J. *et al.* (2014) ‘Diabetes-associated microRNAs in pediatric patients with type 1 diabetes mellitus: a cross-sectional cohort study’, *The Journal of Clinical Endocrinology and Metabolism*, 99(9), pp. E1661-1665. Available at: <https://doi.org/10.1210/jc.2013-3868>.

Ou, Y. *et al.* (2024) ‘Effects of Extracellular Vesicles Derived from Human Umbilical Cord Blood Mesenchymal Stem Cells on Cell Immunity in Nonobese Mice’, *Stem Cells International*, 2024, p. 4775285. Available at: <https://doi.org/10.1155/2024/4775285>.

Panwar, V. *et al.* (2023) ‘Multifaceted role of mTOR (mammalian target of rapamycin) signaling pathway in human health and disease’, *Signal Transduction and Targeted Therapy*, 8(1), pp. 1–25. Available at: <https://doi.org/10.1038/s41392-023-01608-z>.

Pap, M. and Cooper, G.M. (1998) ‘Role of glycogen synthase kinase-3 in the phosphatidylinositol 3-Kinase/Akt cell survival pathway’, *The Journal of Biological Chemistry*, 273(32), pp. 19929–19932. Available at: <https://doi.org/10.1074/jbc.273.32.19929>.

Paredes-Flores, M.A. and Mohiuddin, S.S. (2023) ‘Biochemistry, Glycogenolysis’, in *StatPearls*. Treasure Island (FL): StatPearls Publishing. Available at: <http://www.ncbi.nlm.nih.gov/books/NBK554417/> (Accessed: 19 October 2023).

Park, S.-R. *et al.* (2018) ‘Stem Cell Secretome and Its Effect on Cellular Mechanisms Relevant to Wound Healing’, *Molecular Therapy: The Journal of the American Society of Gene Therapy*, 26(2), pp. 606–617. Available at: <https://doi.org/10.1016/j.ymthe.2017.09.023>.

Patel, H. *et al.* (2013) ‘Hyperglycemia induces differential change in oxidative stress at gene expression and functional levels in HUVEC and HMVEC’, *Cardiovascular Diabetology*, 12, p. 142. Available at: <https://doi.org/10.1186/1475-2840-12-142>.

- Peterson, S.M. *et al.* (2014) ‘Common features of microRNA target prediction tools’, *Frontiers in Genetics*, 5. Available at: <https://doi.org/10.3389/fgene.2014.00023>.
- Pinho, A.G. *et al.* (2020) ‘Cell Secretome: Basic Insights and Therapeutic Opportunities for CNS Disorders’, *Pharmaceuticals*, 13(2), p. 31. Available at: <https://doi.org/10.3390/ph13020031>.
- Pouya, S. *et al.* (2018) ‘Study the effects of mesenchymal stem cell conditioned medium injection in mouse model of acute colitis’, *International Immunopharmacology*, 54, pp. 86–94. Available at: <https://doi.org/10.1016/j.intimp.2017.11.001>.
- Poy, M.N. *et al.* (2009) ‘miR-375 maintains normal pancreatic alpha- and beta-cell mass’, *Proceedings of the National Academy of Sciences of the United States of America*, 106(14), pp. 5813–5818. Available at: <https://doi.org/10.1073/pnas.0810550106>.
- Qiao, Y. *et al.* (2022) ‘Platycodin D protects pancreatic β -cells from STZ-induced oxidative stress and apoptosis’, *Food Science and Technology*, 42, p. e63521. Available at: <https://doi.org/10.1590/fst.63521>.
- Qiu, L., Tan, E.K. and Zeng, L. (2015) ‘microRNAs and Neurodegenerative Diseases’, *Advances in Experimental Medicine and Biology*, 888, pp. 85–105. Available at: https://doi.org/10.1007/978-3-319-22671-2_6.
- Ragni, E. *et al.* (2017) ‘Extracellular Vesicle-Shuttled mRNA in Mesenchymal Stem Cell Communication’, *Stem Cells (Dayton, Ohio)*, 35(4), pp. 1093–1105. Available at: <https://doi.org/10.1002/stem.2557>.
- Ragni, E. *et al.* (2019) ‘Interaction with hyaluronan matrix and miRNA cargo as contributors for in vitro potential of mesenchymal stem cell-derived extracellular vesicles in a model of human osteoarthritic synoviocytes’, *Stem Cell Research & Therapy*, 10(1), p. 109. Available at: <https://doi.org/10.1186/s13287-019-1215-z>.
- Ranganath, S.H. *et al.* (2012) ‘Harnessing the Mesenchymal Stem Cell Secretome for the Treatment of Cardiovascular Disease’, *Cell Stem Cell*, 10(3), pp. 244–258. Available at: <https://doi.org/10.1016/j.stem.2012.02.005>.
- Reimand, J. *et al.* (2019) ‘Pathway enrichment analysis and visualization of omics data using g:Profiler, GSEA, Cytoscape and EnrichmentMap’, *Nature protocols*, 14(2), pp. 482–517. Available at: <https://doi.org/10.1038/s41596-018-0103-9>.

- Reinsch, M. and Weinberger, F. (2018) '[Stem cell-based cardiac regeneration after myocardial infarction]', *Herz*, 43(2), pp. 109–114. Available at: <https://doi.org/10.1007/s00059-017-4662-2>.
- Ross, J.S., Carlson, J.A. and Brock, G. (2007) 'miRNA: the new gene silencer', *American Journal of Clinical Pathology*, 128(5), pp. 830–836. Available at: <https://doi.org/10.1309/2JK279BU2G743MWJ>.
- Rouas, R. *et al.* (2009) 'Human natural Treg microRNA signature: role of microRNA-31 and microRNA-21 in FOXP3 expression', *European Journal of Immunology*, 39(6), pp. 1608–1618. Available at: <https://doi.org/10.1002/eji.200838509>.
- Sah, J. (2016) 'Challenges of stem cell therapy in developing country', *Journal of Stem Cell Research & Therapeutics* [Preprint]. Available at: <https://www.semanticscholar.org/paper/Challenges-of-stem-cell-therapy-in-developing-Sah/ddbd62d08eb7db54f878389a0f87288e20b58e64> (Accessed: 20 September 2023).
- Sato-Kunisada, R. *et al.* (2016) 'Enhanced Expression of miR-199b-5p Promotes Proliferation of Pancreatic β -Cells by Down-Regulation of MLK3', *MicroRNA (Shariqah, United Arab Emirates)*, 5(1), pp. 57–65. Available at: <https://doi.org/10.2174/2211536605666160607082214>.
- Schneider, E. *et al.* (2011) 'Migration of renal tumor cells depends on dephosphorylation of Shc by PTEN', *International Journal of Oncology*, 38(3), pp. 823–831. Available at: <https://doi.org/10.3892/ijo.2010.893>.
- Serdar, C.C. *et al.* (2021) 'Sample size, power and effect size revisited: simplified and practical approaches in pre-clinical, clinical and laboratory studies', *Biochemia Medica*, 31(1). Available at: <https://doi.org/10.11613/BM.2021.010502>.
- Shabbir, A., Zisa, D., Suzuki, G., *et al.* (2009) 'Heart failure therapy mediated by the trophic activities of bone marrow mesenchymal stem cells: a noninvasive therapeutic regimen', *American Journal of Physiology - Heart and Circulatory Physiology*, 296(6), pp. H1888–H1897. Available at: <https://doi.org/10.1152/ajpheart.00186.2009>.
- Shabbir, A., Zisa, D., Leiker, M., *et al.* (2009) 'Muscular dystrophy therapy by nonautologous mesenchymal stem cells: muscle regeneration without immunosuppression and inflammation', *Transplantation*, 87(9), pp. 1275–1282. Available at: <https://doi.org/10.1097/TP.0b013e3181a1719b>.

- Shabbir, A. *et al.* (2010) 'Activation of host tissue trophic factors through JAK-STAT3 signaling: a mechanism of mesenchymal stem cell-mediated cardiac repair', *American Journal of Physiology. Heart and Circulatory Physiology*, 299(5), pp. H1428-1438. Available at: <https://doi.org/10.1152/ajpheart.00488.2010>.
- Shabbir, A. *et al.* (2015) 'Mesenchymal Stem Cell Exosomes Induce Proliferation and Migration of Normal and Chronic Wound Fibroblasts, and Enhance Angiogenesis *In Vitro*', *Stem Cells and Development*, 24(14), pp. 1635–1647. Available at: <https://doi.org/10.1089/scd.2014.0316>.
- Shannon, P. *et al.* (2003) 'Cytoscape: a software environment for integrated models of biomolecular interaction networks', *Genome Research*, 13(11), pp. 2498–2504. Available at: <https://doi.org/10.1101/gr.1239303>.
- Shaw, R.J. and Cantley, L.C. (2006) 'Ras, PI(3)K and mTOR signalling controls tumour cell growth', *Nature*, 441(7092), pp. 424–430. Available at: <https://doi.org/10.1038/nature04869>.
- Sheng, S. *et al.* (2021) 'miR-23a-3p regulates the inflammatory response and fibrosis in diabetic kidney disease by targeting early growth response 1', *In Vitro Cellular & Developmental Biology. Animal*, 57(8), pp. 763–774. Available at: <https://doi.org/10.1007/s11626-021-00606-1>.
- Shi, Y. *et al.* (2014) 'PTEN is a protein tyrosine phosphatase for IRS1', *Nature Structural & Molecular Biology*, 21(6), pp. 522–527. Available at: <https://doi.org/10.1038/nsmb.2828>.
- Shirazi, S. *et al.* (2021) 'The importance of cellular and exosomal miRNAs in mesenchymal stem cell osteoblastic differentiation', *Scientific Reports*, 11(1), p. 5953. Available at: <https://doi.org/10.1038/s41598-021-85306-2>.
- da Silva Xavier, G. *et al.* (2000) 'Regulation of gene expression by glucose in pancreatic beta -cells (MIN6) via insulin secretion and activation of phosphatidylinositol 3'-kinase', *The Journal of Biological Chemistry*, 275(46), pp. 36269–36277. Available at: <https://doi.org/10.1074/jbc.M006597200>.
- Simon, K. and Wittmann, I. (2019) 'Can blood glucose value really be referred to as a metabolic parameter?', *Reviews in Endocrine & Metabolic Disorders*, 20(2), pp. 151–160. Available at: <https://doi.org/10.1007/s11154-019-09504-0>.

- Squarize, C.H. *et al.* (2010) ‘Accelerated Wound Healing by mTOR Activation in Genetically Defined Mouse Models’, *PLoS ONE*, 5(5), p. e10643. Available at: <https://doi.org/10.1371/journal.pone.0010643>.
- Steiner, D. *et al.* (2012) ‘Effects of endothelial cells on proliferation and survival of human mesenchymal stem cells and primary osteoblasts’, *Journal of Orthopaedic Research: Official Publication of the Orthopaedic Research Society*, 30(10), pp. 1682–1689. Available at: <https://doi.org/10.1002/jor.22130>.
- Su, L. *et al.* (2006) ‘Safrole oxide induced human umbilical vein vascular endothelial cell differentiation into neuron-like cells by depressing the reactive oxygen species level at the low concentration’, *Biochimica et Biophysica Acta (BBA) - Molecular Cell Research*, 1763(2), pp. 247–253. Available at: <https://doi.org/10.1016/j.bbamcr.2006.01.002>.
- Sung, Y. *et al.* (2019) ‘Lin28a expression protects against streptozotocin-induced β -cell destruction and prevents diabetes in mice’, *Cell Biochemistry and Function*, 37(3), pp. 139–147. Available at: <https://doi.org/10.1002/cbf.3376>.
- Surova, O. and Zhivotovsky, B. (2013) ‘Various modes of cell death induced by DNA damage’, *Oncogene*, 32(33), pp. 3789–3797. Available at: <https://doi.org/10.1038/onc.2012.556>.
- Szkudelski, T. (2001) ‘The mechanism of alloxan and streptozotocin action in B cells of the rat pancreas’, *Physiological Research*, 50(6), pp. 537–546.
- Thorens, B. (2015) ‘GLUT2, glucose sensing and glucose homeostasis’, *Diabetologia*, 58(2), pp. 221–232. Available at: <https://doi.org/10.1007/s00125-014-3451-1>.
- Tian, K., Di, R. and Wang, L. (2015) ‘RETRACTED ARTICLE: MicroRNA-23a enhances migration and invasion through PTEN in osteosarcoma’, *Cancer Gene Therapy*, 22(7), pp. 351–359. Available at: <https://doi.org/10.1038/cgt.2015.27>.
- Tosur, M. *et al.* (2020) ‘Medication-induced hyperglycemia: pediatric perspective’, *BMJ Open Diabetes Research and Care*, 8(1), p. e000801. Available at: <https://doi.org/10.1136/bmjdr-2019-000801>.
- Tuttle, R.L. *et al.* (2001) ‘Regulation of pancreatic beta-cell growth and survival by the serine/threonine protein kinase Akt1/PKB α ’, *Nature Medicine*, 7(10), pp. 1133–1137. Available at: <https://doi.org/10.1038/nm1001-1133>.

- Valinezhad Orang, A., Safaralizadeh, R. and Kazemzadeh-Bavili, M. (2014) 'Mechanisms of miRNA-Mediated Gene Regulation from Common Downregulation to mRNA-Specific Upregulation', *International Journal of Genomics*, 2014, p. 970607. Available at: <https://doi.org/10.1155/2014/970607>.
- Ventura, A. *et al.* (2008) 'Targeted deletion reveals essential and overlapping functions of the miR-17 through 92 family of miRNA clusters', *Cell*, 132(5), pp. 875–886. Available at: <https://doi.org/10.1016/j.cell.2008.02.019>.
- Ventura-Sobrevilla, J. *et al.* (2011) 'Effect of varying dose and administration of streptozotocin on blood sugar in male CD1 mice', *Proceedings of the Western Pharmacology Society*, 54, pp. 5–9.
- Verma, P. *et al.* (2016) 'Circulating MicroRNAs: Potential and Emerging Biomarkers for Diagnosis of Human Infectious Diseases', *Frontiers in Microbiology*, 7, p. 1274. Available at: <https://doi.org/10.3389/fmicb.2016.01274>.
- Volarevic, V. *et al.* (2018) 'Ethical and Safety Issues of Stem Cell-Based Therapy', *International Journal of Medical Sciences*, 15(1), pp. 36–45. Available at: <https://doi.org/10.7150/ijms.21666>.
- Vonk, L.A. *et al.* (2018) 'Mesenchymal Stromal/stem Cell-derived Extracellular Vesicles Promote Human Cartilage Regeneration In Vitro', *Theranostics*, 8(4), pp. 906–920. Available at: <https://doi.org/10.7150/thno.20746>.
- Walshe, T.E., Paz, N.G. dela and D'Amore, P.A. (2013) 'The role of shear-induced TGF- β signaling in the endothelium', *Arteriosclerosis, thrombosis, and vascular biology*, 33(11), p. 2608. Available at: <https://doi.org/10.1161/ATVBAHA.113.302161>.
- Wang, B. *et al.* (2017) 'Pre-incubation with hucMSC-exosomes prevents cisplatin-induced nephrotoxicity by activating autophagy', *Stem Cell Research & Therapy*, 8(1), p. 75. Available at: <https://doi.org/10.1186/s13287-016-0463-4>.
- Wang, J. *et al.* (2021) 'MiR-122 Participates in Oxidative Stress and Apoptosis in STZ-Induced Pancreatic β Cells by Regulating PI3K/AKT Signaling Pathway', *International Journal of Endocrinology*, 2021, p. 5525112. Available at: <https://doi.org/10.1155/2021/5525112>.
- Wang, S. *et al.* (2024) 'The Role of microRNA-23a-3p in the Progression of Human Aging Process by Targeting FOXO3a', *Molecular Biotechnology*,

66(2), pp. 277–287. Available at: <https://doi.org/10.1007/s12033-023-00746-7>.

- Wang, X. (2008) ‘miRDB: A microRNA target prediction and functional annotation database with a wiki interface’, *RNA*, 14(6), p. 1012. Available at: <https://doi.org/10.1261/rna.965408>.
- Wang, Y. *et al.* (2017) ‘Exosomes from embryonic mesenchymal stem cells alleviate osteoarthritis through balancing synthesis and degradation of cartilage extracellular matrix’, *Stem Cell Research & Therapy*, 8(1), p. 189. Available at: <https://doi.org/10.1186/s13287-017-0632-0>.
- van de Werve, G. and Jeanrenaud, B. (1987) ‘Liver glycogen metabolism: an overview’, *Diabetes/Metabolism Reviews*, 3(1), pp. 47–78. Available at: <https://doi.org/10.1002/dmr.5610030104>.
- Wier, E.M. *et al.* (2015) ‘Caspase-3 cleaved p65 fragment dampens NF-κB-mediated anti-apoptotic transcription by interfering with the p65/RPS3 interaction’, *FEBS letters*, 589(23), pp. 3581–3587. Available at: <https://doi.org/10.1016/j.febslet.2015.10.019>.
- World Health Organization (2019) *Classification of diabetes mellitus*. Geneva: World Health Organization. Available at: <https://apps.who.int/iris/handle/10665/325182> (Accessed: 23 May 2023).
- Wu, D. *et al.* (2022) ‘Apoptotic caspase inhibits innate immune signaling by cleaving NF-κBs in both Mammals and Flies’, *Cell Death & Disease*, 13(8), pp. 1–11. Available at: <https://doi.org/10.1038/s41419-022-05156-2>.
- Wu, F. *et al.* (2020) ‘Upregulation of miRNA-23a-3p rescues high glucose-induced cell apoptosis and proliferation inhibition in cardiomyocytes’, *In Vitro Cellular & Developmental Biology. Animal*, 56(10), pp. 866–877. Available at: <https://doi.org/10.1007/s11626-020-00518-6>.
- Xia, X. *et al.* (2018) ‘Secretome from hypoxia-conditioned adipose-derived mesenchymal stem cells promotes the healing of gastric mucosal injury in a rodent model’, *Biochimica et Biophysica Acta (BBA) - Molecular Basis of Disease*, 1864(1), pp. 178–188. Available at: <https://doi.org/10.1016/j.bbadis.2017.10.009>.
- Xu, T., Yin, F. and Shi, K. (2024) ‘TMEM158 functions as an oncogene and promotes lung adenocarcinoma progression through the PI3K/AKT pathway via interaction with TWIST1’, *Experimental Cell Research*,

437(1), p. 114010. Available at:
<https://doi.org/10.1016/j.yexcr.2024.114010>.

- Yang, M. *et al.* (2015) 'Decreased miR-146 expression in peripheral blood mononuclear cells is correlated with ongoing islet autoimmunity in type 1 diabetes patients 1miR-146', *Journal of Diabetes*, 7(2), pp. 158–165. Available at: <https://doi.org/10.1111/1753-0407.12163>.
- Yang, Z. *et al.* (2014) 'Serum miR-23a, a potential biomarker for diagnosis of pre-diabetes and type 2 diabetes', *Acta Diabetologica*, 51(5), pp. 823–831. Available at: <https://doi.org/10.1007/s00592-014-0617-8>.
- Yari, Z. *et al.* (2020) 'New Insight into Diabetes Management: From Glycemic Index to Dietary Insulin Index', *Current Diabetes Reviews*, 16(4), pp. 293–300. Available at: <https://doi.org/10.2174/1573399815666190614122626>.
- Zeng, N. *et al.* (2010) 'The Role of PTEN in β -Cell Growth', *The open endocrinology journal*, 4, pp. 23–32.
- Zhang, B. *et al.* (2014) 'Mesenchymal stem cells secrete immunologically active exosomes', *Stem Cells and Development*, 23(11), pp. 1233–1244. Available at: <https://doi.org/10.1089/scd.2013.0479>.
- Zhang, L. *et al.* (2020) 'MiR-20a-containing exosomes from umbilical cord mesenchymal stem cells alleviates liver ischemia/reperfusion injury', *Journal of Cellular Physiology*, 235(4), pp. 3698–3710. Available at: <https://doi.org/10.1002/jcp.29264>.
- Zhang, S. *et al.* (2016) 'Exosomes derived from human embryonic mesenchymal stem cells promote osteochondral regeneration', *Osteoarthritis and Cartilage*, 24(12), pp. 2135–2140. Available at: <https://doi.org/10.1016/j.joca.2016.06.022>.
- Zhang, S. *et al.* (2018) 'MSC exosomes mediate cartilage repair by enhancing proliferation, attenuating apoptosis and modulating immune reactivity', *Biomaterials*, 156, pp. 16–27. Available at: <https://doi.org/10.1016/j.biomaterials.2017.11.028>.
- Zhang, T. *et al.* (2016) 'FoxO1 Plays an Important Role in Regulating β -Cell Compensation for Insulin Resistance in Male Mice', *Endocrinology*, 157(3), pp. 1055–1070. Available at: <https://doi.org/10.1210/en.2015-1852>.
- Zhang, X. *et al.* (2011) 'Akt, FoxO and regulation of apoptosis', *Biochimica et Biophysica Acta (BBA) - Molecular Cell Research*, 1813(11), pp.

1978–1986. Available at:
<https://doi.org/10.1016/j.bbamcr.2011.03.010>.

- Zhang, Y.-Z. *et al.* (2018) ‘Exosomes derived from human umbilical vein endothelial cells promote neural stem cell expansion while maintain their stemness in culture’, *Biochemical and Biophysical Research Communications*, 495(1), pp. 892–898. Available at: <https://doi.org/10.1016/j.bbrc.2017.11.092>.
- Zheng, Y. *et al.* (2015) ‘miR-101a and miR-30b contribute to inflammatory cytokine-mediated β -cell dysfunction’, *Laboratory Investigation; a Journal of Technical Methods and Pathology*, 95(12), pp. 1387–1397. Available at: <https://doi.org/10.1038/labinvest.2015.112>.
- Zheng, Y., Wang, Z. and Zhou, Z. (2017) ‘miRNAs: novel regulators of autoimmunity-mediated pancreatic β -cell destruction in type 1 diabetes’, *Cellular & Molecular Immunology*, 14(6), pp. 488–496. Available at: <https://doi.org/10.1038/cmi.2017.7>.
- Zhou, Q. *et al.* (2011) ‘Regulation of angiogenesis and choroidal neovascularization by members of microRNA-23~27~24 clusters’, *Proceedings of the National Academy of Sciences of the United States of America*, 108(20), pp. 8287–8292. Available at: <https://doi.org/10.1073/pnas.1105254108>.
- Zisa, D. *et al.* (2009) ‘Intramuscular VEGF repairs the failing heart: role of host-derived growth factors and mobilization of progenitor cells’, *American Journal of Physiology - Regulatory, Integrative and Comparative Physiology*, 297(5), pp. R1503–R1515. Available at: <https://doi.org/10.1152/ajpregu.00227.2009>.
- Zisa, D. *et al.* (2011) ‘Intramuscular VEGF activates an SDF1-dependent progenitor cell cascade and an SDF1-independent muscle paracrine cascade for cardiac repair’, *American Journal of Physiology. Heart and Circulatory Physiology*, 301(6), pp. H2422–2432. Available at: <https://doi.org/10.1152/ajpheart.00343.2011>.